

UNCLASSIFIED

AD NUMBER
AD228966
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 6 Jun 1959. Other requests shall be referred to the U.S. Navy Radiological Defense Laboratory, San Francisco, CA.
AUTHORITY
USNRDL ltr, 18 Oct 1967

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

AD

228966

FOR
MICRO-CARD
CONTROL ONLY

1

OF

2


Reproduced by

Armed Services Technical Information Agency

ARLINGTON HALL STATION; ARLINGTON 12 VIRGINIA

UNCLASSIFIED

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

"NOTICE: When Government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the U.S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto."

UNCLASSIFIED

Copy No. 124

10

AD NO. 228966

ASTIA FILE COPY

STONEMAN II TEST OF RECLAMATION PERFORMANCE

VOLUME III

PERFORMANCE CHARACTERISTICS OF DRY DECONTAMINATION PROCEDURES

Research and Development Technical Report USNRDL-TR-336

6 June 1959

by

H. Lee
J. D. Sartor
W. H. Van Horn

FC



U.S. NAVAL RADIOLOGICAL DEFENSE LABORATORY

SAN FRANCISCO 24 CALIFORNIA

FILE COPY
Return to
ASTIA
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA
ATTN: TISS

ASTIA
RECORDED
DEC 3 1959
RISUUSUTSU
TIPDR B

UNCLASSIFIED

UNCLASSIFIED

STONEMAN II TEST OF RECLAMATION PERFORMANCE

VOLUME III

PERFORMANCE CHARACTERISTICS OF DRY
DECONTAMINATION PROCEDURES

Research and Development Technical Report USNRDL-TR-336
NY 320-001-9
U. S. Army

6 June 1959

by

H. Lee
J. D. Sartor
W. H. Van Horn

Special Distribution

Technical Objective
AW-5c

Technical Developments Branch
C. F. Miller, Head

Chemical Technology Division
E. R. Tompkins, Head

Scientific Director
P. C. Tompkins

Commanding Officer and Director
Captain J. H. McQuilkin, USN

U. S. NAVAL RADIOLOGICAL DEFENSE LABORATORY
San Francisco 24, California

UNCLASSIFIED

ABSTRACT

~~The basic decontamination procedures (firehosing, motorized flushing, scrubbing) evaluated during the field test conducted at Camp Stewart in 1956 required the use of large quantities of water. Since it was recognized that in many situations adequate water supplies will not be available for use in large scale decontamination operations, and under emergency conditions water systems may be damaged or otherwise depleted, it appeared desirable to develop and/or experiment decontamination methods that do not require the use of water *when necessary.*~~

A series of tests were ~~therefore~~ conducted to develop and evaluate new reclamation techniques for land targets with emphasis on waterless decontamination methods. The tests conducted were limited to the evaluation, on asphaltic concrete and portland cement concrete, of the following procedures: (1) Motorized Sweeping, (2) Vacuumized Sweeping, and (3) Air Broom Sweeping.

Using synthetic fallout to simulate dry fallout from nuclear weapons detonated on a land surface, effectiveness and rate of removal data were obtained for the evaluation of ~~three~~ procedures, ~~for waterless decontamination of large paved areas, namely motorized sweeping, vacuumized sweeping and air broom sweeping.~~

The highest degree of effectiveness was obtained with the air broom and the highest rate of removal was obtained with motorized sweeping using Wayne 450. However the removal of heavy deposits by the air broom produces a large dust cloud and the procedure could probably be used only when the situation is such that contamination of downwind areas can be tolerated.

A mathematical model, based upon theoretical considerations, has been developed for the comparative evaluation of decontamination methods. Using this model it is possible to accurately evaluate dry decontamination methods and to predict the effect of various environmental parameters.

SUMMARY

The Problem

To develop and evaluate reclamation techniques for land targets with emphasis on waterless decontamination procedures such as motorized sweeping, vacuumized sweeping, etc.

Findings

Using synthetic fallout to simulate dry fallout from nuclear weapons detonated on a land surface, effectiveness and rate of removal data were obtained for the evaluation of three procedures for "waterless" decontamination of large paved areas, namely motorized sweeping, vacuumized sweeping and air broom sweeping.

The highest degree of effectiveness was obtained with the air broom and the highest rate of removal was obtained with motorized sweeping using the Wayne 450. However the removal of heavy deposits by the air broom produces a large dust cloud and the procedure could probably be used only when the situation is such that contamination of downwind areas can be tolerated.

A mathematical model, based upon theoretical considerations, has been developed for the comparative evaluation of decontamination methods. Using this model it is possible to accurately evaluate dry decontamination methods and to predict the effect of various environmental parameters.

ADMINISTRATIVE INFORMATION

This investigation was sponsored by the Department of the Army as part of Program B-3, Problem 3, described in this Laboratory's Technical Program for Fiscal Year 1959, revised 1 January 1959.

The main objective was to determine cost and performance of reclamation measures for land-based construction. This report presents results for sub-objective 2: to provide information on new reclamation techniques for land targets with emphasis on waterless decontamination procedures. The other reports in this series include

- Vol. I The Production, Dispersal and Measurement of Synthetic Fallout Material
- Vol. II Performance Characteristics of Wet Decontamination Procedures
- Vol. IV Performance Characteristics of Land Reclamation Methods
- Vol. V Contaminability Characteristics of Personnel Exposed to Contact Beta Radiation

ACKNOWLEDGMENTS

The objectives of this test could not have been fulfilled without the whole-hearted assistance and cooperation of many organizations and personnel therefrom. The performance of the 50th Chemical Service Platoon, U.S. Army, assigned to support the test was outstanding in every respect. The services of the personnel from the Mobile Construction Battalion Five, Fort Huachuca, California proved invaluable in the operation of heavy equipment assigned to the project. In addition the authors wish to acknowledge the invaluable aid from the following organizations: Headquarters, Sixth U.S. Army, Presidio of San Francisco, California; Post Engineer, Camp Stoneman, California; Research Directorate, Air Force Special Weapons Center, Kirtland Air Force Base, New Mexico; U.S. Naval Civil Engineering Laboratory, Port Huachuca, California.

CONTENTS

ABSTRACT	11	
SUMMARY	111	
ADMINISTRATIVE INFORMATION.	iv	
ACKNOWLEDGMENTS.	v	
LIST OF TABLES.	vii	
LIST OF FIGURES.	viii	
CHAPTER 1	INTRODUCTION.	1
1.1	Objective.	1
1.2	Background.	1
1.3	Basic Principles.	2
1.4	Scope of Test	3
1.5	Selection of Test Site.	4
CHAPTER 2	DESCRIPTION OF TEST PROCEDURES AND MEASUREMENTS	5
2.1	Decontamination Procedures.	5
2.1.1	Motorized Sweeping.	5
2.1.2	Vacuumized Sweeping	7
2.1.3	Air Broom Sweeping.	9
2.2	Production of Synthetic Fallout	10
2.2.1	Selection of Radioisotope	10
2.2.2	Bulk Carrier Material	10
2.3	Dispersal of Synthetic Fallout.	10
2.3.1	Paved Areas.	12
2.3.2	Sampling Pans.	12
2.4	Measurement Techniques.	12

CONTENTS (Cont'd)

CHAPTER 3	RESULTS	15
3.1	Decontamination of Paved Areas	15
3.1.1	Motorized Sweeping	15
3.1.2	Vacuumized Sweeping	16
3.1.3	Air Broom Sweeping	16
3.2.	Time and Motion Studies.	16
CHAPTER 4	DISCUSSION OF RESULTS.	21
4.1	Parameters Effecting Decontamination Effectiveness	21
4.2	Comparison of Decontamination Procedures	33
4.3	Combination of Methods.	35
4.4	Effect of Initial Mass Level and Effort.	36
4.5	Effect of Surface on Residual Mass.	39
4.6	Effect of Equipment Speed	46
4.7	Operational Characteristics.	46
4.7.1	Motorized Sweeping.	46
4.7.2	Vacuumized Sweeping.	49
4.7.3	Air Broom Sweeping	50
4.8	Sources of Error.	50
CHAPTER 5	CONCLUSIONS AND RECOMMENDATIONS.	55
5.1	Conclusions.	55
5.2	Recommendations.	56
REFERENCES		57
APPENDIX A	RAW DATA	59
APPENDIX B	CONVERSION OF RADIATION MEASUREMENTS TO MASS UNITS	81
APPENDIX C	OPERATING CHARACTERISTICS OF EQUIPMENT	87

TABLES

3.1	Decontamination Results for A Conventional Motorized Sweeper On Various Test Surfaces	17
3.2	Decontamination Results for Vacuumized Sweepers.	18
3.3	Decontamination Results for Air Broom Sweeping	19
4.1	Derived Values of M^* , M_0^* , K and α	29
4.6	Effort Required to Achieve Residual Mass Levels	47
4.7	Motorized Sweeper Ownership in the United States.	47
A.1	Raw Data for Decontamination Effort.	61
A.2	Raw Monitoring Data - Test B-1.	63
A.3	Raw Monitoring Data - Test B-2.	64
A.4	Raw Monitoring Data - Test B-3.	65
A.5	Raw Monitoring Data - Test B-4.	66
A.6	Raw Monitoring Data - Test B-5.	67
A.7	Raw Monitoring Data - Test B-6.	68
A.8	Raw Monitoring Data - Test B-7.	69
A.9	Raw Monitoring Data - Test B-8.	70
A.10	Raw Monitoring Data - Test B-9.	71
A.11	Raw Monitoring Data - Test B-10	72
A.12	Raw Monitoring Data - Test B-11	73
A.13	Raw Monitoring Data - Test B-12	74

TABLES (Cont'd)

A.14	Raw Monitoring Data - Test B-13.	75
A.15	Raw Monitoring Data - Test B-14.	76
A.16	Raw Monitoring Data - Test B-15.	77
A.17	Raw Monitoring Data - Test B-16.	78
A.18	Raw Monitoring Data - Test B-17.	79
A.19	Raw Monitoring Data - Test B-18.	80
B.1	Compilation of Basic and Extracted Test Data	83
C.1	Operating Characteristics of Wayne Model 450	88
C.2	Operating Characteristics of Tennant Model 100	90
C.3	Operating Characteristics of Tennant Model 80.	92

FIGURES

2.1	Motorized Sweeping (Wayne Model 450) on Portland Cement Concrete.	6
2.2	Vacuumized Sweeping (Tennant Model 100) On Asphaltic Concrete . .	6
2.3	Vacuumized Sweeping (Tennant Model 80) on Asphaltic Concrete. . .	8
2.4	Air Broom Sweeping on Asphaltic Concrete.	8
2.5	Transit Mix Truck for Mixing Dry Synthetic Fallout.	11
2.6	Dump Truck for Dispersing Dry Synthetic Fallout on Paved Areas. .	11
2.7	Mobile Shielded Gamma Scintillation Detector Unit.	13
4.1.1	The Variation of Decontamination Effectiveness As Measured by M ² With Initial Mass Level.	23
4.1.2	Effectiveness of the Wayne 450 on Asphaltic Concrete.	24
4.1.3	Effectiveness of the Wayne 450 on Portland Cement Concrete. . . .	25
4.1.4	Effectiveness of the Tennant 100 Vacuumized Sweeper on Asphaltic Concrete.	26
4.1.5	Effectiveness of the Tennant 80 Vacuumized Sweeper on Asphaltic Concrete.	27
4.1.6	Effectiveness of Air Broom Sweeping on Asphaltic Concrete	28
4.1.7	Effectiveness of the Wayne 450 on Sand Pre-Treated Asphaltic Concrete.	30
4.2.1	Comparative Effectiveness of Dry Decontamination Methods on Paved Areas at an Initial Mass Level of 20 g/ft ²	31
4.2.2	Comparative Effectiveness of Dry Decontamination Methods on Paved Areas at an Initial Mass Level of 50 g/ft ²	32

FIGURES (Cont'd)

4.2.3	Comparative Effectiveness of Dry Decontamination Methods on Paved Areas at an Initial Mass Level of 120 g/ft ²	34
4.3.1	Path of Least Effort for a Combination of Two Methods	37
4.3.2	Determination of the Path on Least Effort From Experimental Values for the Wayne 450 and the Air Broom (Test B-2)	38
4.4.1	Residual Mass vs Initial Mass Wayne 450 on Asphaltic Concrete	40
4.4.2	Residual Mass vs Initial Mass - Wayne 450 on Portland Cement Concrete.	41
4.4.3	Residual Mass vs Initial Mass - Tennant 100 Vacuumized Sweeping on Asphaltic Concrete.	42
4.4.4	Residual Mass vs Initial Mass - Tennant 80 Vacuumized Sweeping on Asphaltic Concrete.	43
4.4.5	Residual Mass vs Initial Mass - Air Broom Sweeping on Asphaltic Concrete.	44
4.4.6	Residual Mass vs Initial Mass - Wayne 450 on Sand Pre-Treated Asphaltic Concrete.	45
4.6	Ridgess of Dry Synthetic Fallout Material Left on Surface After Air Broom Sweeping. Initial Mass of 147 gm/ft ²	51

CHAPTER 1

INTRODUCTION

1.1 OBJECTIVE

This report is Volume III in a series of reports describing the results of the Stoneman II Land Target Tests. In this volume, results of objective (b),

"To develop and evaluate new reclamation techniques for Land Targets with emphasis on waterless decontamination procedures such as motorized sweeping, vacuumized sweeping, etc." are submitted.

1.2 BACKGROUND

The first experimental work on the decontamination of paved areas utilizing waterless decontamination procedures was carried out in 1948.^{1,2} In Operation Streetsweep¹ an investigation was made to determine the efficiency of removal of large and small sized metallic particles from various types of road surfaces using a mechanized street sweeper and a standard firehose. It was found that the street sweeper removed the coarser particles more completely than the fine particles. Firehosing was found to be the best method of removal. In Operation Supersweep² a study was made of the efficiency of removal of three different particle size ranges of radio-tantalum metal from macadam and concrete test samples by hand sweeping and hosing. Again it was found that the smaller the particle size the more difficult it is to remove this material and that hosing is far more efficient than sweeping. At Operation JANGLE³ in the winter of 1951, experiments were carried out on an asphalt road in the fallout field. Various decontamination methods were evaluated including waterless decontamination methods such as, dry sweeping with a towed rotary broom, vacuum cleaning and air hosing. Of the dry methods evaluated, high pressure air hosing was found to be the most effective and vacuum cleaning the least effective.

In 1956, the basic decontamination procedures (firehosing, motorized flushing and scrubbing) were evaluated at a field test⁴ at Camp Stoneman utilizing tagged soils to simulate dry fallout. Although the tests were

primarily conducted to determine the performance of wet methods, limited test with a motorized sweeper were conducted on small (10 x 50 ft) asphaltic and concrete test areas using the dry synthetic fallout material dispersed at an initial mass level of 250 gms/ft². The procedure was found to remove 87 to 90 percent of the mass of the material present on test surfaces.

The basic decontamination procedures evaluated during the field test required the use of large quantities of water. For instance, an average firehosing operation required 800 gallons per 1,000 ft² and motorized flushing 500 gallons per 1,000 ft². These large quantities of water may be somewhat reduced by increasing the rate of operation without any decrease in decontamination effectiveness. However, in many situations there may not be adequate water supplies for use in large scale decontamination operations. Moreover under emergency conditions, water systems may be damaged or otherwise depleted. Furthermore during cold weather, decontamination procedures using water may not be practicable. In view of these anticipated difficulties, it appears desirable to develop and/or exploit decontamination methods that do not require the use of water or use it in limited quantities only.

1.3 BASIC PRINCIPLES OF DECONTAMINATION OPERATIONS

Decontamination of paved areas covered with fallout from land surface bursts consist of two processes: (a) loosening and/or removal of the debris from the surface; and (b) disposal of the debris.

For solid particulate fallout typical of land surface bursts, gravity is one of the chief forces holding the larger particles to the surface; for small particles other surface attractive forces may also be important. For this type of fallout most of the effort in decontamination is expended in the removal of the debris from the surface. Dry decontamination methods normally use mechanical erosion to either move the contaminant across the surface to a collection point, or else pick it up and transfer it to a container. The collected material must then be transferred to a disposal site; in situations in which a high fallout deposit is found and the areas to be decontaminated are large, the problems involved in disposal of the collected debris may be considerable. Certain techniques such as blowing the contaminant off the surface, combine the two processes, removal and disposal. However such techniques are limited to special usages.

There are available at present a number of techniques that can be categorized as waterless or near-waterless decontamination methods for paved areas. The techniques studied were limited primarily to those which make use of readily available equipment.

Because of their universal availability primary consideration was directed towards the testing of standard street sweepers. Generally all commercial street sweepers have the same operating characteristics. A powered rotary broom is used to dislodge the debris on streets and to sweep it onto a conveyor system which in turn carries the debris into a hopper. Thus a removal bulk transport system is inherent in the design.

The present pickup brooms that come as standard equipment on street sweepers utilize stiff, large fiber brooms made from split hickory or palmyra stalk or of african bass.

During the sweeping process, a quantity of dust is generated. Most sweepers utilize a fine water spray to dampen the surface ahead of the pickup broom to limit dust generation. The use of a water spray previous to brushing may reduce the effectiveness, particularly when removing small amounts of dry fallout because the combination of the water spray and sweeping action creates a slurry which then becomes difficult to remove. Since some sort of dust suppression may be considered desirable, a vacuum system operating in conjunction with the pickup broom would provide this feature.

Another technique of dry fallout removal utilizes air to blow the material from the surface. The air supplied by a conventional air compressor is delivered to a nozzle manifold mounted on a vehicle. The removal of heavy deposits would produce a large dust cloud and the procedure probably could be used only when the situation is such that contamination of areas downwind from the area being decontaminated can be tolerated, or if the aerosol produced is of lesser importance than the emergency.

1.4 SCOPE OF TEST

The tests conducted were limited to the evaluation of the following procedures: (1) Motorized sweeping; (2) "vacuumized" sweeping, and (3) Air Broom sweeping.

Each procedure was evaluated on asphaltic concrete test surfaces. Due to the limited availability of suitable portland cement concrete surfaces only motorized sweeping was evaluated on both types of surfaces.

One contaminating condition was considered; a dry synthetic fallout material simulating the fallout resulting from a high-yield (KT) land surface burst. Three nominal mass levels were investigated; 10 grams/ft², 33 grams/ft² and 100 grams/ft². These mass levels could correspond to dose rates of approximately 300 r/hr, 1,000 r/hr and 3,000 r/hr all at one hour after burst.⁵

1.5 SELECTION OF TEST SITE

Camp Stoneman, a deactivated Army Camp near Pittsburg, California was selected as the test site. A description of the test site and test surfaces can be found in Volume I⁰ of this series of reports.

CHAPTER 2

DESCRIPTION OF TEST PROCEDURES AND MEASUREMENTS

2.1 DECONTAMINATION PROCEDURES

The decontamination procedures evaluated, as stated in Section 1.4 were:

- (a) Motorized Sweeping
- (b) "Vacuumized" Sweeping
- (c) Air Broom Sweeping

2.1.1 Motorized Sweeping (Figure 2.1)

The motorized sweeping was carried out with a standard Wayne* Model 450 street sweeper. This machine utilizes a 58" wide palmyra main broom. The material picked up is deposited on a conveyor system which transports the material to a 3 cubic yard hepper. Dust suppression, when desired, is accomplished through the use of a water spray system. The sweeper can be used with either one or two 45" diameter, wire filled, gutter brooms, or, as in these tests, without any gutter brooms.

Prior to the full scale field test, preliminary studies were conducted to:

- (a) Establish for the motorized sweeper the range of operating rates for various initial masses of fallout material.
- (b) To determine the effect of pretreatment agents such as sand on the pickup efficiency of the motorized sweeper.
- (c) To determine the effect of gutter brooms on the pickup efficiency of the motorized sweeper.

The preliminary tests were conducted on an asphaltic concrete street located in the San Francisco Naval Shipyard. Before each test the street was thoroughly cleaned. Dry soil of the type used in the synthetic fallout material was dispersed on the streets in the amounts to be evaluated

* Wayne Manufacturing Co., Newark, New Jersey.




Fig. 2.1 Motorized Sweeping (Wayne Model 450) on Portland Cement Concrete.




Fig. 2.2 Vacuumized Sweeping (Tennant Model 100) on Asphaltic Concrete.

during the field test (10 grams/ft² and 100 grams/ft²). No radioactive tracer was used; to determine quantitatively the pickup efficiency a material balance of the soil dispersed and subsequently picked up was utilized.

Sand was dispersed over the dry soil in the same amounts as the dispersed soil to determine the effect of sand as a pretreatment agent. The water spray system in the sweeper was used to moisten the sand before sweeping.

From observations of the preliminary sweeping tests the following operating speeds were recommended for use during the full scale tests.

<u>Mass Loading</u>	<u>Procedure</u>	<u>Speed</u>
10 grams/ft ²	Dry Sweep only	7 ft/sec
10 grams/ft ²	Sand pretreatment	5 ft/sec
100 grams/ft ²	Dry Sweep only	4 ft/sec
100 grams/ft ²	Sand pretreatment	2 ft/sec

It was found that by removing the gutter broom from the sweeper the pick-up efficiency of the equipment was appreciably increased. It appeared that the gutter broom, in revolving, created air currents which re-distributed the fallout material before it could be picked up by the main broom. For this reason the gutter broom was completely removed and not used in the full scale tests.

The full scale motorized sweeping tests were conducted on asphaltic concrete and Portland cement concrete test areas. Test areas, prior to each test, were either cleaned with the Wayne 450 or flushed with a motorized street flusher, depending on prior usage. The operating rates used are listed in Appendix A. Radiation measurements were taken before and after each cycle; a complete cycle included the coverage of the entire area at least once. The number of individual passes per cycle was subjectively determined for each cycle based upon the apparent contamination remaining on the surface. Upon completion of each cycle the hopper was emptied at a predesignated waste disposal area.

2.1.2 "Vacuumized" Sweeping (Figures 2.2 and 2.3)

The vacuumized sweeping tests were carried out with two recently developed vacuumized sweepers. A Tennant Model 100* (designed for street and open area use) was made available for evaluation by the Air Force Special Weapons Center, Kirtland Air Force Base, New Mexico. Also evaluated was a Tennant Model

* G.H. Tennant Co., Minneapolis, Minnesota.



Fig. 2.3 Vacuumized Sweeping (Tennant Model 80) on Asphaltic Concrete.




Fig. 2.4 Air Broom Sweeping on Asphaltic Concrete.

evaluated was a Tennant Model 80*, a smaller industrial power sweeper, that was designed for sweeping small areas. The Model 80 was made available for evaluation by the Naval Civil Engineering Laboratory, Port Hueneles, California.

The Model 100 utilizes a 48" wide african bass filled, main pickup broom and two 32" diameter nylon bristle gutter brooms. The broom system was enclosed in a vacuum equipped housing. The aerosol generated by the sweeping process is filtered by a series of cloth filter bags. The material picked up by the brooms and the dust trapped by the filters is cast or dropped into a 1-3/4 yd hopper mounted in the rear of the unit.

The Model 80 utilizes a 42" wide fiber main brush and a 24" diameter side brush. The main brush is enclosed and a high volume low pressure fan draws the generated dust from the brush enclosure into a heavy fabric bag. A 12 cu ft hopper mounted in front of the brush enclosure receives the material picked up by the main broom.

The vacuumized sweeping tests were conducted on asphaltic concrete test areas. The operating rates used were those recommended for maximum decontamination effectiveness by a manufacturer's representative who was present. The equipment was not available prior to the full scale tests so no preliminary test was conducted. This equipment was evaluated in the same manner used for the motorized sweeper.

2.1.3 Air Broom Sweeping (Figure 2.4)

An air broom, consisting of a nozzle manifold mounted on a compressor truck and positioned near the surface to blow the contaminant to one side, was evaluated. Nine nozzles, spaced 8" apart along the manifold and designed to deliver compressed air at supersonic velocities were supplied by a 210 cfm, 100 psi compressor.

Prior to the full scale field tests preliminary tests were conducted on an asphaltic concrete test area in the San Francisco Naval Shipyard to determine the feasibility of the air broom in removing dry soil dispersed in the mass levels of interest (10 grams/ft² - 100 grams/ft²).

The tests indicated that the proposed system would remove dry soil up to initial deposits of 100 grams/ft² satisfactorily. The full scale evaluation tests were then conducted on asphaltic concrete test areas. The system was also evaluated when used in conjunction with motorized sweeping. This evaluation consisted of a final air broom pass after several cleaning cycles with the motorized sweeper.

* G.H. Tennant Co., Minneapolis, Minnesota.

2.2 PRODUCTION OF SYNTHETIC FALLOUT

The design and preparation of the synthetic fallout material is described in detail in Volume I⁶ of this series of reports. A brief resume of the general procedures and techniques used during the operation follows:

The dry fallout simulant was prepared by combining a radioactive tracer in solution and a bulk carrier material in the mixing drum of a modified Jaeger 3-1/2 cubic-yard transit-mix truck (Fig. 2.5). The solution was fed to an air nozzle located in the head end of the rotating drum where it was atomized onto the bulk carrier materials.

The mix for each day was obtained by blending three size fractions of the bulk carrier material so that a standard final mix resulted. Distribution curves for each day's batch are presented in Volume I.⁶ The mix used for each test is indicated in Appendix B.

2.2.1 Selection of Radioisotope

The radionuclide La^{140} was used as the radioactive tracer in the synthetic fallout. Experiments⁷ performed prior to the land target tests⁴ conducted in 1956, demonstrated that trivalent La^{140} was strongly adsorbed to the carrier material and would not desorb under wet decontamination procedures. The half life, 40.2 hours, of La^{140} was such that natural decay reduced the radioactivity at the test site to negligible amounts within a short time after the completion of the tests.

The facilities at the Los Alamos Scientific Laboratory, Los Alamos, New Mexico were used to supply the necessary quantities of La^{140} .

2.2.2 Bulk Carrier Material

Soil (Ambrose Clay Loam) obtained from the test site at Camp Stoneman, Calif. was used as the bulk carrier material in the synthetic fallout material. To obtain acceptable physical properties, the soil was processed through a crushing, burning and sieving operation by a commercial materials processing plant.

2.3 DISPERSAL OF SYNTHETIC FALLOUT

The amount of synthetic fallout material dispersed depended upon the radiation levels to be simulated. As stated in Section 1.4, radiation levels of 300 r/hr, 1,000 r/hr and 3,000 r/hr at 1 hour after burst were selected as levels of primary interest, and weights deposited for these standard dose rates were approximately 10 gms/ft², 33 gms/ft² and 100 gms/ft² respectively.




Fig. 2.5 Transit Mix Truck for Mixing Dry Synthetic Fallout.




Fig. 2.6 Dump Truck for Dispersing Dry Synthetic Fallout on Paved Areas.

The layer of material simulating 300 r/hr at 1 hour would be approximately .004 inches deep; for 1,000 r/hr at 1 hour, .012 inches deep; and for 3,000 r/hr at 1 hour, .04 inches deep. (based on soil density of 1840 lbs/yd³).

2.3.1 Paved Areas

The dry synthetic fallout material was dispersed over the paved areas from a modified Burch Hydron Spreader mounted on the rear of a 2-1/2 yd³ dump truck (Fig. 2.6). An aluminum hopper was installed on the truck to contain the synthetic fallout material and feed it directly into the spreader when the truck bed was raised. The dimensions and locations of the test areas are shown in Appendix A.

2.3.2 Sampling Pans

To determine the actual quantity of material dispersed, sampling pans (Fig. 2.6) were placed on the test areas prior to the dispersing of the synthetic fallout material. These pans were collected immediately after the disperser had passed over them, placed in plastic bags and weighed.

The total activity of the sample in the pan was determined in a large sample counter (LSC). The LSC consisted of a chamber 26" wide by 28" deep by 52" high, covered with 2" lead sheet and lined with 3/4" plywood, into which the pan was placed. A 1-1/2" sodium iodide-thallium activated crystal, attached to an appropriate scaler, was used for determining the radioactivity in the sample. Next a portion of the material in each pan was removed for the determination of specific activity in the 4-pi ion chamber.

2.4 MEASUREMENT TECHNIQUES

To determine the effectiveness of the various procedures evaluated, measurements were taken of the radiation levels present on the test areas just prior to contamination (background), after contamination, and after decontamination. The measurements were obtained with a mobile shielded gamma scintillation detector unit (Fig. 2.7). The detecting element of this instrument consisted of a one inch NaI (Tl) Scintillation Crystal on a photomultiplier tube. The crystal and PM tube were mounted within a lead shield having a wall thickness of 6". The shield is so mounted as to place the center of the detector one meter above ground plane. A collimated aperture subtending a solid angle of 50° permits entrance of radiation into the sensitive volume. Due to the geometry of this system approximately 98 percent of the total radiation flux measured by the system from an ideal plane will fall within a circle having a radius of six feet. A complete description of the unit and method of calibration is given in Volume 16 of this series of reports. The method used to convert these radiation measurements to mass units is summarized in Appendix B.



Fig. 2.7 Mobile Shielded Gamma Scintillation Detector Unit.

Appendix A presents the measurements obtained at each location on the test areas. The data presented have been corrected to a common time to account for radioactive decay and also corrected for background.

Each decontamination operation was timed to obtain necessary information on rate and effort. Motion pictures were also obtained of the various operations; this allowed subsequent viewing and evaluation of the operations.

CHAPTER 3

RESULTS

3.1 DECONTAMINATION OF PAVED AREAS

The results for the three types of dry decontamination methods, motorized sweeping, vacuumized sweeping and air broom sweeping, are summarized in Tables 3.1, 3.2 and 3.3. Two surfaces were tested, asphaltic concrete (A-C) and portland cement (P-C). No great individual variation in surface characteristics was noted and it was assumed that all surfaces of a given type were identical. The average initial mass level (M_0) and average final mass level (M), in grams per square foot, are computed as shown in Appendix B from the raw data of Appendix A. The average percent remaining (\bar{F}_m) is obtained from:

$$\bar{F}_m = \frac{M}{M_0} \times 100. \quad (1)$$

It should be noted that \bar{F} can also be obtained by substituting the average final and initial radiation readings, I_R and R_R , for M and M_0 . Effort (E) is a measure of time per unit area, normally expressed as man-min/ft² or equipment-min/ft²; in this case the two terms are equivalent since one man could operate each machine. For convenience E is given in terms of man-min/10⁴ ft². The raw data for computing E , given in Appendix A, consists of the size of the test area and the total time that the decontamination equipment spent on the area for each cycle. This time does not include turn-around time or dump time.

3.1.1 Motorized Sweeping

A Wayne Model 450 motorized street sweeper was tested on asphaltic concrete, portland cement, and on a sand-treated asphaltic concrete surface. In the latter case, after the contaminant had been dispersed, sand was uniformly spread over the top of it in the following amounts:

Test B13	90 g/ft ²
Test B14	120 g/ft ²
Test B15	150 g/ft ²

To minimize operational differences, the same operator was used on all tests. The average speed of the test equipment was 7.4 ft/sec with significant variations occurring only in tests B5 and B6.

3.1.2 "Vacuumized" Sweeping

Two vacuumized sweepers, a Tennant Model 80 and a Tennant Model 100, were tested on asphaltic concrete streets at three mass levels. The operator, the same one used on the Wayne 450, maintained an average speed of 6.0 ft/sec for the Model 80 and 3.9 ft/sec for the Model 100. In test B9, after the first cycle, the speed of the Model 100 was intentionally doubled to test the effect of rate on performance.

3.1.3 Air Broom Sweeping

The prototype air broom was tested on asphaltic concrete (Tests B16, B17, B18). Tests were scheduled such that low wind speeds (1-3 knots) were encountered and the wind direction was 75-90° to that of the test section, causing the dust generated by the air broom to move slowly downwind. Air pressure at the air outlets was maintained constant but the speed of the equipment was varied from pass to pass as well as from forward to reverse.

The air broom was also tested as a follow-up method to conventional street sweeping, being applied after two or three passes of the street sweeper. The wind direction varied from 75°-110° to that of the road; the speed was moderate (4-6 knots).

3.2. Time and Motion Studies

Extensive film footage was taken of most of the tests. Efforts to obtain quantitative time information from viewing these films were generally unsuccessful because sufficient detail was not visible. However much qualitative information was obtained from these films and proved useful in evaluating the operational characteristics of the equipment tested.

TABLE 3.1

Decontamination Results for a Conventional Motorized Sweeper on Various Test Surfaces

Test No.	Cycle No.	Surface	Method	M ₀ g/ft ²	M g/ft ²	\bar{F}_m	Effort, man-min/10 ⁴ ft ² Per Cycle	Cumulative
B1	1	A-C	Wayne	27.6	2.44	8.8	7.8	7.8
	2	A-C	Model	27.6	1.49	5.4	5.2	13.0
	3	A-C	450	27.6	.97	3.5	7.0	20.0
B2	1	A-C	Wayne	59.2	4.97	8.4	8.1	8.1
	2	A-C	Model	59.2	2.16	3.6	8.1	16.2
	3	A-C	450	59.2	1.55	2.6	8.1	24.3
B3	1	A-C	Wayne	120.9	3.83	3.2	11.5	11.5
	2	A-C	Model 450	120.9	2.02	1.7	8.3	19.8
B4	1	P-C	Wayne	16.8	1.69	10.1	11.4	11.4
	2	P-C	Model	16.8	1.43	8.5	5.4	16.8
	3	P-C	450	16.8	1.03	6.1	5.4	22.2
B5	1	P-C	Wayne	34.1	4.97	14.6	5.1	5.1
	2	P-C	Model	34.1	2.50	7.3	5.3	10.4
	3	P-C	450	34.1	1.23	3.6	3.9	14.3
B6	1	P-C	Wayne	118.6	2.38	2.0	15.8	15.8
	2	P-C	Model 450	118.6	2.09	1.8	9.3	25.1
B13	1	A-C	Sand Pre-	23.8	4.66	19.6	7.5	7.5
	2	A-C	treatment	23.8	2.83	11.9	6.5	14.0
	3	A-C	Wayne Model 450	23.8	1.88	7.9	6.5	20.5
B14	1	A-C	Sand Pre-	71.5	5.25	7.3	12.5	12.5
	2	A-C	treatment	71.5	2.51	3.5	8.3	20.8
	3	A-C	Wayne Model 450	71.5	1.58	2.2	8.3	29.1
B15	1	A-C	Sand-Pre	137.9	18.9	13.7	10.0	10.0
	2	A-C	treatment	137.9	8.50	6.2	10.0	20.0
	3	A-C	Wayne Model 450	137.9	5.20	3.8	10.0	30.0

TABLE 3.2

Decontamination Results for Vacuumized Type Sweepers

Test No.	Cycle No.	Surface	Method	M_0	M	\bar{F}_M	Effort, man-min/10 ⁴ ft ²	
				g/ft ²	g/ft ²		For Cycle	Cumulative
B7	1	A-C	Tennant	21.6	1.00	4.6	14.4	14.4
	2	A-C	100	21.6	.40	1.9	14.4	28.8
	3	A-C		21.6	.27	1.3	18.0	46.8
B8	1	A-C	Tennant	67.6	.79	1.2	18.9	18.9
	2	A-C	100	67.6	.39	.58	15.2	34.1
	3	A-C		67.6	.31	.46	18.2	52.3
B9	1	A-C	Tennant	177.7	3.60	2.0	19.7	19.7
	2	A-C	100	177.7	1.72	.97	7.3	27.0
	3	A-C		177.7	1.28	.72	6.7	33.7
B10	1	A-C	Tennant	18.5	3.98	21.5	15.2	15.2
	2	A-C	80	18.5	2.24	12.1	14.5	29.7
	3	A-C		18.5	1.65	8.9	14.5	44.2
B11	1	A-C	Tennant	33.5	7.82	23.4	15.2	15.2
	2	A-C	80	33.5	4.51	13.5	11.3	26.5
	3	A-C		33.5	3.22	9.6	11.3	37.8
B12	1	A-C	Tennant	174.9	10.24	5.9	27.3	27.3
	2	A-C	80	174.9	7.46	4.3	11.3	38.6
	3	A-C		174.9	5.87	3.4	11.3	49.9

TABLE 3.3

Decontamination Results for Air Broom Sweeping

Test No.	Cycle No.	Surface	Method	M ₀ g/ft ²	M g/ft ²	\bar{F}_m %	Effort, man-min/10 ⁴ ft ² Per Cycle	Cumulative
B1	4	A-C	Combination Method ^(a)	.97	.19	19.6	11.1	31.1 ^(b)
B2	4	A-C	Combination Method ^(a)	1.55	.25	16.1	17.4	41.7 ^(b)
B3	3	A-C	Combination Method ^(a)	2.02	.14	6.9	12.5	32.3 ^(b)
B6	3	P-C	Combination Method ^(a)	2.09	.24	11.5	13.0	38.1 ^(b)
B14	4	A-C	Combination Method ^(a)	1.58	.28	17.7	20.8	49.9 ^(b)
B16	1	A-C	Air Broom	16.1	.21	1.3	20.3	20.3
B17	1	A-C	Air Broom	62.9	.57	.81	24.1	24.1
	2	A-C	Air Broom	62.9	.40	.64	24.1	48.2
B18	1	A-C	Air Broom	148.7	.92	.62	36.2	36.2

- a. Combination method consists of street sweeper followed by air broom.
b. Cumulative effort includes effort expended by the motorized sweeping procedures.

CHAPTER 4

DISCUSSION OF RESULTS

4.1 PARAMETERS EFFECTING DECONTAMINATION EFFECTIVENESS

The effectiveness of the decontamination methods can best be expressed as the residual mass levels obtainable at given initial mass levels for a specified expenditure of effort. However, test conditions varied widely with respect to both initial mass levels and effort applied so that a direct comparison between tests was not practical.

Equation (2) below, developed by Miller⁹ accounts for variations in initial mass level but assumes an infinite amount of effort expended.

$$M^{\infty} = M_0^{\infty} (1 - e^{-\alpha M_0}) \quad (2)$$

where M^{∞} = residual mass level at an infinite effort level g/ft^2
 M_0 = initial mass level, g/ft^2
 M_0^{∞} = the limiting upper value for M^{∞} , a constant for a given surface-method combination, g/ft^2
 α = spreading coefficient dependent upon the surface-method combination, the particle size and density of the fallout material, ft^2/g

Since the above equation did not make provisions for the differences in the amount of effort applied, an extension of the theory developed by Miller was necessary to account for effort.#

Upon the expenditure of effort by a given surface-method combination, the mass available for removal will decrease and in accordance with equation (2) will approach M^{∞} . This decrease in mass level (amount removed) per unit of applied effort is proportional to the removable mass present; in mathematical terms, this relation is

See Minvielle's report now in preparation.

$$-\frac{dM}{dE} = K(M - M^*) \quad (3)$$

in which K is a constant depending mainly on the method and surface and E is the effort expended. The constant K is the effort efficiency factor for the method and surface combination - i.e. the efficiency for removing a mass of particles from the surface.

Integrating between the limits of initial mass level at zero effort and a residual mass level (M) at a given level of effort gives

$$\int_{M_0}^M \frac{dM}{(M - M^*)} = -K \int_0^E dE \quad (4)$$

$$\text{or} \quad M = M^* + (M_0 - M^*) e^{-KE} \quad (5)$$

The term e^{-KE} gives the fraction of the removable mass remaining after expending the effort, E.

This derivation assumes a permanent, non-changing surface; actually surfaces such as asphaltic concrete erode while being decontaminated but this factor is unimportant in the range of practical interest.

Equation (5) was solved using test data for values of M, M_0 and E and making successive approximations for M^* and K to obtain satisfactory curves through the data points when plotting M vs E.

To further correlate the derived values of M^* , the constants for equation (2) were similarly derived as follows. Using the M^* values from equation (5) with the corresponding M_0 values, successive approximation for M_0^* and α were made until satisfactory curves were obtained through the M^* values when plotting M^* vs M_0 . The resulting curves are presented in Fig. 4.1.1. New values of M were then obtained, using the derived values of M^* , from equation (5). The resulting curves are presented in Figs. 4.1.2 through 4.1.6. The actual data points for each test including one standard deviation are also presented. The derived values of M^* , K, M_0^* and α are presented in Table 4.1.

The correlation between the test data and the curves was considered satisfactory in every case except tests B13-15. The sand pretreatment in these tests masked the initial mass level; because of the generally poor results obtained with this particular procedure no intensive attempt was made to adapt equation (5) to fit these conditions. In lieu of representation by equation, lines were plotted through the data points by visual interpolation, as shown in Fig. 4.1.7.




Fig. 4.1.1 The Variation of Decontamination Effectiveness As Measured by M^* With Initial Mass Level.




Fig. 4.1.2 Effectiveness of the Wayne 450 on Asphaltic Concrete.




Fig. 4.1.3 Effectiveness of the Wayne 450 on Portland Cement Concrete.




Fig. 4.1.4 Effectiveness of the Tennant 100 Vacuumized Sweeper on Asphaltic Concrete.




Fig. 4.1.5 Effectiveness of the Tennant 80 Vacuumized Sweeper on Asphaltic Concrete.




Fig. 4.1.6 Effectiveness of Air Broom Sweeping on Asphaltic Concrete.

TABLE 4.1

Derived Values of M^* , $M^{\#}$, K , and α

Test No.	Method-Surface	M_0 g/ft ²	M^* g/ft ²	K ft ² / sec-min	$M^{\#}$ g/ft ²	α ft ² /g
B-1	Wayne 450 Asphaltic Conc.	27.6	0.97	0.330	1.95	.025
B-2	Wayne 450 Asphaltic Conc.	59.2	1.51	0.330	1.95	.025
B-3	Wayne 450 Asphaltic Conc.	120.9	1.85	0.330	1.95	.025
B-4	Wayne 450 Portland Cement	16.8	0.96	0.330	2.10	.036
B-5	Wayne 450 Portland Cement	34.1	1.48	0.330	2.10	.036
B-6	Wayne 450 Portland Cement	118.6	2.07	0.330	2.10	.036
B-7	Tennant 100 Asphaltic Conc.	21.6	0.26	0.210	1.14	.012
B-8	Tennant 100 Asphaltic Conc.	30.0	0.34	0.210	1.14	.012
B-9	Tennant 100 Asphaltic Conc.	177.7	1.01	0.210	1.14	.012
B-10	Tennant 80 Asphaltic Conc.	18.5	1.72	0.120	5.32	.021
B-11	Tennant 80 Asphaltic Conc.	33.5	2.68	0.120	5.32	.021
B-12	Tennant 80 Asphaltic Conc.	174.9	5.19	0.120	5.32	.021
B-16	Air Broom-Asphaltic Conc.	16.1	0.11	0.238	1.40	.005
B-17	Air Broom-Asphaltic Conc.	62.9	0.38	0.238	1.40	.005
B-18	Air Broom-Asphaltic Conc.	148.7	0.74	0.238	1.40	.005




Fig. 4.1.7 Effectiveness of the Wayne 450 on Sand Pre-Treated Asphaltic Concrete.




Fig. 4.2.1 Comparative Effectiveness of Dry Decontamination Methods on Paved Areas at an Initial Mass Level of 20 g/ft².




Fig. 4.2.2 Comparative Effectiveness of Dry Degreasing Methods on Paved Areas at an Initial Mass Level of 50 g/ft².

The curve plotted for test B⁶, Fig. 4.1.3 was derived from equation (5) using a value of 30 g/ft² for M₀ instead of the value 67.6 g/ft², which was computed from the initial radiation measurements. When using the measured M₀, the resulting curve did not satisfy the test data points. This difference could be attributed to the effect of the wind which redistributed and removed a large percentage of the synthetic fallout material prior to the first decontamination cycle. (Due to the high wind on that particular test day, no other tests were performed).

The air broom was unique in that it was used as both a primary decontamination method and as a secondary method following decontamination by a conventional street sweeper. Equation (5) with suitable constants was found to fit the data for the primary usage satisfactorily.

4.2 COMPARISON OF DECONTAMINATION METHODS

Two criteria by which a decontamination method may be evaluated are the effort expended and the residual mass level attained. These two parameters are shown in Figs. 4.2.1, 4.2.2, and 4.2.3 for three different initial mass levels. These curves, except for the Wayne 450 on sand-treated asphaltic concrete, were obtained from equation (5) of Section 4.1.

All the methods tested were found to have some potential usefulness in decontamination operations but only two, conventional sweeping with the Wayne 450 and vacuumized sweeping with the Tennant 100, have the characteristics necessary for general usage. Although the Tennant 100 ultimately cleaned to a much lower residual mass level than conventional sweeping with the Wayne 450, the latter had a more rapid initial removal rate. The crossover, or point of equal effectiveness, was dependent upon the initial mass loading and occurred at effort levels of 12 to 16 man-min/10⁴ ft².

The use of a sand pre-treatment prior to conventional street sweeping with the Wayne 450 proved to be detrimental, in most cases, to the efficient operation of the equipment. It is believed that much of the effort normally expended on the contaminant was instead used on the sand cover, decreasing the overall effectiveness of the equipment. Interestingly, at low initial mass levels (< 60 g/ft²) the final residual mass level (M*) was as low or lower than with conventional sweeping. These results suggest that perhaps sand spread in small quantities over the surface after partial decontamination would act as a scouring agent, loosening the more tightly held contaminant.




Fig. 4.2.3 Comparative Effectiveness of Dry Decontamination Methods on Paved Areas at an Initial Mass Level of 120 g/ft².

(Fig. 4.3.1).⁴ The path of least effort then follows the Wayne 450 curve from the origin to the point of tangency and thereafter follows the curve for the air broom. (It will be noted that although the initial mass level for the Wayne 450 is 50 g/ft², the comparable value for the air broom is 32 g/ft².)

Limited data were obtained on the use of the air broom following several cycles with the Wayne 450. Of these tests, B1 and B2, were found to provide suitable data for analysis. The data points for Test B2, are shown in Fig. 4.3.2; the curve for the Wayne 450, determined by equation (5), is shown as a solid line. Using equation (5) with constants for the air broom, attempts to fit a curve through points W-3 and AB-1 were unsuccessful when the assumed initial mass level was 59 g/ft² (point w-0) or greater.

Finally, using the path of least effort described above, a curve, shown by a dotted line, was derived from equation (5), using the air broom constants; this combination of data gave the best fit for the datum point (AB-1). A similar procedure for Test B1 showed that only a curve through the point of tangency would fit the observed datum. In this case the observed value was 0.19 g/ft² and the calculated value 0.13 g/ft².

Further studies designed to test the validity of the method for obtaining the path of least effort to obtain a given residual mass are needed but, based upon the present limited results, it would appear that maximum usefulness of manpower and equipment can be obtained by using the concept of a path of least effort.

4.4 EFFECT OF INITIAL MASS LEVEL AND EFFORT ON RESIDUAL MASS LEVEL

The relationships expressed in equations (2) and (5) were derived using the hypothesis that the residual mass level is a function of the initial mass level and effort expended. The two equations can be combined giving

⁴ The point of tangency can be approximated by differentiating equation (6), equating them, and reducing to the case for large values of M_0 . The resulting equation for the value of M at which the two slopes, (dM/dE) , are equal is

$$M = \frac{K_1 M_1^* - K_2 M_2^*}{K_1 - K_2} \quad (\text{g/ft}^2)$$




Fig. 4.3.1 Path of Least Effort for a Combination of Two Methods.




Fig. 4.3.2 Determination of the Path on Least Effort From Experimental Values for the Wayne 450 and the Air Broom (Test B-2):

$$M = M_0^* (1 - e^{-\alpha M_0}) + M_0 - M_0^* (1 - e^{-\alpha M_0}) e^{-KE} \quad (6)$$

From a mathematical treatment of equation (6) one can derive the following relationships between residual mass level, initial mass level and effort.

- (1) For small M_0 , small E , $M \rightarrow M_0(1 - KE)$
- (2) For small M_0 , large E , $M \rightarrow M_0 M_0^* \alpha$
- (3) For large M_0 , small E , $M \rightarrow M_0^* + M_0(1 - KE)$
- (4) For large M_0 , large E , $M \rightarrow M_0^*$

Figures 4.4.1-4.4.6 show graphically these stated relationships for each of the surface-method combinations evaluated.

These curves can be utilized to determine what level of effort is needed to produce a required residual mass level for any given fallout condition.

4.5 EFFECT OF SURFACE ON RESIDUAL MASS LEVEL

As indicated in Section 1.4, only the motorized sweeping operation with the Wayne 450 was evaluated on both portland cement concrete and asphaltic concrete. One can compare the effect of surface by examining the curves for the Wayne 450 in Figs. 4.2.1-4.2.3. It can be seen that for each initial mass level investigated, the differences are relatively small. No surface roughness measurements were made of the two types of surfaces but visual inspection revealed no gross differences in surface irregularities.

The Portland cement concrete data analyzed did not include the radiation measurements taken over or near form lines. As indicated in Appendix A, (Tables A-5 - A-6) radiation measurements taken over a seam or form line in Test B-5 and B-6, were 5-10 times greater than adjacent readings. The differences in readings were not apparent until after the completion of the first cycle. The sweeper was not able to remove the dry contaminant from the seams.




Fig. 4.4.1 Residual Mass vs Initial Mass Wayne 450 on Asphalt Concrete.




Fig. 4.4.2 Residual Mass vs Initial Mass - Wayne 450 on Portland Cement Concrete.




Fig. 4.4.3 Residual Mass vs Initial Mass - Tennant 100 Vacuumized Sweeping on Asphaltic Concrete.




Fig. 4.4.4 Residual Mass vs Initial Mass - Tennant 60 Vacuumized Sweeping on Asphaltic Concrete.




Fig. 4.4.5 Residual Mass vs Initial Mass - Air Broom Sweeping on Asphaltic Concrete.




Fig. 4.4.6 Residual Mass vs Initial Mass - Wayne 450 on Sand Pre-Treated Asphaltic Concrete.

UNCLASSIFIED

AD

2281966

FOR
MICRO-CARD
CONTROL ONLY

2 OF 2

Reproduced by

Armed Services Technical Information Agency

ARLINGTON HALL STATION; ARLINGTON 12 VIRGINIA

UNCLASSIFIED

"NOTICE: When Government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the U.S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto."

4.6 EFFECT OF EQUIPMENT SPEED

Although the effect of speed on decontamination effectiveness was not included as one of the test objectives, certain conclusions can be drawn from the existing data. In most instances a uniform speed was maintained throughout the test. However in tests B5, B10, B11, and B12 the speed of the decontamination equipment was raised 25-35 percent after the initial cycle (Table A-1, Appendix A). In none of these cases did the effectiveness, measured as the residual mass obtainable at a given effort level vary significantly from the predicted values (see Figs. 4.1.3 and 4.1.5). In one case, that of the Tennant 100 on the high mass level (Test B9), the speed of the sweeper was intentionally raised after the first cycle from 3.9 ft/sec to 8.3 ft/sec and 9.1 ft/sec on the second and third cycles respectively. The data, Fig. 4.1.4, again indicate no appreciable effect of this increased speed on the effectiveness of the method. These findings suggest that, within the normal operating range of the equipment and under the test parameters effectiveness is relatively independent of the speed of operation.

Despite the fact that no gross effect of speed was noticeable in these trials it is probable that an optimum operational speed, dependent upon the amount of contaminant present, exists for each item of equipment. Furthermore, a saturation speed, at which the equipment becomes overloaded and fails to operate satisfactorily would be expected for each machine for a given contamination level. It is accordingly recommended that in a future test the variation of effectiveness with speed be studied in some detail.

4.7 OPERATIONAL CHARACTERISTICS OF DECONTAMINATION EQUIPMENT

There are certain operational factors that must be considered when dry fallout material is removed from paved areas and streets by the "waterless" decontamination procedures evaluated. Factors such as effort, equipment availability, and mode of operation will be discussed.

4.7.1 Motorized Sweeping

Today approximately 4,000 motorized street sweepers are in operation on city streets in this country.¹⁰ Table 4.6 lists the availability of motorized sweepers in cities of various sizes. The table does not include sweepers that belong to military activities, state highway departments, etc. On the average, a motorized sweeper can clean 20 gutter miles per day. Assuming an eight foot wide pass, the total coverage amounts to 845,000 ft² day. Using an average of 5 actual sweeping hours/day, this would be equal to approximately 169,000 ft²/hr or in the units of effort,

TABLE 4.6

Effort Required to Achieve Residual Mass Levels

M_r (g/ft ²)	M (M/LV ²)	E (M/LV ²) 10 ⁴ ft ²	Increase over Normal (3.5)
20	1.0	15	4.3
	2.0	8.5	2.4
	5.0	5	1.4
50	2.0	13.5	3.9
	5.0	8	2.3
120	2.0	20	5.7
	5.0	11	3.2

TABLE 4.7

Motorized Sweeper Ownership in the United States

Population Range	No. of Cities Surveyed	Average Miles of Streets	Average Sweepers per City	Miles of Streets per Sweeper
Over 100,000	31	570	12.5	46
50,000 to 100,000	25	147	2.7	53
25,000 to 50,000	47	76	1.6	42
15,000 to 25,000	49	42	1.2	31
5,000 to 15,000	67	19.1	0.6	23
Under 5,000	39	3.9	0.3	13

3.5 equip - min.

10^4 ft^2 . Table 4.6 extracted from Figs. 4.2.1-4.2.3, compares the effort required to achieve different degrees of effectiveness at several initial mass levels, for the Wayne Model 450 motorized sweeper on asphaltic concrete.

It can readily be seen that the amount of effort required to obtain effectiveness in the range that may be required is several times the effort normally expended in sweeping operations.

Application of the data in Tables 4.6 and 4.7 to demonstrate the time involved in the decontamination of streets in a typical city follows:

Given: Initial fallout mass level - 20 g/ft^2
City has 50 miles of streets per sweeper
Average width of street - 60 ft

Required: Time to obtain a residual mass level of 1 g/ft^2
(Residual Number[‡] = 0.05)

From Table 4.6, an effort level of 15 equip-min/ 10^4 ft^2 is required to achieve a residual mass level of 1 g/ft^2 . There the time involved will be

$$t = \frac{50 \text{ miles}}{\text{equip}} \times \frac{5280 \text{ ft}}{\text{mile}} \times 60 \text{ ft} \times \frac{15 \text{ equip min}}{10^4 \text{ ft}^2} \times \frac{1 \text{ hr}}{60 \text{ min}}$$
$$t = 396 \text{ hours or } 49.5 \text{ - eight hr working days}$$

If the initial mass level was 120 g/ft^2 , and a residual mass level of 2 g/ft^2 would be required, (residual number = 0.017) it would take a total of 66 - eight hr working days.

A suggested technique for the use of the motorized sweeper is to combine a "wet" decontamination procedure with the sweeping operation. One test of this nature is reported in Volume II¹¹ of this series of reports. The motorized sweeper would be utilized to remove the bulk of the fallout material and the "wet" decontamination procedure to remove the remaining material. This technique would be most successful when the initial mass levels are high. The rate of operation and water requirements for a "wet" procedure decreases significantly with a decrease in mass level.

[‡] The residual number is defined as the decimal fraction of the potential dose that would be received after a countermeasure has been applied. The more effective the countermeasure, the smaller the residual number.

It was also found that considerable hopper leakage occurred as the hopper approached full capacity. The fine fallout material would spill out around the closure seams and recontaminate the area being decontaminated. It may be necessary to empty the hopper more often when removing dry fallout material. Dumping areas could be established close to but outside the area being reclaimed or alternately, auxiliary equipment such as a front-end loader and a dump truck could haul the collected material to a waste-disposal area further away.

It was pointed out in Section 2.1.1 that the gutter broom decreased the overall effectiveness of the sweeping operation when sweeping curbless areas. When sweeping gutters, the gutter broom must be used, otherwise the material against the curb cannot be reached.

4.7.2 "Vacuumized" Sweeper

The two vacuumized sweepers evaluated in this operation were not true vacuum sweepers in that a large broom was utilized for sweeping and picking up the material from the surface. In principle their operation was similar to a motorized sweeper with an additional vacuum system for controlling the dust cloud created by the sweeping process.

The effort required to obtain a high degree of effectiveness when removing dry fallout material with the Tennant 100 is several times larger than that required for normal sweeping operations.

The Tennant 100 at present is the only large sweeper that incorporates a vacuum system for dust control and it is presently not as widely available as the standard motorized sweeper.

The Tennant 80 is primarily an industrial type sweeper used for driveways, walks and the interior of industrial buildings. Its usefulness would be limited on large paved areas and streets.

In recent years the development of large scale airport sweepers has been accelerated by the advent of jet aircraft which require clean runways. Due to the large size of runways and the necessity of frequent cleaning, these sweepers have been designed to clean up to a 1,000,000 ft²/hr at speeds of 20 to 25 mph. The sweeping is accomplished with a recirculating air stream-vacuum combination system. The primary concern is the removal of relatively large objects which may cause considerable damage if they are drawn into the air intake of the jet engine. The separation of the picked-up material from the air stream is accomplished by a rotating screen separator. Consequently, a large percentage of the fine material picked up is exhausted with the bleed-off air.

Preliminary investigations¹² of the pickup and retention efficiency of a machine of this type have been conducted with dry Stoneman soil similar to that used in this operation. It was found that approximately 50% of the picked-up material was collected in the hopper and 42% left the sweeper with the bleed-off air. Sufficient filtering capacity requirements to retain most of this fine material would involve extensive redesign and modification of the existing system.

4.7.3 Air Broom Sweeping

Within the limitations indicated in Section 4.2, the air broom proved to be the most effective "dry" decontamination method tested at high values of effort. Air compressors generally are available from Public Works Departments, military activities, or private contractors. These compressors are generally trailer mounted or truck mounted. The addition of a manifold nozzle system to the trailer or prime mover makes available a useable "dry" decontamination technique.

The air broom was found to have certain limitations on the quantity of material it could move effectively. Fig. 4.6 illustrates the ridges of dry fallout material left on the surface by the air broom when removing an initial mass of approximately 150 gms/ft². The air broom is most effectively used at low initial mass levels, i.e., 50 gms/ft² or less, or in conjunction with motorized sweeping, when the sweeper is used to remove the bulk of the material.

Another limitation of the air broom is obviously the fact that the material blown off the surface is not collected but is resuspended and, depending on wind conditions, is deposited nearby or at some distance downwind.

4.8 SOURCES OF ERROR

Error in the results come from two major areas, namely the determination of the mass level on the surface and the performance of the decontamination equipment. The sources of error in the performance data are quite limited and fairly unimportant. Possible sources of error include: total time consumed, equipment variability such as brush condition and speed of brush rotation, and operator variability, due primarily to increasing experience.

The main sources of mass level error include the following areas: synthetic fallout composition; instrumentation; distribution and redistribution of the synthetic fallout; and surface condition. Considerable variation in composition existed between individual batches of the synthetic fallout material (see Vol. I of this series of reports for further details). Although there is presently insufficient information available



Fig. 4.6 Ridges of dry synthetic fallout material left on surface after one pass of the air broom. Initial mass of 147 gms/ft².

to determine the importance of these variations upon the results, it has been assumed to be relatively unimportant when comparing the various methods. The primary source of instrumentation error was from the mobile shielded detector; it is estimated that timing variations and change of response in the crystal caused a total error of approximately + 12.5%. The 4-pi gamma ionization chamber and the large sample counter, being laboratory instruments, have an inherent error of less than 1%. Redistribution by wind of the synthetic fallout during or after spreading was the largest unknown factor in the data. Even a low wind blowing during the spreading operation could fractionate the synthetic fallout by carrying away the fine particles while allowing coarser material to settle on the surface. This fractionation, although occurring before surface readings were taken with the mobile shielded detector, could cause a variation in the specific activity of the contaminant, producing anomalous readings. The most important wind effects, however, were those produced by a moderately strong wind blowing across the test strip after the initial reading (I_x) had been taken but prior to decontamination. In such cases the calculated initial mass level could be in error by as much as a factor of two. The two major sources of errors, wind effects and instrument error, are largely cancelled out by using the calibration factor K (see Appendix B). The variation in the individual readings, expressed as one standard deviation, are shown on Figs. 4.1.2 and 4.1.7.

CHAPTER 5

CONCLUSIONS AND RECOMMENDATIONS

5.1 CONCLUSIONS

Two parameters, derived from the test data, and used for the comparison of methods, were K which is an expression of rate of removal and M_0^* which is an expression for the ultimate level obtainable at very high effort levels and high initial mass levels. The derived values of K, M_0^* and M_{120}^* , the value at an initial mass level of 120 g/ft² are shown below.

<u>Method-Surface</u>	<u>K</u>	<u>M_{120}^*</u>	<u>M_0^*</u>
Wayne 450 - Asphaltic Concrete	.330	1.84	1.96
Wayne 450 - Portland Concrete	.330	2.06	2.09
Air Broom - Asphaltic Concrete	.238	0.64	1.40
Tennant 100 - Asphaltic Concrete	.210	0.88	1.14
Tennant 80 - Asphaltic Concrete	.120	4.90	5.32

The ideal method would be one which had a high K value and a low M_0^* value. Since none of the methods qualified in both respect the sequential use of two methods, one having a high K value, and the other a low M_0^* value would result in producing the maximum return for effort expended. In instances where a large expenditure of effort can be tolerated one would choose the method producing the lowest M_0^* value.

The removal of heavy deposits by the air broom produces a large dust cloud and the procedure could probably be used only when the situation is such that contamination of downwind areas can be tolerated.

The smaller of the two vacuumized sweepers evaluated, the Tennant 80, was found to have limited value in removing dry fallout material from large paved areas and streets. This machine or others similar in size, could probably be used, however, for removing dry fallout from sidewalks or other relatively inaccessible paved areas.

The residual mass level obtainable by any given method-surface-combination evaluated was found to be dependent upon the initial mass level and the effort expended.

A mathematical model, based upon theoretical considerations, has been developed for the comparative evaluation of decontamination methods. Using this model it is possible to accurately evaluate dry decontamination methods and to predict the effect of various environmental parameters.

Within the normal operating range of the equipment and under the test conditions, overall performance appear to be independent of the speed of operation.

At all initial mass levels tested, it was easier to decontaminate the asphaltic concrete surface than the Portland cement concrete surfaces. The joints and form lines in the Portland cement concrete areas further complicate the difficulty of decontaminating this type surface.

5.2 RECOMMENDATIONS

It is recommended that dry decontamination methods be considered for incorporation in the passive defense plans as: (1) a supplement to wet methods and (2) in areas of critical water supply, as the primary decontamination method for paved areas.

The following lines of further investigation are suggested for inclusion in future developments of dry decontamination procedures for land targets:

- a. Determine if an optimal speed and/or a limiting range of speeds exists for each surface-method combination.
- b. Evaluate the two equations used at very high and low effort levels.
- c. Determine the feasibility of incorporating the removal action of the air broom with the retention features of the vacuumized sweeper.
- d. Further evaluate the sequential use of two methods.

Approved by:

E. R. Tompkins

E. R. TOMPKINS
Head, Chemical Technology Division

For the Scientific Director

REFERENCES

1. F.R. Holden, R.A. Laughlin, et al. Operation Supersweep. ADZ-42, Oct. 4, 1948. U.S. Naval Radiological Defense Laboratory Report. (Out of print.)
2. R.A. Laughlin, J. Howell, et al. Operation Streetsweep. ADX-39, Dec. 2, 1948. U.S. Naval Radiological Defense Laboratory Report. (Out of print.)
3. W. Strops, et al. Protection and Decontamination of Land Targets and Vehicles. Operation JANGLE, Project 6.2, WT-400. 11 June 1952. (Classified.)
4. J.D. Sartor, H.B. Curtis, et al. Cost and Effectiveness of Decontamination Procedures for Land Targets. U.S. Naval Radiological Defense Laboratory Report, USNRDL-TR-196, 27 December 1957.
5. C.F. Miller. Estimated Effectiveness of Common Radiological Decontamination Methods for Paved Areas and Building Surfaces. U.S. Naval Radiological Defense Laboratory Report, USNRDL-TR-140, March 1957 (Classified).
6. J.D. Sartor, W.B. Lane. The Production, Dispersal and Measurement of Synthetic Fallout Material. Vol. I. U.S. Naval Radiological Defense Laboratory Report in preparation.
7. L.L. Wiltshire, R.K. Fuller, et al. The Adsorption of La^{140} on Ambrose Clay Loam. U.S. Naval Radiological Defense Laboratory Technical Memorandum, USNRDL-TM-67, 3 January 1957. (Limited Intra-Laboratory Distribution)
8. C.F. Miller. Response Curves for USNRDL 4-pi Ionization Chamber. U.S. Naval Radiological Defense Laboratory Report, USNRDL-TR-155, 17 May 1957.
9. C.F. Miller. Theory of Decontamination. Part 1. U.S. Naval Radiological Defense Laboratory Report, USNRDL 460, 15 July 1958.
10. W.S. Foster. Modern Trends in Street Sanitation. The American City. March 1957.
11. J.D. Sartor, W.H. Van Horn, W.L. Owen. Performance Characteristics of Wet Decontamination Procedures, Vol. II. U.S. Naval Radiological Defense Laboratory Report in preparation.
12. J.T. Barnett, et al. Airfield Vacuum Cleaner Decontamination Feasibility Study Report, 10 March 1958. Coleman Engineering Co., Los Angeles 16, Calif.

APPENDIX A

A.1 Raw Data

The following tables present for each test the radiation measurements obtained at the monitoring locations on the test areas. The measurements have been background-corrected and decayed to the mid-time of the initial readings. All measurements were taken with the Mobile Shielded Gamma Detector Unit described in Volume I of this series of reports. Table A.1 presents the raw data utilized to obtain the effort required for each surface-method combination.

A map of Camp Stoneman indicating the various test areas is shown in Fig. A.1.




Fig. A-1

TABLE A.1

Raw Data for Decontamination Effort

Test	Cycle	Area ft ²	No. of Passes	Time sec	Speed (a) ft/sec	Rate ft ² /min
B1	1	2400	9	112.5	8.0	1280
	2		6	75	8.0	1920
	3		8	100	8.0	1440
	4 (AB)		8	160	2.5/6.7 (b)	900
B2	1	2400	10	117	7.7	1230
	2		10	117	7.7	1230
	3		10	117	7.7	1230
	4 (AB)		10	250	0.91/7.7 (b)	580
B3	1	2400	11	165	6.7	870
	2		8	120	6.7	1260
	3 (AB)		7	180	2.2/6.7 (b)	800
B4	1	4000	21	273	7.7	880
	2		10	130	7.7	1850
	3		10	130	7.7	1850
B5	1	4480	8	136	8.2	1970
	2		8	144	7.8	1880
	3		8	104	10.7	2580
B6	1	4480	17	425	5.6	630
	2		10	250	5.6	1070
	3		5	350	2.0	770
B7	1	2400	8	208	3.9	690
	2		8	208	3.9	690
	3		10	240	3.9	550
B8	1	2200	10	250	4.0	530
	2		8	200	4.0	660
	3		8	240	3.3	550
B9	1	2200	10	260	3.9	510
	2		8	96	8.3	1380
	3		8	88	9.1	1500

Continued

a. Computed

b. Forward/Reverse AB = Air Broom

TABLE A.1 (Cont'd)

Raw Data for Decontamination Effort

Test	Cycle	Area ft ²	No. of Passes	Time, sec	Speed (a) ft/sec	Rate ft ² /min
H10	1	1100	10	100	5.0	660
	2		12	96	6.2	690
	3		12	96	6.2	690
H11	1	1100	10	100	5.0	660
	2		10	75	6.7	880
	3		10	75	6.7	880
H12	1	1100	18	180	5.0	370
	2		10	75	6.7	880
	3		10	75	6.7	880
H13	1	2000	6	90	6.7	1330
	2		6	78	7.7	1540
	3		6	78	7.7	1540
H14	1	2400	12	180	6.7	800
	2		8	120	6.7	1200
	3		88	120	6.7	1200
	4 (AB)		10	300	1.7/6.7 ^(b)	480
H15	1	2000	8	120	6.7	1000
	2		8	120	6.7	1000
	3		8	120	6.7	1000
H16	1	1380	8	168	2.9/2.9 ^(b)	490
H17	1	1380	10	200	2.0/6.0 ^(b)	410
	2		10	200	2.0/6.0 ^(b)	410
H18	1	1380	10	300	2.7/1.6 ^(b)	280

a. Computed.

b. Forward/Reverse AB = Air Broom

TABLE A-2

TEST NO. B - 1 SURFACE TYPE Asphaltic Concrete
 DATE 5/27/58 AREA NO. B - 15
 PROCEDURE Motorized Sweeping AREA SIZE 20' x 100'
 Wayne Model 450



INITIAL READINGS							
7333	6286	6695	5451	5688	5520	6804	3942
▲	▲	▲	▲	▲	▲	▲	▲
7680	8065	8415	5060	7054	7753	9140	3753
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1

1816	1190	627	676	470	460	577	254
▲	▲	▲	▲	▲	▲	▲	▲
585	513	623	645	636	418	363	495
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2

1006	712	397	345	296	224	521	216
▲	▲	▲	▲	▲	▲	▲	▲
362	319	337	406	506	313	274	294
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3

1205	428	201	273	234	247	253	194
▲	▲	▲	▲	▲	▲	▲	▲
188	182	212	205	238	159	161	226
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4 Air Broom Sweeping

905	50	42	64	41	34	45	33
▲	▲	▲	▲	▲	▲	▲	▲
36	45	65	36	43	39	43	51
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-3

TEST NO. B - 2 SURFACE TYPE Asphalt Concrete
 DATE 8/27/58 AREA NO. B - 13
 PROCEDURE Motorized Sweeping AREA SIZE 10' x 100'
 Wayne Model 450

INITIAL READINGS

10412	10211	12085	11845	13814	13116	11810	9962
▲	▲	▲	▲	▲	▲	▲	▲
10081	11414	13067	11944	14788	12250	11374	6632
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1

989.7	683.5	756.1	788.1	760.3	619.9	658.2	752.6
▲	▲	▲	▲	▲	▲	▲	▲
937.8	1124.3	1403.1	1583.3	1544.6	1401.2	1108.3	827.9
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2

396.1	381.9	397.1	386.9	318.9	317.8	364.4	543.9
▲	▲	▲	▲	▲	▲	▲	▲
438.4	406.4	441.1	539.3	560.2	547.9	462.9	410.3
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3

279.9	237.0	292.3	265.2	239.9	248.6	308.9	335.9
▲	▲	▲	▲	▲	▲	▲	▲
323.6	270.9	339.4	335.9	356.6	414.8	378.1	350.3
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4 Air Drum Sweeping

45.4	43.5	44.3	47.5	41.4	48.2	54.4	54.6
▲	▲	▲	▲	▲	▲	▲	▲
40.6	41.6	46.6	51.1	60.6	56.1	63.0	70.7
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-4

TEST NO. B - 3 SURFACE TYPE Asphaltic Concrete
 DATE 8/26/58 AREA NO. _____
 PROCEDURE Motorized Sweeping AREA SIZE 20' x 100'
 Wayne Model 450

INITIAL READINGS							
2278	9771	9835	7689	9987	7609	9924	7374
▲	▲	▲	▲	▲	▲	▲	▲
6125	7641	6654	8483	5259	6274	8752	6574
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1							
228.0	188.1	234.2	175.4	232.9	208.0	244.4	218.6
▲	▲	▲	▲	▲	▲	▲	▲
289.1	417.3	303.6	200.8	379.3	290.4	227.0	168.9
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2							
134.2	123.9	142.4	99.5	135.0	118.8	133.3	129.5
▲	▲	▲	▲	▲	▲	▲	▲
150.2	173.4	147.6	77.0	207.1	161.7	110.7	90.1
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3 Air Broom Sweeping							
7.6	9.3	18.8	7.4	8.1	5.8	5.2	6.2
▲	▲	▲	▲	▲	▲	▲	▲
10.1	10.7	11.5	9.7	9.8	10.3	7.0	6.8
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4							
▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-5

DATE 8/30/58 AREA NO. A - 29
 PROCEDURE Motorized Sweeping AREA SIZE 40' x 100'
Wayne Model 450

INITIAL READINGS

2396 ▲	3387 ▲	3243 ▲	2900 ▲	2828 ▲	3240 ▲	3116 ▲	3401 ▲
▲	▲	▲	▲	▲	▲	▲	▲
3015 ▲	2686 ▲	3648 ▲	3606 ▲	4118 ▲	4365 ▲	4046 ▲	2900 ▲

PASS NO. 1

412.3 ▲	338.0 ▲	278.9 ▲	301.6 ▲	321.2 ▲	653.4 ▲	357.7 ▲	232.4 ▲
▲	▲	▲	▲	▲	▲	▲	▲
340.3 ▲	202.8 ▲	249.0 ▲	251.8 ▲	210.4 ▲	488.4 ▲	322.5 ▲	396.2 ▲

PASS NO. 2

465.2 ▲	152.6 ▲	184.9 ▲	278.5 ▲	231.2 ▲	652.6 ▲	257.2 ▲	305.9 ▲
▲	▲	▲	▲	▲	▲	▲	▲
413.5 ▲	241.5 ▲	238.0 ▲	227.9 ▲	214.7 ▲	210.2 ▲	225.7 ▲	220.9 ▲

PASS NO. 3

233.2 ▲	132.4 ▲	177.0 ▲	151.7 ▲	203.6 ▲	230.6 ▲	205.9 ▲	280.8 ▲
▲	▲	▲	▲	▲	▲	▲	▲
238.4 ▲	202.8 ▲	187.2 ▲	172.8 ▲	166.1 ▲	155.2 ▲	215.8 ▲	281.3 ▲

TABLE A-6

TEST NO.	B - 5	SURFACE TYPE	Portland Cement Concrete
DATE	9/3/68	AREA NO.	A - 30
PROCEDURE	Motorized Sweeping Wayne Model 450	AREA SIZE	22' x 140'



INITIAL READINGS

▲	6174	7605	6586	9009	8349	7164	8595	7670	8125	7715
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
▲	7235	6802	6859	6787	7013	7200	7609	6499	6553	6841
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

seam

PASS NO. 1

2055.5	1632.9	1683.3	1365.0	1412.0	1489.5	1143.7	1084.3	1179.0	1146.7	1245.6
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
513.4	420.0	490.2	543.6	971.3	749.4	782.8	2239.1	1023.7	939.0	853.3
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

seam

PASS NO. 2

714.5	927.6	823.4	652.0	598.0	705.8	846.8	1783.0	571.8	699.0	824.4
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
335.9	210.9	246.2	346.0	669.6	459.5	394.0	3966.0	387.1	428.8	234.0
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

seam

PASS NO. 3

241.5	382.7	411.4	340.0	297.3	310.5	274.5	1004.0	511.1	377.6	321.0
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
234.6	142.5	129.4	178.8	417.9	235.0	188.9	1266.0	177.3	154.6	132.4
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-7

TEST NO.	B - 6	SURFACE TYPE	Portland Cement Concrete
DATE	8/26/68	AREA NO.	A - 30
PROCEDURE	Motorized Sweeping Wayne Model 450	AREA SIZE	32' x 140'

INITIAL READINGS

▲	8184	9970	7061	9865	10397	8397	11920	10322	9185	10079
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
▲	7572	6337	8242	8883	8153	10496	8718	6997	7746	3023
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

seam

PASS NO. 1										
▲	276.5	301.1	236.7	204.9	244.6	186.2	1549.7	191.0	196.9	219.9
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
▲	68.7	89.4	113.4	188.8	124.8	134.2	1364.8	147.3	140.5	122.9
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

seam

PASS NO. 2										
▲	282.3	161.1	174.8	181.9	236.2	219.4	1729.1	213.5	274.9	259.2
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
▲	48.3	81.0	61.5	109.1	87.9	87.3	600.5	107.1	113.0	113.3
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

seam

PASS NO. 3 Air Broom Sweeping										
▲	50.6	25.8	15.3	13.3	12.1	13.8	37.1	13.2	10.7	14.1
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
▲	47.7	16.2	19.7	13.4	12.9	11.2	339.3	11.4	9.7	12.6
▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-8

TEST NO.	<u>B - 7</u>	SURFACE TYPE	<u>Asphaltic Concrete</u>
DATE	<u>9/12/88</u>	AREA NO.	<u>B - 7</u>
PROCEDURE	<u>Vacuumized Sweeping</u>	AREA SIZE	<u>20' x 100'</u>
	<u>Tennant Model 100</u>		



INITIAL READINGS

4024	5348	2829	6898	8940	7208	4211	
▲	▲	▲	▲	▲	▲	▲	▲
1444	5310	1897	2471	3030	2719	3560	
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1

161	188	225	304	240	237	204	
▲	▲	▲	▲	▲	▲	▲	▲
97	125	114	179	165	181	201	
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2

88	92	84	102	105	88	89	
▲	▲	▲	▲	▲	▲	▲	▲
39	58	44	69	64	66	68	
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3

62	62	68	81	84	63	63	
▲	▲	▲	▲	▲	▲	▲	▲
22	21	44	30	49	43	39	
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4

▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-9

TEST NO.	<u>D-9</u>	SURFACE TYPE	<u>Asphaltic Concrete</u>
DATE	<u>9/11/58</u>	AREA NO.	<u>B-8</u>
PROCEDURE	<u>Vacuumized Sweeping</u> Tennant Model 100	AREA SIZE	<u>20' x 100'</u>

INITIAL READINGS

12435 ▲	12673 ▲	11530 ▲	9359 ▲	10093 ▲	12287 ▲	8789 ▲	10270 ▲
15200 ▲	19974 ▲	16043 ▲	14916 ▲	16189 ▲	18108 ▲	19185 ▲	15957 ▲

PASS NO. 1

106.0 ▲	104.5 ▲	176.3 ▲	199.2 ▲	135.2 ▲	131.3 ▲	116.8 ▲	128.2 ▲
70.7 ▲	144.0 ▲	166.4 ▲	177.7 ▲	207.1 ▲	229.1 ▲	213.6 ▲	282.9 ▲

PASS NO. 2

76.6 ▲	61.9 ▲	76.5 ▲	65.9 ▲	67.6 ▲	67.4 ▲	58.0 ▲	70.3 ▲
61.9 ▲	62.9 ▲	74.2 ▲	85.6 ▲	102.3 ▲	104.7 ▲	107.7 ▲	132.8 ▲

PASS NO. 3

63.4 ▲	66.7 ▲	58.1 ▲	61.2 ▲	60.3 ▲	57.2 ▲	56.3 ▲	34.8 ▲
60.4 ▲	62.6 ▲	60.6 ▲	69.4 ▲	71.5 ▲	66.0 ▲	78.6 ▲	111.7 ▲

PASS NO. 4

▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-10

TEST NO. B - 9 SURFACE TYPE Asphaltic Concrete
 DATE 9/10/58 AREA NO. B - 9
 PROCEDURE Vacuumized Sweeping AREA SIZE 20' x 100'
 Tennant Model 100

INITIAL READINGS

13767	17836	15512	15676	16983	15208	12762	18044
▲	▲	▲	▲	▲	▲	▲	▲
18100	14453	15334	16017	20797	20279	24041	19148
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1

136.2	518.6	321.3	269.1	315.6	312.9	286.3	252.2
▲	▲	▲	▲	▲	▲	▲	▲
166.2	241.8	232.9	296.7	269.9	477.1	643.6	702.3
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2

96.7	278.7	186.4	206.1	203.2	171.4	153.6	142.3
▲	▲	▲	▲	▲	▲	▲	▲
80.1	135.7	134.7	161.7	137.0	144.5	187.2	219.4
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3

88.7	142.5	129.5	141.9	150.1	145.4	129.3	88.0
▲	▲	▲	▲	▲	▲	▲	▲
81.3	111.9	96.7	129.9	115.0	112.7	139.7	163.3
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4

▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-11

TEST NO. B - 10 SURFACE TYPE Asphaltic Concrete
 DATE 9/15/59 AREA NO. B - 11
 PROCEDURE Vacuumized Sweeping AREA SIZE 20' x 50'
 Tennant Model 50



INITIAL READINGS							
3880	4122	3517	4141				
▲	▲	▲	▲	▲	▲	▲	▲
1853	2763	2341	3588				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1							
80.9	64.8	71.4	64.3				
▲	▲	▲	▲	▲	▲	▲	▲
64.8	72.8	87.5	69.7				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2							
38.8	31.9	32.4	43.2				
▲	▲	▲	▲	▲	▲	▲	▲
38.2	47.6	43.6	60.4				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3							
28.9	21.6	20.3	30.3				
▲	▲	▲	▲	▲	▲	▲	▲
29.5	35.8	33.3	47.6				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4							
▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-12

TEST NO.	<u>B - 11</u>	SURFACE TYPE	<u>Asphaltic Concrete</u>
DATE	<u>9/12/58</u>	AREA NO.	<u>B - 10</u>
PROCEDURE	<u>Vacuumized Sweeping</u> Tennant Model 80	AREA SIZE	<u>20' x 80'</u>



INITIAL READINGS

4011	10298	9499	9710				
▲	▲	▲	▲	▲	▲	▲	▲
6408	5375	7500	5340				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1

1322.5	2240.6	1455.8	2923.3				
▲	▲	▲	▲	▲	▲	▲	▲
1289.3	932.6	1129.7	1398.4				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2

772.6	1193.2	779.4	1522.9				
▲	▲	▲	▲	▲	▲	▲	▲
767.2	589.5	783.3	865.7				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3

541.1	880.4	546.8	1083.2				
▲	▲	▲	▲	▲	▲	▲	▲
593.6	441.8	496.3	615.9				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4

▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-13

TEST NO.	<u>B - 13</u>	SURFACE TYPE	<u>Asphaltic Concrete</u>
DATE	<u>9/10/98</u>	AREA NO.	<u>B - 12</u>
PROCEDURE	<u>Vacuumized Sweeping</u> Tennant Model 90	AREA SIZE	<u>20' x 50'</u>



INITIAL READINGS							
14537	20125	17225	12219				
▲	▲	▲	▲	▲	▲	▲	▲
21077	19048	20840	23371				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1							
1336.6	1592.2	670.8	1075.4				
▲	▲	▲	▲	▲	▲	▲	▲
841.2	1004.8	1086.9	1066.7				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2							
833.3	1065.7	495.5	772.0				
▲	▲	▲	▲	▲	▲	▲	▲
780.0	754.9	794.3	637.1				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3							
686.9	827.9	419.2	585.4				
▲	▲	▲	▲	▲	▲	▲	▲
602.6	623.6	619.6	617.3				
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4							
▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-14

TEST NO. B - 13 SURFACE TYPE Asphaltic Concrete
 DATE 8/5/58 AREA NO. B - 3
 PROCEDURE Motorized Sweeping AREA SIZE 30' x 100'
w/sand pretreatment
Wayne Model 450

INITIAL READINGS

2108	2604	3667	3619	3437	3276	3775	4663
▲	▲	▲	▲	▲	▲	▲	▲
5205	6161	4600	4712	5293	5143	4673	4598
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1

1246.8	870.0	1104.6	1103.0	1133.9	883.8	763.6	860.2
▲	▲	▲	▲	▲	▲	▲	▲
417.9	532.3	544.6	529.6	600.5	769.1	713.2	876.6
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2

765.8	614.8	647.9	686.5	724.1	544.8	536.5	467.8
▲	▲	▲	▲	▲	▲	▲	▲
218.9	311.9	352.5	385.1	404.9	427.5	399.2	465.5
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3

546.2	398.0	420.8	422.5	445.4	420.4	345.3	338.7
▲	▲	▲	▲	▲	▲	▲	▲
153.5	171.6	210.7	241.2	263.2	290.5	284.0	317.1
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4

▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-16

TEST NO.	<u>B - 14</u>	SURFACE TYPE	<u>Asphaltic Concrete</u>
DATE	<u>8/29/88</u>	AREA NO.	<u>B - 7</u>
PROCEDURE	<u>Motorized Sweeping w/mud pretreatment Wayne Model 480</u>	AREA SIZE	<u>20' x 100'</u>

INITIAL READINGS

14911	14048	12255	12253	8876	8203	7162	6372
▲	▲	▲	▲	▲	▲	▲	▲
12395	14493	14889	13398	16216	16022	15325	13716
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1

981.6	833.2	682.4	775.9	682.4	676.8	579.3	520.2
▲	▲	▲	▲	▲	▲	▲	▲
719.9	766.9	776.2	1200.3	1141.8	1333.8	1618.4	1536.8
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2

472.8	434.6	336.7	357.1	356.6	368.1	414.3	421.2
▲	▲	▲	▲	▲	▲	▲	▲
436.4	487.2	390.0	454.7	525.7	520.2	617.2	480.0
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3

273.8	278.2	226.1	263.7	241.8	340.5	285.7	227.6
▲	▲	▲	▲	▲	▲	▲	▲
220.2	261.8	262.3	345.9	316.8	316.8	328.5	297.9
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4 Air Broom Sweeping

46.6	45.2	49.7	49.4	35.7	41.1	42.3	41.4
▲	▲	▲	▲	▲	▲	▲	▲
44.9	51.4	52.8	49.8	52.5	63.2	58.8	63.4
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-16

TEST NO.	<u>B - 15</u>	SURFACE TYPE	<u>Asphaltic Concrete</u>
DATE	<u>9/1/68</u>	AREA NO.	<u>B - 9</u>
PROCEDURE	<u>Motorized Sweeping w/sand pretreatment Wayne Model 450</u>	AREA SIZE	<u>20' x 100'</u>

INITIAL READINGS

11450	13662	11075	13017	13017	11231	12040	10936
▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1

2093.3	2350.6	1284.3	1642.4	2202.5	12229.7	1188.6	993.3
▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2

796.8	976.0	609.8	874.5	1402.6	477.7	426.6	377.4
▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3

548.8	630.3	391.8	563.8	676.9	275.7	267.9	278.8
▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4

▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-17

TEST NO.	<u>B - 18</u>	SURFACE TYPE	<u>Asphalt Concrete</u>
DATE	<u>8/30/68</u>	AREA NO.	<u>B - 24</u>
PROCEDURE	<u>Air Broom Sweeping</u>	AREA SIZE	<u>20' x 60'</u>



INITIAL READINGS

3707	3142	3377	3835	3680			
▲	▲	▲	▲	▲	▲	▲	▲
2362	2886	2460	2387	3097			
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1

52.6	50.2	54.8	57.7	39.0			
▲	▲	▲	▲	▲	▲	▲	▲
29.3	31.0	33.6	23.6	25.6			
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2

▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3

▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4

▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-18

TEST NO.	<u>B - 17</u>	SURFACE TYPE	<u>Asphaltic Concrete</u>
DATE	<u>8/29/55</u>	AREA NO.	<u>B - 18</u>
PROCEDURE	<u>Air Broom Sweeping</u>	AREA SIZE	<u>20' x 60'</u>



INITIAL READINGS

11540	11935	11908	13209	9481			
▲	▲	▲	▲	▲	▲	▲	▲
11729	11855	12613	11739	11176			
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1

90.3	104.4	105.5	86.8	71.8			
▲	▲	▲	▲	▲	▲	▲	▲
106.1	136.9	137.4	135.5	112.3			
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2

51.9	48.7	56.5	60.8	52.3			
▲	▲	▲	▲	▲	▲	▲	▲
89.9	102.6	105.7	104.5	78.2			
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3

▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4

▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

TABLE A-19

TEST NO. B - 18 SURFACE TYPE Asphaltic Concrete
 DATE 9/2/68 AREA NO. B - 22
 PROCEDURE Air Broom Sweeping AREA SIZE 20' x 60'



INITIAL READINGS							
14172	15534	11964	14154	16537			
▲	▲	▲	▲	▲	▲	▲	▲
13394	11442	18064	14044	2272			
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 1							
94.2	77.0	62.1	59.8	107.1			
▲	▲	▲	▲	▲	▲	▲	▲
141.5	101.0	66.0	67.5	43.4			
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 2							
▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 3							
▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

PASS NO. 4							
▲	▲	▲	▲	▲	▲	▲	▲
▲	▲	▲	▲	▲	▲	▲	▲

APPENDIX B

CONVERSION OF RADIATION MEASUREMENTS TO MASS UNITS

B.1 A calibration factor for the mobile shielded detector was determined for each surface; this calibration factor was then used to determine a conversion factor for determining mass levels. The complete derivation of these factors is discussed in detail in Vol. I of these series of reports.

$$K = \frac{I_r}{M_D \times S} \quad (1)$$

where K = calibration factor, counts per disintegration per square foot (c/d/ft²), accounting for surface roughness and backscattering
 I_r = average initial intensity of contaminated surface, in counts per minute (c/m) obtained with mobile shielded detector
 M_D = average weight of contaminant, in grams per square foot (g/ft²) determined by 1.22 ft² pan samples
 S = specific activity, in disintegrations per second per gram $\frac{d/s}{g}$ measured in a 4-pi ionization chamber.*

As can be seen from Table B.1 a considerable variation in the value of K was found. This variation is attributed primarily to instrument error or variability and to rearrangement of the contaminant by the wind between successive measurements. A K of constant value, denoted as K₀, was determined for each surface by a simple average of all suitable values. To determine mass levels using K₀

$$K_0 \times S = C \quad (2)$$

$$\frac{I_r}{C} = M_0 \quad (3)$$

$$\frac{I_r}{C} = M \quad (4)$$

*The calibration factor used for converting the readings from the 4-pi ion chamber from milliamperes to disintegrations per second is:

$$3.30 \times 10^{-15} \frac{mA}{d/m} \cdot S$$

where C = a conversion factor, $\frac{g/g}{g/ft^2}$
 M_0 = calculated initial mass, g/ft^2
 R_r = average residual intensity of decontaminated surface, in c/m
 M = calculated residual mass, g/ft^2

TABLE B.1

Compilation of Basic and Extracted Test Data

Test	Area	Date	Mix (a) Number	(1) Time	(2) Wind Speed, Knots	(3) K _D g/ft ²	(4) Pan Count c/m/ft ²	(5) E d/s/gx10 ⁵	(6) c/d x10 ⁻⁴
B1	B15	8/27/58	2.3	1347	-	23.0	80775	3.978	1.45
B2	B13	8/28/58	2.4	0830	7	65.7	194160	3.416	1.43
B3	B2	8/26/58	2.2	1405	6	109.9	103386	1.12(b)	1.24
B4	A29	8/30/58	2.6	1120	4	15.0	39267	3.129	1.39
B5	A30	9/3/58	3.3	0847	5	41.4	125396	3.453	1.46
B6	A30	8/26/58	2.2	0950	2	104.5	110648	1.190	1.49
B7	B7	9/12/58	4.5	1747	9	15.8	39987	3.26(b)	1.47
B8	B8	9/11/58	4.4	1120	10	63.2	186297	3.489	1.41
B9	B9	9/10/58	4.3	1547	10	210.9	298516	1.634	1.44
B10	B10	9/15/58	5.1	0955	1	22.1	61013	3.197	1.45
B11	B11	9/12/58	4.5	1505	5	32.2	97336	3.437	1.46
B12	B12	9/10/58	4.3	0925	2	180.3	282039	1.809	1.43
B13	B3	9/5/58	3.5	0842	1	19.8	52912	2.986	1.49
B14	B7	8/29/58	2.5	1057	5	54.9	107893	2.986	1.45
B15	B9	9/1/58	3.1	0805	2	178.9	238367	1.489	1.49
B16	B24	8/30/58	2.6	0737	4	10.0	29190	3.282	1.46
B17	B18	8/29/58	2.5	0727	1	61.8	172521	3.236	1.43
B18	B22	9/2/58	3.2	0900	3	131.0	175316	1.552	1.43

Continued

- a. First numeral refers to week; second numeral to day.
- b. Extrapolated value.
- c. These values not used for obtaining K₀.

TABLE B.1 (Cont'd)

Compilation of Basic and Extracted Test Data

Test	(7) $\frac{K}{R}$ c/d/ft ² x 10 ⁻⁴	(8) K_0 c/s x ft ²	(9) $\frac{K}{R}$ c/s x ft ²	(10) $\frac{K}{R}$ c/s	(11) K_0 g/ft ²	(12) R_{r-1} c/s	(13) R_{r-2} c/s	(14) R_{r-3} c/s	(15) R_{r-4} c/s
B1	7.040	5.870	233.51	6,452	27.63	568.7	348.1	226.7	45.1
B2	5.293	5.870	220.52	11,878	59.23	996.3	432.2	311.0	50.6
B3	6.455(c)	5.870	65.45	7,910	120.86	250.4	132.2	9.0	-
B4	7.027	6.290	196.81	3,298	16.76	333.3	282.5	202.8	-
B5	5.191	6.290	217.19	7,414	34.14	1048	543.8	268.0	-
B6	7.134	6.290	74.85	8,875	118.57	181.4	156.2	17.9	-
B7	8.053(c)	5.870	191.36	4,136	21.61	192	75.8	52.2	-
B8	6.279	5.870	204.80	13,834	67.55	161.3	79.8	64.3	-
B9	4.947	5.870	95.92	17,045	177.70	345.7	164.6	122.9	-
B10	4.913	5.870	187.66	3,471	18.50	746	420	309	-
B11	6.112	5.870	201.75	6,766	33.54	1270	909	650	-
B12	5.693	5.870	106.19	18,568	174.86	1087	792	623	-
B13	7.074	5.870	175.28	4,171	23.80	816	496	329	-
B14	7.651	5.870	175.28	12,533	71.50	920	440	276	48.6
B15	4.524(c)	5.870	87.40	12,055	137.93	1648	743	454	-
B16	9.430(c)	5.870	192.65	3,095	16.07	39.7	-	-	-
B17	5.974	5.870	189.95	11,943	62.87	108.7	75.1	-	-
B18	6.666	5.870	91.10	13,548	148.72	84.0	-	-	-

- a. First numeral refers to week; second numeral to day.
 b. Extrapolated value.
 c. These values not used for obtaining K_0 .

Explanation of Table B.1

- (1) Time. Time that initial reading was taken; all radiation data have been decayed to this time.
- (2) Wind Speed. Wind speed at time (1) obtained with a hand held anemometer.
- (3) M_D. The average weight of the contaminant deposited per square foot by the dispersal device. The contaminant was collected in 1.22 ft² pans placed approximately every 500 ft² in the contamination pattern.
- (4) Pan Count. The average one minute count determined in a large scale counter for the pan sample (normalized to 1 ft²).
- (5) S. Specific activity determined by 4-pi ion chamber on a sample taken from pan (3) above.
- (6) c/d. The ratio of $\frac{(4)/60}{(3) \times (5)}$; c/d should be a constant value for all cases.
- (7) K. Calculated value. $K = \frac{(10)}{(3) \times (5)}$; K should be a constant value for all like surfaces.
- (8) K_O. Average value of K.
- (9) C. A conversion factor dependent upon specific activity (5) and K_O(8).
- (10) I_r. Average initial count of the test area taken with the mobile shielded detector.
- (11) M_O. Average initial mass level; the ratio of (10)/(9).
- (12) - (15) R_r-1, etc. Average residual count on the test area taken with the mobile shielded detector. Values given are for successive cycles of the decontamination procedure. These values can be converted to M by the use of conversion factor C.

$$M = \frac{Rr}{C}$$

APPENDIX C

c.1 The operating characteristics of the three street sweepers evaluated are given in the following tables. The information listed was obtained from manufacturer's information brochures describing the equipment.

TABLE C-1

Operating Characteristics of Wayne Model 450

1. Type

Manufacture - Wayne Manufacturing Co., Newark 5, New Jersey
 Model No. Wayne 450

2. Spreading Speeds

Maximum 6 - 8 mph (Travel 20 -25 mph)
 Minimum 2 - 4 mph

3. Spreading Path

Pickup Broom 4' 10"
 With one gutter broom 7' 6"
 With two gutter brooms 10' 0"

4. Broom Characteristics

Main (Pickup) Broom
 Diameter 36"
 Length 58"
 Broom Material Palmyra Stalk
 Drive Chain Drive
 Mounting Full Floating - Spring Suspended
 Control (Lift) Hydraulic
 Reversible Yes
 Speeds 2 Fwd, 1 Reverse

Side Brooms (Gutter)
 Diameter 45"
 Broom Material Standard 26" Steel Wire
 Drive Direct Drive
 Mounting Free Floating
 Control (Lift) Hydraulic
 Speeds 2 Fwd, 1 Reverse

TABLE C-1 (Cont'd)

Operating Characteristics of Wayne Model 450

5. Conveyor System

Type	Ladder Type - Rubber
Drive	Rubber Chain
Speeds	2 Fwd, 1 Reverse

6. Dirt Hopper

Capacity	3 cubic yards (Located Forward)
Dump Controls	Hydraulic
Dump Doors	Glam Type

7. Water Spraying System

Tank Capacity	170 Gallons
Nozzles	Brass Atomizing Nozzles
Pump	Centrifugal
Operating Controls	At Drivers Position

8. Physical Dimensions

Wheel Base	9'- 1"
Length Overall	15'- 8"
Height	6'-11"
Width Overall	8'- 8"
Weight	10,000 lbs.
Turning Radius	24'

TABLE G-2

Operating Characteristics of Tennant Model 100

1. Type

Manufacture G. H. Tennant Co., Minneapolis, Minnesota
 Model No. Model 100

2. Operating Speeds

Maximum 15.0 mph
 Minimum 2.3 mph

3. Operating Path

Pickup Broom 4' 0"
 With two gutter brooms 7' 4"

4. Broom Characteristics:

Main (Pickup) Broom
 Diameter 27"
 Length 48"
 Broom Material Plastic Filled
 Drive Engine Driven - Gears
 Mounting Free Floating
 Control (Lift) Hydraulic
 Reversible No
 Speeds 2 Fwd.

Side Brooms (Gutter)
 Diameter 32"
 Broom Material Flat Wire Bristles
 Engine Engine Driven - Gears
 Mounting Free Floating
 Control (Lift) Hydraulic
 Speeds 2

TABLE G-2 (Cont'd)

Operating Characteristics of Tennant Model 100

5. Vacuum System

Type	Suction Type Dust Collection Through Bags
Material	Cloth Bags - 540 ft ²
Air Flow	2200 cfm

6. Dirt Hopper

Capacity	1-3/4 cubic yards
Dump Controls	Hydraulic
Dump Doors	Rear Lift

7. Physical Dimensions

Wheel Base	4'-4"
Length Overall	9'-9-1/4"
Height	7'-2"
Width Overall	7'-4"
Weight	7600 lbs
Turning Radius	9'-2"

TABLE G-3

Operating Characteristics of Tennant Model 80

1. Type

Manufacture
Model No.

G. H. Tennant Co., Minneapolis, Minnesota
Model 80

2. Sweeping Speeds

Maximum
Minimum

8 mph
2 mph

3. Sweeping Width

Pickup Broom
With one gutter broom

42"
53"

4. Broom Characteristics

Main (Pickup) Broom

Diameter 14"
Length 42"
Broom Material Fiber Bristles
Drive V Belt
Mounting Free Floating
Control (Lift) Hydraulic
Reversible No
Speeds 2 Fwd.

Side Brooms (Gutter)

Diameter 21"
Broom Material Wire Bristles
Drive V Belt
Mounting Free Floating
Control (Lift) Hydraulic
Speeds 2

TABLE C-3 (Cont'd)

Operating Characteristics of Tennant Model 80

5. Vacuum System

Type	Suction Type Dust Collector Through Bag
Material	Heavy Fabric Bag - 4200 in ² Area
Air Flow	700 cfm

6. Dirt Hopper

Capacity	12 cubic feet
Dump Controls	Hydraulic
Dump Doors	Front Lift

7. Physical Dimensions

Wheel Base	
Length Overall	83"
Height	55"
Width Overall	55-1/2"
Weight	1410 lbs
Turning Radius	65"

DISTRIBUTION

Copies

NAVY

1-3 Chief, Bureau of Ships (Code 335)
4-5 Chief, Bureau of Ships (Code 341)
6 Chief, Bureau of Aeronautics (Code AE40)
7-16 Chief, Bureau of Yards and Docks (D-440)
17 Chief of Naval Operations (Op-75)
18 Chief of Naval Operations (Op-0E30)
19 Chief, Bureau of Supplies and Accounts (Code 58)
20-22 Director, Naval Research Laboratory (Code 2021)
23-25 CO, U.S. Naval Civil Engineering Laboratory
26 U.S. Naval School (CNE) Officers
27 CO, Naval Schools Command, Treasure Island
28 CO, Naval Damage Control Training Center, Philadelphia
29 U.S. Naval Postgraduate School, Monterey
30 Commandant, 12th Naval District
31 Office of Patent Counsel, San Diego
32 CO, Nuclear Weapons Training Center, Atlantic
33 CO, Nuclear Weapons Training Center, Pacific
34 President, Naval War College
35 Cinc, Pacific Fleet
36 Cinc, Atlantic Fleet
37 Cinc, Naval Forces, Eastern Atl. and Med.
38 Commander Amphibious Force, Pacific Fleet
39 Commander Amphibious Force, Atlantic Fleet
40 Commander Service Force, Pacific Fleet
41 Commander Service Force, Atlantic Fleet
42 Commandant, U.S. Marine Corps
43 Commandant, Marine Corps Schools, Quantico (Library)
44 Commandant, Marine Corps Schools, Quantico (Dev. Center)
45 CO, Naval Medical Field Research Lab., Camp Lejeune

ARMY

46-47 Chief of Research and Development (Atomic Div.)
48 Deputy Chief of Staff for Military Operations
49 Chief of Engineers (ENGER)
50 Chief of Engineers (ENGEN)
51 Chief of Transportation (TO Technical Committee)
52 Chief of Ordnance (ORDTW-RE)
53 Ballistic Research Laboratories

54 Chief Chemical Officer
 55 Assistant Chief Chemical Officer for Planning and Doctrine
 56 The Quartermaster General
 57 CG, Chemical Corps Res. and Dev. Command
 58 Hq., Chemical Corps Materiel Command
 59 President, Chemical Corps Board
 60-62 CG, BW Laboratories
 63 CG, Chemical Corps Training Command (Library)
 64 CG, Chemical Corps Field Requirements Agency
 65-66 CG, Chemical Warfare Laboratories
 67 CG, Aberdeen Proving Ground
 68 Office of Chief Signal Officer (SIGORD-SS)
 69 CG, Continental Army Command, Fort Monroe (ATDEV-1)
 70 CG, Quartermaster Res. and Dev. Command
 71 CG, Army Artillery and Missile Center, Fort Sill
 72 Director Operations Research Office (Librarian)
 73 CG, Dugway Proving Ground
 74-76 CG, Sixth U.S. Army, Presidio, San Francisco
 77 CG, Engineer Res. and Dev. Lab. (Library)
 78 CG, Engineer Res. and Dev. Lab., (Special Projects Branch)
 79 CG, Transportation Res. and Dev. Command, Fort Rucker
 80 President, Board No. 6, COMABO, Fort Rucker
 81 Director, Office of Special Weapons Development, Fort Bliss
 82 CG, Ordnance Materials Research Office, Watertown
 83 CG, Redstone Arsenal
 84 CG, Picatinny Arsenal (ORDBB-TW6)
 85 CG, U.S. Army Nuclear Medicine Research Detach., Europe
 86 CG, Quartermaster Board, Fort Lee
 87 Surgeon General (MEXUS)
 88 CG, Army Signal Res. and Dev. Lab.
 89 CG, Waterways Experiment Station
 90 CG, Ordnance Tank-Automotive Command
 91 Commandant, Provost Marshal Generals School, Fort Gordon
 92 CG, Army Research Office, Arlington
 93 Hq., Army Military District, Washington (for Boos-Allen)

AIR FORCE

94 Assistant Chief of Staff, Intelligence (AFQIN-3B)
 95 Commander, Air Materiel Command (COMTC)
 96-99 Commander, Wright Air Development Center (WDACT)
 100 Commander, Air Res. and Dev. Command (RDTW)
 101 Directorate of Installations (AFQIE-ES)
 102 Director, USAF Project RAND (WEAPD)
 103 CG, Strategic Air Command (Operations Analysis Office)
 104-105 Commander, Special Weapons Center, Kirtland AFB
 106 Director, Air University Library, Maxwell AFB
 107-108 Commander, Technical Training Wing, 3415th TTG
 109 CG, Cambridge Research Center (ORTZ)

OTHER DOD ACTIVITIES

110 Chief, Defense Atomic Support Agency
111 Commander, FC/DASA, Sandia Base (FOTO Library)
112-113 Commander, FC/DASA, Sandia Base (FODV)
114 Assistant Secretary of Defense (Res. and Eng.)
115-124 Armed Services Technical Information Agency
125 U.S. Military Representative, NATO

OCDM

126-127 Office of Civilian and Defense Mobilization, Battle Creek

AEC ACTIVITIES AND OTHERS

128 AEC, Military Applications Division
129 AEC, Civil Effects Test Group
130 Los Alamos Scientific Laboratory (Library)
131 Sandia Corporation (Document Room)

USNRDL

132-175 USNRDL, Technical Information Division

DATE ISSUED: 13 October, 1959

UNCLASSIFIED

AD

2281966

FOR
MICRO-CARD
CONTROL ONLY

2

OF

2

Reproduced by

Armed Services Technical Information Agency

ARLINGTON HALL STATION; ARLINGTON 12 VIRGINIA

UNCLASSIFIED