

AD-A118 285

PRINCETON UNIV NJ DEPT OF CIVIL AND GEOLOGICAL ENGIN--ETC F/6 20/11
NONLOCAL EFFECTS OF CRACK CURVING.(U)

JUL 82 A C ERINGEN, A SURESH

N00014-76-C-0240

UNCLASSIFIED

82-SM-12

NL

1 of 1
AD-A118 285



END

DATE

FORMED

9-82

DTIC

AD A118285



NONLOCAL EFFECTS OF CRACK CURVING

A. Cemal Eringen and A. Suresh
Princeton University

Technical Report No. 57
Civil Engng. Res. Rep. No. 82-SM-12

Research Sponsored by the
OFFICE OF NAVAL RESEARCH
under
Contract N00014-76-C-0240 Mod 4
Task No. NR 064-410

July 1982

DTIC
ELECTE
AUG 17 1982
S D

Approved for public release:
distribution unlimited

D

Reproduction in whole or in part is permitted
for any purpose of the United States Government.

DTIC FILE COPY

82 08 16 274

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER PRINCETON UNIVERSITY TECHNICAL REPORT #57	2. GOVT ACCESSION NO. AD-A118285	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) NONLOCAL MECHANICS OF CRACK CURVING	5. TYPE OF REPORT & PERIOD COVERED Technical Report	
	6. PERFORMING ORG. REPORT NUMBER 82-SM-12	
7. AUTHOR(s) A.C.Eringen and A. Suresh	8. CONTRACT OR GRANT NUMBER(s) N00014-76-002040 Mod.. 4	
9. PERFORMING ORGANIZATION NAME AND ADDRESS PRINCETON UNIVERSITY Princeton, NJ 08544	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 064-410	
11. CONTROLLING OFFICE NAME AND ADDRESS OFFICE OF NAVAL RESEARCH (Co-e 471) Arlington, VA 22217	12. REPORT DATE July 1982	
	13. NUMBER OF PAGES 22	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report) unclassified	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)		
<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: auto;"> <p>DISTRIBUTION STATEMENT A</p> <p>Approved for public release; Distribution Unlimited</p> </div>		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
<p>crack curving fracture criteria nonlocal fractures</p>		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
<p>The nonlocal elasticity solution is obtained for the Griffith crack problem under combined loadings, Modes I and II. It is shown that the fracture begins at a critical point in the neighborhood of the crack tip. The location of the critical point is determined and the critical angle at which the crack begins to deviate from its straight line path is determined. These results are in good agreement with ^{two} atomic lattice theory, and classical predictions.</p>		

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	



NONLOCAL MECHANICS OF CRACK CURVING *

A. Cemal Eringen and A. Suresh

Department of Civil Engineering, Princeton University
Princeton, New Jersey 08544

ABSTRACT

The nonlocal elasticity solution is obtained for the Griffith crack problem under combined loadings, Modes I and II. It is shown that the fracture begins at a critical point in the neighborhood of the crack tip. The location of the critical point is determined and the critical angle at which the crack begins to deviate from its straight line path is determined. These results are in good agreement with atomic lattice theory, and classical predictions.

INTRODUCTION

Presently, there exists several criteria for the static and dynamic curving of a line crack under combined loadings. These are based on either a maximum circumferential stress (cf. Erdogan and Sih [1], Cotterell and Rice [2]), or the Griffith energy release rate (cf. Hussain, et al [3]). Experimental assessment of these criteria was carried out by Kobayashi, et al, in a series of papers of which we mention [4]. Because of the usual crack tip singularity, these criteria are to be applied at a critical distance r_c from the crack tip. It is speculated that r_c is a material property.

The main purpose of the present paper is: (i) to determine r_c , theoretically; (ii) to obtain the direction of crack curving under r_c combined loadings, Modes I and II; (iii) to give a crack curving criterion based on the maximum circumferential stress field.

We note that such a program cannot be carried out by means of classical elasticity theory since according to this theory, the maximum stress is infinite and it is located at the crack tip.

In several previous papers (cf. [5], [6], [7]), it was shown that the nonlocal elasticity solutions of crack problems do not contain a stress singularity. Moreover, the maximum stress occurs not at the tip, but at an exterior point to the crack surfaces - in the close vicinity of the crack tip.

* Supported by the Office of Naval Research.

For brittle solids, a fracture criterion based on the maximum tensile stress, was established (cf. [5], [6], [8]). Accordingly, when the maximum tensile stress exceeds the cohesive stress that holds bonds together, fracture will occur. Calculations based on this hypothesis proved to be in accordance with the Griffith fracture criterion with the additional dividend that the Griffith constant is fully determined. Cohesive stress calculations showed excellent agreement with the results known to metallurgists (see [5] to [10]).

Motivated by these findings, we proceed to examine here the problem of crack instability and curving for the plane problem under combined loads.

RESUME OF BASIC EQUATIONS

Basic equations of nonlocal, linear, homogeneous, isotropic elastic solids consist of (cf. [5], [11], [12]):

$$(1) \quad t_{kl,k} + \rho(f_l - \ddot{u}_l) = 0$$

$$(2) \quad t_{kl}(\underline{x}, t) = \int_V \alpha(|\underline{x}' - \underline{x}|, \epsilon) \sigma_{kl}(\underline{x}', t) dv(\underline{x}'),$$

$$(3) \quad \sigma_{kl} = \lambda e_{rr} \delta_{kl} + 2\mu e_{kl},$$

$$(4) \quad e_{kl} = \frac{1}{2} (u_{k,l} + u_{l,k})$$

where t_{kl} , ρ , f_l and u_l are respectively, the stress tensor, mass density, body force and the displacement field. We employ a superposed dot to indicate partial derivative with respect to time and a comma to indicate partial derivative with respect to rectangular coordinates x_k , i.e.

$$\dot{u}_k = \frac{\partial u_k(\underline{x}, t)}{\partial t}, \quad u_{k,l} = \frac{\partial u_k}{\partial x_l}$$

As usual, repeated indices indicate summation.

Except for the constitutive equations (2), these equations are identical to those of the classical (local) elasticity theory. Equation (2) replaces the classical Hooke's law. It expresses the physical fact that the stress at a point \underline{x} depends on strains at all other points \underline{x}' in the body. Naturally, "the influence of strain at \underline{x} is expected" to be greatest in the stress at \underline{x} and the influence of strains at any other

point \underline{x}' , at a distance $|\underline{x}' - \underline{x}|$ from \underline{x} , must diminish with distance. Hence the nonlocal modulus $\alpha(|\underline{x}' - \underline{x}|, \epsilon)$ must die out with $|\underline{x}' - \underline{x}|$ having a maximum at $\underline{x}' = \underline{x}$.

The nonlocal attenuation modulus α has the dimension of length⁻³ so that it depends on an internal characteristic length a . This is indicated by $\epsilon = \beta a / \ell$ where ℓ is an external characteristic length (e.g. wave length, crack length), a is an internal characteristic length (e.g., lattice parameter, granular distance) and β is a non-dimensional constant appropriate to each material.

Nonlocal elasticity reduces to the classical theory in the limit

$$(5) \quad \lim_{\epsilon \rightarrow 0} \alpha(|\underline{x}' - \underline{x}|, \epsilon) = \delta(|\underline{x}' - \underline{x}|)$$

where δ is the Dirac delta measure. Based on these and other considerations, Eringen [11], [12], proposed that α must be a Dirac delta sequence, and obtained several kernels which produce excellent agreement with the dispersion curves of plane waves in lattice dynamics, in the entire Brillouin zone.

Here we give one of these kernels, suitable for the treatment of two-dimensional problems, Ari and Eringen [7]:

$$(6) \quad \alpha(|\underline{x}|, \epsilon) = (2\pi \ell^2 \epsilon^2)^{-1} K_0(\sqrt{\underline{x} \cdot \underline{x}} / \ell \epsilon), \quad \epsilon = \beta a / \ell$$

where K_0 is the modified Bessel's function. We note that equation (6) satisfies the differential equation

$$(7) \quad (1 - \epsilon^2 \ell^2 \nabla^2) \alpha = \delta(|\underline{x}' - \underline{x}|)$$

a property which is useful in the treatment of boundary-value problems. If we apply the operator (7) to equation (2), we obtain

$$(8) \quad (1 - \epsilon^2 \ell^2 \nabla^2) t_{k\ell} = \sigma_{k\ell}$$

From this, by taking the divergence of both sides, it follows that

$$(9) \quad \sigma_{k\ell, k} + (1 - \epsilon^2 \ell^2 \nabla^2) (\rho f_{\ell} - \rho \ddot{u}_{\ell}) = 0$$

where we have used equation (1). If we further substitute from equations (3) and (4), we will have

$$(10) \quad (\lambda + \mu) u_{k,\ell k} - \mu \nabla^2 u_\ell + (1 - \epsilon^2 \ell^2 \nabla^2)(\rho \ddot{u}_\ell - \rho f_\ell) = 0$$

valid in rectangular coordinates. In this way, the integro-differential equations (1) to (4) are reduced to singularly perturbed partial differential equations.

Particularly simple results are obtained for the static case and vanishing body forces. In this case, we have

$$(11) \quad \sigma_{k\ell,k} = 0$$

which is identical to the equilibrium equations of classical elasticity theory.

GRIFFITH CRACK, MODE I AND II

A line crack $|x_1| < c$, $x_2 = 0$ located in an infinite plane subject to a uniform tensile loading, perpendicular to the crack line at infinity, is known as the Griffith crack problem, Mode I. We consider the superposition to Mode I a constant shear loading which is known as the Mode II. The solution of both problems in nonlocal elasticity were given previously by Eringen [8] and his coworkers [6]. Here, we employ an alternative method of solution using a different kernel, namely equation (6).

For the static case with vanishing body forces, equation (10) reduces to the classical Navier's equation

$$(12) \quad (\lambda + \mu) u_{k,\ell k} + \mu \nabla^2 u_\ell = 0$$

whose solution is well-known, c.f., [13]. The classical stress field $\sigma_{k\ell}$ in the neighborhood of the crack tip, is of the form

$$(13) \quad \begin{bmatrix} \sigma_{11} \\ \sigma_{22} \\ \sigma_{12} \end{bmatrix} = \frac{K_I}{\sqrt{2\pi r}} \begin{bmatrix} \frac{3}{4} \cos \frac{\theta}{2} + \frac{1}{4} \cos \frac{5\theta}{2} \\ \frac{5}{4} \cos \frac{\theta}{2} - \frac{1}{4} \cos \frac{5\theta}{2} \\ -\frac{1}{4} \sin \frac{\theta}{2} + \frac{1}{4} \sin \frac{5\theta}{2} \end{bmatrix} + \frac{K_{II}}{\sqrt{2\pi r}} \begin{bmatrix} -\frac{7}{4} \sin \frac{\theta}{2} - \frac{1}{4} \sin \frac{5\theta}{2} \\ -\frac{1}{4} \sin \frac{\theta}{2} + \frac{1}{4} \sin \frac{5\theta}{2} \\ \frac{3}{4} \cos \frac{\theta}{2} + \frac{1}{4} \cos \frac{5\theta}{2} \end{bmatrix}$$

where K_I and K_{II} are classical stress intensity factors and (r, θ) are plane polar coordinates with the origin at the right crack tip.

In nonlocal theory, σ_{kl} given by equation (13) is not the stress field. The stress field t_{kl} is obtained by solving equation (8), subject to regularity conditions, i.e., t_{kl} must be bounded at the crack tip and at infinity. This is borne out also from the previous solution given in [5] and [7].

We expect that, at large distances from the crack tip, the classical solution will approximate the stress field well. Moreover, as $\epsilon \rightarrow 0$, equation (8) gives $t_{kl} \rightarrow \sigma_{kl}$. Therefore, there exists a boundary layer in the neighborhood of the crack. This then suggests that we may obtain an inner solution of equation (8) and match it to the outer solution σ_{kl} . In fact, this is why the approximate expressions (equation (13)), which are valid in the vicinity of the crack tip, are adequate for the determination of t_{kl} in the vicinity of the crack tip.

Introducing the complex stress field for any second-order symmetric tensor, τ_{kl} by

$$(14) \quad \theta_{\tau} = \tau_{11} + \tau_{22}, \quad \phi_{\tau} = \tau_{22} - \tau_{11} + 2i \tau_{12}$$

The differential equations (8) may be replaced by equivalent equations

$$(15) \quad \begin{aligned} (1 - \epsilon^2 l^2 \nabla^2) \theta_{\tau} &= \theta_{\sigma} \\ (1 - \epsilon^2 l^2 \nabla^2) \phi_{\tau} &= \phi_{\sigma} \end{aligned}$$

where, by using equations (14) and (13),

$$(16) \quad \begin{aligned} \theta_{\tau} &= \frac{1}{\sqrt{2\pi r}} [(K_I + i K_{II}) e^{i\theta/2} + (K_I - i K_{II}) e^{-i\theta/2}] \\ \phi_{\tau} &= \frac{1}{2\sqrt{2\pi r}} [(K_I + 3i K_{II}) e^{-i\theta/2} + (-K_I + i K_{II}) e^{-i5\theta/2}] \end{aligned}$$

Consequently, the integration of equation (15) requires finding the solution of a differential equation of the form

$$(17) \quad \frac{\partial^2 g_n}{\partial \rho^2} + \frac{1}{\rho} \frac{\partial g_n}{\partial \rho} + \frac{1}{\rho^2} \frac{\partial^2 g_n}{\partial \theta^2} - g_n = -\rho^{-\frac{1}{2}} e^{in\theta/2}, \quad n = \pm 1, \pm 5$$

where

$$(18) \quad g_n(\rho, \theta) = f_n(\rho) e^{in\theta/2} \quad \rho = r/\epsilon l$$

The general solution of equation (17) is

$$(19) \quad f_n(\rho) = A I_{n/2}(\rho) + B K_{n/2}(\rho) + \int_0^\rho [I_{n/2}(z) K_{n/2}(\rho) - I_{n/2}(\rho) K_{n/2}(z)] z^{\frac{1}{2}} dz$$

where I_ν and K_ν are modified Bessel's functions. Constants of integrations A and B are determined by using the regularity conditions at $r=0$ and $r=\infty$, namely f_n must be bounded at $\rho=0$ and as $\rho \rightarrow \infty$.

$$(20) \quad f_n = \int_0^\rho I_{n/2}(z) K_{n/2}(\rho) z^{\frac{1}{2}} dz + \int_\rho^\infty I_{n/2}(\rho) K_{n/2}(z) z^{\frac{1}{2}} dz$$

$n = \pm 1, \pm 5$

Employing well-known expressions of $I_{n/2}$ and $K_{n/2}$ [14], we find that

$$(21) \quad \begin{aligned} f_{\pm 1} &= \rho^{-\frac{1}{2}} (1 - e^{-\rho}), \\ f_{\pm 5} &= \rho^{-\frac{1}{2}} e^{-\rho} \left(1 + \frac{3}{\rho} + \frac{3}{\rho^2}\right) \int_0^\rho \left[\left(1 + \frac{3}{z^2}\right) \sinh z - \frac{3}{z} \cosh z\right] dz \\ &\quad + \rho^{-\frac{1}{2}} \left[\left(1 + \frac{3}{\rho^2}\right) \sinh \rho - \frac{3}{\rho} \cosh \rho\right] \int_\rho^\infty e^{-z} \left(1 + \frac{3}{z} + \frac{3}{z^2}\right) dz \end{aligned}$$

Consequently,

$$(22) \quad \theta_{\underline{t}} = (2\pi\epsilon l)^{-\frac{1}{2}} [(K_I + iK_{II}) e^{i\theta/2} + (K_I - iK_{II}) e^{-i\theta/2}] f_1(\rho).$$

$$\phi_{\underline{t}} = \frac{1}{2} (2\pi\epsilon l)^{-\frac{1}{2}} [(K_I + 3iK_{II}) f_1(\rho) e^{-i\theta/2} + (-K_I + iK_{II}) f_5(\rho) e^{-5i\theta/2}]$$

But, in polar coordinates, we have

$$(23) \quad \begin{aligned} t_{rr} + t_{\theta\theta} &= \theta_{\underline{t}}, \\ t_{\theta\theta} - t_{rr} + 2i t_{r\theta} &= \phi_{\underline{t}} e^{2i\theta} \end{aligned}$$

from which we determine the stress field.

$$\begin{aligned}
 t_{rr} &= (2\pi\epsilon l)^{-\frac{1}{2}} \left\{ [K_I (\cos \frac{\theta}{2} - \frac{1}{4} \cos \frac{3\theta}{2}) + K_{II} (-\sin \frac{\theta}{2} + \frac{3}{4} \sin \frac{3\theta}{2})] f_1(\rho) \right. \\
 &\quad \left. + \frac{1}{4} (K_I \cos \frac{\theta}{2} - K_{II} \sin \frac{\theta}{2}) f_5(\rho) \right\}, \\
 (24) \quad t_{\theta\theta} &= (2\pi\epsilon l)^{-\frac{1}{2}} \left\{ [K_I (\cos \frac{\theta}{2} + \frac{1}{4} \cos \frac{3\theta}{2}) - K_{II} (\sin \frac{\theta}{2} + \frac{3}{4} \sin \frac{3\theta}{2})] f_1(\rho) \right. \\
 &\quad \left. + \frac{1}{4} (-K_I \cos \frac{\theta}{2} + K_{II} \sin \frac{\theta}{2}) f_5(\rho) \right\}, \\
 t_{r\theta} &= \frac{1}{4} (2\pi\epsilon l)^{-\frac{1}{2}} [(K_I \sin \frac{3\theta}{2} + 3 K_{II} \cos \frac{3\theta}{2}) f_1(\rho) \\
 &\quad + (K_I \sin \frac{\theta}{2} + K_{II} \cos \frac{\theta}{2}) f_5(\rho)]
 \end{aligned}$$

These results are valid in the vicinity of the crack tip.

FRACTURE AND CRACK CURVING

Based on the physics of matter, the fracture must occur when the maximum tensile stress exceeds the cohesive stress which holds bonds together, Eringen [5,8]. Consequently, fracture will begin at a point (r_c, θ_c) which are the roots of

$$(25) \quad \frac{\partial t_{\theta\theta}}{\partial r} = 0, \quad \frac{\partial t_{\theta\theta}}{\partial \theta} = 0$$

provided that $t_{\theta\theta}(r_c, \theta_c)$ is the maximum tensile stress.

Note that unlike classical elasticity, $t_{\theta\theta\max}$ is not at the crack tip. Thus, fracture begins ahead of the crack tip at some location, determined by equation (25).

First, consider the case of Mode I only. In this case, $K_{II} = 0$ and equation (25) gives

$$(26) \quad \theta_c = 0, \quad 5 \frac{df_1}{d\rho} = \frac{df_5}{d\rho}$$

so that the fracture is along the crack line at a point ρ_c satisfying (26). Computations give

$$(27) \quad \rho_c = r_c/\epsilon l = 1.095076$$

This result is in excellent agreement with that calculated by means of atomic lattice theory by Elliot [15] (see Table 1).

Next, we consider the combined Modes I and II. From equations (24) and (25), it is clear that

$$(28) \quad \rho_c = r_c/\epsilon l = f(K_{II}/K_I)$$

$$\theta_c = g(K_{II}/K_I)$$

Following common practice, these functions are plotted against crack angle γ , defined by

$$(29) \quad \cot \gamma = K_{II}/K_I$$

In Figure 1, critical distance r_c is given as a function of the crack angle γ . We notice that r_c decreases with the crack angle. The closest distance to the crack tip is obtained when $K_I = 0$ and farthest when $K_{II} = 0$. The change between these two cases is almost a straight line. In Figure 2, values of θ_c are compared with classical results obtained from [13, p. 99]. The agreement is, in general, excellent.


TABLE I
HOOP STRESS ALONG THE CRACK LINE

	t_{max}/t_0	x_c/l
Elliot [15]	27.62	$1 + 0.2(a/l)$
Nonlocal (Present) $\epsilon l = 0.22a^*$ $\epsilon l = 0.31a$	25.41 21.40	$1 + 0.2409(a/l)$ $1 + 0.3394(a/l)$

* Values of $\epsilon l/a$ are from Ref. [7].


References

- [1] Erdogan, F. and G.S. Sih., Trans ASME, J. Basic Engng., 85(D), 1963, pp. 519-527.
- [2] Cotterell, B. and J.R. Rice., Int. J. Frac., II, 1981, pp.155-164.
- [3] Hussain, M.A., S.L. Pu and J. Underwood, ASTM STP 560, 1974, pp.2-28.
- [4] Sun, Y.-J., M. Ramulu, A.S. Kobayashi and B.-J. Kang, ONR Report #42. Dept. of ME, University of Washington, Nov.1981.
- [5] Eringen, A.C., J. Phys. D. Appl. Phys., 10, pp. 671-678, 1977.
- [6] Eringen, A.C., C. Speziale and B.S. Kim, J. Mech. and Phys. of Solids, 25, pp. 339-355, 1977.
- [7] Ari, N. and A.C. Eringen, ONR Report #56, CE Dept. Princeton University, July 1981.
- [8] Eringen, A.C., Int. J. of Fracture, 14, 367-379, 1978.
- [9] Eringen, A.C. Engng. Fracture Mech. 12, pp. 211-219, 1979.
- [10] Eringen, A.C. Crystal Lattice Defects, 8, pp. 73-80, 1979.
- [11] Eringen, A.C. Int. J. Engng. Sci. 10, pp. 425-435, 1972.
- [12] Eringen, A.C. Nonlinear Equations in Physics and Mathematics (edit. by A. O. Barut) D. Reidel Publ. Co. Dordrecht. Holland. pp. 271-318, 1978.
- [13] A.S. Jayatilaka, Fracture of Engineering Brittle Materials, Appl. Sci. Publishers, London, 1979, p. 22.
- [14] Gradshteyn, I.S. and I.M. Ryzhik. Tables of Integrals, Series and Products. Acad. Press New York, 1965, p. 967.
- [15] Elliot, H.A. Proc. Phys. Soc., A59, pp. 208-233, 1947.



CRITICAL RADIUS vs CRACK ANGLE

FIGURE I



CRACK ANGLE
FRACTURE ANGLE vs CRACK ANGLE
FIGURE 2

Part 1 - Government
Administrative and Liaison Activities

Office of Naval Research
Department of the Navy
Arlington, Virginia 22217
Attn: Code 474 (2)
Code 471
Code 200

Director
Office of Naval Research
Eastern/Central Regional Office
666 Sumner Street
Boston, Massachusetts 02210

Director
Office of Naval Research
Branch Office
536 South Clark Street
Chicago, Illinois 60605

Director
Office of Naval Research
New York Area Office
715 Broadway - 5th Floor
New York, New York 10003

Director
Office of Naval Research
Western Regional Office
1030 East Green Street
Pasadena, California 91106

Naval Research Laboratory (6)
Code 2627
Washington, D.C. 20375

Defense Technical Information Center (12)
Cameron Station
Alexandria, Virginia 22314

Navy

Undersea Explosion Research Division
Naval Ship Research and Development
Center
Norfolk Naval Shipyard
Portsmouth, Virginia 23709
Attn: Dr. E. Palmer, Code 177

Navy (Con't.)

Naval Research Laboratory
Washington, D.C. 20375
Attn: Code 8400
8410
8430
8440
6300
6390
6380

David W. Taylor Naval Ship Research
and Development Center
Annapolis, Maryland 21402
Attn: Code 2740
28
281

Naval Weapons Center
China Lake, California 93555
Attn: Code 4062
4520

Commanding Officer
Naval Civil Engineering Laboratory
Code 131
Port Hueneles, California 93041

Naval Surface Weapons Center,
White Oak
Silver Spring, Maryland 20910
Attn: Code R-10
G-402
K-82

Technical Director
Naval Ocean Systems Center
San Diego, California 92152

Supervisor of Shipbuilding
U.S. Navy
Newport News, Virginia 23607

Navy Underwater Sound
Reference Division
Naval Research Laboratory
P.O. Box 8337
Orlando, Florida 32806

Chief of Naval Operations
Department of the Navy
Washington, D.C. 20350
Attn: Code OP-098

474:NP:716:lab
78u474-619

Navy (Con't.)

Strategic Systems Project Office
Department of the Navy
Washington, D.C. 20376
Attn: NSP-200

Naval Air Systems Command
Department of the Navy
Washington, D.C. 20361
Attn: Code 5302 (Aerospace and Structures)
604 (Technical Library)
320B (Structures)

Naval Air Development Center
Warminster, Pennsylvania 18974
Attn: Aerospace Mechanics
Code 606

U.S. Naval Academy
Engineering Department
Annapolis, Maryland 21402

Naval Facilities Engineering Command
200 Stovall Street
Alexandria, Virginia 22332
Attn: Code 03 (Research and Development)
04B
045
14114 (Technical Library)

Naval Sea Systems Command
Department of the Navy
Washington, D.C. 20362
Attn: Code 05H
312
322
323
05R
32R

Navy (Con't.)

Commander and Director
David W. Taylor Naval Ship
Research and Development Center
Bethesda, Maryland 20084
Attn: Code 042

17
172
173
174
1800
1844
012.2
1900
1901
1945
1960
1962

Naval Underwater Systems Center
Newport, Rhode Island 02840
Attn: Bruce Sandman, Code 3634

Naval Surface Weapons Center
Dahlgren Laboratory
Dahlgren, Virginia 22448
Attn: Code G04
G20

Technical Director
Mare Island Naval Shipyard
Vallejo, California 94392

U.S. Naval Postgraduate School
Library
Code 0384
Monterey, California 93940

Webb Institute of Naval Architecture
Attn: Librarian
Crescent Beach Road, Glen Cove
Long Island, New York 11542

Army

Commanding Officer (2)
U.S. Army Research Office
P.O. Box 12211
Research Triangle Park, NC 27709
Attn: Mr. J. J. Murray, CRD-AA-IP

Army (Con't.)

Watervliet Arsenal
MAGGS Research Center
Watervliet, New York 12189
Attn: Director of Research

U.S. Army Materials and Mechanics
Research Center
Watertown, Massachusetts 02172
Attn: Dr. R. Shea, DRXMR-T

U.S. Army Missile Research and
Development Center
Redstone Scientific Information
Center
Chief, Document Section
Redstone Arsenal, Alabama 35809

Army Research and Development
Center
Fort Belvoir, Virginia 22060

NASA

National Aeronautics and Space
Administration
Structures Research Division
Langley Research Center
Langley Station
Hampton, Virginia 23365

National Aeronautics and Space
Administration
Associate Administrator for Advanced
Research and Technology
Washington, D.C. 20546

Air Force

Wright-Patterson Air Force Base
Dayton, Ohio 45433
Attn: AFFDL (FB)
(FBR)
(FBE)
(FBS)
AFML (MEM)

Chief Applied Mechanics Group
U.S. Air Force Institute of Technology
Wright-Patterson Air Force Base
Dayton, Ohio 45433

Air Force (Con't.)

Chief, Civil Engineering Branch
WLRC, Research Division
Air Force Weapons Laboratory
Kirtland Air Force Base
Albuquerque, New Mexico 87117

Air Force Office of Scientific Research
Bolling Air Force Base
Washington, D.C. 20332
Attn: Mechanics Division

Department of the Air Force
Air University Library
Maxwell Air Force Base
Montgomery, Alabama 36112

Other Government Activities

Commandant
Chief, Testing and Development Division
U.S. Coast Guard
1300 E Street, NW.
Washington, D.C. 20226

Technical Director
Marine Corps Development
and Education Command
Quantico, Virginia 22134

Director Defense Research
and Engineering
Technical Library
Room 3C128
The Pentagon
Washington, D.C. 20301

Dr. M. Gaus
National Science Foundation
Environmental Research Division
Washington, D.C. 20550

Library of Congress
Science and Technology Division
Washington, D.C. 20540

Director
Defense Nuclear Agency
Washington, D.C. 20305
Attn: SPSS

Other Government Activities (Con't)

Mr. Jerome Persh
Staff Specialist for Materials
and Structures
OUSDRAE, The Pentagon
Room 3D1089
Washington, D.C. 20301

Chief, Airframe and Equipment Branch
PS-120
Office of Flight Standards
Federal Aviation Agency
Washington, D.C. 20553

National Academy of Sciences
National Research Council
Ship Hull Research Committee
2101 Constitution Avenue
Washington, D.C. 20418
Attn: Mr. A. R. Lytle

National Science Foundation
Engineering Mechanics Section
Division of Engineering
Washington, D.C. 20550

Picatinny Arsenal
Plastics Technical Evaluation Center
Attn: Technical Information Section
Dover, New Jersey 07801

Maritime Administration
Office of Maritime Technology
14th and Constitution Avenue, NW.
Washington, D.C. 20230

PART 2 - Contractors and Other Technical
Collaborators

Universities

Dr. J. Tinsley Oden
University of Texas at Austin
345 Engineering Science Building
Austin, Texas 78712

Professor Julius Miklowitz
California Institute of Technology
Division of Engineering
and Applied Sciences
Pasadena, California 91109

Universities (Con't)

Dr. Harold Liebowitz, Dean
School of Engineering and
Applied Science
George Washington University
Washington, D.C. 20052

Professor Eli Sternberg
California Institute of Technology
Division of Engineering and
Applied Sciences
Pasadena, California 91109

Professor Paul M. Naghdi
University of California
Department of Mechanical Engineering
Berkeley, California 94720

Professor A. J. Duralli
Oakland University
School of Engineering
Rochester, Missouri 48063

Professor F. L. DiMaggio
Columbia University
Department of Civil Engineering
New York, New York 10027

Professor Norman Jones
The University of Liverpool
Department of Mechanical Engineering
P. O. Box 147
Brownlow Hill
Liverpool L69 3EX
England

Professor E. J. Skudrzyk
Pennsylvania State University
Applied Research Laboratory
Department of Physics
State College, Pennsylvania 16801

Professor J. Kloener
Polytechnic Institute of New York
Department of Mechanical and
Aerospace Engineering
333 Jay Street
Brooklyn, New York 11201

Professor R. A. Schapery
Texas A&M University
Department of Civil Engineering
College Station, Texas 77843

Universities (Con't.)

Professor Walter D. Pilkey
University of Virginia
Research Laboratories for the
Engineering Sciences and
Applied Sciences
Charlottesville, Virginia 22901

Professor K. D. Willmert
Clarkson College of Technology
Department of Mechanical Engineering
Potsdam, New York 13676

Dr. Walter E. Haisler
Texas A&M University
Aerospace Engineering Department
College Station, Texas 77843

Dr. Hussein A. Kamal
University of Arizona
Department of Aerospace and
Mechanical Engineering
Tucson, Arizona 85721

Dr. S. J. Fenves
Carnegie-Mellon University
Department of Civil Engineering
Schenley Park
Pittsburgh, Pennsylvania 15213

Dr. Ronald L. Huston
Department of Engineering Analysis
University of Cincinnati
Cincinnati, Ohio 45221

Professor G. C. M. Sih
Lehigh University
Institute of Fracture and
Solid Mechanics
Bethlehem, Pennsylvania 18015

Professor Albert S. Kobayashi
University of Washington
Department of Mechanical Engineering
Seattle, Washington 98105

Professor Daniel Frederick
Virginia Polytechnic Institute and
State University
Department of Engineering Mechanics
Blacksburg, Virginia 24061

Universities (Con't.)

Professor A. C. Eringen
Princeton University
Department of Aerospace and
Mechanical Sciences
Princeton, New Jersey 08540

Professor E. H. Lee
Stanford University
Division of Engineering Mechanics
Stanford, California 94305

Professor Albert I. King
Wayne State University
Biomechanics Research Center
Detroit, Michigan 48202

Dr. V. R. Hodgson
Wayne State University
School of Medicine
Detroit, Michigan 48202

Dean B. A. Boley
Northwestern University
Department of Civil Engineering
Evanston, Illinois 60201

Professor P. G. Hodge, Jr.
University of Minnesota
Department of Aerospace Engineering
and Mechanics
Minneapolis, Minnesota 55455

Dr. D. C. Drucker
University of Illinois
Dean of Engineering
Urbana, Illinois 61801

Professor N. M. Newmark
University of Illinois
Department of Civil Engineering
Urbana, Illinois 61803

Professor E. Reissner
University of California, San Diego
Department of Applied Mechanics
La Jolla, California 92037

Professor William A. Nash
University of Massachusetts
Department of Mechanics and
Aerospace Engineering
Amherst, Massachusetts 01002

Universities (Con't)

Professor G. Herrmann
Stanford University
Department of Applied Mechanics
Stanford, California 94305

Professor J. D. Achenbach
Northwest University
Department of Civil Engineering
Evanston, Illinois 60201

Professor S. B. Dong
University of California
Department of Mechanics
Los Angeles, California 90024

Professor Burt Paul
University of Pennsylvania
Towne School of Civil and
Mechanical Engineering
Philadelphia, Pennsylvania 19104

Professor H. W. Liu
Syracuse University
Department of Chemical Engineering
and Metallurgy
Syracuse, New York 13210

Professor S. Bodner
Technion R&D Foundation
Haifa, Israel

Professor Werner Goldsmith
University of California
Department of Mechanical Engineering
Berkeley, California 94720

Professor R. S. Rivlin
Lehigh University
Center for the Application
of Mathematics
Bethlehem, Pennsylvania 18015

Professor F. A. Cozzarelli
State University of New York at
Buffalo
Division of Interdisciplinary Studies
Karr Parker Engineering Building
Chemistry Road
Buffalo, New York 14214

Universities (Con't)

Professor Joseph L. Rose
Drexel University
Department of Mechanical Engineering
and Mechanics
Philadelphia, Pennsylvania 19104

Professor B. K. Donaldson
University of Maryland
Aerospace Engineering Department
College Park, Maryland 20742

Professor Joseph A. Clark
Catholic University of America
Department of Mechanical Engineering
Washington, D.C. 20064

Dr. Samuel B. Batdorf
University of California
School of Engineering
and Applied Science
Los Angeles, California 90024

Professor Isaac Fried
Boston University
Department of Mathematics
Boston, Massachusetts 02215

Professor E. Krempl
Rensselaer Polytechnic Institute
Division of Engineering
Engineering Mechanics
Troy, New York 12181

Dr. Jack R. Vinson
University of Delaware
Department of Mechanical and Aerospace
Engineering and the Center for
Composite Materials
Newark, Delaware 19711

Dr. J. Duffy
Brown University
Division of Engineering
Providence, Rhode Island 02912

Dr. J. L. Swedlow
Carnegie-Mellon University
Department of Mechanical Engineering
Pittsburgh, Pennsylvania 15213

Universities (Con't)

Dr. V. K. Varadan
Ohio State University Research Foundation
Department of Engineering Mechanics
Columbus, Ohio 43210

Dr. Z. Hashin
University of Pennsylvania
Department of Metallurgy and
Materials Science
College of Engineering and
Applied Science
Philadelphia, Pennsylvania 19104

Dr. Jackson C. S. Yang
University of Maryland
Department of Mechanical Engineering
College Park, Maryland 20742

Professor T. Y. Chang
University of Akron
Department of Civil Engineering
Akron, Ohio 44325

Professor Charles W. Bert
University of Oklahoma
School of Aerospace, Mechanical,
and Nuclear Engineering
Norman, Oklahoma 73019

Professor Satya N. Atluri
Georgia Institute of Technology
School of Engineering and
Mechanics
Atlanta, Georgia 30332

Professor Graham F. Carey
University of Texas at Austin
Department of Aerospace Engineering
and Engineering Mechanics
Austin, Texas 78712

Dr. S. S. Wang
University of Illinois
Department of Theoretical and
Applied Mechanics
Urbana, Illinois 61801

Professor J. F. Abel
Cornell University
Department of Theoretical
and Applied Mechanics
Ithaca, New York 14853

Universities (Con't)

Professor V. E. Neubert
Pennsylvania State University
Department of Engineering Science
and Mechanics
University Park, Pennsylvania 16802

Professor A. W. Leissa
Ohio State University
Department of Engineering Mechanics
Columbus, Ohio 43212

Professor C. A. Brebbia
University of California, Irvine
Department of Civil Engineering
School of Engineering
Irvine, California 92717

Dr. George T. Mahn
Vanderbilt University
Mechanical Engineering and
Materials Science
Nashville, Tennessee 37235

Dean Richard E. Gallagher
University of Arizona
College of Engineering
Tucson, Arizona 85721

Professor E. F. Rybicki
The University of Tulsa
Department of Mechanical Engineering
Tulsa, Oklahoma 74104

Dr. R. Haftka
Illinois Institute of Technology
Department of Mechanics and Mechanical
and Aerospace Engineering
Chicago, Illinois 60616

Professor J. G. de Oliveira
Massachusetts Institute of Technology
Department of Ocean Engineering
77 Massachusetts Avenue
Cambridge, Massachusetts 02139

Dr. Bernard W. Shaffer
Polytechnic Institute of New York
Route 110
Farmingdale, New York 11735

Industry and Research Institutes

Dr. Norman Hobbs
Kaman Avidyne
Division of Kaman
Sciences Corporation
Burlington, Massachusetts 01803

Argonne National Laboratory
Library Services Department
9700 South Cass Avenue
Argonne, Illinois 60440

Dr. M. C. Junger
Cambridge Acoustical Associates
54 Rindge Avenue Extension
Cambridge, Massachusetts 02140

Mr. J. E. Torrance
General Dynamics Corporation
Electric Boat Division
Groton, Connecticut 06340

Dr. J. E. Greenspon
J. G. Engineering Research Associates
3831 Menlo Drive
Baltimore, Maryland 21215

Newport News Shipbuilding and
Dry Dock Company
Library
Newport News, Virginia 23607

Dr. W. F. Bosich
McDonnell Douglas Corporation
5301 Bolsa Avenue
Huntington Beach, California 92647

Dr. H. W. Abramson
Southwest Research Institute
8500 Culebra Road
San Antonio, Texas 78284

Dr. R. C. DeHart
Southwest Research Institute
8500 Culebra Road
San Antonio, Texas 78284

Dr. M. L. Baron
Weidinger Associates
110 East 59th Street
New York, New York 10022

Industry and Research Institutes (Con't)

Dr. T. L. Geers
Lockheed Missiles and Space Company
3251 Hanover Street
Palo Alto, California 94304

Mr. William Caywood
Applied Physics Laboratory
Johns Hopkins Road
Laurel, Maryland 20810

Dr. Robert E. Dunham
Pacifica Technology
P.O. Box 148
Del Mar, California 92014

Dr. M. F. Kanninen
Battelle Columbus Laboratories
505 King Avenue
Columbus, Ohio 43201

Dr. A. A. Hochrein
Daedalean Associates, Inc.
Springlake Research Road
15110 Frederick Road
Woodbine, Maryland 21797

Dr. James W. Jones
Swanson Service Corporation
P.O. Box 5415
Huntington Beach, California 92646

Dr. Robert E. Nickell
Applied Science and Technology
3344 North Torrey Pines Court
Suite 220
La Jolla, California 92037

Dr. Kevin Thomas
Westinghouse Electric Corp.
Advanced Reactors Division
P. O. Box 158
Madison, Pennsylvania 15663

Dr. H. D. Hibbitt
Hibbitt & Karlsson, Inc.
132 George M. Cohan Boulevard
Providence, Rhode Island 02903

Dr. R. D. Mindlin
89 Deer Hill Drive
Ridgefield, Connecticut 06877

Industry and Research Institutes (Con't)

Dr. Richard E. Dame
Mega Engineering
11961 Tech Road
Silver Spring, Maryland 20904

Mr. G. M. Stanley
Lockheed Palo Alto Research
Laboratory
3251 Hanover Street
Palo Alto, California 94304

Mr. R. L. Cloud
Robert L. Cloud Associates, Inc.
2972 Adeline Street
Berkeley, California 94703