

Anisotropic Plasticity Constitutive Law for Sea Ice

Robert S. Pritchard
IceCasting, Inc.
20 Wilson Court
San Rafael, CA 94901-1230
Tel/fax: (415) 454-9899
E-mail: pritchardr@asme.org
N00014-98-C-0180
<http://www.icecasting.com>

LONG-TERM GOAL

My long term goal is to develop sea ice dynamics models that describe behavior on kilometer scales and larger, and to base these models on the smaller scale physical processes known to control leading, rafting, and ridging.

OBJECTIVES

My three-year contract has five tasks: (1) complete development of the model and test it with $0d$ calculations, (2) incorporate the model into a $2d$ numerical code and test its performance by comparing behavior with observed behavior during the SIMI Main Experiment and at other times, (3) extend my ambient noise model by developing a process-based noise source for ridging and to relate the noise-generating model to ice mechanical behavior, (4) help transfer the new models into fleet systems such as PIPS, and (5) publish the results.

APPROACH

To meet our goals, we are developing a new anisotropic plasticity constitutive law to describe and forecast ice stress, deformation, lead direction, and ice condition at scales from a few kilometers to hundreds of kilometers. The essential difference between this anisotropic plasticity model and previous isotropic models is that it can describe the formation and direction of each new lead or ridge system and track its thickness distribution.

WORK COMPLETED

The anisotropic elastic plastic constitutive law has been formulated [Coon, *et al.*, 1992, 1998; Pritchard, 1998a]. I have formulated a new oriented thickness distribution to describe anisotropic ice conditions, and introduced a new method to integrate the constitutive equations [Pritchard, 1998b].

RESULTS

A complete set of mathematical equations has been developed to describe the anisotropic elastic plastic constitutive behavior [Pritchard, 1998a]. The yield surface is described in the three dimensional space of stress components rather than the two dimensional space of stress invariants. A normal flow rule is used, along with a stiff linear isotropic elastic response. The kinematic relationship between elastic and plastic stretching allows large deformations.

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 1998		2. REPORT TYPE		3. DATES COVERED 00-00-1998 to 00-00-1998	
4. TITLE AND SUBTITLE Anisotropic Plasticity Constitutive Law for Sea Ice				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) IceCasting Inc,20 Wilson Court,San Rafael,CA,94901-9899				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADM002252.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Two different formulations have been introduced. *Coon, et al.* [1998] describe the formation and evolution of individual lead systems, with a thickness distribution for each. It is useful for Lagrangian descriptions. *Pritchard* [1998a] introduces an oriented thickness distribution in which all ice is oriented. In this latter model, isotropy is a state in which equal fractions of ice having all orientations appear. This oriented thickness distribution depends continuously on thickness and direction. It is useful for both Lagrangian and Eulerian descriptions.

I am now studying data to conduct *Od* simulations of model behavior. For these simulations, the stress and thickness distribution histories are determined by integrating the deformation history at a single location. My first goal is to determine the directions in which new leads form. We believe that a single lead may form when the stress reaches the tensile cutoff cone, where the traction across the newly formed lead must be zero. We do not yet understand whether pairs of leads may form along sliplines, where they are held together by a confining stress. I now believe that flaws may form along these sliplines, but a lead cannot form until the stress across the lead is zero, even if plastic opening occurs. This belief might be impossible to test because the stiff elastic behavior implies that stress goes to zero with only a very small amount of opening.

IMPACT/APPLICATION

Treating sea ice as an anisotropic material is a major scientific advance. First, leads are essential features, but previous models could not describe a lead or ridge system explicitly. Second, the leads, rafts, and ridges have very different behavior across and along their axes, but previous ice dynamics models could not describe this anisotropic behavior. Third, we can estimate the force needed to shear or close a lead by considering directly the buckling and rafting forces for different ice conditions. The anisotropic constitutive then incorporates these forces directly. Fourth, the ability to describe and forecast leads and their directions can have a big impact on ship routing. Fifth, the amount of open water estimated from satellite images can be seriously in error if we ignore lead directions. Finally, the noise generated by a ridge (for which the deformation may be correlated along its length) can differ from the noise generated by a set of uncorrelated neighboring points.

TRANSITIONS

I will work with other investigators to make the constitutive law available for use in other research codes and in Navy operational ice forecasting systems. I will work with Navy personnel and contractors to convert the research code into coding that is compatible with existing codes such as PIPS.

RELATED PROJECTS

The technical approach requires collaboration with M. Coon (NorthWest Research Associates, Inc.). A formal Management Plan was prepared to describe how we will collaborate, and how we will prevent duplication of our efforts so that we meet our goals with the scarce resources available.

I am working with R. Bourke, J. Wilson, and W. Hibler to install an ambient noise model into PIPS and/or other codes. I am helping to define the best proxy variables available in the PIPS model. This model defines strength of a viscous plastic model differently from the energetics argument used in my elastic plastic model [*Pritchard*, 1981]. In PIPS 2 we can estimate only the total rate of dissipation of plastic energy, but we need more work to isolate noise from the different processes. I will explore

ways to modify the PIPS strength calculation to allow for separate calculation of ridging and shear ridging, microcracking, mixed layer shearing, and other processes [Pritchard, 1984, 1990].

REFERENCES

- Coon, M. D., Echert, D. C., and Knoke, G. S. "Pack ice anisotropic constitutive law," *Proc. 11th Int'l. Symp. Ice*, IAHR 92, Banff, Alberta, 1992.
- Coon, M. D., Knoke, G. S., and Echert, D. C., and Pritchard, R. S. "The architecture of a new sea ice constitutive law," *J. Geophys. Res.*, vol. 103, no. C10, pp. 21,915-21,925, 1998.
- Pritchard, R. S. "Mechanical behavior of pack ice," *Mechanics of Structured Media*, Part A, (ed) A. P. S. Selvadurai, Elsevier, Amsterdam, pp. 271-405, 1984.
- Pritchard, R. S. "Arctic Ocean Background Noise Caused by Ridging of Sea Ice," *J. Acoust. Soc. Am.*, vol. 75, no. 2, pp. 419-427, 1984.
- Pritchard, R. S. "Sea Ice Noise-Generating Processes," *J. Acoust. Soc. Am.*, Vol. 88, No. 6, pp. 2830-2842, 1990.
- Pritchard, R. S. "Ice conditions in an anisotropic sea ice dynamics model," *Intl. J. Offshore and Polar Enggr.*, vol. 8, no. , pp. 9-15, 1998a.
- Pritchard, R. S "Integrating an anisotropic plasticity law for sea ice," IAHR 98, Clarkson University, Potsdam, NY, July 27-31, 1998b.

PUBLICATIONS

- Coon, M. D., Knoke, G. S., and Echert, D. C., and Pritchard, R. S. "The architecture of a new sea ice constitutive law," *J. Geophys. Res.*, vol. 103, no. C10, pp. 21,915-21,925, 1998.
- Coon, M. D., Knoke, G. S., and Echert, D. C., and Pritchard, R. S. "An Oriented Thickness Distribution for Sea Ice," accepted by *J. Geophys. Res.*, 1998.
- Pritchard, R. S. "Ice conditions in an anisotropic sea ice dynamics model," *Intl. J. Offshore and Polar Enggr.*, vol. 8, no. , pp. 9-15, 1998.
- Pritchard, R. S. "Modeling sea ice behavior," *Naval Research Reviews*, Office of Naval Research, vol. L, no. One, 1998.
- Pritchard, R. S "Integrating an anisotropic plasticity law for sea ice," IAHR 98, Clarkson University, Potsdam, NY, July 27-31, 1998.
- Pritchard, R. S "Scale effects and sea ice dynamics models," IAHR 98, Clarkson University, Potsdam, NY, July 27-31, 1998.
- Pritchard, R. S. "Sea Ice Strength in an Anisotropic Plasticity Model," ISOPE-98, Oral presentation, Montreal, Canada, March 1998.