

UNCLASSIFIED

AD NUMBER

AD042965

CLASSIFICATION CHANGES

TO: unclassified

FROM: confidential

LIMITATION CHANGES

TO:
Approved for public release; distribution is unlimited.

FROM:
Distribution authorized to U.S. Gov't. agencies and their contractors;
Administrative/Operational Use; 13 SEP 1954.
Other requests shall be referred to Frankford Arsenal, Philadelphia, PA.

AUTHORITY

ARRADCOM ltr, 19 Nov 1979; ARRADCOM ltr, 19 Nov 1979

THIS PAGE IS UNCLASSIFIED

C L U D E

**FROM GENERAL CLASSIFICATION SCHEDULE
IN ACCORDANCE WITH
INFORMATION SECURITY PROGRAM REGULATION**

DATED - JULY 1972

**DDG 500.1R & EXECUTIVE ORDER 11652
(EXECUTIVE ORDER 10501 AMENDED)**

BY

**Defense Documentation Center
Defense Supply Agency
Cameron Station
Alexandria, Virginia 22314**

DEC 1972

UNCLASSIFIED

AD 42 965

CLASSIFICATION CHANGED

TO: UNCLASSIFIED

FROM: CONFIDENTIAL

AUTHORITY:

ARRADCOM 1+r

19 NOV 79



UNCLASSIFIED

Armed Services Technical Information Agency

Because of our limited supply, you are requested to return this copy **WHEN IT HAS SERVED YOUR PURPOSE** so that it may be made available to other requesters. Your cooperation will be appreciated.

AD

42965

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

Reproduced by
DOCUMENT SERVICE CENTER
KNOTT BUILDING, DAYTON, 2, OHIO

AD No. 42955
ASTIA FILE COPY

CONFIDENTIAL

FRANKFORD ARSENAL

PITMAN-DUNN LABORATORIES



TECHNICAL REPORT

SUBJECT: Examination and Evaluation of Foreign Fire Control Instruments

A Comparison of Soviet Panoramic Telescope (MCN-6065) and Soviet Commander's Monocular (MCN-6066) with Panoramic Telescope, M12 and Elbow Telescope, M17, respectively

PROJECT NO. TB3-0035

REPORT NO. S-4182

PREPARED BY W. W. Hollis
Physicist

DATE 13 September 1954

This report is an advisory communication only, and may or may not be adopted for use within the manufacturing shop. The conclusions and recommendations herein do not necessarily present all aspects of the problem investigated, or may be a report of a partial investigation which contributes to a program conducted by a manufacturing department. The improper use of these recommendations, without a complete knowledge of the problem, may result in serious manufacturing difficulties.

54AA
CONFIDENTIAL

64095
OCT 20 1954

THIS REPORT HAS BEEN DELIMITED
AND CLEARED FOR PUBLIC RELEASE
UNDER DOD DIRECTIVE 5200.20 AND
NO RESTRICTIONS ARE IMPOSED UPON
ITS USE AND DISCLOSURE.

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE
DISTRIBUTION UNLIMITED.

**NOTICE: THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE
NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING
OF THE ESPIONAGE LAWS, TITLE 18, U.S.C., SECTIONS 793 and 794.
THE TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN
ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW.**

CONFIDENTIAL

TECHNICAL REPORT

SUBJECT: Examination and Evaluation of Foreign Fire Control Instruments

A Comparison of Soviet Panoramic Telescope (MCN-6065) and Soviet Commander's Monocular (MCN-6066) with Panoramic Telescope, M12 and Elbow Telescope, M17, respectively

AUTHORITY: APG 386.3/79 (c)

PROJECT NO.: TB3-0035

REPORT NO. S-4182

PREPARED BY: W. W. Hollis
Physicist

DATE: 13 September 1954

CONFIDENTIAL
54AA

64095

CONFIDENTIAL

ABSTRACT: A comparison is presented between the Soviet Panoramic Telescope, model unidentified, the Soviet Commander's Monocular and the Panoramic Telescope, M12 and Elbow Telescope M17, respectively. Conclusions are presented as to the merits of the Soviet instruments as compared to similar domestic types.

INTRODUCTION: The Optical Design Branch, Ground Weapons Division, Research and Development Department, FCIG, has completed an examination and evaluation of the following Soviet Fire Control Materiel:

<u>JTIS No.</u>	<u>NOMENCLATURE</u>	<u>APG STOCK No.</u>
MCN-6065	Telescope: Panoramic model, unidentified	FMFC-592
MCN-6066	Telescope: Monocular, Commander's for DYa-6 Heightfinder Soviet	FMFC-803D

The above listed instruments were compared with the U. S. Army standard Telescope, Panoramic, M12 and Telescope, Elbow, M17, respectively.

The Soviet instruments examined were obtained by the Government through intelligence channels and forwarded to this arsenal by Aberdeen Proving Ground. Information furnished with the Soviet instruments indicates that the panoramic telescope is used with field artillery in the normal manner and the Commander's Monocular (elbow telescope) is used as an auxiliary sighting device on the Soviet Heightfinder DYa-6 (stereoscopic

DISCUSSION: The following table shows a comparison of the Soviet Panoramic Telescope with Telescope, Panoramic, M12:

<u>CHARACTERISTICS</u>	<u>TEL. PAN M12</u>	<u>SOVIET PAN</u>
Magnification	4x	3.9x
Entrance Pupil	.66 inch	.61 inch
Exit Pupil	.165 inch	.157 inch
Field of View	10°	9.6°
Weight	5.5#	3.75#
Eye Distance	1.003 inches	.787 inch
Reticle	Yes	Yes
Sealing	Yes	No
Coated Optics	Yes	No
Eye Piece Focus	Fixed	Fixed
Provision for reticle illumination	Yes	Yes
Provision for azimuth slewing	Yes	Yes

A photograph, Fig. 1, is included to provide a size comparison between the two instruments.

CONFIDENTIAL

CONFIDENTIAL

The reticle in the Soviet instrument (See Fig. 2) consisted of a cross line pattern graduated every 5 mils (Soviet mils) for ± 20 mils in azimuth. Note: A Soviet mil is $16/15$ of an English mil, since there are only 6000 Soviet mils in 360° .

The Soviet Panoramic is provided with a means of scanning 360° in azimuth. The azimuth motion is recorded on a scale which is graduated in 100 mil increments from 0 to 6000 mils and numbered every 200 mils. The azimuth worm is actuated by a drum which is graduated around its periphery in 1 mil increments and numbered every 10 mils. The least count of the instrument is 1 mil although $1/2$ mil values could be estimated. The azimuth drive mechanism and scales of the Panoramic, M12 are essentially the same as those of the Soviet instrument examined, the exception being that the azimuth scale of the M12 is graduated from 0 to 3200 mils in 100 mil increments and numbered every 400 mils.

The Soviet instrument is capable of motion in elevation and depression in excess of 300 mils. The main elevation scale is graduated, however, in 100 mil increments to 300 mils only. The elevation scale drum is graduated in 1 mil increments from 0 to 100 mils and is numbered every 10 mils. The Panoramic, M12 is capable of ± 300 mils elevation, and although there is a zero elevation reference line, no scale is provided.

It is pointed out that the Soviet method of graduating the azimuth scale from 0 to 6000 mils in 100 mil increments is preferable to the method employed on the Panoramic, M12 inasmuch as the possibility of introducing a 180° error in azimuth setting is eliminated. It is also to be noted that latest RAD pilots of new panoramic telescopes employ a system of 100 mil increments from 0 to 6400 mils on the main azimuth scale.

The following table shows a comparison of the Soviet Monocular, Commander's with the Telescope, Elbow, M17.

<u>CHARACTERISTICS</u>	<u>TELESCOPE, ELBOW, M17</u>	<u>SOVIET MONOCULAR COMMANDER'S</u>
Magnification	8X	8X
Entrance Pupil	1.944 inches	1.57 inches
Exit Pupil	.243 inch	.2 inch
Field of View	6°	7.6°
Weight	5.0#	4.75#
Eye Distance	.75 inch	.51 inch
Reticle	Yes	Yes
Coated Optics	Yes	No
Focusing Adjustment (Eye Piece)	± 4 diopters	± 5 diopters
Sealing	Yes	No
Provision for reticle illumination	Yes	Yes

2
CONFIDENTIAL

CONFIDENTIAL

A photograph, Fig. 3, is included to provide a size comparison between the two instruments.

The reticle of the Soviet instrument (Fig. 4) is graduated every 5 mils (Soviet) and numbered every ten mils for thirty mils (plus and minus) in both azimuth and elevation. The circle in the center of the reticle has a diameter of 25 mils.

The objective of the Soviet instrument is provided with a sunshade, which has an orange filter mounted within it. This filter may be brought into the line of sight by actuating a spring loaded lever. It is pointed out that the Soviet instrument is provided with only one filter, which is external to the optical system, while the Elbow Telescope, M17 is provided with three filters, which are internal to the optical system.

Appendix I has been prepared to record all markings found on the instruments examined.

CONCLUSIONS:

It is concluded that the two Soviet instruments examined are of nominal design and construction and resemble many other instruments of their respective classes. Neither instrument examined possessed any new or unique features or features suitable for incorporation in U. S. Army fire control instruments now being developed.

PREPARED BY:

W. W. Hollis
W. W. HOLLIS
Physicist, Optical Design Br.
GW Division, RAD Department

REVIEWED BY:

F. B. Patrick
F. B. PATRICK
Chief, Optical Design Branch
GW Division, RAD Department

APPROVED BY:

W. T. Abell
W. T. ABELL
Chief, Ground Weapons Division
RAD Department

CONFIDENTIAL


CONFIDENTIAL

DISTRIBUTION

- 30 - Chief of Ordnance
Department of the Army
Washington 25, D. C.
Attn: ORDGU-IN
- 2 - Attn: ORDIX-AR
- 5 - Armed Services Technical
Information Agency
Document Service Center
Knott Building
Dayton 2, Ohio
Attn: DSC-SD (Code 4)
- 2 - Commanding General
Aberdeen Proving Ground
Maryland
Attn: Technical Information
Branch D & PS
Building #313
- 1 - Attn: ORDEG-OTI
- 1 - Commandant
Ordnance School
Aberdeen Proving Ground
Maryland
Attn: ORDHS-RC
- 1 - Chief, Bureau of Ordnance
Department of the Navy
Washington 25, D. C.
- 1 - Commander, Naval ORD Lab
White Oak
Silver Spring 19, Maryland
Attn: Explosives Div.
- 2 - Commanding General
Picatinny Arsenal
Dover, New Jersey
Attn: Foreign Ammunition Unit
- 1 - Commanding Officer
Watertown Arsenal
Watertown, Massachusetts
Attn: Laboratory
- 1 - Commanding Officer
Springfield Armory
Springfield 1, Massachusetts
Attn: Engr. Group
- 14 - Commanding Officer
Frankford Arsenal
Philadelphia 37, Pennsylvania
Attn: Deputy Chief, FRE (1)
FRE (1)
FRA (1)
FRL (1)
FRG (3)
LS (2)
LD (5)

CONFIDENTIAL

Neg. #25354-1



Elevation Knob

Elevation Knob and Scale

Azimuth Scale

Micrometer Scale (Azimuth)

Telescope, Panoramic, M2

Telescope, Panoramic (Soviet)

Figure 1 (S-4182)

Neg. #25354-2





Figure 2. Reticle for unidentified model of Soviet Panoramic Telescope (MCN-6065)
Not to scale
(S-4182)

Neg. #25354-3



Telescope, Elbow
M17

Commander's Monocular
(Soviet)

Figure 3
(S-4182)

Neg. #25354-4




Figure 4. Reticle for Soviet Commander's Monocular Telescope (MCN-6066)
Not to scale
(S-4182)

APPENDIX I

Markings found on Soviet Panoramic Telescope.

<u>Marking</u>	<u>Meaning</u>	<u>Location of Marking</u>
	Identification Symbol	Head Assembly
N910768	Serial Number	Head Assembly
1945г.	Year of Manufacture	Head Assembly
ВНИЗ	Up	Elevation Scale
ВВЕРХ	Down	Elevation Scale
ОРУДИЕ	Gun	Main Body Casting
ПР	Right	Main Body Casting Adjacent to Azimuth Scale Knob
ЛЕВ	Left	
2924		Bottom of Gear Housing
2924		Eyepiece Casting
2924		Mounting Stud
2,9,9,2,7,7		Screw Housings at Joint of Upper and Lower Body Sections

Neg. #25354-6

Appendix I, cont'd

Markings found on Soviet Commander's Monocular Telescope

<u>Marking</u>	<u>Location</u>	<u>Meaning of Marking</u>
ДЯ6	Nameplate	DYa -6
МОНОКУЛЯР КОМАНДИРА	Nameplate	Monocular Commander's
УВЕЛИЧЕНИЕ 8 ^x	Nameplate	Magnification 8x
N 10100  1946 г.	Nameplate	Identification Symbol

Armed Services Technical Information Agency

Because of our limited supply, you are requested to return this copy **WHEN IT HAS SERVED YOUR PURPOSE** so that it may be made available to other requesters. Your cooperation will be appreciated.

AD

42965

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

Reproduced by
DOCUMENT SERVICE CENTER
KNOTT BUILDING, DAYTON, 2, OHIO