

UNCLASSIFIED

AD NUMBER

AD399290

CLASSIFICATION CHANGES

TO: unclassified

FROM: restricted

LIMITATION CHANGES

TO:
Approved for public release; distribution is unlimited.

FROM:
Distribution authorized to DoD and DoD contractors only; Foreign Government Information; AUG 1969. Other requests shall be referred to British Embassy, 3100 Massachusetts Avenue, NW, Washington, DC 20008.

AUTHORITY

DSTL ltr dtd 12 Dec 2006; DSTL ltr dtd 12 Dec 2006

THIS PAGE IS UNCLASSIFIED

19/69

U.K. Restricted
RESTRICTED

COPY No. 89

AD 399290L

19

Decl OADR



PERMANENT
SCIENTIFIC AND TECHNICAL INFORMATION BRANCH
MINISTRY OF DEFENCE

NOV 26 1969

20090108 003

ROYAL
ARMAMENT RESEARCH AND DEVELOPMENT
ESTABLISHMENT

GUNS AND AMMUNITION DIVISION

R.A.R.D.E. MEMORANDUM 19/69

Jump in Tank Guns (R)

This material contains information affecting the national defense of the United States within the meaning of the Espionage Laws (Title 18, U.S.C., sections 793 and 794), the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

J. R. Mitchell, B.Sc. (Eng.), D.L.C.

Loughborough University of Technology attached to B2 Branch

EXCLUDED FROM AUTOMATIC REGRADING
DOD DIR 5200.10 DOES NOT APPLY

The information given in this document is not to be communicated either directly or indirectly to the Press or to any person not authorised to receive it.

Fort Halstead.
Kent.

Cert # 115037

RESTRICTED
U.K. Restricted

August 1969

R
136766
(89)

PD. 8853

U.K. Restricted

RESTRICTED

Sp. 1

MINISTRY OF DEFENCE

2
L

ROYAL ARMAMENT RESEARCH AND DEVELOPMENT ESTABLISHMENT,

St. Brit.

8

R.A.R.D.E. MEMORANDUM 19/69

7-

AD-399290

5 August 1969

3

Jump in Tank Guns

4

8089

J.R. Mitchell, B.Sc.(Eng.), D.L.C.
(Loughborough University of Technology attached to B2 Branch)

Summary

A report of work carried out during a Vacation Consultancy at R.A.R.D.E. in the Autumn of 1968. Possible origins of Gun Jump are considered together with suggested means of its reduction.

This material contains information affecting the national defense of the United States within the meaning of the Espionage Laws (Title 18, U.S.C., sections 793 and 794), the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

Approved for issue:

F.H. Seeley, Principal Superintendent, 'B' Division

RESTRICTED

U.K. Restricted

CONTENTS

	<u>Page</u>
1. Introduction	1
2. Origins of Gun Jump	1
2.1 Motions of the barrel	2
2.2 Relative motion between shot and barrel	4
2.3 Post ejection effects	4
3. System asymmetry	4
3.1 Asymmetry of gun and mounting	5
3.2 Asymmetry of shot and barrel	5
3.3 Asymmetry of shot and muzzle gas cloud	5
3.4 Asymmetry of in-flight separation	5
4. Recommendations	5
Appendix I Bibliography	7

U.K. Restricted

IMPORTANT

This document should be returned to the Reports Officer, Royal Armament Research and Development Establishment, Fort Halstead, Sevenoaks, Kent. when no longer required

INITIAL DISTRIBUTION

Internal

No.	1	Director
	2	Deputy Director (1)
	3	SMO
	4	PS/B
	5	PS/C
	6	PS/D
	7	PS/E
	8	Dr. W.M. Evans
	9	Dr. C.K. Thornhill
	10	MPC 2
	11	S/B2
	12	S/A1
	13	S/A3
	14	S/B1
	15	S/B4
	16	S/D1
	17	S/D4
	18	S/F1
	19-23	B2 (Attn. Mr. E.E. Bayne, Mr. K.E.B. Green, Mr. H.G. Haden, Mr. E.J.M. Wlatnig, Mr. J.D.M. Wraige)

External (UK)

24	Chief Scientist (Army)
25	Deputy Chief Scientist (Army)
26	DG of Arty (Arty Coord)
27	Arty 2
28	CILSA, Vauxhall Barracks, Didcot, Berks
29	D/FVRDE, Chobham Lane, Chertsey, Surrey (Attn. Technical Services
30-32	FVRDE, (Attn. Dr. G.N. Harvey, Mr. C.J. Wieland and O i/c Trials Wing, Kirkcudbright)
33	GS (OR) 17, Old War Office Bldg., Whitehall
34-35	RMCS, Shrivenham, Swindon, Wilts. (Attn. Prof. R.W. Shephard and Librarian)
36-37	RAC Centre, Bovington Camp, Wareham, Dorset
38	Secretary, OB
39	- (Attn. SAB)
40	HIS/CSR(A), Shoeburyness, Essex

RESTRICTED

U.K. Restricted

RESTRICTED

External (UK) (Continued)

- 41 MOD Library (C&A), Old War Office Bldg., Whitehall
- 42 Mr. J.R. Mitchell, Loughborough University of Technology,
Loughborough, Leics.
- 43 Prof. D.H. Chaddock, Loughborough University of Technology,
Loughborough, Leics.
- 44 Prof. J.M. Alexander, Imperial College of Science and
Technology, Prince Consort Road, London, S.W.7.
- 45 Prof. F.K. Bannister, Dept. of Mechanical Engineering, The
University, Birmingham, 15
- 46 TIL - for retention

Overseas (through TIL)

- 47 BDSW (R&D) (Attn. Director of Munitions)
- 48 BDLs (Army) Ottawa, (Attn. Lt. Col. D.A. Heath)
- 49-52 Canada - CFHQ for DGOS Technical Library (3 copies) and
DCQA (1 copy)
- 53-56 - Def Res Board
- 57 - CDLS
- 58-62 - National Leader TTCP Panel 06 (5 copies)
(Mr. J.C. Guy Bertrand, Defence Research Board,
Defence Research Establishment, Valcartier,
P.O. Box 1427, Quebec, P.Q.)
- 63 Australia - AAS (UK)
- 64-68 - Dept of Supply
- 69-72 - National Leader TTCP Panel 06 (4 copies)
(Mr. J.T. McHenry, Dept of Supply, Defence
Standards Laboratories, P.O. Box 50, Ascot Vale,
Victoria 3032)
- 73-90 USA - Joint Reading Panel
- 91 - US Army Standardisation Group, UK
- 92 - Defense Documentation Center, Cameron Station,
Alexandria, Va. 22314
- 93-102 - National Leader TTCP Panel 06 (10 copies)
(Mr. Herman P. Gay, Department of the Army, US Army
Ballistic Research Laboratories, Aberdeen Proving
Ground, Maryland 21005)

Stock

103-138

RESTRICTED

1. INTRODUCTION

A total period of some four weeks during the months of August and September 1968 was spent at B2 (Ballistics) Branch at Woolwich under Mr. G.R. Nice, Branch Superintendent.

A review of the extensive literature relating to the problem of gun jump was made, covering work by both British and American authorities since the second world war. This included the work of the S.A.C. Gun Jump Panel, operational between the years 1951-57, although this considered primarily mountings other than those in tanks. Library facilities at Fort Halstead were utilised to obtain as comprehensive a literature survey as possible. A bibliography of pertinent reports was compiled and is appended to this memorandum.

Visits were made to three other locations during the course of the consultancy:

(i) B1 (Guns) Branch at Fort Halstead to discuss design features of both the barrel and its mounting within the vehicle.

(ii) F.V.R.D.E., Chobham where discussions were held with Mr. C.J. Weiland, Superintendent Weapon Trials, on the practical aspects of jump and its measurement in the field, and Dr. G.N. Harvey, Assistant Director of Research and Mr. Hunt on recent developments in the mounting of the gun within the tank.

(iii) R.A.C. Gunnery School, Bovington Camp, Wareham to observe firings from Centurion and Chieftain tanks under service conditions and to discuss the implications of jump from the gunners point of view.

2. ORIGINS OF GUN JUMP

The term jump is technically associated with the angular deviation in the vertical plane between the undisturbed muzzle axis and the initial line of flight of the projectile. In practice, similar effects may be observed in the horizontal plane, though usually of lower magnitude, and are referred to as throw off or lateral jump. These two measurements are simply the vertical and horizontal components of the total vectorial deviation of the projectile from its intended flight path and it would be wrong to suppose that these are necessarily partially or completely independent. The term jump in this memorandum is used to indicate the total effect and includes those factors contributing to the deviation, in any direction, between the line of flight of the projectile and the undisturbed muzzle axis up to and including the immediate post ejection period.

The literature on the subject is very extensive, covering many years of research, and numerous reasons for gun jump have been proposed. An analysis of the reported work indicates that there are three broad effects within the system from which the phenomena of gun jump has its origins. These are by no means

mutually exclusive and are in fact almost certain to interact extensively in such a system. The jump in any given situation is therefore made up of components basically arising from different effects but coupled in some fairly complex manner. The three effects are:-

(i) motions of the barrel during shot travel and particularly at the time during which the projectile is emerging from the muzzle,

(ii) a lack of constraint or location of the projectile within the bore of the barrel or other factors permitting relative motion between the shot and the barrel to develop,

(iii) post ejection forces and moments which act on the projectile immediately after its emergence from the muzzle of the gun.

Of the factors contributing to these effects, some clearly will be primarily random in nature thus causing a dispersion about an MPI while others will have a regular bias content leading to an MPI which differs from the point of aim.

The factors causing jump are primarily a function of the particular gun/ammunition combination and may vary widely between different weapon systems and even for the same gun firing different ammunition.

2.1 Motions of the barrel

If, during the time of shot travel, the barrel is in motion such that at the time of shot ejection the muzzle axis has undergone some transverse or angular displacement from its undisturbed position or alternatively the muzzle possesses transverse or angular components of motion at the time of shot ejection, then the line of flight of the projectile will clearly be directly affected. Some components of such motions may produce indirect effects in that they result in the emergence from the muzzle of a yawing projectile. These latter effects are dealt with in section 2.3.

Simple transverse and angular displacements of the muzzle at shot ejection will give direct deviations from the intended line of flight along the actual muzzle axis at this instant. The transverse displacement will have a negligible effect even for very flexible barrels.

A transverse velocity of the muzzle will impart an equal component to the projectile resulting in a direct deviation from the undisturbed muzzle axis. Small velocities could produce significant effects. For a muzzle velocity of 4500 ft/sec, a transverse velocity of 1 ft/sec will produce a direct jump of 0.75 mins, while for a slower projectile of 2600 ft/sec the corresponding figure will be 1.3 mins. A transverse velocity will also produce an initial yaw of the projectile.

An angular velocity of the muzzle will not produce any direct effect, but will give rise to an initial rate of change of yaw.

RESTRICTED

If the muzzle possesses transverse and angular accelerations, then transverse forces will act on the projectile and during the time that the muzzle is being transversed by the shot, when certain constraints are removed, some relative angular motion between the shot and the barrel may develop leading to a yawing projectile.

Experimental evidence shows all these components to be present and moreover that there can be significant variation between successive firings of apparently identical ammunition from the same gun under the same conditions.

The primary causes of barrel motions may be classified as follows:-

2.1.1 Shot/barrel interaction

(i) transverse forces generated by eccentric shot riding up the bore. This eccentricity may be attributable to static or dynamic unbalance of the shot or may be produced by malengraving of the driving band,

(ii) transverse forces resulting from a projectile riding in a bent or sagging barrel,

(iii) conditions at shot start which may lead to a non-uniform engagement of the driving band with the rifling,

(iv) The torque reaction of a projectile on a bent barrel causing transverse deflections.

2.1.2 Mounting arrangements

(i) recoil action in which any longitudinal forces acting on the barrel (gas forces, recuperator, slides etc.) are asymmetrical with respect to the barrel axis through its mass centre,

(ii) impulsive angular motion of the breech end of the barrel produced by the sudden expansion of the barrel in the clearance of the supporting bushes in the cradle,

(iii) backlash effects in the elevating or transverse gear,

(iv) rotation of the barrel about the single anti-rotation key will cause transverse motion of the breech end of the gun.

2.1.3 Recoil of a bent gun

Some of the effects mentioned in 2.1.1 to 2.1.3 originate at the breech end of the barrel. In order to affect conditions at the muzzle therefore, they must propagate to reach the muzzle before the shot does so. Axial wave velocities in steel are about 16000 ft/sec, while transverse wave velocities of between 4000-9000 ft/sec have been measured experimentally. These velocities would adequately allow the disturbances to reach the muzzle in time.

RESTRICTED

2.2 Relative motion between shot and barrel

When relative motion occurs between shot and barrel, apart from directly along the axis of the gun, the axis of the projectile is no longer constrained to the required direction and the projectile will generally emerge from the muzzle with an initial yaw and rate of yaw. Furthermore, since under these conditions the shot is forced to spin about an axis other than its principal longitudinal axis, rotation of the shot about its base in a plane containing the shot axis may well occur as the projectile emerges.

The primary causes of relative motion between the projectile and the bore are as follows:-

2.2.1 Radial clearance between the shot and the barrel which may be effectively increased by engraving of the nose of the shot.

2.2.2 Malengraving of the driving bands.

2.3 Post ejection effects

The projectile emerges from the muzzle to be overtaken by a high velocity turbulent gas cloud. The aerodynamic situation in this regime is far from favourable since the shot is effectively flying backwards relative to the enveloping gases. Some experimental evidence suggests that the projectile continues to accelerate for a short time after emergence from the muzzle, indicating that it is subject to significant forces in this period.

Any yaw or rate of yaw present as the shot leaves the muzzle resulting from effects outlined in 2.1 or 2.2 will give rise to aerodynamic forces and moments acting on the shot which will disturb its line of flight from that initially adopted at ejection. There may also be shock wave effects as the shot passes through the wave front of the gas cloud. Any transverse or angular accelerations of the muzzle present at ejection will cause a cross flow component of the muzzle gases relative to the shot, producing further aerodynamic disturbance.

Gyroscopic effects will also exist, but while these may have an integrated effect down the full trajectory of the projectile, they are unlikely to significantly effect the trajectory in this immediate post ejection period.

3. SYSTEM ASYMMETRY

The phenomena of gun jump is basically an asymmetric behaviour and an examination of the factors involved in giving rise to jump indicate that asymmetry of the weapon system, produced in various ways, is a major cause. Identification of important asymmetric effects allows the root causes of certain jump components to be ascertained.

RESTRICTED

Asymmetry is present within the system under four main headings and an attempt to identify important factors leads to the following classification. The presence of any one or more of these factors in a given weapon system could well lead to jump being experienced.

3.1 Asymmetry of gun and mounting

- 3.1.1 mass centre of barrel relative to geometric longitudinal axis.,
- 3.1.2 disposition of recoil system with respect to gun axis,
- 3.1.3 clearance of cradle bushes,
- 3.1.4 anti-rotation key location,
- 3.1.5 bent barrel.

3.2 Asymmetry of shot and barrel

- 3.2.1 static or dynamic unbalance of shot,
- 3.2.2 malengraving of driving bands,
- 3.2.3 shot start conditions,
- 3.2.4 yaw in bore as a result of clearance.

3.3 Asymmetry of shot and muzzle gas cloud

- 3.3.1 emergence of yawing projectile,
- 3.3.2 transverse velocity of muzzle,
- 3.3.3 transverse or angular accelerations of muzzle.

3.4 Asymmetry of in-flight separation

- 3.4.1 separation from sabot and petals, for APDS,
- 3.4.2 shedding of driving bands.

4. RECOMMENDATIONS

Efforts directed at the reduction of asymmetry in all parts of the gun/projectile system should result directly or indirectly in a reduction of both the random and the regular bias content of jump and its total sense. The return in some cases however may well be undetectable.

RESTRICTED

It is difficult to accurately specify those areas which would bring significant improvements, but the following factors appear to be worthy of further investigation.

4.1 Method of support of barrel in cradle

Work currently in hand at F.V.R.D.E., Chobham on a method which obviates the need for cradle bush clearances to take up radial barrel expansion on firing, has already indicated that significant reductions in both the random and regular bias components of jump can be achieved. This is almost certainly due to the removal of the angular impulse given to the breech end on firing with the existing method of support. (Current support bushes on the 105 mm and 120 mm guns allow rigid body rotations of the barrel of about 2.5 mins).

4.2 Location of the anti-rotation key

The use of a single anti-rotation key located some way from the principal longitudinal axis of the barrel, leads to a substantial unbalanced force acting to resist rotation and this will give rise to transverse motions of the breech. Anti-rotation keys should be symmetrically disposed about the principal axis to produce a balanced force system or some alternative system employed leading to a pure torque acting on the barrel. An unbalanced force system would be acceptable provided that the effects of this do not act before shot ejection. One such solution would be to allow the barrel angular recoil in addition to axial recoil.

4.3 Elevation and transverse gear effects

It is a service requirement that guns should be brought on to battery from preferred directions, dependent on the characteristics of the gun, otherwise increased dispersion results. This would point to clearance effects in the elevating and transversing gears.

4.4 Static dynamic unbalance of shot

Reported theoretical work has indicated that relatively small eccentricities (0.010") are capable of producing significant jump figures (2.5 mins) due to the muzzle motions produced by the forces of interaction between the shot and the barrel.

4.5 Development of yaw in bore

A reduction of the relative transverse or angular motion between the shot and the barrel will correspondingly reduce the unbalanced aerodynamic forces and moments caused by the passage of a yawing projectile through the muzzle gas cloud.

4.6 In-flight separation

Forces and moments, probably aerodynamic in origin, acting on the shot at separation from its sabot in the case of APDS on the break up of driving bands, could be significant.

BIBLIOGRAPHY ON GUN JUMP AND RELATED TOPICS

1. 1968 Warwick H.D. "Project PRODIGAL. The effect of mounting arrangements on accuracy. Third and final report". R.A.R.D.E. Internal Memo. B1/1/68.
2. 1967 Wieland C.J. "Assessment of weapon system in Chieftain and chance of hit with 120 mm APDS". F.V.R.D.E. Report No. TR100.
3. 1966 Goode J.B. and Weald D.E. "Gun accuracy with respect to muzzle velocity". R.A.R.D.E. Memo. 1/66.
4. 1965 Wieland C.J. "Trials with modified gun cradle and barrel support for the 105 mm gun in Centurion". F.V.R.D.E. Memo. TR1/65.
5. 1965 Warwick H.D. "Project PRODIGAL. The effect of mounting arrangements on accuracy. 2nd interim report". R.A.R.D.E. Trials Memo. B1/1/65.
6. 1963 Warwick H.D. and Haden H.G. "Project PRODIGAL. The effects of mounting arrangements on accuracy". R.A.R.D.E. Trials Memo. P1/1/63.
7. Haden H.G. "Some theoretical studies of gun barrel vibration". R.A.R.D.E. Memo. (P) 45/63 (incorporates P2/3/61, P2/6/61 and P2/3/62).
8. 1963 Uffleman F.L. "The initial disturbances affecting the direction of trajectory of shot fired from a high velocity gun". Proc. Royal Society A. Vol. 272, P331-362.
9. 1963 Brown R.E. "Production engineering test on accuracy of shell, 105 mm, HEP-T, M393A1 (second report)". Report No. DPS-792 Aberdeen Proving Ground.
10. 1962 Elder A.S. "The lateral motion of a 175 mm gun tube produced by an eccentric projectile". B.R.L. Memo. Report No. 1418.
11. 1962 Haden H.G. "Theoretical study on some causes of gun barrel vibration. Part III". A.R.D.E. Internal Memo. P2/3/62.
12. 1962 Gilles D.C. "Calibration of barrel displacements". University of Glasgow. Tech. Report.

RESTRICTED

13. 1961 Kirkendall R.D. "An investigation of the effects of static unbalance in 105 mm APDS-T projectiles". B.R.L. Technical Note No. 1438.
14. 1961 Haden H.G. "Theoretical study of some causes of gun barrel vibration. Part II. A.R.D.E. Internal Memo. P2/6/61.
15. 1961 Hogge A.M.L. "Lateral displacement and vertical jump of the 120 mm HE shell fired from 120 mm tank gun L1A1 mounted in Conqueror tanks". F.V.R.D.E. Report TR20.
16. 1961 Gay H.P. "On the motion of a projectile as it leaves the muzzle". B.R.L. Technical Note No. 1425.
17. 1961 Haden H.G. "Theoretical study of some causes of gun barrel vibration". A.R.D.E. Internal Memo. P2/3/61.
18. 1961 Hogge A.M.L. "Firing trials of 105 mm tank gun in centurion using APDS and HESH pre-production ammunition". F.V.R.D.E. Report No. TR34.
19. 1960 Soulsby H.S. "Trials of barrel coverings to eliminate barrel bend in tank guns". F.V.R.D.E. Report No. TR26.
20. 1960 Paulus D. "Investigation of tank gun inaccuracies". Report No. DPS-47 Aberdeen Proving Ground.
21. 1959 Wieland C.J. "Firing to determine the value of true vertical jump of the 105 mm tank gun in centurion". F.V.R.D.E. Report No. TR26.
22. 1959 Hogge A.M.L. "Range and accuracy trials. 105 mm gun in centurion firing APDS experimental ammunition". F.V.R.D.E. Report No. TR23.
23. 1959 Uffleman F.R. "The determination of the fundamental causes of gun jump". F.V.R.D.E. Report BR147. (Incorporates F.V.R.D.E. RW103, Memo. 7/51, BR102, BR140 and BR146).
24. 1959 Campion D.J. and Baron H.G. "Residual stresses in gun barrels resulting from straightening by cold bending". A.R.D.E. Memo. (MX) 24/59.
25. 1959 Sisson B.D. "Report on investigation on gun accuracy". Report No. DPS/TW-415/6 Aberdeen Proving Ground.

RESTRICTED

26. 1959 Darpas J.G. "Traverse forces on projectiles which rotate in the barrel". B.R.L.M. Report 1208.
27. 1959 Gay H.P. and Elder A.S. "The lateral motion of a tank gun and its effect on the accuracy of fire". B.R.L. Report 1070.
28. 1959 Uffleman F.R. "The yawing motion of a projectile in a gun barrel and during the post ejection period". F.V.R.D.E. Report BR146.
29. 1958 Elder A.S. "Review of the literature pertaining to the bias in the point of impact associated with the lateral motion of a gun tube during firing". B.R.L. Memo. Report No. 1157.
30. 1959 Lee E.H. and Sheddon I.N. "Barrel vibrations caused by an eccentrically engraved shot". A.R.D.E. Report (B) 13/58.
31. 1959 Hitchcock H.P. "The motion of a very stable shell at short ranges". B.R.L. Report No. 1047.
32. 1957 Wieland C.J. "The effects of drift and wind on HESH fired from 120 mm guns in Conqueror". F.V.R.D.E. Report No. TR13.
33. 1957 Murphy C.H. "Comments on projectile jump". B.R.L. Memo. Report No. 1071.
34. 1958 Shephard R.W. and Beach S.A. "The classification of errors involved in the determination of chances of hit, and the evaluation of chance of hit with Centurion under quasi-battle conditions". A.R.D.E. Report (B) 6/58.
35. 1956 Pymm F.H. "Vertical angular movements of projectiles in the bore when firing 120 mm APDS shot". F.V.R.D.E. Report No. BR144.
36. 1956 Gillies D.C. "Calculation of muzzle movements". Unpublished work.
37. 1956 Uffleman F.R. "Determination of fundamental causes of gun jump and dispersion of jump". F.V.R.D.E. Report BR140.
38. 1955 Hitchcock H.P. "Examples of the jump, offshell due to yaw". B.R.L. 899.
39. 1955 Hitchcock H.P. "Motion of the muzzle of a gun during projection". B.R.L. Technical Note. No. 970.

RESTRICTED

40. 1954 Pollitt C.G. "A further note on the flash radiography of the Q.F. 6 pdr/7 cwt projectile in flight". Unpublished work.
41. 1954 Pymm F.H. "The flexural characteristics of mounted 6 pr and 17 pr gun barrels". F.V.R.D.E. Report No. BR121.
42. 1954 Smith M.G. "A survey of the literature of intermediate ballistics". Unpublished work.
43. 1954 Smith M.G. "Reaction of the shell on an oscillating gun barrel". Unpublished work.
44. 1954 O.B. Q.F. 20 pr tank gun. Investigation on reported inaccuracy of barrels in early life". O.B. Proc. 37440.
45. 1953 Pollitt C.G. "Flash radiography of gun jump and yaw of projectiles Q.F. 6 pdr 7 cwt. Third note on preliminary experiments". Unpublished work.
46. 1953 Hitchcock H.P. "Effect of muzzle blast on maximum yaw". B.R.L. Memo. Report No. 649.
47. 1952 Uffleman F.R. "Muzzle movements of the Q.F. 6 pdr Mk 4." F.V.R.D.E. Report BR102
48. 1952 Pollitt C.G. "Flash radiography of gun jump and yaw of projectiles 6 pdr Q.F. Note on preliminary experiments". Unpublished work.
49. 1951 Dunbar C. "Accuracy of tank gunnery." F.V.R.D.E. Memo. RW 8/51.
50. 1951 Davis B.W. "Study of error in the angle of departure of projectile when making a substitution for the projectile ~~air~~ mass velocity in the windage jump term". Naval Ord. Plant Ref. MFF 8-50-A
51. 1951 Uffleman F.R. "The measurement of lateral muzzle movements of the 17 pdr barrel". F.V.R.D.E. Memo. 7/51.
52. 1951 Sheddon I.N. "Calculation of gun jump". Unpublished work.
53. 1950 Wieland C.J. "Apparent jump of 20 pdr tank guns". F.V.D.E. Report No. RW119.

RESTRICTED

54. 1950 Uffleman F.R. "The measurement of lateral muzzle movements of a gun up to the instant of shot ejection and their contribution to the recorded shot dispersion". F.V.R.D.E. Report RW103.
55. 1949 Dagnall B.W. "Calculation of jump for 17 pdr gun AT mounting". Unpublished work.
56. 1949 Zarodny S.J. "On jump due to muzzle disturbances". B.R.L. Report No. 703.
57. 1949 Miller J.C.P. "Calculation of jump for 17 pdr Mk. 1 gun AT mounting. Interim progress report." Unpublished work.
58. 1948 Wieland C.J. "The effect of rain on the drop of a hot gun". F.V.D.D. Report No. RW85.
59. 1948 O.B. "Effect of rigidity of barrel on accuracy of 17 pr Mk 1 mounted as sub-calibre gun in B.L. 9.2" Howitzer Mk. 2". O.B. Proc. 34960.
60. 1947 Yarnold K.W. "Jump of tank guns". F.V.D.D. Monograph 5.400.
61. 1947 O.B. "Investigation into jump in Q.F. 6 pr 7 cwt gun". O.B. Proc. 34329 (corresponds to F.V.D.D. RW55).
62. 1946 Inglis C.C. "Causes of inaccuracy in high velocity guns". F.V.D.D. Report No. RW65.
63. 1946 Inglis C.C. "Accuracy of fire from Centurion II". F.V.D.D. Report No. RW63.
64. 1946 Inglis C.C. "Jump and accuracy of 17 pr gun in Centurion I". F.V.D.D. Report No. RW57.
65. 1946 Clemow J. "Effect of rigidity of barrel on accuracy 17 pdr Mk 1 mounted as sub-calibre gun in B.L. 9.2" How Mk 2". Unpublished work.
66. 1946 Inglis C.C. "An investigation into jump (based on 6 pr guns)". F.V.D.D. Report No. RW55.
67. 1946 Inglis C.C. "The accuracy of 17 pdr DS Mk 4 and its effect on the accuracy of APCBC shot". F.V.D.D. Report No. RW51.

RESTRICTED

68. 1946 Inglis C.C. "Determination of jump and accuracy of 17 pdr guns in Avenger self propelled mountings". F.V.D.D. Research Report No. RW45.
69. 1946 Harding D.A. "Comment on B.R.L. Report No. 544 - The motion of the axis of a spinning shell inside the bore of a gun". N.P.L. Eng. Div. 220/46.
70. 1945 Thomas "Motion of the axis of a spinning shell inside the bore of a gun". B.R.L. Report No. 544.
71. 1945 Lee, Sneddon and Parsons "Theoretical investigation of barrel vibrations and their influence on jump and dispersion. Part II - Theory of vibration caused by recoil and its application to the 6 pdr 17 cwt anti-tank gun" A.R.D. Theoretical Research Report No. 9/45.
72. 1945 Lee E.H. "Theoretical investigation into barrel vibrations and their influence on jump and dispersion. Part I - Generalised beam vibration theory and its application to the flexure of gun barrels". A.R.D. Theoretical Research Report No. 1/45.
73. 1944 Sterne T.E. "On jump due to bore clearance". B.R.L. Report No. 481.
74. 1943 Pero F.V. "The motion of the axis of a spinning shell inside the bore of a gun". B.R.L. Report No. 320.
75. 1942 Howarth L. "The initial yawing motion and equilibrium yaw for a shell with an eccentric distribution of mass. E.B.D. Report No. 27. (O.B. Proc. No. 18538).
76. 1937 Brown and Tapsell "A study of the orientation of yaw at the muzzle and of the linear motion of the CG of a shell". NPL Eng/55A.
77. 1925 Harris T. "On rifle barrel vibration and their effect on the angle of jump. Part II". R.D. Report 63.
78. 1921 Fowler and Lock "The origin of the disturbances in the initial motion of a shell". Cambridge Phil. Soc. Vol. 20 No. 3 pp311-319.

RESTRICTED

The following files located in B2 Branch R.A.R.D.E. also contain relevant information.

X29	Gun Jump Panel
WRL 54	F.V.D.D. Report on Jump
WR 109/4	Correspondence on Gun Jump Panel
J5	Gun barrel vibrations
P2	Tank gun accuracy
FBB/27/04	Tank gun jump calculations.

<p>RESTRICTED</p> <p>Ministry of Defence Royal Armament Research and Development Establishment R.A.R.D.E. Memorandum 19/69</p> <p>623.535: 623.412.6</p> <p>August 1969</p> <p>Jump in tank guns. J. R. Mitchell</p> <p>A report of work carried out during a Vacation Consultancy at R.A.R.D.E. in the Autumn of 1968. Possible origins of Gun Jump are considered together with suggested means of its reduction.</p> <p>13 pp. 78 refs.</p> <p>RESTRICTED</p>	<p>RESTRICTED</p> <p>Ministry of Defence Royal Armament Research and Development Establishment R.A.R.D.E. Memorandum 19/69</p> <p>623.535: 623.412.6</p> <p>August 1969</p> <p>Jump in tank guns. J. R. Mitchell</p> <p>A report of work carried out during a Vacation Consultancy at R.A.R.D.E. in the Autumn of 1968. Possible origins of Gun Jump are considered together with suggested means of its reduction.</p> <p>13 pp. 78 refs.</p> <p>RESTRICTED</p>
<p>RESTRICTED</p> <p>Ministry of Defence Royal Armament Research and Development Establishment R.A.R.D.E. Memorandum 19/69</p> <p>623.535: 623.412.6</p> <p>August 1969</p> <p>Jump in tank guns. J. R. Mitchell</p> <p>A report of work carried out during a Vacation Consultancy at R.A.R.D.E. in the Autumn of 1968. Possible origins of Gun Jump are considered together with suggested means of its reduction.</p> <p>13 pp. 78 refs.</p> <p>RESTRICTED</p>	<p>RESTRICTED</p> <p>Ministry of Defence Royal Armament Research and Development Establishment R.A.R.D.E. Memorandum 19/69</p> <p>623.535: 623.412.6</p> <p>August 1969</p> <p>Jump in tank guns. J. R. Mitchell</p> <p>A report of work carried out during a Vacation Consultancy at R.A.R.D.E. in the Autumn of 1968. Possible origins of Gun Jump are considered together with suggested means of its reduction.</p> <p>13 pp. 78 refs.</p> <p>RESTRICTED</p>

U.K. Restricted

U.K. Restricted

U.K. Restricted

U.K. Restricted



*Information Centre
Knowledge Services*
[dstl] Porton Down,
Salisbury
Wiltshire
SP4 0JQ
Tel: 01980-613753
Fax 01980-613970

Defense Technical Information Center (DTIC)
8725 John J. Kingman Road, Suit 0944
Fort Belvoir, VA 22060-6218
U.S.A.

AD#: 399290
Date of Search: 12 December 2006

Record Summary:

Title: Jump in tank guns
Covering dates 1969
Availability Open Document, Open Description, Normal Closure before FOI
Act: 30 years
Former reference (Department) Memorandum 19/69
Held by The National Archives, Kew

This document is now available at the National Archives, Kew, Surrey, United Kingdom.

DTIC has checked the National Archives Catalogue website (<http://www.nationalarchives.gov.uk>) and found the document is available and releasable to the public.

Access to UK public records is governed by statute, namely the Public Records Act, 1958, and the Public Records Act, 1967. The document has been released under the 30 year rule. (The vast majority of records selected for permanent preservation are made available to the public when they are 30 years old. This is commonly referred to as the 30 year rule and was established by the Public Records Act of 1967).

This document may be treated as **UNLIMITED**.

U.K. Restricted

This Document was Graded
RESTRICTED
at the 236th meeting of the R.A.R.D.E.
Security Classification Committee

RELEASE CONDITIONS FOR OVERSEAS DISTRIBUTION

- A**
1. THIS INFORMATION IS RELEASED BY THE UK GOVERNMENT TO THE RECIPIENT GOVERNMENT FOR DEFENCE PURPOSES ONLY.
 2. THIS INFORMATION MUST BE ACCORDED THE SAME DEGREE OF SECURITY PROTECTION AS THAT ACCORDED THERETO BY THE UK GOVERNMENT.
 3. THIS INFORMATION MAY BE DISCLOSED ONLY WITHIN THE DEFENCE DEPARTMENTS OF THE RECIPIENT GOVERNMENT AND TO ITS DEFENCE CONTRACTORS WITHIN ITS OWN TERRITORY EXCEPT AS OTHERWISE AUTHORISED BY THE MINISTRY OF DEFENCE. SUCH RECIPIENTS SHALL BE REQUIRED TO ACCEPT THE INFORMATION ON THE SAME CONDITIONS AS THE RECIPIENT GOVERNMENT.
 4. THIS INFORMATION MAY BE SUBJECT TO PRIVATELY-OWNED RIGHTS.
- B**
1. THIS INFORMATION IS RELEASED BY THE UK GOVERNMENT TO THE RECIPIENT GOVERNMENT FOR DEFENCE PURPOSES ONLY.
 2. THIS INFORMATION MUST BE ACCORDED THE SAME DEGREE OF SECURITY PROTECTION AS THAT ACCORDED THERETO BY THE UK GOVERNMENT.
 3. THIS INFORMATION MAY BE DISCLOSED ONLY WITHIN THE DEFENCE DEPARTMENTS OF THE RECIPIENT GOVERNMENT AND TO THOSE NOTED IN THE ATTACHED LIST, EXCEPT AS OTHERWISE AUTHORISED BY THE MINISTRY OF DEFENCE. SUCH RECIPIENTS SHALL BE REQUIRED TO ACCEPT THE INFORMATION ON THE SAME CONDITIONS AS THE RECIPIENT GOVERNMENT.
 4. THIS INFORMATION MAY BE SUBJECT TO PRIVATELY-OWNED RIGHTS.
- C**
1. THIS INFORMATION IS RELEASED BY THE UK GOVERNMENT TO THE RECIPIENT GOVERNMENT FOR DEFENCE PURPOSES ONLY.
 2. THIS INFORMATION MUST BE ACCORDED THE SAME DEGREE OF SECURITY PROTECTION AS THAT ACCORDED THERETO BY THE UK GOVERNMENT.
 3. THIS INFORMATION MAY BE DISCLOSED ONLY WITHIN THE DEFENCE DEPARTMENTS OF THE RECIPIENT GOVERNMENT, EXCEPT AS OTHERWISE AUTHORISED BY THE MINISTRY OF DEFENCE.
 4. THIS INFORMATION MAY BE SUBJECT TO PRIVATELY-OWNED RIGHTS.
- D**
5. THIS INFORMATION IS RELEASED FOR INFORMATION ONLY AND IS TO BE TREATED AS DISCLOSED IN CONFIDENCE. THE RECIPIENT GOVERNMENT SHALL USE ITS BEST ENDEAVOURS TO ENSURE THAT THIS INFORMATION IS NOT DEALT WITH IN ANY MANNER LIKELY TO PREJUDICE THE RIGHTS OF ANY OWNER THEREOF TO OBTAIN PATENT OR OTHER STATUTORY PROTECTION THEREFOR.
 6. BEFORE ANY USE IS MADE OF THIS INFORMATION FOR THE PURPOSE OF MANUFACTURE THE AUTHORISATION OF THE MINISTRY OF DEFENCE, D SALES (SALES 5a (A)), ST. CHRISTOPHER HOUSE, SOUTHWARK STREET, LONDON S.E.1 MUST BE OBTAINED.

R.A.R.D.E.
Printing Section

U.K. Restricted