

AD633142


CLEARINGHOUSE  
FOR FEDERAL SCIENTIFIC AND  
TECHNICAL INFORMATION

NOLTR 65-209

Hardcopy	Microfiche	
\$1.00	\$1.50	21 pp. as
ARCHIVE COPY		

Code 1

CALCULATED THERMODYNAMIC PROPERTIES  
OF REAL HYDROGEN UP TO 30,000  
ATMOSPHERES AND 3500°K



NOL

1 DECEMBER 1965

UNITED STATES NAVAL ORDNANCE LABORATORY, WHITE OAK, MARYLAND

NOLTR 65-209

Distribution of this document is unlimited.

UNCLASSIFIED  
NOLTR 65-209

Ballistics Research Report 153

CALCULATED THERMODYNAMIC PROPERTIES OF REAL HYDROGEN  
UP TO 30,000 ATMOSPHERES AND 3500°K

Prepared by:  
D. N. Bixler, R. Piacesi, and A. E. Seigel

ABSTRACT: Isentropic data for real hydrogen are calculated in a range of pressures up to 30,000 atmospheres and temperatures up to 3500°K. The effects of ionization, excitation, and dissociation are considered negligible because of the relatively low temperatures and high densities involved. The effects of the intermolecular force are accounted for by fitting a virial coefficient equation to low temperature high density experimental data. These calculated data in turn are fitted to an empirical entropic equation of state. This particular equation of state is convenient for describing many thermodynamic processes.

U. S. NAVAL ORDNANCE LABORATORY  
White Oak, Maryland

NOLTR 65-209

1 December 1965

CALCULATED THERMODYNAMIC PROPERTIES OF REAL HYDROGEN UP TO  
30,000 ATMOSPHERES AND 3500°K

Modern two-stage gun launchers use hydrogen as the propellant gas. The prediction of the performance of such launchers requires knowledge of the hydrogen gas thermodynamic data. This paper presents calculated thermodynamic data for hydrogen.

The authors acknowledge with gratitude the cooperation of Dr. Harold Woolley of the National Bureau of Standards. Dr. Woolley supplied the computer program with which the properties of hydrogen were calculated. The authors also thank Mrs. Louise Brown, who performed a great deal of the calculations for this report.

J. A. DARE  
Captain, USN  
Commander

*R. Kenneth Lobb*

R. KENNETH LOBB  
By direction

CONTENTS

	Page
Introduction.....	1
A Brief Description of Reference 1.....	2
Extending the Calculation of Reference 1.....	3

ILLUSTRATIONS

Figure	Title
1	Empirical Constant B vs. T (Reference 1)
2	Empirical Constant C vs. T (Reference 1)
3	P-V Diagram for Real Hydrogen
4	Empirical Constant $\beta$ vs. Entropy
5	Empirical Constant $\frac{f}{v_0}$ vs. Entropy
6	Empirical Constant $\frac{K}{p_0^{(\beta-2)/B} v_0}$ vs. Entropy

TABLES

Table	Title
1	Properties of Hydrogen from Extended Calculation of Woolley, Scott, and Brickwedde of NBS (Reference 1)
2	Empirical Constants of Equation (1) vs. Entropy S as Obtained from Three-Point Fits to Curves of Figure 3

REFERENCES

- (1) Woolley, Harold W., Scott, Russell B., and Brickwedde, F. G., "Compilation of Thermal Properties of Hydrogen in its Various Isotopic and Ortho-Para Modifications," National Bureau of Standards Research Paper RP1932, Volume 41, November 1948
- (2) Seigel, A. E., "A Convenient and Accurate Semi-Empirical Entropic Equation for use in Internal Ballistic Calculations," NAVORD Report 2695, February 1953
- (3) Seigel, A. E., "The Theory of High Speed Guns," Agardograph 91, May 1965

List of Symbols

- p pressure, in units of atmospheres
- $\rho$  density, in units of amagat  
 (at 1 amagat,  $\rho = 5.60648 \times 10^{-3} \frac{\text{lbs}}{\text{ft}^3}$  )
- v specific volume, in units of  $\frac{\text{ft}^3}{\text{lb}}$
- T absolute temperature, in units of degrees Kelvin ( $^{\circ}\text{K}$ )
- R universal gas constant per pound of hydrogen  
 ( $R = 1381.35 \frac{\text{ft}}{^{\circ}\text{K}}$  )
- $C_v$  specific heat at constant volume
- b molecular volume, in units of  $\frac{\text{ft}^3}{\text{lb}}$
- B }  
 f } empirical constants for a given entropy  
 K }  
 g }
- S entropy, in units of  $\frac{\text{cal}}{\text{mole } ^{\circ}\text{K}}$
- U internal energy
- H enthalpy
- a sound speed
- B }  
 C } empirical constants for a given temperature

INTRODUCTION

Hydrogen gas is often used as the propellant in light gas guns. In the so-called "two stage guns" the hydrogen propellant may be compressed to densities as high as 2,000 amagats\*. The temperature is increased relatively little, going from room temperature to as high as 3500°K. Under these conditions of high density, large intermolecular repulsive forces exist. The hydrogen gas no longer can be described by the ideal gas equation.

Unfortunately, there exists no reliable experimental data on the state properties of hydrogen at high pressures and temperatures. To approximate the behavior of the hydrogen gas at the high densities, the Abel-Noble or covolume equation of state is sometimes used. This equation is

$$p(v-b) = RT$$

With  $C_v$  taken to be a constant, the isentrope becomes

$$p(v-b)^{\gamma} = K$$

However, the Abel-Noble equation becomes a poor approximation at the high densities.

Therefore, a calculation of hydrogen gas data has here been made which attempts to better account for the intermolecular forces due to high density. The method involves first extending the calculation of Woolley, Scott, and Brickwedde, reference 1, for the thermal properties of real hydrogen, beyond the realm of experimental data as reported in reference 1. Secondly, the resulting theoretical data are fitted to the semi-empirical entropic equation of Seigel, reference 2:

$$p^{(\beta-2)/\beta} (v-f) = K$$

where  $\beta$ ,  $f$ , and  $K$  are constants for any given entropy.\*\*

\*One amagat unit is the value of density at 1 atmosphere and 0°C.

\*\*This equation has been fitted successfully to argon, nitrogen, and hydrogen data at temperatures below 430°K and pressures up to 4,000 atm.

It is seen that this equation is equivalent to the Abel-Noble equation for a given entropy if  $B/(B-2)$  is replaced by  $\delta$ , and if  $f$  is replaced by  $b$ ; these constants, however, will change for each different entropy. The semi-empirical equation may be fitted to real gas data with much greater accuracy than the Abel-Noble equation because of the fact that the parameters  $B$ ,  $f$ , and  $K$  may vary with entropy. In addition, the equation is convenient to use to describe gas dynamic processes such as occur in the two-stage gun.

#### A BRIEF DESCRIPTION OF REFERENCE 1

In reference 1 the thermal properties of hydrogen are found for temperatures up to  $5000^{\circ}\text{K}$ , but at low densities where molecular interaction is negligible. These properties are then extended to somewhat higher densities by combining the low-density data with empirical real-gas data at intermediate densities. This is done by means of standard thermodynamic integrals taken along isotherms.

The empirical real-gas data of reference 1 were obtained in the following manner. The empirical equation

$$\frac{pV}{RT} = e^{(B\rho + C\rho^2)} \quad (1)$$

was used to account for the intermolecular forces. The coefficients  $B$  and  $C$  were assumed to be functions of the temperature only. (When the above exponential is expanded,  $B$  is found to be the second virial coefficient.) The effects of excitation, ionization, and dissociation are assumed negligible because of the relatively high density and low temperature.\* The constants  $B$  and  $C$  were fitted to experimental hydrogen data in the realm of temperatures from  $273^{\circ}\text{K}$  to  $672^{\circ}\text{K}$  and densities up to 500 amagat. The best overall fit by a weighted method of least squares was found to be in reference 1:

$$B = 0.0055478T^{-1/4} - 0.036877T^{-3/4} - 0.022004T^{-5/4}$$

$$C = 0.004788T^{-3/2} - 0.04053T^{-2}$$

\*The ionization and excitation energies are very high (15.4 e.v. and 13.5 e.v., respectively) and, hence, the effects are negligible; the dissociation energy (4.5 e.v.) is negligible because of the high densities which exist.

## EXTENDING THE CALCULATION OF REFERENCE 1

In figures 1 and 2 the coefficients B and C are plotted over a temperature range of 273°K to 3500°K. Reference 1 carried the calculation only to 600°K, for this is the extent of the realm of reliable experimental data. Here we have extended the curves for these coefficients to 3500°K. Values of p, v, and T obtained by using these curves with equation (1) are listed in Table 1. Values of S calculated by the method of reference 1 are listed also.

As indicated above, the effects of dissociation, ionization, and excitation of the hydrogen are assumed negligible in the calculation. This is probably a good assumption, because of the relatively low temperatures and high densities considered. The Seigel semi-empirical equation

$$p^{(\beta-2)/\beta} (v-f) = K \quad (2)$$

was here fitted to the new high-pressure data which were calculated above. The fitting was done as outlined in reference 2 by making a three-point fit of equation (2) to the data along a given isentrope, thus obtaining the empirical constants,  $\beta$ , f, and K. Once this procedure was repeated for a number of isentropes, the constants  $\beta$ , f, and K were obtained as functions of entropy S. Thus, equation (2) was fitted to the data of Table 1 at temperatures from 273°K to as high as 3500°K and entropies of 20, 22, 24, 26, 28, 30, 32, 34, 36, and 38  $\frac{\text{cal}}{\text{mole}^\circ\text{K}}$ . Figure 3 is a plot of the P-V data of

Table 1. In nearly all regions of this plot, agreement between the data and the semi-empirical fit is so close that a comparison cannot be shown in this figure. The constants  $\beta$ , f, and K as obtained from this particular three-point fit are listed in Table 2. These same constants are plotted against entropy in figures 4 through 6. Other thermodynamic variables, such as internal energy U, enthalpy H, or sound speed a can be derived from equation (2). The following expressions (see reference 2 or 3) result:

$$U = \frac{\beta-2}{2} K p^{2/\beta} + g$$

$$H = \frac{\beta}{2} K p^{2/\beta} + f p + g$$

$$a = \frac{\beta}{\beta-2} p \frac{v^2}{v-f}$$

where  $g$  is a function of  $S$  only. The quantity  $g$  can be obtained in a manner similar to that of obtaining  $B$ ,  $f$ , and  $K$ . Equation (2) is now an entropic or caloric equation of state from which all other thermodynamic variables can be derived in standard fashion. This procedure constitutes a rigorous method for describing the thermodynamics of a particular type of fluid.

In the case reported here, the empirical constants of equation (2) have been fitted to data in a region lacking experimental verification. Though this means of obtaining real hydrogen data does not have the desired experimental foundation, its virtue is in the fact that it continues the trend of the most accurately known hydrogen properties. In all likelihood its use yields a better approximation than previous techniques used to predict the behavior of this gas.




FIG. 1 EMPIRICAL CONSTANT B VS T (REFERENCE 1)




FIG. 2 EMPIRICAL CONSTANT C VS T (REFERENCE 1)




FIG. 3 P V DIAGRAM FOR REAL HYDROGEN




FIG 4 FIG. 4 EMPIRICAL CONSTANT  $\beta$  VS ENTROPY




FIG. 5 EMPIRICAL CONSTANT  $\frac{f}{V_0}$  VS ENTROPY




FIG. 6 EMPIRICAL CONSTANT  $\frac{K}{P_o^{(\beta-2)/\beta} V_o}$  VS ENTROPY

TABLE I

Properties of Hydrogen from Extended Calculation of  
Woolley, Scott, and Brickwedde of NBS (ref. 1)

$P_0=14.7\text{psi.}$   
 $v_0=178.365\text{ft}^3/\text{lb.}$

$\frac{S}{\text{mole}^\circ\text{K}}$	$P/P_0$	$v/v_0$	$T$ ( $^\circ\text{K}$ )
20	1066.42	$1.741 \times 10^{-3}$	300
	3000	$1.154 \times 10^{-3}$	395.570
	3130.29	$1.136 \times 10^{-3}$	400
	6000	$9.074 \times 10^{-4}$	473.285
	30,000	$5.617 \times 10^{-4}$	694.486
22	397.050	$3.464 \times 10^{-3}$	300
	1000	$2.135 \times 10^{-3}$	388.616
	1110.28	$2.029 \times 10^{-3}$	400
	3000	$1.304 \times 10^{-3}$	524.577
	6000	$9.958 \times 10^{-4}$	632.060
	30,000	$5.856 \times 10^{-4}$	963.957
24	149.060	$8.037 \times 10^{-3}$	300
	408.842	$4.297 \times 10^{-3}$	400
	1000	$2.593 \times 10^{-3}$	514.004
	3000	$1.506 \times 10^{-3}$	696.100
	6000	$1.117 \times 10^{-3}$	840.715
	30,000	$6.212 \times 10^{-4}$	1289.86
26	55.4093	$2.047 \times 10^{-2}$	300
	100	$1.370 \times 10^{-2}$	355.417
	151.355	$1.038 \times 10^{-2}$	400
	1000	$3.202 \times 10^{-3}$	681.047
	3000	$1.776 \times 10^{-3}$	921.428
	6000	$1.277 \times 10^{-3}$	1109.88
	30,000	$6.677 \times 10^{-4}$	1682.07

NOLTR 65-209

TABLE I (CONT.)

$\frac{S}{\text{cal}} \frac{1}{\text{mole} \cdot \text{OK}}$	$P/P_0$	$v/v_0$	$T$ (OK)
28	20.4089	$5.443 \times 10^{-2}$	300
	55.7425	$2.696 \times 10^{-2}$	400
	100	$1.801 \times 10^{-2}$	472.335
	1000	$4.004 \times 10^{-3}$	901.583
	3000	$2.124 \times 10^{-3}$	1211.63
	6000	$1.480 \times 10^{-3}$	1449.26
	30,000	$7.253 \times 10^{-4}$	2153.86
30	7.48250	$1.473 \times 10^{-1}$	300
	10	$1.200 \times 10^{-1}$	326.090
	20.4426	$7.230 \times 10^{-2}$	400
	100	$2.371 \times 10^{-2}$	627.815
	1000	$5.038 \times 10^{-3}$	1186.74
	3000	$2.560 \times 10^{-3}$	1575.86
	6000	$1.731 \times 10^{-3}$	1868.39
30,000	$7.951 \times 10^{-4}$	2722.17	
32	2.73810	$4.015 \times 10^{-1}$	300
	7.48178	$1.963 \times 10^{-1}$	400
	10	$1.597 \times 10^{-1}$	434.442
	100	$3.123 \times 10^{-2}$	833.362
	1000	$6.336 \times 10^{-3}$	1545.34
	3000	$3.097 \times 10^{-3}$	2023.77
	6000	$2.036 \times 10^{-3}$	2379.57
30,000	$8.788 \times 10^{-4}$	3406.82	
34	1.00124	1.097	300
	2.73602	$5.356 \times 10^{-1}$	400
	10	$2.123 \times 10^{-1}$	578.167
	100	$4.099 \times 10^{-2}$	1100.39
	1000	$7.934 \times 10^{-3}$	1986.51
	3000	$3.748 \times 10^{-3}$	2568.45
	6000	$2.405 \times 10^{-3}$	2998.87
30,000	$9.785 \times 10^{-4}$	4229.22	

NOLTR 65-209

TABLE I (CONT.)

$\frac{S}{\text{cal}} \frac{1}{\text{mole} \cdot \text{K}}$	$P/P_0$	$v/v_0$	T (°K)
36	0.36602	2.999	300
	1	1.464	399.974
	10	$2.819 \times 10^{-1}$	768.423
	100	$5.333 \times 10^{-2}$	1438.10
	1000	$9.878 \times 10^{-3}$	2522.81
	3000	$4.537 \times 10^{-3}$	3226.76
	6000	$2.850 \times 10^{-3}$	3745.12
38	0.13379	8.204	300
	0.36562	4.003	400
	1	1.949	532.505
	10	$3.728 \times 10^{-1}$	1016.94
	100	$6.857 \times 10^{-2}$	1855.11
	1000	$1.223 \times 10^{-2}$	3170.76
	3000	$5.486 \times 10^{-3}$	4017.95

TABLE II

Empirical Constants of Equation (2) vs. Entropy S as  
Obtained from Three-Point Fits to Curves of Figure 3

$S$ $\frac{\text{cal}}{\text{mole}^\circ\text{K}}$	$B$	$\frac{f}{v_0}$	$\frac{K}{P_0^{(\beta-2)/B} v_0}$
20	3.990	$2.81 \times 10^{-4}$	0.04735
22	4.519	$3.15 \times 10^{-4}$	0.08691
24	5.286	$3.44 \times 10^{-4}$	0.1677
26	5.900	$3.65 \times 10^{-4}$	0.2798
28	6.338	$3.71 \times 10^{-4}$	0.4211
30	6.646	$3.65 \times 10^{-4}$	0.5950
32	6.866	$3.41 \times 10^{-4}$	0.8166
34	7.025	$2.60 \times 10^{-4}$	1.100
36	7.168	$4.00 \times 10^{-5}$	1.464
38	7.293	$-3.53 \times 10^{-4}$	1.949

NOLTR 65-209

DISTRIBUTION

	Copies
Chief, Bureau of Naval Weapons Department of the Navy Washington, D. C. 20360 Attn: Library, DLI-3	1
RRRE-4	1
RAAD-3	1
RAAD-2	1
RR-25	1
RMMO	1
RRMA	1
RMGA-811	1
Defense Documentation Center Cameron Station Alexandria, Virginia	20
Office of Naval Research Washington, D. C. 20360 Attn: Fluid Dynamics Branch	1
Structural Mechanics Branch, 4214 Main Navy	1
Commanding Officer Office of Naval Research Branch Office, Box 39 Fleet Post Office, New York, New York 09510	5
U. S. Army Ballistics Research Laboratories Aberdeen Proving Ground, Maryland Attn: Technical Library, Bldg 313	1
E. D. Boyer, Chief, Transonic Range Facility	1
P. G. Baer	1
Advanced Research Projects Agency Washington, D. C. Attn: Mr. Clifford E. McLain, Missile Phenomenology Branch	1
Arnold Engineering Development Center (ARO, Inc.) Arnold Air Force Station, Tennessee 37389 Attn: Library/Documents	2
Mr. J. Lukasiewicz, Chief, VKF	1
Mr. A. J. Cable	1
U. S. Army Engineer Research and Development Laboratories Fort Belvoir, Virginia 22060 Attn: Scientific and Technical Information Branch	1

NOLTR 65-209

	Copies
Commanding Officer and Director David Taylor Model Basin Washington, D. C. 20390 Attn: Library, Aerodynamics Laboratory	1
Director Defense Research and Engineering The Pentagon Washington, D. C. Attn: Library (Technical) 3C-128	1
Director U. S. Naval Research Laboratory Washington, D. C. Attn: Mr. Edward Chapin, Code 6303	1
Los Alamos Scientific Laboratory P. O. Box 1663 Los Alamos, New Mexico Attn: Report Library	1
National Aeronautics and Space Administration Lewis Research Center 21000 Brookpark Road Cleveland, Ohio Attn: Mr. George Mandel, Chief, Library	1
National Aeronautics and Space Administration Goddard Space Flight Center Greenbelt, Maryland Attn: Library Mr. E. F. Sargent, Code 671.2	1 1
National Aeronautics and Space Administration George C. Marshall Space Flight Center Huntsville, Alabama Attn: R-P&VE-PT, Mr. H. A. Connell Dr. W. R. Lucas, R-P&VE-M Aero-Astroynamics Laboratory, Dr. Ernst Geissler	1 1 1
National Aeronautics and Space Administration Langley Research Center Langley Station Hampton, Virginia 23365 Attn: Librarian, MS 185 Mr. Mitchel H. Bertram, MS 243 Mr. Russell Hopko, PARD, MS 213	1 1 1

	Copies
National Aeronautics and Space Administration Ames Research Center Moffett Field, California Attn: Mr. A. G. Boissevain	1
National Aeronautics and Space Administration Headquarters, MFG 400 Maryland Avenue, S. W. Washington, D. C. Attn: Dr. W. L. Haberman	1
National Aeronautics and Space Administration 600 Independence Avenue, S. W. Washington, D. C. Attn: Dr. H. H. Kurzweg, Director of Research	1
National Bureau of Standards Washington, D. C. Attn: Dr. Galen B. Schubauer Dr. Harold Woolley	1 1
Commanding Officer U. S. Naval Air Development Center Johnsville, Pennsylvania 18974 Attn: NADC Library	1
Commander U. S. Naval Missile Center Point Mugu, California Attn: Technical Library, Code N0322	1
Commander U. S. Naval Ordnance Test Station China Lake, California Attn: Code 406 Code 50704 Technical Library	1 1 1
Superintendent U. S. Naval Postgraduate School Monterey, California 93940 Attn: Library (Code 0384)	1
Director U. S. Naval Research Laboratory Washington, D. C. 20390 Attn: Code 2027 J. R. Baker Walter Adkins H. F. Swift, Impact Damage Section Edward Chapin, Code 6303	1 1 1 1 1

NOLTR 65-209

Copies

U. S. Navy Underwater Sound Laboratory  
Fort Trumbull  
New London, Connecticut  
Attn: Library

1

U. S. Naval Weapons Laboratory  
Dahlgren, Virginia  
Attn: Library  
Code KE  
Code TX

1

1

1

Scientific and Technical Information Facility  
P. O. Box 5700  
Bethesda, Maryland 20014  
Attn: NASA Representative (SAK/DL)

2

Aerospace Corporation  
P. O. Box 95085  
Los Angeles, California 90045  
Attn: Dr. J. S. Whittier  
Mr. J. F. Mullen

1

1

Director  
Alden Hydraulic Laboratory  
Worcester Polytechnic Institute  
Worcester 9, Massachusetts  
Attn: Professor L. J. Hooper

1

Allegheny Ballistics Laboratory  
Hercules Powder Company  
Cumberland, Maryland  
Attn: Captain N. J. Kleiss

1

Applied Physics Laboratory  
The Johns Hopkins University  
8621 Georgia Avenue  
Silver Spring, Maryland  
Attn: Dr. Freeman Hill  
Dr. L. L. Cronvich  
Document Librarian  
Mr. L. B. Weckesser

1

1

4

1

Avco-Everett Research Laboratory  
2385 Revere Beach Parkway  
Everett, Massachusetts 02149  
Attn: Dr. Kantrowitz

1

NOLTR 65-209

	Copies
Commanding Officer U. S. Naval Underwater Ordnance Station Newport, Rhode Island 02844 Attn: Mr. R. J. Grady Mr. M. T. McGowan	1 1
AVCO/RAD Corporation 201 Lowell Street Wilmington, Massachusetts 01887 Attn: Dr. J. Eckerman	1
University of Denver Denver Research Institute Mechanics Division Denver, Colorado 90210 Attn: Mr. W. G. Howell	1
Battelle Memorial Institute 505 King Avenue Columbus, Ohio 43201 Attn: Remote Area Conflict Information Center Mr. Daniel E. Stohecker	1 1
The Boeing Company Aero-Space Division P. O. Box 3707 Seattle, Washington 98124 Attn: Ruth E. Peerenboom Library Process Supervisor	1
California Institute of Technology Pasadena, California Attn: Professor T. Y. Wu Professor M. S. Plesset, Div. of Engineering	1 1
The Catholic University of America Washington, D. C. 20017 Attn: Dr. C. C. Chang Dept. of Space Science and Applied Physics	1
Ohio State University Department of Aero and Astronautical Engineering 2036 Neil Avenue Columbus, Ohio 43210 Attn: Professor Ting Yi Li	1

NOLTR 65-209

Copies

Cornell Aeronautical Laboratory 4455 Genesee Street Buffalo, New York Attn: Dr. Gordon Hall Mr. A. Hertzberg	1 1
Department of Mechanical Engineering University of Delaware Newark, Delaware Attn: Dr. James P. Hartnett	1
General Applied Sciences Laboratories, Inc Merrick and Stewart Avenues Westbury, New York Attn: Mr. Robert Byrne	1
General Electric Company Missile and Space Division P. O. Box 8555 Philadelphia, Pennsylvania 19101 Attn: Mr. Lawrence I. Chasen Manager/MSD Libraries	2
General Dynamics/Convair P. O. Box 1950 San Diego, California 92112 Attn: Mr. R. H. Oversmith, Chief ASW/Marine Sciences 6-107 Dr. Blaine R. Parkin, Mail Zone 6-114	1 1
General Electric Company Re-entry Systems Department P. O. Box 8555 Philadelphia, Pennsylvania 19101 Attn: Mr. Jerome Persh (Rm. U-7039, VFSTC)	1
GM Defense Research Laboratories General Motors Corporation Box T Santa Barbara, California 93102 Attn: Dr. A. C. Charters - No. 27 Mr. J. S. Curtis	1 1

NOLTR 65-209

	Copies
Jet Propulsion Laboratory 4800 Oak Grove Drive Pasadena, California Attn: Library, TDS - N. E. Devereux Dr. L. Jaffee	1 1
Kaman Aircraft Corporation Nuclear Division Colorado Springs, Colorado Attn: Dr. A. P. Bridges	1
Lockheed Missiles and Space Company 3251 Hanover Street Palo Alto, California 94304 Attn: Mr. Paul E. Sandorff, 52-20/201/2	1
Lockheed Missiles and Space Company Missile Systems Division P. O. Box 504 Sunnyvale, California Attn: R. A. Fuhrman, Dept. 81-01, Bldg 181 R. W. Kermeen, Dept 51-35, Bldg 153 F/1	1 1
National Engineering Science Company 711 South Fair Oaks Avenue Pasadena, California Attn: Dr. Gunner Bergman	1
North American Aviation, Inc. Space and Information Systems Division 12214 Lakewood Boulevard Downey, California 90241 Attn: Technical Information Center, D/096-722 (AJ01)	1
Sandia Corporation Albuquerque, New Mexico Attn: Mr. R. C. Maydew, Aero-Thermodynamics Dept. Mr. W. V. Hereford, Div 7215	1 1
Sandia Corporation Livermore Laboratory P. O. Box 969 Livermore, California 94551 Attn: Technical Library Reference	1
Therm Advanced Research, Inc. 100 Hudson Circle Ithaca, New York 14851	1

NOLTR 65-209

	Copies
Director Southwest Research Institute Department of Mechanical Sciences San Antonio 6, Texas Attn: Library	1
Director St. Anthony Falls Hydraulic Laboratory University of Minnesota Minneapolis, Minnesota Attn: Professor E. Silberman	1
Stanford University Department of Aeronautics and Astronautics Stanford, California Attn: Dr. Daniel Bershader	1
United Aircraft Corporation Research Laboratories East Hartford, Connecticut Attn: Mr. H. J. Charette Mr. F. S. Owen	1 1
Space Systems Division Los Angeles Air Force Station Los Angeles, California 90045	1
University of California Lawrence Radiation Laboratory P. O. Box 808 Livermore, California Attn: Mr. Carl Cline Mr. W. M. Wells, Propulsion Div., L-301	1 1
Colorado State University Fort Collins, Colorado Attn: Civil Engineering Hydraulics Laboratory	1
Hydronautics, Inc. Pindell School Road Howard County Laurel, Maryland Attn: Dr. P. Eisenberg Dr. M. P. Tulin	1 1
Technical Research Group, Inc. Route 110 Melville, New York Attn: W. Graham	1

NOLTR 65-209

	Copies
The Johns Hopkins University Baltimore, Maryland Attn: Professor F. H. Clauser	1
Union Carbide Corporation Stellite Division 1020 Park Avenue Kokomo, Indiana 46901 Attn: Mr. W. D. Manly	1
Shock Hydrodynamics, Inc. Sherman Oaks, California Attn: Dr. R. L. Bjork	1
University of Nebraska Lincoln, Nebraska 68508 Attn: Dr. R. C. Nelson	1
Physics International Company 2700 Merced Street St. San Leandro, California Attn: Dr. Charles Godfrey	1

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D		
<i>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</i>		
1 ORIGINATING ACTIVITY (Corporate author) U. S. Naval Ordnance Laboratory White Oak, Silver Spring, Maryland		2a REPORT SECURITY CLASSIFICATION UNCLASSIFIED
		2b GROUP N/A
3 REPORT TITLE Calculated Thermodynamic Properties of Real Hydrogen up to 30,000 Atmospheres and 3500°K		
4 DESCRIPTIVE NOTES (Type of report and inclusive dates) N/A		
5 AUTHOR(S) (Last name, first name, initial) Bixler, David N. Piacesi, Robert Seigel, Arnold E.		
6. REPORT DATE 1 December 1965	7a. TOTAL NO OF PAGES 10	7b. NO OF REFS 3
8a. CONTRACT OR GRANT NO.	9a. ORIGINATOR'S REPORT NUMBER(S) NOLTR 65-209	
b. PROJECT NO. NOL-364	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) Ballistics Research Report 153	
c.		
d.		
10. AVAILABILITY/LIMITATION NOTICES Distribution of this document is unlimited.		
11 SUPPLEMENTARY NOTES N/A	12. SPONSORING MILITARY ACTIVITY	
13 ABSTRACT Isentropic data for real hydrogen are calculated in a range of pressures up to 30,000 atmospheres and temperatures up to 3500°K. The effects of ionization, excitation, and dissociation are considered negligible because of the relatively low temperatures and high densities involved. The effects of the intermolecular forces are accounted for by fitting a virial coefficient equation to low temperature high density experimental data. These calculated data in turn are fitted to an empirical entropic equation of state. This particular equation of state is convenient for describing many thermodynamic processes.		

DD FORM 1473  
1 JAN 64

UNCLASSIFIED

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Hydrogen State properties Thermodynamics Thermal						

**INSTRUCTIONS**

**1. ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

**2a. REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

**2b. GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

**3. REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parentheses immediately following the title.

**4. DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

**5. AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

**6. REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

**7a. TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

**7b. NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

**8a. CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

**8b, 8c, & 8d. PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

**9a. ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

**9b. OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

**10. AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through \_\_\_\_\_."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through \_\_\_\_\_."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through \_\_\_\_\_."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

**11. SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

**12. SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

**13. ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

**14. KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.

<p>Naval Ordnance Laboratory, White Oak, Md. (NOL technical report 65-209) CALCULATED THERMODYNAMIC PROPERTIES OF REAL HYDROGEN UP TO 30,000 ATMOSPHERES AND 3500°K, by D. N. Bixler and others. 1 Dec. 1965. 4p. charts, tables. (Ballistics research report 153) NOL task 364. UNCLASSIFIED</p> <p>Isentropic data for real hydrogen are calculated in a range of pressures up to 30,000 atmospheres and temperatures up to 3500°K. Effects of ionization, excitation, and dissociation are negligible because of relatively low temperatures and high densities involved. Effects of the intermolecular forces are accounted for by fitting a virial coefficient equation data. The calculated data are fitted to an empirical entropic equation of state, which describe many thermodynamic processes.</p>	<p>1. Hydrogen - Thermo- dynamics Gun launchers Title I. Bixler II. David N. III. Series IV. Project</p> <p>Abstract card is unclassified.</p>
<p>Naval Ordnance Laboratory, White Oak, Md. (NOL technical report 65-209) CALCULATED THERMODYNAMIC PROPERTIES OF REAL HYDROGEN UP TO 30,000 ATMOSPHERES AND 3500°K, by D. N. Bixler and others. 1 Dec. 1965. 4p. charts, tables. (Ballistics research report 153) NOL task 364. UNCLASSIFIED</p> <p>Isentropic data for real hydrogen are calculated in a range of pressures up to 30,000 atmospheres and temperatures up to 3500°K. Effects of ionization, excitation, and dissociation are negligible because of relatively low temperatures and high densities involved. Effects of the intermolecular forces are accounted for by fitting a virial coefficient equation data. The calculated data are fitted to an empirical entropic equation of state, which describe many thermodynamic processes.</p>	<p>1. Hydrogen - Thermo- dynamics Gun launchers Title I. Bixler II. David N. III. Series IV. Project</p> <p>Abstract card is unclassified.</p>
<p>Naval Ordnance Laboratory, White Oak, Md. (NOL technical report 65-209) CALCULATED THERMODYNAMIC PROPERTIES OF REAL HYDROGEN UP TO 30,000 ATMOSPHERES AND 3500°K, by D. N. Bixler and others. 1 Dec. 1965. 4p. charts, tables. (Ballistics research report 153) NOL task 364. UNCLASSIFIED</p> <p>Isentropic data for real hydrogen are calculated in a range of pressures up to 30,000 atmospheres and temperatures up to 3500°K. Effects of ionization, excitation, and dissociation are negligible because of relatively low temperatures and high densities involved. Effects of the intermolecular forces are accounted for by fitting a virial coefficient equation data. The calculated data are fitted to an empirical entropic equation of state, which describe many thermodynamic processes.</p>	<p>1. Hydrogen - Thermo- dynamics Gun launchers Title I. Bixler II. David N. III. Series IV. Project</p> <p>Abstract card is unclassified.</p>
<p>Naval Ordnance Laboratory, White Oak, Md. (NOL technical report 65-209) CALCULATED THERMODYNAMIC PROPERTIES OF REAL HYDROGEN UP TO 30,000 ATMOSPHERES AND 3500°K, by D. N. Bixler and others. 1 Dec. 1965. 4p. charts, tables. (Ballistics research report 153) NOL task 364. UNCLASSIFIED</p> <p>Isentropic data for real hydrogen are calculated in a range of pressures up to 30,000 atmospheres and temperatures up to 3500°K. Effects of ionization, excitation, and dissociation are negligible because of relatively low temperatures and high densities involved. Effects of the intermolecular forces are accounted for by fitting a virial coefficient equation data. The calculated data are fitted to an empirical entropic equation of state, which describe many thermodynamic processes.</p>	<p>1. Hydrogen - Thermo- dynamics Gun launchers Title I. Bixler II. David N. III. Series IV. Project</p> <p>Abstract card is unclassified.</p>