

AD

US ARMY MEDICAL RESEARCH LABORATORY

FORT KNOX, KENTUCKY

REPORT NO. 686

RECOVERY FROM IMPULSE NOISE INDUCED ACOUSTIC TRAUMA

by


Lt Colonel J. L. Fletcher, MSC

and

Captain A. B. Cairns, MC

22 November 1966

Distribution of this document is unlimited.



UNITED STATES ARMY
MEDICAL RESEARCH AND DEVELOPMENT COMMAND

ARCHIVE COPY

AD 645 898

AD

REPORT NO. 686

RECOVERY FROM IMPULSE NOISE INDUCED ACOUSTIC TRAUMA

by

Lt Colonel J. L. Fletcher, MSC
and
Captain A. B. Cairns, MC*

Experimental Psychology Division
US ARMY MEDICAL RESEARCH LABORATORY
Fort Knox, Kentucky 40121

*ENT Clinic
IRELAND ARMY HOSPITAL
Fort Knox, Kentucky 40121

22 November 1966

Traumatic Origins of Hearing Loss
Work Unit No. 017
Army Aviation Medicine
Task No. 00
Army Aviation Medicine
DA Project No. 3A025601A819

Distribution of this document is unlimited.

USAMRL Report No. 686
DA Project No. 3A025601A819

ABSTRACT

RECOVERY FROM IMPULSE NOISE INDUCED ACOUSTIC TRAUMA

OBJECTIVE

To follow recovery from impulse noise induced acoustic trauma in order to determine amount and rate of recovery.

METHOD

Military personnel traumatized on firing ranges were given serial audiograms in order to determine initial loss and recovery from such loss.

RESULTS

Recovery was essentially complete at the speech frequencies (500-2,000 Hz) within two weeks. Some recovery was still occurring at higher frequencies (up to 8,000 Hz) as long as six months post exposure. Low frequency losses appeared to be sensori-neural rather than conductive in nature.

CONCLUSIONS

Two weeks is sufficient time to allow for recovery from speech frequency TTS. A longer time must be allowed for complete recovery from TTS at higher frequencies. The human ear can achieve almost complete recovery from TTS's as great as 85 dB at 4,000 Hz.

RECOVERY FROM IMPULSE NOISE INDUCED ACOUSTIC TRAUMA

INTRODUCTION

There is a considerable body of literature regarding noise induced hearing loss. In nearly all cases, the losses described are occasioned by long term exposure to noise, usually steady state noise. Obviously, in such cases it is difficult, if not impossible to point to any one exposure, relate hearing loss to that particular exposure and plot recovery from the exposure. For many reasons, medical, legal, and humanitarian, it would be of value to know more about the rate, amount, and frequency characteristics of recovery from acoustic insult.

In the present report, attention is restricted to impulse noise induced acoustic trauma in order that we can be assured of the time and nature of the trauma. Impulse noise induced trauma is of particular interest, additionally, because almost 50% of the aural rehabilitation cases seen at the Audiology and Speech Clinic, Walter Reed Army Hospital (WRAH), are traceable to impulse noise exposure.

Specifically, then, this study will deal with impulse noise induced acoustic trauma, resulting from exposure on one day (or less), on a firing range. Recovery from loss will be followed over time.

METHOD

All data were secured from young, male soldiers, stationed at Fort Knox, Ky. Educational sessions were held prior to data collection with physicians staffing the dispensaries at Fort Knox, Ky. The purpose of these sessions was to assure that cases would be identified as soon as possible after exposure. The physicians were briefed on symptoms suggestive of acoustic trauma, i. e., usually complaints of severe bilateral hearing loss with sudden onset on a range, or persistent tinnitus following range firing. We tried, where at all possible to get cases on the day of exposure (Day 0), but to increase the number of cases available we also secured data on persons exposed the day prior to their being seen.

When a person was referred for suspected acoustic trauma, a noise exposure history was taken to determine the type of exposure suffered, when it occurred, and in what period of time (i. e., how many rounds fired or how long on the range). Past noise exposure

and past medical history was also considered in the evaluation of the patients' suitability for inclusion in the study. The next step in processing entailed a thorough otological examination, including pure tone air and bone conduction thresholds, and intelligibility testing.

Air and bone audiograms, as well as intelligibility testing, were done in the ENT Clinic in an IAC Model #1200 Booth with either a Beltone 15C or a Beltone 15A Audiometer. Subsequently, on the same day, pure tone audiograms were determined using a Grason-Stadler Model E-800 Békésy Audiometer in the Army Medical Research Laboratory Anechoic Chamber.

RESULTS

Time and frequency characteristics of recovery from impulse noise induced acoustic trauma are shown in Figure 1. Note the rapid recovery from Day 0 to Day 1 at 500, 1,000, and 2,000 cps and the less rapid recovery at higher frequencies. By the end of two weeks,




Figure 1

post-exposure recovery was essentially complete for frequencies from 500 to 2,000 cps. However, examination clearly shows continuing recovery for frequencies higher than 2,000 cps up to the maximum six months covered in this study. Even then, some residual loss can be seen at 4,000 and 6,000 cps, perhaps a little at 8,000 cps. In view of the magnitude of initial losses (some were down as much as 85 dB at 4,000 cps); the recovery observed is remarkable.

DISCUSSION

Clearly, for legal purposes, six months is a minimum waiting period before attempting to determine permanent hearing loss. However, recovery at the speech frequencies (and also those used in determining compensation in hearing loss cases) from 500 to 2,000 cps is essentially complete in about two weeks.

There has been some speculation in the past regarding the low frequency losses noted in acoustic trauma with some holding that they were conductive in nature. The belief was that they could be due to a de-coupling of the ossicular chain analogous to a sprain, resulting in a temporary conductive type loss. Data from our study support the thesis that the low frequency loss is a sensori-neural, not conductive, loss. Specifically, we believe that since the bone conduction curves closely approximate the air conduction curves on the air and bone audiograms done in the ENT Clinic, the loss most likely is sensori-neural. There was no apparent correlation between the PB score and the degree of hearing loss; however, the SRT generally followed the average loss in the speech frequencies. Some individuals experienced a drop in intelligibility and some did not. (Standard CID lists-W22 were used and presented by live voice). It is interesting to note that often symptoms of tinnitus and stuffiness in the ear persisted beyond complete recovery in the speech range. Also, even in patients with 100% PB scores, as well as in exposed patients with normal audiograms, a complaint of decreased intelligibility (as well as ear stuffiness and tinnitus) was noted. Physical examinations of the ears in these patients were essentially normal. Occasionally, a little canal hyperemia was noted, especially in the vascular strip area, but nothing more. An associated complaint found in almost all subjects was that of a stopped-up feeling in the ear (or ears) much like that noted in rapid altitude change.

It is obvious that fairly large initial threshold shifts can be incurred from impulse noise exposure and still be followed by almost complete recovery. TTS's as large as 35 dB from 500 - 2,000 cps

were observed with essentially complete recovery. At the higher frequencies, shifts of magnitudes as great as 75 - 85 dB were observed with good recovery most of the time. Valid pre-exposure audiograms were not available for all Ss in this study. Recovery at low frequencies which approached -10 dB HL could reasonably be assumed to be close to pre-exposure levels at 500, 1,000, and 2,000 cps. However, at 4, 6, and 8,000 cps recovery to 10-15 dB HL could not be so interpreted since they might have been below that level before trauma, and therefore, had not recovered.

DISTRIBUTION LIST

4 copies to:

US Army Medical Research and Development Command,
Department of the Army, Washington, D. C. 20310

20 copies to:

Defense Documentation Center, Cameron Station. Alexandria,
Virginia 22314

1 copy to:

USA Combat Development Command, Medical Service Agency,
Brooke Army Medical Center, Fort Sam Houston, Texas 78234

Walter Reed Army Institute of Research, WRAMC, Washington,
D.C. 20012

US Army Medical Equipment R and D Laboratory, Fort Totten,
Flushing, Long Island, N. Y. 11359

US Army Medical Biomechanical Research Laboratory, WRAMC,
Forest Glen Section, Washington, D. C. 20012

US Army Medical Research and Nutrition Laboratory, Fitz-
simons General Hospital, Denver, Colorado 80240

US Army Research Institute of Environmental Medicine, US Army
Natick Laboratories, Natick, Massachusetts 01762

US Army Aeromedical Research Unit, US Army Aviation Center,
Fort Rucker, Alabama 36362

The Historical Unit, US Army Medical Service, Forest Glen
Section, WRAMC, Washington, D. C. 20012

Technical Director of Research, Armed Forces Institute of
Pathology, Washington, D. C. 20012

Commanding Officer, US Army Environmental Health Agency,
Edgewood Arsenal, Maryland 21041

Director of Medical Research US Army Chemical Research and
Development Laboratories, Edgewood Arsenal, Maryland 21041

US Continental Army Command, Fort Monroe, Virginia 23351
(ATTN: Surgeon)

Security Classification

DOCUMENT CONTROL DATA - R&D		
<small>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</small>		
1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION
US Army Medical Research Laboratory Fort Knox, Kentucky 40121		UNCLASSIFIED
		2b. GROUP
3. REPORT TITLE		
RECOVERY FROM IMPULSE NOISE INDUCED ACOUSTIC TRAUMA		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (Last name, first name, initial)		
Fletcher, John L., LTC, MSC, and Cairns, A. B., CPT, MC		
6. REPORT DATE	7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
22 November 1966	4	None
8a. CONTRACT OR GRANT NO.	9a. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO. 3A025601A819	686	
c. Task No. 00	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d. Work Unit No. 017		
10. AVAILABILITY/LIMITATION NOTICES		
Distribution of this document is unlimited.		
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY	
	US Army Medical Research and Development Command, Washington, D.C. 20315	
13. ABSTRACT		
<p>Recovery from impulse noise induced acoustic trauma was examined in soldiers stationed at Fort Knox, Ky. Serial audiograms were obtained on the day of exposure, one day, three days, one week, two weeks, four weeks, six weeks, 12 weeks, four months, five months, and six months post exposure. Recovery from temporary threshold shifts as large as 35 dB was observed at frequencies from 500 - 2,000 cycles. At the higher frequencies shifts of magnitudes as great as 85 dB were observed with good recovery most of the time. Our results indicate that for legal purposes six months is a minimum waiting period necessary to substantiate permanent hearing loss. However, recovery at the speech frequencies is essentially complete in about two weeks. {5}</p>		

KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Noise Exposure Hearing Loss Impulse Noise Compensation Audition Psychology Hearing Conservation						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive S200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.