

AD 660321

ECOM - 5147
AUGUST 1967
AD

**TIME RESPONSE AND AERODYNAMIC HEATING
OF ATMOSPHERIC TEMPERATURE SENSING
ELEMENTS**

by

**Roberto Rubio
and
Harold N. Ballard**

OCT 31 1967
LIBRARY
E

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

20050208205

Distribution of this
report is unlimited.

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

CLEARINGHOUSE

Best Available Copy

TIME RESPONSE AND AERODYNAMIC HEATING
OF ATMOSPHERIC TEMPERATURE SENSING ELEMENTS

By

ROBERTO RUBIO

And

HAROLD N. BALLARD

ECOM - 5147

August 1967

DA TASK IV650212A127-03

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

Distribution of this
report is unlimited.

ABSTRACT

Atmospheric temperature sensing elements described in this report are presently being used at Meteorological Rocket Network stations. The thermal time response and dissipation factors of the sensing elements and of their respective mounts are evaluated as functions of altitude. Aerodynamic corrections, which are a function of fall velocity of the sensing instrument, are also presented. Utilizing empirical data, temperature-versus-altitude profiles obtained with the STS and Arcasonde systems are compared. The computer program in Fortran IV language, used to evaluate the above stated parameters, is summarized.

CONTENTS

	Page
ABSTRACT -----	iii
INTRODUCTION -----	1
THERMAL TIME RESPONSE OF THERMISTORS AND FILMS -----	1
A. SPHERICAL THERMISTOR: TIME CONSTANT AND DISSIPATION FACTOR -----	2
B. STRATOSPHERIC TEMPERATURE SONDE FILM MOUNT -----	6
C. ARCASONDE FILM MOUNT -----	8
D. RADIOSONDE CYLINDRICAL THERMISTOR -----	9
EFFECTS OF AERODYNAMIC HEATING -----	13
A. BEAD THERMISTOR -----	13
B. FILM MOUNTS -----	14
C. ROD THERMISTOR -----	15
CORRECTIONS FOR AERODYNAMIC HEATING -----	16
TEMPERATURE-ALTITUDE COMPARISONS (ARCASONDE AND STS) -----	18
FORTRAN IV COMPUTER PROGRAM -----	18
CONCLUSIONS -----	18
REFERENCES -----	23

INTRODUCTION

The thermal time response of atmospheric temperature sensing elements varies with respect to altitude and is dependent not only upon the heat transfer characteristics of the temperature sensing element but also upon the heat transfer characteristics of the sensor mount. Three distinct mounting configurations for temperature sensing elements described herein are currently being employed to measure atmospheric temperature at Meteorological Rocket Network (MRN) stations. The spherical bead thermistor serves as the temperature sensing element on the Arcasonde and Stratospheric Temperature Sonde (STS) rocketsondes, while the cylindrical rod thermistor is utilized on radiosondes.

The rocket-borne instruments are lifted to approximately 70 km, where the nose cone containing the payload is separated from the rocket. Immediately after separation, the nose cone is jettisoned, allowing the instrument to descend on an attached radar-reflective parachute. The parachute and instrument free fall a few kilometers until the parachute fully deploys at approximately 65 km. The sensing element and its telemetry instrument descend at a continuously decreasing velocity and transmit temperature-related data to a GMD receiver and TMO-5 meteorological ground recorder.

The AN/ANT-4 radiosondes are suspended on helium- or hydrogen-filled balloons and ascend to approximately 40 km where the balloon bursts. Temperature-related data are transmitted from the radiosonde to the meteorological receiver and recorder.

Determination of the velocity of the temperature sensor relative to the surrounding air, calculations of the related aerodynamic heating of the air surrounding the sensor, and a knowledge of the dissipation factor and time constants of the temperature sensor permit calculation of corrections for aerodynamic heating.

THERMAL TIME RESPONSE OF THERMISTORS AND FILMS

From the solution of Newton's law of cooling equation, $\Delta T = \Delta T_0 e^{-Ct}$, one time constant of the temperature sensing device is defined as $T = 1/C$. Expressions for the thermal time constants and dissipation

factors were derived by Ballard (1966) and are of the form:

$$T = 1/C = \frac{mc}{S} \quad (1)$$

$$S = h(Z)A + \frac{2k\beta}{X} + 4\sigma AT_e^3 \quad (2)$$

where


- S - total dissipation factor
- m - mass
- C_p - element specific heat
- h - coefficient of convective heat transfer
- A - surface area
- σ - Stefan-Boltzmann constant
- T_e - temperature of the environment
- k - thermal conductivity
- β - cross-sectional area
- X - characteristic length
- Z - altitude


The term $h(Z)A$ is the expression for the rate of thermal energy transfer due to convection. It can be observed from equation 2 that the coefficient of convective heat transfer is a function of altitude. This coefficient is also dependent on the surface shape of the considered object. Values for a small sphere are given by Barr (1961) and are plotted in Figure 1. The terms $\frac{2k\beta}{X}$ and $4\sigma AT_e^3$ denote the rate of thermal energy transfer due to conduction and radiation, respectively.

A. Spherical Thermistor: Time Constant and Dissipation Factor

Sensors currently in use on the Arcasonde and STS instrument are the 0.032 cm diameter aluminum-coated spherical thermistors with platinum-iridium lead wires 0.3 cm long. The lead wires are attached to the aluminum coating on the thin film mount to conduct heat away from the bead to a larger heat dissipation area, the film's surfaces. The aluminum also serves as an effective reflector of solar radiation. Mount configurations are shown in Figure 2 for the STS film and in Figure 3 for the Arcasonde film.

FIGURE 1





STS Film and Thermistor Arrangement


Thermistor Characteristics

m - thermistor mass	$3.9 \times 10^{-5} \text{ gm}$
c - specific heat of the thermistor	$.18 \text{ cal/gm}^{\circ}\text{K}$
A - thermistor surface area	$3.22 \times 10^{-3} \text{ cm}^2$
B - cross sectional area of lead wires	$5 \times 10^{-6} \text{ cm}^2$
k - thermal conductivity of lead wires	$7.4 \times 10^{-2} \text{ cal/}^{\circ}\text{K cm}$
X - lead wire length	$.3 \text{ cm}$

Film Characteristics

m - film mass	$4.5 \times 10^{-3} \text{ gm}$
c - specific heat of mylar	$.2 \text{ cal/gm}^{\circ}\text{K}$
A - film area	6.4 cm^2
k - thermal conductivity of mylar	$3.6 \times 10^{-4} \text{ cal/S cm}^{\circ}\text{K}$
B - cross sectional area of the film	$1.3 \times 10^{-3} \text{ cm}^2$
X - half width of the film	1.3 cm

FIGURE 2



Arcasonde Mylar film mount and bead thermistor. Bead characteristics are the same as those in the STS instrument.

Film Characteristics

A - film total surface area	10.16 cm ²
A - film coated surface area	3.42 cm ²
m - film total mass	4.13 X 10 ⁻² gm
m - film coated mass	1.8 X 10 ⁻² gm
β - film cross sectional area	1.68 X 10 ⁻² cm ²
X - half-width of the film	.89 cm

FIGURE 3

Assume momentarily that the film is maintained at a lower temperature than the thermistor while in flight; then heat is conducted to the film through the lead wires so that there exists all three dissipation processes: convection, conduction, and radiation. Selecting temperatures at each altitude from the 1962 U.S. Standard Atmosphere and employing equations (1) and (2), results of thermistor time responses were obtained and are indicated in tabular form below. The heat capacity, mc, of the bead was found to be 7.02×10^{-6} cal/°C.

TABLE I
BEAD THERMISTOR TIME RESPONSE VS ALTITUDE

ALTITUDE KM	TEMPERATURE °C	DISSIPATION FACTOR μW/°C	TIME CONSTANT SEC
65	-34	16.3	1.83
64	-30	17.2	1.78
63	-26	18.0	1.70
62	-22	18.9	1.58
61	-20	19.7	1.52
60	-18	20.4	1.44
59	-16	21.4	1.37
58	-14	22.6	1.30
57	-12	23.4	1.25
56	-10	24.8	1.18
55	- 8	25.8	1.14
54	- 6	27.2	1.08
53	- 4	28.4	1.03
52	- 2	29.6	.99
51	- 2	31.4	.94
50	- 2	32.9	.89

B. Stratospheric Temperature Sonde Film Mount

The faces of the STS mylar film mount (Figure 2) are coated with very thin layers of aluminum, which distribute the heat energy over the surface area. Mylar is basically a nonconducting material. Narrow strips of aluminum are removed at the center and edges of the

film surfaces to prevent short circuiting the thermistor at the center and to avoid contamination of the temperature data with heat energy conducted from the support posts at the edges.

The film is oriented in flight with its surface area roughly parallel to the air flow direction. Values for coefficients of convective heat transfer for a flat plate exposed to fluid flow parallel to the surface are given by Ramsdale (1965) and plotted in Figure 1. The heat capacity of the STS film is 9.0×10^{-4} cal/°C. Values of time response and dissipation factor of the STS film are given below in Table 2.

TABLE 2
STS FILM TIME RESPONSE VS ALTITUDE

ALTITUDE KM	TEMPERATURE °C	DISSIPATION FACTOR μW/°C	TIME CONSTANT SEC
65	-34	5408.9	0.69
64	-30	5724.1	0.65
63	-26	6042.6	0.62
62	-22	6364.6	0.59
61	-20	6634.0	0.56
60	-18	6877.4	0.54
59	-16	7175.3	0.52
58	-14	7474.0	0.50
57	-12	7773.6	0.48
56	-10	8074.2	0.46
55	- 8	8348.9	0.45
54	- 6	8651.3	0.43
53	- 4	8954.6	0.42
52	- 2	9258.9	0.40
51	- 2	9499.6	0.39
50	- 2	9767.2	0.38

From Tables 1 and 2 it is noted that the film time constants are less than those of the thermistor at each altitude. As the thermistor and film ascend after launch, they are raised to the temperature that exists within the nose cone. This temperature reaches approximately

370°K due to aerodynamic heating of the nose cone. Immediately after ejection occurs, the thermistor and film are immersed in an atmosphere whose temperature is approximately 220°K. The film's faster response will allow it to reach the atmospheric temperature in advance of the bead thermistor. The temperature differential will cause heat energy to be conducted to the film. The term $2k_B/X$ in the expression for the film's dissipation factor pertains to the conductive dissipation through the film to the support posts.

C. Arcasonde Film Mount

A spherical bead thermistor and film mount are arranged in much the same manner as on the STS instrument. The thermistors have the same physical characteristics in both cases. Differences are in the film dimensions and aluminum coating. The Arcasonde mylar film has a larger surface area and is four times thicker than the STS film. The aluminum coatings are bifurcated strips on each side of the film mount (See Figure 3).

The analysis of the Arcasonde thermistor is the same as has been performed for the STS instrument. In investigating the Arcasonde film mount, it is useful to consider two possibilities. First, because of the low conductivity of mylar, the film area that dissipates the heat energy deposited by conduction from the thermistor is only that area coated with aluminum. The heat capacity of the mass which is behind the aluminum strips is 3.6×10^{-3} cal/°C. Time responses of the Arcasonde film for this case are presented in Table 3.

TABLE 3
ARCASONDE FILM TIME RESPONSE VS ALTITUDE: COATED MASS

ALTITUDE KM	TEMPERATURE °C	DISSIPATION FACTOR μW/°C	TIME CONSTANT SEC
65	-34	2945.6	5.28
64	-30	3114.0	5.00
63	-26	3284.2	4.74
62	-22	3456.3	4.50
61	-20	3600.2	4.32
60	-18	3730.3	4.17
59	-16	3889.5	4.00
58	-14	4049.1	3.84
57	-12	4209.2	3.70
56	-10	4369.9	3.56
55	- 8	4516.7	3.45
54	- 6	4678.2	3.33
53	- 4	4840.3	3.22
52	- 2	5002.9	3.11
51	- 2	5131.6	3.03
50	- 2	5274.5	2.95

Although mylar's thermal conductivity is low, there is some conduction to the uncoated film regions; therefore, the case in which the total volume aids in thermal dissipation was considered. The total mass has a heat capacity of 8.26×10^{-3} cal/°C. Table 4 gives the resulting time response and dissipation factors.

TABLE 4
ARCASONDE FILM TIME RESPONSE VS ALTITUDE: TOTAL MASS

ALTITUDE KM	TEMPERATURE °C	DISSIPATION FACTOR μW/°C	TIME CONSTANT SEC
65	-34	8638.6	3.99
64	-30	9139.0	3.77
63	-26	9644.7	3.58
62	-22	10155.9	3.40
61	-20	10533.5	3.26
60	-18	10969.9	3.14
59	-16	11442.8	3.01
58	-14	11917.0	2.89
57	-12	12392.7	2.78
56	-10	12869.8	2.68
55	- 8	13305.9	2.59
54	- 6	13786.0	2.50
53	- 4	14267.5	2.42
52	- 2	14750.5	2.34
51	- 2	15132.7	2.28
50	- 2	15557.4	2.22

While neither of these conditions can be declared precisely correct, the limiting values of time constant and dissipation factor for altitudes between 65 and 50 km have been established to lie within 5.28 seconds and 2.22 seconds with corresponding dissipation factors of 2945 μW/°C and 15557.4 μW/°C, respectively.

D. Radiosonde Cylindrical Thermistor

To establish thermal time response and dissipation factor of the radiosonde thermistor, a brief analysis was performed on the Bendix-Friez cylindrical thermistor (model number 51322-1) which is used

on the ML-419/AMT-4 radiosonde instrument currently flown at White Sands Missile Range. The thermistor unit is a thin ceramic rod provided with tinned copper leads at both ends and coated with a waterproof white material that is an effective reflector of solar radiation. This reflective coating is not applied uniformly or in equal quantities, and, therefore, the mass and total surface area vary from one device to another. An average mass of .12 gm and an average surface area of 1.5 cm² were determined from eight different thermistors. The rod thermistor and its properties are shown in Figure 4. Specific heat was obtained empirically (0.14 cal/gm°C); the experiment was performed by Schellenger Research Laboratories, University of Texas at El Paso.

To find the coefficient of convective heat transfer, the following equation was employed:


$$h = Nu \frac{K}{D} \quad (3)$$

where Nu - Nusselt number
 K - thermal conductivity of air
 D - rod diameter

The Nusselt number was deduced from an empirically determined Nusselt equation (Eckert, 1963) for air flow perpendicular to the axis of the cylinder. Values tabulated for h are plotted in Figure 5. Time response calculations for the region from sea level to 40 kilometers yielded the following results:

TABLE 5
 ROD THERMISTOR TIME RESPONSE VS ALTITUDE

ALTITUDE KM	TEMPERATURE °C	DISSIPATION FACTOR μW/°C	TIME CONSTANT SEC
40	-22	4213.9	16.3
35	-36	4743.2	14.5
30	-46	5854.5	11.7
25	-52	8582.6	8.0
20	-56	9252.7	7.4
15	-56	12638.5	5.4
10	-50	17684.1	3.9
5	-18	24391.8	2.8
0	18	33318.6	2.1



RADIOSONDE CYLINDRICAL THERMISTOR

Rod Characteristics

m - rod average mass	.12 gm ²
A - rod average surface area	1.5 cm ²
c - spccific heat	.137 cal/gm °K
k - thermal conductivity of lead wires	.92 cal/cm S °K
β - cross-sectional area of lead wires	4.9 X 10 ⁻⁴ cm ²
X - lead-wire length	4 cm

FIGURE 4




FIGURE 5

EFFECTS OF AERODYNAMIC HEATING

After expulsion, the rocketsonde temperature sensing system descends such that the thermistor is the first element of the system to enter any particular region of the atmosphere. Viewing the arrangement from top to bottom, there is the parachute, the telemetry package suspended on the parachute shroudlines, the film mount on the lower end of the telemetry package, and finally the thermistor at the lower edge of the film. Viscous stresses within the boundary layer adjacent to the bead and film exert a shearing force on the fluid and raise its temperature. An expression for the temperature change of the fluid layer which surrounds the bead and film has the form $\Delta T_A = rv^2/2C_p$, where r is the recovery factor, v is the velocity, and C_p is the specific heat of air at constant pressure.

A. Bead Thermistor

The STS and Arcasonde instruments, at 65 kilometers, occasionally possess a component of horizontal velocity which was imparted to them by the missile; however, only the vertical velocity component was used to calculate aerodynamic heating at this altitude. At 64 kilometers and thereafter, the parachute is fully wind sensitive so that the increase in thermal energy is based on vertical fall velocity only. For a spherical body, the recovery factor, in the slip flow to continuous flow regime is given by the empirical expressions derived by Wagner (1964) which are of the form

$$r = \begin{cases} 0.0173z - 0.024 & 80.0 > z > 53.4 \\ 0.90 & 53.4 > z > 30.0 \end{cases}$$

where z is the altitude in kilometers.

Calculations for the aerodynamic heating in the region from 65 to 50 kilometers yielded the results given in Table 6.

TABLE 6
AERODYNAMIC HEATING OF AIR ADJACENT TO THE BEAD THERMISTOR

ALTITUDE KM	VELOCITY MPS	RECOVERY FACTOR	AERODYNAMIC HEATING °C
65	167	1.10	15.4
64	159	1.08	13.7
63	150	1.07	12.0
62	142	1.05	10.6
61	133	1.03	9.1
60	125	1.01	7.9
59	117	0.99	6.8
58	110	0.98	5.9
57	103	0.96	5.1
56	96	0.94	4.4
55	90	0.93	3.8
54	83	0.91	3.1
53	78	0.90	2.7
52	73	0.90	2.4
51	66	0.90	2.0
50	61	0.90	1.7

Velocities utilized are those from the standard fall rate (Ballard, 1967).

B. Film Mounts

The mylar film between the nylon support posts behaves as a flat plate with air flow parallel to its surface. For laminar flow and forced convection, the recovery factor of a flat plate (Kreith, 1961) was found to be:

$$r = \sqrt{u C_p / K} \quad (5)$$

- u - fluid viscosity
- C_p - specific heat at constant pressure of the fluid
- K - thermal conductivity of the fluid.

Insertion of appropriate values, from the U. S. 1962 Standard Atmosphere, into equation 5 for the region from 65 to 50 kilometers yielded recovery factors of .85 to .844. A change of .006 for recovery factor from 65 to 50 kilometers was considered negligible, and thus a constant recovery factor of .85 was used in all computations for the film mounts. The results of these computations are summarized in Table 7.

TABLE 7
AERODYNAMIC HEATING OF AIR ADJACENT TO THE FILM MOUNTS

ALTITUDE KM	VELOCITY MPS	AERODYNAMIC HEATING °C
65	167	11.9
64	159	10.7
63	150	9.6
62	142	8.6
61	133	7.5
60	125	6.6
59	117	5.8
58	110	5.1
57	103	4.5
56	96	3.9
55	90	3.4
54	83	2.9
53	78	2.6
52	73	2.3
51	66	1.9
50	61	1.6

C. Rod Thermistor

The effects of aerodynamic heating of the cylindrical thermistor were considered. Radiosonde balloons rise at a slow and fairly constant velocity of 5 meters per second, which gives a temperature increase too small to be taken into account. A sample calculation will demonstrate this. Assuming a recovery factor of one:

$$\Delta T = r \frac{v^2}{2 C_p} = 1 \cdot \frac{(5\text{m/s})^2}{2 \times 10^3 \text{ m}^2/\text{s}^2 \text{ } ^\circ\text{C}} = .0125^\circ\text{C}$$

CORRECTIONS FOR AERODYNAMIC HEATING

Aerodynamic heating establishes a temperature differential between the spherical bead or film wall and the fluid boundary layer adjacent to the surfaces. Fluid friction has caused a heating action to occur which raised the temperature of the fluid above that of the thermistor bead. The bead is thus subsequently heated, and it becomes necessary to find a correction factor for the amount of transferred thermal energy. An expression for change in temperature of the bead or film due to aerodynamic heating may be found by considering that the amount of thermal energy transferred from the fluid boundary layer to the thermistor is known to be, $h(Z)A\Delta T_A$. Out of this convected heat energy, an amount S ($\mu W/^\circ C$) is dissipated, leaving an increase in temperature of

$$\Delta T = \frac{h(Z)A \Delta T_A}{S}$$

or

$$\Delta T = \left(\frac{h(Z)A}{h(Z)A + \frac{2k_B}{X} + 4\sigma AT_e^3} \right) \cdot \left(r \frac{v^2}{2C_p} \right) \quad (6)$$

Utilizing equation (6), correction temperatures were calculated for the STS and Arcasonde film and for the thermistor bead. Correction values for the Arcasonde are those corresponding to the dissipation factor where the total film volume was considered to be dissipating heat energy. These correction values are given in Table 3.

TABLE 8
TEMPERATURE CORRECTION

ALTITUDE KV	BEAD °C	ARCASONDE FILM °C	STS FILM °C
65	-4.9	-7.5	-7.5
64	-4.8	-6.8	-6.8
63	-4.5	-6.1	-6.1
62	-4.3	-5.5	-5.5
61	-3.9	-4.8	-4.9
60	-3.5	-4.3	-4.3
59	-3.2	-3.8	-3.8
58	-3.0	-3.4	-3.4
57	-2.6	-3.0	-3.0
56	-2.4	-2.6	-2.6
55	-2.1	-2.3	-2.3
54	-1.8	-2.0	-2.0
53	-1.6	-1.8	-1.8
52	-1.5	-1.6	-1.6
51	-1.2	-1.3	-1.3
50	-1.1	-1.1	-1.1

It is immediately noticed that once aerodynamic heating effects are felt by the system, the film becomes warmer than the bead. At 64 kilometers when the parachute is fully wind sensitive, the difference in temperature due to aerodynamic heating for the bead and STS film is 2°C. The lead wires from the film to the bead conduct at 10.1 $\mu\text{W}/^\circ\text{C}$; therefore, the thermistor receives 20.2 microwatts of thermal energy. The bead's dissipation rate is 17.2 $\mu\text{W}/^\circ\text{C}$ at 64 kilometers. Thus, the increase in temperature of the thermistor is 1.2°C, and an additional correction must be introduced to the previous ones to account for conductive heating of the thermistor by its film mount. At lower altitudes the temperature difference becomes less (as observed in the tables). It does not exceed 2°C after the parachute is fully deployed. This differential diminishes to zero at approximately 50 kilometers. The final corrections are tabulated below:

TABLE 9

ALTITUDE KM	STS Corrections		Arcasonde Corrections	
	ADDED °C	FINAL °C	ADDED °C	FINAL °C
65	-1.6	-6.5	-1.6	-6.5
64	-1.2	-6.0	-1.2	-6.0
63	-0.9	-5.4	-0.9	-5.4
62	-0.7	-4.9	-0.6	-5.0
61	-0.5	-4.4	-0.5	-4.3
60	-0.4	-3.9	-0.4	-3.8
59	-0.3	-3.5	-0.3	-3.5
58	-0.2	-3.2	-0.2	-3.1
57	-0.2	-2.8	-0.2	-2.8
56	-0.1	-2.5	-0.1	-2.5
55	-0.1	-2.2	-0.1	-2.2
54	-0.1	-1.9	-0.1	-1.9
53	-0.1	-1.7	-0.1	-1.7
52	----	-1.5	----	-1.5
51	----	-1.3	----	-1.3
50	----	-1.1	----	-1.1

TEMPERATURE-ALTITUDE COMPARISONS (ARCASONDE AND STS)

Temperature-altitude profiles obtained on 8 June 1966 are shown in Figure 6. An Arcasonde was launched at 1155 MST while an STS instrument was launched at 1308 MST. The profiles in Figure 6 are not corrected for aerodynamic heating. Expulsion of the Arcasonde occurred near 82 kilometers and the instrument proceeded to free fall after expulsion since the air density was too low at these altitudes for parachute deployment. Here the effects of aerodynamic heating are clearly seen since the instrument measured temperatures as high as 70°C in the 68 kilometer region. The STS instrument was ejected at a lower altitude with parachute deployment following shortly thereafter such that aerodynamic heating was not as evident as in the Arcasonde flight. In Figure 7 the temperatures in the 65-50 kilometer region have been corrected to compensate for aerodynamic heating effects. Both instruments gave equivalent temperature-versus-altitude data. It is not intended that this technique be applied to data obtained before the parachute is fully deployed because these corrections are contingent on the film mount's orientation during descent.

FORTRAN IV COMPUTER PROGRAM


A Fortran IV language digital computer program was coded to evaluate all the tabulated data that have been listed. The block diagram in Figure 8 demonstrates the flow of general operations of the program. Processing required approximately three minutes on an IBM 7094 machine; this included compilation time. The program is versatile in that temperatures, velocities, coefficients of convective heating, number of points desired, and sensor measurements may be altered by modifying a few input cards. An actual program coding for the spherical thermistor corrections is shown in Figure 9.

CONCLUSIONS

Experimental comparisons of temperature-altitude profiles obtained with the STS and Arcasonde instruments indicate that the response of the two instruments is essentially the same, in agreement with the findings of the theoretical study. The total temperature correction for both instruments is approximately 6.5°C at 65 km, decreasing to approximately 1°C at 50 km.

FIGURE 6


ROCKET SOUNDING DATA



STATION WSMR, NEW MEXICO
 ROCKET TYPE ARCAS
 ● DATE 8 JUNE 1966 TIME 1855 Z ARCASOUND 1A
 TEXAS WESTERN COLLEGE SCHELLENBER RESEARCH LABS FORM 226
 ▲ DATE 8 JUNE 1966 TIME 1908 Z STS - II

TEMPERATURE (°C)
 CODE 1962 U.S. STANDARD ATMOS (-1-)

ROCKET SOUNDING DATA



STATION WSMR, NEW MEXICO
 ARCAS
 • 8 JUNE 66 1855Z ARCASONDE 1A
 • DATE 8 JUNE 66 TIME 2008Z STS-II

FIGURE 7




FIGURE 8
SUMMARY OF FORTRAN COMPUTER PROGRAM

```

DIMENSION V(10),T(10),H(10),TAD(10),S(10),CUR(10),TAU(10)
DIMENSION CV(10),CD(10),RD(10),CUB(10),FCLR(10),SU(10)
REAL PASS
REAL(2,3) N
READ(5,1) (V(I),I=1,N)
REAL(5,1) (T(I),I=1,N)
10 READ(5,2) (H(I),I=1,N)
REAL(3,4) SPT,LEN,VOL,A,BETA,FR,MW,NF
1 FORMAT (10F5.0)
2 FORMAT (8E10.2)
3 FORMAT (1D)
4 FORMAT (1F1,10A2P,ALTITUDE,10A1SH,FINAL CORRECTION)
5 FORMAT (1F1,10A10H,CORRECTION FACTORS/1H-, 2A3M,VELOCITY, 2X4H,TEMP, 10
1A3P,ALT, 5A15P,DYNAMIC HEATING, 10A11M,DISSIPATION, 10X10M,CORRECTION, 6X
21S,TIME CONSIST/1H+, 4A3M/P, 13A1M, 13X2MM, 13X5H,DEG K, 20X4M,W/K,
31B1F,K, 12A3P,SEC)
6 FORMAT(1F0, F0.0, 10XF5.0, 11XF3.0, 12XF6.2, 14XF9.2, 15XF6.2, 9XF6.2)
7 FORMAT (1F+, 10A10P,CORRECTION, 10A10M,CORRECTION, 10X10M,RADIATION )
8 FORMAT (1F1, 10A10P,CORRECTION, 10A10M,CORRECTION, 10X10M,RADIATION )
9 FORMAT (1F11,7,13)
14 FORMAT (1F+, 11XF3.0, 16XF7.2)
SIG=5.07E-12
CP=1CCC.
SPT=SPT*.18
MASS=LEN*VOL
IF(NF.EC.1) GO TO 11
15 ALT=65.
DO 10 I=1,N
TAD(I)=(1.9*V(I)**2)/(2.*CP)
IF(ALT.(T.53.) TAD(I)=(1.0175*ALT-.024)*V(I)**2)/(2.*CP)
10 ALT=ALT-1.
GO TO 15
11 ALT=65
DO 12 I=1,N
TAD(I)=(1.85*V(I)**2)/(2.*CP)
12 ALT=ALT-1.
13 DO 20 I=1,N
CV(I)=A*F(I)*4.1e*(10.**e)
CD(I)=(2.*FK*BETA*.18*(10.**e))/MW
RD(I)=A*4.*SIG*((T(I)+273.)**2)*(10.**e)
S(I)=CV(I)+RD(I)+CD(I)
TAD(I)=MASS*SPT*(10.**e)/S(I)
20 CUR(I)=(A*F(I)*4.1e*(10.**e)+TAD(I))/S(I)
WRITE(6,5)
ALT=65.
DO 30 I=1,N
WRITE(6,6) V(I),T(I),ALT,TAD(I),S(I),CUR(I),TAU(I)
30 ALT=ALT-1.
WRITE(6,7)
WRITE(6,7)(CV(I),CD(I),RD(I),I=1,N)
IF(NF.EC.1) GO TO 40
DO 22 I=1,N
SU(I)=S(I)
22 CUR(I)=CUR(I)
GO TO 10
40 WRITE(6,4)
ALT = 65.
DO 24 I=1,N
FL=(CUR(I)-CUB(I))*10.1/SU(I)
FCLR(I)=- (FL+CURE(I))
WRITE (6,14) ALT,FCLR(I)
24 ALT=ALT-1.
STOP

```

REFERENCES

- Ballard, Harold N., "The Measurement of Temperature in the Stratosphere," AMS/AIAA Paper No. 66-385, 1966.
- Ballard, Harold N., "A Guide to Stratospheric Temperature and Wind Measurements," COSPAR, Technique Manual Series, Jan. 1967.
- Barr, William C., "Theoretical Considerations in the Design of Temperature-Sensing Elements," USASROD Technical Report 2195, April 1961.
- Eckert, E. R. G., J. F. Gross, Introduction to Heat and Mass Transfer, McGraw-Hill, N. Y., 1963, p. 160.
- Kreith, F., Principles of Heat Transfer, International Textbook Co., 1961, p. 475.
- Ramsdale, D. J., "Theoretical Time Constant for the Thin Film Temperature Sensor," Technical Report, Schellenger Research Laboratories, Texas Western College, September 1965.
- Wagner, N. K., "Theoretical Accuracy of a Meteorological Thermistor," J. Applied Meteor., August 1964.

ATMOSPHERIC SCIENCES RESEARCH PAPERS

1. Webb, W. L., "Development of Droplet Size Distributions in the Atmosphere," June 1954.
2. Hansen, F. V., and H. Rachele, "Wind Structure Analysis and Forecasting Methods for Rockets," June 1954.
3. Webb, W. L., "Net Electrification of Water Droplets at the Earth's Surface," *J. Meteorol.*, December 1954.
4. Mitchell, R., "The Determination of Non-Ballistic Projectile Trajectories," March 1955.
5. Webb, W. L., and A. McPike, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," #1, March 1955.
6. Mitchell, R., and W. L. Webb, "Electromagnetic Radiation through the Atmosphere," #1, April 1955.
7. Webb, W. L., A. McPike, and H. Thompson, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," #2, July 1955.
8. Barichivich, A., "Meteorological Effects on the Refractive Index and Curvature of Microwaves in the Atmosphere," August 1955.
9. Webb, W. L., A. McPike and H. Thompson, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," #3, September 1955.
10. Mitchell, R., "Notes on the Theory of Longitudinal Wave Motion in the Atmosphere," February 1956.
11. Webb, W. L., "Particulate Counts in Natural Clouds," *J. Meteorol.*, April 1956.
12. Webb, W. L., "Wind Effect on the Aerobee," #1, May 1956.
13. Rachele, H., and L. Anderson, "Wind Effect on the Aerobee," #2, August 1956.
14. Beyers, N., "Electromagnetic Radiation through the Atmosphere," #2, January 1957.
15. Hansen, F. V., "Wind Effect on the Aerobee," #3, January 1957.
16. Kershner, J., and H. Bear, "Wind Effect on the Aerobee," #4, January 1957.
17. Hoidale, G., "Electromagnetic Radiation through the Atmosphere," #3, February 1957.
18. Querfeld, C. W., "The Index of Refraction of the Atmosphere for 2.2 Micron Radiation," March 1957.
19. White, Lloyd, "Wind Effect on the Aerobee," #5, March 1957.
20. Kershner, J. G., "Development of a Method for Forecasting Component Ballistic Wind," August 1957.
21. Layton, Ivan, "Atmospheric Particle Size Distribution," December 1957.
22. Rachele, Henry and W. H. Hatch, "Wind Effect on the Aerobee," #6, February 1958.
23. Beyers, N. J., "Electromagnetic Radiation through the Atmosphere," #4, March 1958.
24. Prosser, Shirley J., "Electromagnetic Radiation through the Atmosphere," #5, April 1958.
25. Armendariz, M., and P. H. Taft, "Double Theodolite Ballistic Wind Computations," June 1958.
26. Jenkins, K. R. and W. L. Webb, "Rocket Wind Measurements," June 1958.
27. Jenkins, K. R., "Measurement of High Altitude Winds with Loki," July 1958.
28. Hoidale, G., "Electromagnetic Propagation through the Atmosphere," #6, February 1959.
29. McLardie, M., R. Helvey, and L. Traylor, "Low-Level Wind Profile Prediction Techniques," #1, June 1959.
30. Lamberth, Roy, "Gustiness at White Sands Missile Range," #1, May 1959.
31. Beyers, N. J., B. Hinds, and G. Hoidale, "Electromagnetic Propagation through the Atmosphere," #7, June 1959.
32. Beyers, N. J., "Radar Refraction at Low Elevation Angles (U)," Proceedings of the Army Science Conference, June 1959.
33. White, L., O. W. Thiele and P. H. Taft, "Summary of Ballistic and Meteorological Support During IGY Operations at Fort Churchill, Canada," August 1959.
34. Hainline, D. A., "Drag Cord-Aerovane Equation Analysis for Computer Application," August 1959.
35. Hoidale, G. B., "Slope-Valley Wind at WSMR," October 1959.
36. Webb, W. L., and K. R. Jenkins, "High Altitude Wind Measurements," *J. Meteorol.*, 16, 5, October 1959.

37. White, Lloyd. "Wind Effect on the Aerobee," #9, October 1959.
38. Webb, W. L., J. W. Coffman, and G. Q. Clark, "A High Altitude Acoustic Sensing System," December 1959.
39. Webb, W. L., and K. R. Jenkins, "Application of Meteorological Rocket Systems," *J. Geophys. Res.*, 64, 11, November 1959.
40. Duncan, Louis, "Wind Effect on the Aerobee," #10, February 1960.
41. Helvey, R. A., "Low-Level Wind Profile Prediction Techniques," #2, February 1960.
42. Webb, W. L., and K. R. Jenkins, "Rocket Sounding of High-Altitude Parameters," *Proc. GM Rel. Symp.*, Dept. of Defense, February 1960.
43. Armendariz, M., and H. H. Monahan, "A Comparison Between the Double Theodolite and Single-Theodolite Wind Measuring Systems," April 1960.
44. Jenkins, K. R., and P. H. Taft, "Weather Elements in the Tularosa Basin," July 1960.
45. Beyers, N. J., "Preliminary Radar Performance Data on Passive Rocket-Borne Wind Sensors," *IRE TRANS. MIL ELECT. MIL-4*, 2-3, April-July 1960.
46. Webb, W. L., and K. R. Jenkins, "Speed of Sound in the Stratosphere," June 1960.
47. Webb, W. L., K. R. Jenkins, and G. Q. Clark, "Rocket Sounding of High Atmosphere Meteorological Parameters," *IRE Trans. Mil. Elect.*, MIL-4, 2-3, April-July 1960.
48. Helvey, R. A., "Low-Level Wind Profile Prediction Techniques," #3, September 1960.
49. Beyers, N. J., and O. W. Thiele, "Meteorological Wind Sensors," August 1960.
50. Armijo, Larry, "Determination of Trajectories Using Range Data from Three Non-colinear Radar Stations," September 1960.
51. Carnes, Patsy Sue, "Temperature Variations in the First 200 Feet of the Atmosphere in an Arid Region," July 1961.
52. Springer, H. S., and R. O. Olsen, "Launch Noise Distribution of Nike-Zeus Missiles," July 1961.
53. Thiele, O. W., "Density and Pressure Profiles Derived from Meteorological Rocket Measurements," September 1961.
54. Diamond, M. and A. B. Gray, "Accuracy of Missile Sound Ranging," November 1961.
55. Lamberth, R. L. and D. R. Veith, "Variability of Surface Wind in Short Distances," #1, October 1961.
56. Swanson, R. N., "Low-Level Wind Measurements for Ballistic Missile Application," January 1962.
57. Lamberth, R. L. and J. H. Grace, "Gustiness at White Sands Missile Range," #2, January 1962.
58. Swanson, R. N. and M. M. Hoidale, "Low-Level Wind Profile Prediction Techniques," #4, January 1962.
59. Rachele, Henry, "Surface Wind Model for Unguided Rockets Using Spectrum and Cross Spectrum Techniques," January 1962.
60. Rachele, Henry, "Sound Propagation through a Windy Atmosphere," #2, February 1962.
61. Webb, W. L., and K. R. Jenkins, "Sonic Structure of the Mesosphere," *J. Acous. Soc. Amer.*, 34, 2, February 1962.
62. Tourin, M. H. and M. M. Hoidale, "Low-Level Turbulence Characteristics at White Sands Missile Range," April 1962.
63. Miers, Bruce T., "Mesospheric Wind Reversal over White Sands Missile Range," March 1962.
64. Fisher, E., R. Lee and H. Rachele, "Meteorological Effects on an Acoustic Wave within a Sound Ranging Array," May 1962.
65. Walter, E. L., "Six Variable Ballistic Model for a Rocket," June 1962.
66. Webb, W. L., "Detailed Acoustic Structure Above the Tropopause," *J. Applied Meteorol.*, 1, 2, June 1962.
67. Jenkins, K. R., "Empirical Comparisons of Meteorological Rocket Wind Sensors," *J. Appl. Meteor.*, June 1962.
68. Lamberth, Roy, "Wind Variability Estimates as a Function of Sampling Interval," July 1962.
69. Rachele, Henry, "Surface Wind Sampling Periods for Unguided Rocket Impact Prediction," July 1962.
70. Traylor, Larry, "Coriolis Effects on the Aerobee-Hi Sounding Rocket," August 1962.
71. McCoy, J., and G. Q. Clark, "Meteorological Rocket Thermometry," August 1962.
72. Rachele, Henry, "Real-Time Prelaunch Impact Prediction System," August 1962.

73. Beyers, N. J., O. W. Thiele, and N. K. Wagner. "Performance Characteristics of Meteorological Rocket Wind and Temperature Sensors," October 1962.
74. Coffman, J., and R. Price. "Some Errors Associated with Acoustical Wind Measurements through a Layer," October 1962.
75. Armendariz, M., E. Fisher, and J. Serna. "Wind Shear in the Jet Stream at WS-MR," November 1962.
76. Armendariz, M., F. Hansen, and S. Carnes. "Wind Variability and its Effect on Rocket Impact Prediction," January 1963.
77. Querfeld, C., and Wayne Yunker. "Pure Rotational Spectrum of Water Vapor. I: Table of Line Parameters," February 1963.
78. Webb, W. L. "Acoustic Component of Turbulence," *J. Applied Meteorol.*, 2, 2, April 1963.
79. Beyers, N. and L. Engberg. "Seasonal Variability in the Upper Atmosphere," May 1963.
80. Williamson, L. E., "Atmospheric Acoustic Structure of the Sub-polar Fall," May 1963.
81. Lamberth, Roy and D. Veith, "Upper Wind Correlations in Southwestern United States," June 1963.
82. Sandlin, E., "An analysis of Wind Shear Differences as Measured by AN/FFS-16 Radar and AN GMD-1B Rawinsonde," August 1963.
83. Diamond, M. and R. P. Lee, "Statistical Data on Atmospheric Design Properties Above 30 km," August 1963.
84. Thiele, O. W., "Mesospheric Density Variability Based on Recent Meteorological Rocket Measurements," *J. Applied Meteorol.*, 2, 5, October 1963.
85. Diamond, M., and O. Essenwanger, "Statistical Data on Atmospheric Design Properties to 30 km," *Astro. Aero. Engr.*, December 1963.
86. Hansen, F. V., "Turbulence Characteristics of the First 62 Meters of the Atmosphere," December 1963.
87. Morris, J. E., and B. T. Miers, "Circulation Disturbances Between 25 and 70 kilometers Associated with the Sudden Warming of 1963," *J. of Geophys. Res.*, January 1964.
88. Thiele, O. W., "Some Observed Short Term and Diurnal Variations of Stratospheric Density Above 30 km," January 1964.
89. Sandlin, R. E., Jr. and E. Armijo, "An Analysis of AN/FPS-16 Radar and AN/GMD-1B Rawinsonde Data Differences," January 1964.
90. Miers, B. T., and N. J. Beyers, "Rocketsonde Wind and Temperature Measurements Between 30 and 70 km for Selected Stations," *J. Applied Meteorol.*, February 1964.
91. Webb, W. L., "The Dynamic Stratosphere," *Astronautics and Aerospace Engineering*, March 1964.
92. Low, R. D. H., "Acoustic Measurements of Wind through a Layer," March 1964.
93. Diamond, M., "Cross Wind Effect on Sound Propagation," *J. Applied Meteorol.*, April 1964.
94. Lee, R. P., "Acoustic Ray Tracing," April 1964.
95. Reynolds, R. D., "Investigation of the Effect of Lapse Rate on Balloon Ascent Rate," May 1964.
96. Webb, W. L., "Scale of Stratospheric Detail Structure," *Space Research V*, May 1964.
97. Barber, T. L., "Proposed X-Ray-Infrared Method for Identification of Atmospheric Mineral Dust," June 1964.
98. Thiele, O. W., "Ballistic Procedures for Unguided Rocket Studies of Nuclear Environments (U)," Proceedings of the Army Science Conference, June 1964.
99. Horn, J. D., and E. J. Trawle, "Orographic Effects on Wind Variability," July 1964.
100. Hoidale, G., C. Querfeld, T. Hall, and R. Mireles, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #1, September 1964.
101. Duncan, L. D., R. Ensey, and B. Engebos, "Athena Launch Angle Determination," September 1964.
102. Thiele, O. W., "Feasibility Experiment for Measuring Atmospheric Density Through the Altitude Range of 60 to 100 KM Over White Sands Missile Range," October 1964.
103. Duncan, L. D., and R. Ensey, "Six-Degree-of-Freedom Digital Simulation Model for Unguided, Fin-Stabilized Rockets," November 1964.

104. Hoidale, G., C. Querfeld, T. Hall, and R. Mireles, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #2, November 1964.
105. Webb, W. L., "Stratospheric Solar Response," *J. Atmos. Sci.*, November 1964.
106. McCoy, J. and G. Clark, "Rocketsonde Measurement of Stratospheric Temperature," December 1964.
107. Farone, W. A., "Electromagnetic Scattering from Radially Inhomogeneous Spheres as Applied to the Problem of Clear Atmosphere Radar Echoes," December 1964.
108. Farone, W. A., "The Effect of the Solid Angle of Illumination or Observation on the Color Spectra of 'White Light' Scattered by Cylinders," January 1965.
109. Williamson, L. E., "Seasonal and Regional Characteristics of Acoustic Atmospheres," *J. Geophys. Res.*, January 1965.
110. Armendariz, M., "Ballistic Wind Variability at Green River, Utah," January 1965.
111. Low, R. D. H., "Sound Speed Variability Due to Atmospheric Composition," January 1965.
112. Querfeld, C. W., "Mie Atmospheric Optics," *J. Opt. Soc. Amer.*, January 1965.
113. Coffman, J., "A Measurement of the Effect of Atmospheric Turbulence on the Coherent Properties of a Sound Wave," January 1965.
114. Rachele, H., and D. Veith, "Surface Wind Sampling for Unguided Rocket Impact Prediction," January 1965.
115. Ballard, H., and M. Izquierdo, "Reduction of Microphone Wind Noise by the Generation of a Proper Turbulent Flow," February 1965.
116. Mireles, R., "An Algorithm for Computing Half Widths of Overlapping Lines on Experimental Spectra," February 1965.
117. Richart, H., "Inaccuracies of the Single-Theodolite Wind Measuring System in Ballistic Application," February 1965.
118. D'Arcy, M., "Theoretical and Practical Study of Aerobee-150 Ballistics," March 1965.
119. McCoy, J., "Improved Method for the Reduction of Rocketsonde Temperature Data," March 1965.
120. Mireles, R., "Uniqueness Theorem in Inverse Electromagnetic Cylindrical Scattering," April 1965.
121. Coffman, J., "The Focusing of Sound Propagating Vertically in a Horizontally Stratified Medium," April 1965.
122. Farone, W. A., and C. Querfeld, "Electromagnetic Scattering from an Infinite Circular Cylinder at Oblique Incidence," April 1965.
123. Rachele, H., "Sound Propagation through a Windy Atmosphere," April 1965.
124. Miers, B., "Upper Stratospheric Circulation over Ascension Island," April 1965.
125. Rider, L., and M. Armendariz, "A Comparison of Pibal and Tower Wind Measurements," April 1965.
126. Hoidale, G. B., "Meteorological Conditions Allowing a Rare Observation of 24 Micron Solar Radiation Near Sea Level," *Meteorol. Magazine*, May 1965.
127. Beyere, N. J., and B. T. Miers, "Diurnal Temperature Change in the Atmosphere Between 30 and 60 km over White Sands Missile Range," *J. Atmos. Sci.*, May 1965.
128. Querfeld, C., and W. A. Farone, "Tables of the Mie Forward Lobe," May 1965.
129. Farone, W. A., Generalization of Rayleigh-Gans Scattering from Radially Inhomogeneous Spheres," *J. Opt. Soc. Amer.*, June 1965.
130. Diamond, M., "Note on Mesospheric Winds Above White Sands Missile Range," *J. Applied Meteorol.*, June 1965.
131. Clark, G. Q., and J. G. McCoy, "Measurement of Stratospheric Temperature," *J. Applied Meteorol.*, June 1965.
132. Hall, T., G. Hoidale, R. Mireles, and C. Querfeld, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #3, July 1965.
133. McCoy, J., and C. Tate, "The Delta-T Meteorological Rocket Payload," June 1964.
134. Horn, J. D., "Obstacle Influence in a Wind Tunnel," July 1965.
135. McCoy, J., "An AC Probe for the Measurement of Electron Density and Collision Frequency in the Lower Ionosphere," July 1965.
136. Miers, B. T., M. D. Kays, O. W. Thiele and E. M. Newby, "Investigation of Short Term Variations of Several Atmospheric Parameters Above 30 KM," July 1965.

137. Serna, J., "An Acoustic Ray Tracing Method for Digital Computation," September 1965.
138. Webb, W. L., "Morphology of Noctilucent Clouds," *J. Geophys. Res.*, 70, 18, 4463-4475, September 1965.
139. Kays, M., and R. A. Craig, "On the Order of Magnitude of Large-Scale Vertical Motions in the Upper Stratosphere," *J. Geophys. Res.*, 70, 18, 4453-4462, September 1965.
140. Rider, L., "Low-Level Jet at White Sands Missile Range," September 1965.
141. Lamberth, R. L., R. Reynolds, and Morton Wurtele, "The Mountain Lee Wave at White Sands Missile Range," *Bull. Amer. Meteorol. Soc.*, 46, 10, October 1965.
142. Reynolds, R. and R. L. Lamberth, "Ambient Temperature Measurements from Radiosondes Flown on Constant-Level Balloons," October 1965.
143. McCluney, E., "Theoretical Trajectory Performance of the Five-Inch Gun Probe System," October 1965.
144. Pena, R. and M. Diamond, "Atmospheric Sound Propagation near the Earth's Surface," October 1965.
145. Mason, J. B., "A Study of the Feasibility of Using Radar Chaff For Stratospheric Temperature Measurements," November 1965.
146. Diamond, M., and R. P. Lee, "Long-Range Atmospheric Sound Propagation," *J. Geophys. Res.*, 70, 22, November 1965.
147. Lamberth, R. L., "On the Measurement of Dust Devil Parameters," November 1965.
148. Hansen, F. V., and P. S. Hansen, "Formation of an Internal Boundary over Heterogeneous Terrain," November 1965.
149. Webb, W. L., "Mechanics of Stratospheric Seasonal Reversals," November 1965.
150. U. S. Army Electronics R & D Activity, "U. S. Army Participation in the Meteorological Rocket Network," January 1966.
151. Rider, L. J., and M. Armendariz, "Low-Level Jet Winds at Green River, Utah," February 1966.
152. Webb, W. L., "Diurnal Variations in the Stratospheric Circulation," February 1966.
153. Beyers, N. J., B. T. Miers, and R. J. Reed, "Diurnal Tidal Motions near the Stratosphere During 48 Hours at WSMR," February 1966.
154. Webb, W. L., "The Stratospheric Tidal Jet," February 1966.
155. Hall, J. T., "Focal Properties of a Plane Grating in a Convergent Beam," February 1966.
156. Duncan, L. D., and Henry Rachele, "Real-Time Meteorological System for Firing of Unguided Rockets," February 1966.
157. Kays, M. D., "A Note on the Comparison of Rocket and Estimated Geostrophic Winds at the 10-mb Level," *J. Appl. Meteor.*, February 1966.
158. Rider, L., and M. Armendariz, "A Comparison of Pibal and Tower Wind Measurements," *J. Appl. Meteor.*, 5, February 1966.
159. Duncan, L. D., "Coordinate Transformations in Trajectory Simulations," February 1966.
160. Williamson, L. E., "Gun-Launched Vertical Probes at White Sands Missile Range," February 1966.
161. Randhawa, J. S., "Ozone Measurements with Rocket-Borne Ozonesondes," March 1966.
162. Armendariz, Manuel, and Laurence J. Rider, "Wind Shear for Small Thickness Layers," March 1966.
163. Low, R. D. H., "Continuous Determination of the Average Sound Velocity over an Arbitrary Path," March 1966.
164. Hansen, Frank V., "Richardson Number Tables for the Surface Boundary Layer," March 1966.
165. Cochran, V. C., E. M. D'Arcy, and Florencio Ramirez, "Digital Computer Program for Five-Degree-of-Freedom Trajectory," March 1966.
166. Thiele, O. W., and N. J. Beyers, "Comparison of Rocketsonde and Radiosonde Temperatures and a Verification of Computed Rocketsonde Pressure and Density," April 1966.
167. Thiele, O. W., "Observed Diurnal Oscillations of Pressure and Density in the Upper Stratosphere and Lower Mesosphere," April 1966.
168. Kays, M. D., and R. A. Craig, "On the Order of Magnitude of Large-Scale Vertical Motions in the Upper Stratosphere," *J. Geophys. Res.*, April 1966.
169. Hansen, F. V., "The Richardson Number in the Planetary Boundary Layer," May 1966.

170. Ballard, H. N., "The Measurement of Temperature in the Stratosphere and Mesosphere." June 1966.
171. Hansen, Frank V., "The Ratio of the Exchange Coefficients for Heat and Momentum in a Homogeneous, Thermally Stratified Atmosphere." June 1966.
172. Hansen, Frank V., "Comparison of Nine Profile Models for the Diabatic Boundary Layer." June 1966.
173. Rachele, Henry, "A Sound-Ranging Technique for Locating Supersonic Missiles," May 1966.
174. Farone, W. A., and C. W. Querfeld, "Electromagnetic Scattering from Inhomogeneous Infinite Cylinders at Oblique Incidence," *J. Opt. Soc. Amer.* 56, 4, 476-480, April 1966.
175. Mireles, Ramon, "Determination of Parameters in Absorption Spectra by Numerical Minimization Techniques." *J. Opt. Soc. Amer.* 56, 5, 644-647, May 1966.
176. Reynolds, R., and R. L. Lamberth, "Ambient Temperature Measurements from Radiosondes Flown on Constant-Level Balloons," *J. Appl. Meteorol.*, 5, 3, 304-307, June 1966.
177. Hall, James T., "Focal Properties of a Plane Grating in a Convergent Beam," *Appl. Opt.*, 5, 1051, June 1966.
178. Rider, Laurence J., "Low-Level Jet at White Sands Missile Range," *J. Appl. Meteorol.*, 5, 3, 283-287, June 1966.
179. McCluney, Eugene, "Projectile Dispersion as Caused by Barrel Displacement in the 5-Inch Gun Probe System." July 1966.
180. Armendariz, Manuel, and Laurence J. Rider, "Wind Shear Calculations for Small Shear Layers." June 1966.
181. Lamberth, Roy L., and Manuel Armendariz, "Upper Wind Correlations in the Central Rocky Mountains." June 1966.
182. Hansen, Frank V., and Virgil D. Lang, "The Wind Regime in the First 62 Meters of the Atmosphere." June 1966.
183. Randhawa, Jagir S., "Rocket-Borne Ozonesonde." July 1966.
184. Rachele, Henry, and L. D. Duncan, "The Desirability of Using a Fast Sampling Rate for Computing Wind Velocity from Pilot-Balloon Data," July 1966.
185. Hinds, B. D., and R. G. Pappas, "A Comparison of Three Methods for the Correction of Radar Elevation Angle Refraction Errors." August 1966.
186. Riedmuller, G. F., and T. L. Barber, "A Mineral Transition in Atmospheric Dust Transport." August 1966.
187. Hall, J. T., C. W. Querfeld, and G. B. Hoidale, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," Part IV (Final), July 1966.
188. Duncan, L. D. and B. F. Engebos, "Techniques for Computing Launcher Settings for Unguided Rockets," September 1966.
189. Duncan, L. D., "Basic Considerations in the Development of an Unguided Rocket Trajectory Simulation Model." September 1966.
190. Miller, Walter B., "Consideration of Some Problems in Curve Fitting," September 1966.
191. Cermak, J. E., and J. D. Horn, "The Tower Shadow Effect," August 1966.
192. Webb, W. L., "Stratospheric Circulation Response to a Solar Eclipse," October 1966.
193. Kennedy, Bruce, "Muzzle Velocity Measurement," October 1966.
194. Traylor, Larry E., "A Refinement Technique for Unguided Rocket Drag Coefficients," October 1966.
195. Nusbaum, Henry, "A Reagent for the Simultaneous Microscope Determination of Quartz and Halides," October 1966.
196. Kays, Marvin and R. O. Olsen, "Improved Rocketsonde Parachute-derived Wind Profiles," October 1966.
197. Engebos, Bernard F. and Duncan, Louis D., "A Nomogram for Field Determination of Launcher Angles for Unguided Rockets," October 1966.
198. Webb, W. L., "Midlatitude Clouds in the Upper Atmosphere," November 1966.
199. Hansen, Frank V., "The Lateral Intensity of Turbulence as a Function of Stability," November 1966.
200. Rider, L. J. and M. Armendariz, "Differences of Tower and Pibal Wind Profiles," November 1966.
201. Lee, Robert P., "A Comparison of Eight Mathematical Models for Atmospheric Acoustical Ray Tracing." November 1966.
202. Low, R. D. H., et al., "Acoustical and Meteorological Data Report SOTRAN I and II," November 1966.

203. Hunt, J. A. and J. D. Horn, "Drag Plate Balance," December 1966.
204. Armendariz, M., and H. Rachele, "Determination of a Representative Wind Profile from Balloon Data," December 1966.
205. Hansen, Frank V., "The Aerodynamic Roughness of the Complex Terrain of White Sands Missile Range," January 1967.
206. Morris, James E., "Wind Measurements in the Subpolar Mesopause Region," January 1967.
207. Hall, James T., "Attenuation of Millimeter Wavelength Radiation by Gaseous Water," January 1967.
208. Thiele, O. W., and N. J. Beyers, "Upper Atmosphere Pressure Measurements With Thermal Conductivity Gauges," January 1967.
209. Armendariz, M., and H. Rachele, "Determination of a Representative Wind Profile from Balloon Data," January 1967.
210. Hansen, F. V., "The Aerodynamic Roughness of the Complex Terrain of White Sands Missile Range, New Mexico," January 1967.
211. D'Arcy, Edward M., "Some Applications of Wind to Unguided Rocket Impact Prediction," March 1967.
212. Kennedy, Bruce, "Operation Manual for Stratosphere Temperature Sonde," March 1967.
213. Hoidale, G. B., S. M. Smith, A. J. Blanco, and T. L. Barber, "A Study of Atmospheric Dust," March 1967.
214. Longyear, J. Q., "An Algorithm for Obtaining Solutions to Laplace's Tidal Equations," March 1967.
215. Rider, L. J., "A Comparison of Pibal with Raob and Rawin Wind Measurements," April 1967.
216. Breeland, A. H., and R. S. Bonner, "Results of Tests Involving Hemispherical Wind Screens in the Reduction of Wind Noise," April 1967.
217. Webb, Willis L., and Max C. Bolen, "The D-region Fair-Weather Electric Field," April 1967.
218. Kubinski, Stanley F., "A Comparative Evaluation of the Automatic Tracking Pilot-Balloon Wind Measuring System," April 1967.
219. Miller, Walter B., and Henry Rachele, "On Nonparametric Testing of the Nature of Certain Time Series," April 1967.
220. Hansen, Frank V., "Spatial and Temporal Distribution of the Gradient Richardson Number in the Surface and Planetary Layers," May 1967.
221. Randhawa, Jagir S., "Diurnal Variation of Ozone at High Altitudes," May 1967.
222. Ballard, Harold N., "A Review of Seven Papers Concerning the Measurement of Temperature in the Stratosphere and Mesosphere," May 1967.
223. Williams, Ben H., "Synoptic Analyses of the Upper Stratospheric Circulation During the Late Winter Storm Period of 1966," May 1967.
224. Horn, J. D., and J. A. Hunt, "System Design for the Atmospheric Sciences Office Wind Research Facility," May 1967.
225. Miller, Walter B., and Henry Rachele, "Dynamic Evaluation of Radar and Photo Tracking Systems," May 1967.
226. Bonner, Robert S., and Ralph H. Rohwer, "Acoustical and Meteorological Data Report - SOTRAN III and IV," May 1967.
227. Rider, L. J., "On Time Variability of Wind at White Sands Missile Range, New Mexico," June 1967.
228. Randhawa, Jagir S., "Mesospheric Ozone Measurements During a Solar Eclipse," June 1967.
229. Beyers, N. J., and B. T. Miers, "A Tidal Experiment in the Equatorial Stratosphere over Ascension Island (8S)," June 1967.
230. Miller, W. B., and H. Rachele, "On the Behavior of Derivative Processes," June 1967.
231. Walters, Randall K., "Numerical Integration Methods for Ballistic Rocket Trajectory Simulation Programs," June 1967.
232. Hansen, Frank V., "A Diabatic Surface Boundary Layer Model," July 1967.
233. Butler, Ralph L., and James K. Hall, "Comparison of Two Wind Measuring Systems with the Contraves Photo-Theodolite," July 1967.
234. Webb, Willis L., "The Source of Atmospheric Electrification," June 1967.

235. Hinds, B. D., "Radar Tracking Anomalies over an Arid Interior Basin," August 1967.
236. Christian, Larry O., "Radar Cross Sections for Totally Reflecting Spheres," August 1967.
237. D'Arcy, Edward M., "Theoretical Dispersion Analysis of the Aerobee 350," August 1967.
238. Anon., "Technical Data Package for Rocket-Borne Temperature Sensor," August 1967.
239. Glass, Roy I., Roy L. Lamberth, and Ralph D. Reynolds, "A High Resolution Continuous Pressure Sensor Modification for Radiosondes," August 1967.
240. Low, Richard D. H., "Acoustic Measurement of Supersaturation in a Warm Cloud," August 1967.
241. Rubio, Roberto, and Harold N. Ballard, "Time Response and Aerodynamic Heating of Atmospheric Temperature Sensing Elements," August 1967.

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) U. S. Army Electronics Command Fort Monmouth, New Jersey 07703		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
3. REPORT TITLE TIME RESPONSE AND AERODYNAMIC HEATING OF ATMOSPHERIC TEMPERATURE SENSING ELEMENTS		2b. GROUP	
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (First name, middle initial, last name) Roberto Rubio Harold N. Ballard			
6. REPORT DATE August 1967		7a. TOTAL NO. OF PAGES 23	7b. NO. OF REFS 7
6a. CONTRACT OR GRANT NO.		8a. ORIGINATOR'S REPORT NUMBER(S) ECOM - 5147	
b. PROJECT NO.		8b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
c. DA TASK IV650212A127-03		d.	
10. DISTRIBUTION STATEMENT Distribution of this report is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Atmospheric Sciences Laboratory U. S. Army Electronics Command White Sands Missile Range, New Mexico	
13. ABSTRACT Atmospheric temperature sensing elements described in this report are presently being used at Meteorological Rocket Network stations. The thermal time response and dissipation factors of the sensing elements and of their respective mounts are evaluated as functions of altitude. Aerodynamic corrections, which are a function of fall velocity of the sensing instrument, are also presented. Utilizing empirical data, temperature-versus-altitude profiles obtained with the STS and Arcasonde systems are compared. The computer program in Fortran IV language, used to evaluate the above stated parameters, is summarized. /			

DD FORM 1473
1 NOV 65

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

UNCLASSIFIED

Security Classification

UNCLASSIFIED
Security Classification

14	KEY WORDS	LINK A		LINK B		LINK C	
		ROLE	WT	ROLE	WT	ROLE	WT
	<ol style="list-style-type: none">1. Atmospheric Sensing Elements2. Thermal Time Response3. Dissipation Factors4. Thermistors5. Aerodynamic Heating						

UNCLASSIFIED

Security Classification