

LWL
TR-74-45
c.2

AD-778 739

TECHNICAL REPORT NO. 74-45

BACKPACK SNOW SHOVEL/SNOW SAW KIT AND
AHKIO SNOW SHOVEL/SNOW SAW KIT

by

Joseph L. Carney
Environment and Survival Branch

TECHNICAL LIBRARY
BLDG. 305
ABERDEEN PROVING GROUND, MD.
STEAP-TL

April 1974

Final Report

COUNTED IN

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

U. S. ARMY LAND WARFARE LABORATORY

Aberdeen Proving Ground, Maryland 21005

20081020 006

LWL
TR-74-45
c.2

13 Dec 77

DISCLAIMERS

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

TABLE OF CONTENTS

AD-778739

	Page
REPORT DOCUMENTATION PAGE (DD FORM 1473)	iii
INTRODUCTION	3
DISCUSSION	4
Ahkio Snow Shovel	4
Backpack Snow Shovel	4
Snow Saw and Scabbard	7
Field Evaluation	7
DISTRIBUTION LIST	9

INTRODUCTION

The US Army Land Warfare Laboratory Alaska Liaison Officers in 1971 and in 1972 obtained information from the US Army Northern Warfare Training Center, US Army, Alaska, the 1st Scout Battalion and the 2nd Scout Battalion that special tools were required in an arctic environment for clearing areas of snow for tents, the building of block snow houses, constructing snow caves and digging during avalanche rescue. It was determined that two sizes of snow shovels were required, one for backpacking and one for carrying on the Ahkio (squad load carrying sled). There was also a need for a snow saw. At present, neither a military standard snow shovel of either size nor a snow saw was available to fulfill the requirements.

Commercially available shovels and saws were examined. Primary considerations were performance, durability, weight, compactness and transportability. The shovel chosen for carrying on the Ahkio was a standard Canadian Army item. The backpack shovel obtained commercially has a detachable handle. A cloth carrying cover for the backpack shovel was developed. A commercial snow saw was also located. A scabbard was developed for the snow saw and a method was provided for attaching it either to the handle of the Ahkio shovel, to the disassembled backpack shovel in the carrying case, to the rucksack or to the belt. The shovel blades and the saw blade were coated to prevent snow from sticking to them.

TECHNICAL LIBRARY
BLDG. 305
ABERDEEN PROVING GROUND., MDL
STEAP-TL

DISCUSSION

Ahkio Snow Shovel

Requirement: At present there is no military standard snow shovel for use in conjunction with the man-hauled Sled, Scow Type, 200 Pound Capacity (Ahkio). A snow shovel is a necessary item for clearing areas of snow for erecting tents, etc., for the patrol. The standard steel shovels presently used are too heavy and the blade which was designed for shoveling earth is not ideal for shoveling snow.

Description: The first step toward solving the problem was to investigate shovels which were commercially available to determine their suitability for fulfilling this requirement. In the event that none was suitable, the plan was to design, develop and fabricate an evaluation quantity of shovels. One shovel which was commercially available was determined to be satisfactory in most respects. The only questionable aspect was the length of the handle. It was obtained from True Temper (Canada) Ltd. and is manufactured according to the Canadian Department of the National Defense Directorate of Inter-Service Development Specification "Unit-6-1-3B, 10 May 1960, entitled: Shovel, Hand, Snow, C2".

The overall length is 31 inches. The blade is 10-1/2 inches wide and 12-1/2 inches long, formed from 0.101 inch thick aluminum sheet. To prevent wet snow from sticking to the blade, Xylan Formula 2014 was applied to the blade. The "Y" component of the handle is steel and the grip component is wood. The remaining part of the handle is wood (ash). The total weight of the shovel is 2-1/2 pounds (see Figure 1).

Backpack Snow Shovel

Requirement: The entrenching tool presently is used as a backpack snow shovel for the individual soldier. Because of the weight and blade size and configuration, it is not ideally suited as a snow shovel. There is a need for a compact, lightweight backpack snow shovel.

Description: Shovels obtained commercially were examined to determine suitability for use as a military backpack snow shovel. The shovel chosen as the best candidate was a Swiss Snow Shovel (Parsenn) which was obtained from Recreational Equipment, Inc., Seattle, Washington.

The blade is 7-1/2 inches wide and 10 inches long. A teflon coating was applied to prevent wet snow from sticking to the blade. The detached handle is 18 inches long and when assembled, the total shovel length is 28 inches long. The total weight of the shovel blade and handle is 1 pound 2.8 ounces. A nylon fabric carrying case with snaps for a rucksack attachment is provided. The carrying case was designed and fabricated for use with the shovel and is not commercially available. The weight of the carrying case is 5.3 ounces. The overall length of the disassembled shovel in the carrying case is 19 inches (see Figure 2).




Figure 1. Ahkio Snow Shovel/Snow Saw Kit



Figure 2. Backpack Snow Shovel/Snow Saw Kit

Snow Saw and Scabbard

Requirement: There is no standard military snow saw available. At present, the standard issue machete (FSN 5110-813-1286) is used for building snow houses. The machete is heavy and not ideally suited for cutting snow blocks for building snow houses.

Description: As with the backpack snow shovel and Ahkio snow shovel, snow saws which are commercially available were investigated. A snow saw (SMC Aluminum Snow Saw) obtained from Recreational Equipment, Inc., Seattle, Washington was deemed to be suitable.

The overall length is 20 inches and the total weight is 6.2 ounces. The aluminum blade is 1/8 inch thick, 15-1/2 inches long and has a special tooth design to cut packed snow. To prevent wet snow from sticking to the blade, Xylan Formula 2014 was applied to it. A sheath for the saw was designed and fabricated. The sheath has a total weight of 7 ounces. A method is provided to attach the sheath either to the handle of the Ahkio shovel, to the disassembled backpack shovel in the carrying case, to the rucksack or to the belt (see Figure 3).

Field Evaluation

US Army Arctic Test Center Feasibility Test: Twenty-five Backpack Snow Shovel/Snow Saw Kits and 25 Ahkio Snow Shovel/Snow Saw Kits were tested as USATECOM Project No. 8-EI-825-000-022 during FY 74 under intermediate cold and cold conditions.

US Army, Alaska: Six each Backpack and Ahkio Kits were field evaluated by US Army, Alaska.

10th Special Forces Group, Fort Devens, Massachusetts: Three of each kit were field evaluated by the 10th Special Forces Group at Fort Devens, Massachusetts.

Results of these evaluations had not been received at the time of publication of this report.




Figure 3. Snow Saw/Snow Saw Scabbard/Ahkio Shovel

DISTRIBUTION LIST

	<u>Copies</u>
Commander US Army Materiel Command ATTN: AMCDL 5001 Eisenhower Avenue Alexandria, VA 22304	1
Commander US Army Materiel Command ATTN: AMCRD 5001 Eisenhower Avenue Alexandria, VA 22304	3
Commander US Army Materiel Command ATTN: AMCRD-P 5001 Eisenhower Avenue Alexandria, VA 22304	1
Director of Defense, Research & Engineering Department of Defense WASH DC 20301	1
Director Defense Advanced Research Projects Agency WASH DC 20301	3
HQDA (DARD-DDC) WASH DC 20310	4
HQDA (DARD-ARZ-C) WASH DC 20310	1
HQDA (DAFD-ZB) WASH DC 20310	1
HQDA (DAMO-PLW) WASH DC 20310	1
HQDA (DAMO-IAM) WASH DC 20310	1
Commander US Army Training & Doctrine Command ATTN: ATCD Fort Monroe, VA 23651	1

Commander US Army Combined Arms Combat Developments Activity (PROV) Fort Leavenworth, KS 66027	1
Commander US Army Logistics Center Fort Lee, VA 23801	1
Commander US Army CDC Intelligence & Control Systems Group Fort Belvoir, VA 22060	1
TRADOC Liaison Office HQS USATECOM Aberdeen Proving Ground, MD 21005	1
Commander US Army Test and Evaluation Command Aberdeen Proving Ground, MD 21005	1
Commander US Army John F. Kennedy Center for Military Assistance Fort Bragg, NC 28307	1
Commander-In-Chief US Army Pacific ATTN: GPOP-FD APO San Francisco 96558	1
Commander Eighth US Army ATTN: EAGO-P APO San Francisco 96301	1
Commander Eighth US Army ATTN: EAGO-FD APO San Francisco 96301	1
Commander-In-Chief US Army Europe ATTN: AEAGC-ND APO New York 09403	4
Commander US Army Alaska ATTN: ARACD APO Seattle 98749	1

Commander MASSTER ATTN: Combat Service Support & Special Programs Directorate Fort Hood, TX 76544	1
Commander US MAC-T & JUSMAG-T ATTN: MACTRD APO San Francisco 96346	2
Senior Standardization Representative US Army Standardization Group, Australia c/o American Embassy APO San Francisco 96404	1
Senior Standardization Representative US Army Standardization Group, UK Box 65 FPO New York 09510	1
Senior Standardization Representative US Army Standardization Group, Canada Canadian Forces Headquarters Ottawa, Canada K1A0K2	1
Director Air University Library ATTN: AUL3T-64-572 Maxwell Air Force Base, AL 36112	1
Battelle Memorial Institute Tactical Technical Center Columbus Laboratories 505 King Avenue Columbus, OH 43201	1
Defense Documentation Center (ASTIA) Cameron Station Alexandria, VA 22314	12
Commander Aberdeen Proving Ground ATTN: STEAP-TL Aberdeen Proving Ground, MD 21005	2
Commander US Army Edgewood Arsenal ATTN: SMUEA-TS-L Aberdeen Proving Ground, MD 21010	1

US Marine Corps Liaison Officer
Aberdeen Proving Ground, MD 21005

1

Director
Night Vision Laboratory
US Army Electronics Command
ATTN: AMSEL-NV-D (Mr. Goldberg)
Fort Belvoir, VA 22060

1

Commander
US Air Force Special Communications Center (USAFSS)
ATTN: SUR
San Antonio, TX 78243

1

Commander
US Army Armament Command
ATTN: AMSAR-ASF
Rock Island, IL 61201

1

Commander
US Army Natick Laboratories
ATTN: STSNL-G
Natick, MA 01760

2