

12
P.S.

AD A 082245

6 THE NATURAL RESONANCES OF PERPENDICULAR
CROSSED WIRES PARALLEL TO AN IMPERFECT
GROUND USING SEM AND FRESNEL
REFLECTION COEFFICIENTS.

By
10 Terry T./Crow
Yun/Hsu
Clayborne D./Taylor

9 Final Rept. 1 Jul 78 - 31 Dec 78

Prepared for
Air Force Office of Scientific Research
Bolling Air Force Base
Washington, D. C. 20332

11 Feb 1980

12 229

The research reported in this document was
sponsored under Grant No. AFOSR-78-3667

15

16 2301
17 A31

AD FILE COPY

Approved for public release:
distribution unlimited.

406040
80 3 20 006 7B

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFOSR-TR- 30-0213	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE NATURAL RESONANCES OF PERPENDICULAR CROSSED WIRES PARALLEL TO AN IMPERFECT GROUND USING SEM AND FRESNEL REFLECTION COEFFICIENTS	5. TYPE OF REPORT & PERIOD COVERED Final / 1 Jul 78 - 31 Dec 79	
	6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) Terry T Crow Yun Hsu Clayborne D Taylor	8. CONTRACT OR GRANT NUMBER(s) AFOSR 78-3667 <i>new</i>	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Physics ✓ Mississippi State University Mississippi State, MS 39762	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61102F 2301/A3	
11. CONTROLLING OFFICE NAME AND ADDRESS AFOSR/NP Bolling AFB, Bldg. #410 Washington, DC 20332	12. REPORT DATE Feb 1980	
	13. NUMBER OF PAGES 28	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report) unclassified	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A parametric study was made of the aircraft skin current and charge under the illumination of the nuclear EMP when the aircraft is in the ground alert mode. An imperfect ground plane was included by using the exact Sommerfeld formulation, and the singularity expansion method was used for crude models of aircraft, perpendicular crossed cylinders and perpendicular crossed bodies of revolution. The constitutive electrical parameters of concrete and dry earth were considered in the study.		

21

TABLE OF CONTENTS

	Page
Abstract	1
I. Introduction	1
II. Formulation	3
III. Results and Conclusions	14
IV. References	24

ACCOMPLISHMENT	
NO. 1	✓
NO. 2	
NO. 3	
NO. 4	
NO. 5	
NO. 6	
NO. 7	
NO. 8	
NO. 9	
NO. 10	
NO. 11	
NO. 12	
NO. 13	
NO. 14	
NO. 15	
NO. 16	
NO. 17	
NO. 18	
NO. 19	
NO. 20	
NO. 21	
NO. 22	
NO. 23	
NO. 24	
NO. 25	
NO. 26	
NO. 27	
NO. 28	
NO. 29	
NO. 30	
NO. 31	
NO. 32	
NO. 33	
NO. 34	
NO. 35	
NO. 36	
NO. 37	
NO. 38	
NO. 39	
NO. 40	
NO. 41	
NO. 42	
NO. 43	
NO. 44	
NO. 45	
NO. 46	
NO. 47	
NO. 48	
NO. 49	
NO. 50	
NO. 51	
NO. 52	
NO. 53	
NO. 54	
NO. 55	
NO. 56	
NO. 57	
NO. 58	
NO. 59	
NO. 60	
NO. 61	
NO. 62	
NO. 63	
NO. 64	
NO. 65	
NO. 66	
NO. 67	
NO. 68	
NO. 69	
NO. 70	
NO. 71	
NO. 72	
NO. 73	
NO. 74	
NO. 75	
NO. 76	
NO. 77	
NO. 78	
NO. 79	
NO. 80	
NO. 81	
NO. 82	
NO. 83	
NO. 84	
NO. 85	
NO. 86	
NO. 87	
NO. 88	
NO. 89	
NO. 90	
NO. 91	
NO. 92	
NO. 93	
NO. 94	
NO. 95	
NO. 96	
NO. 97	
NO. 98	
NO. 99	
NO. 100	

A. D. [unclear]
N. [unclear]
T. [unclear]
E. [unclear]
F. [unclear]
A. D. [unclear]
Technical Information Officer

ABSTRACT

The singularity expansion method (SEM) has been applied to determine natural resonances of a perpendicular crossed wire structure parallel to an imperfect ground plane. To account for the finite conductivity of the ground, the Fresnel reflection coefficient method has been used to follow the trajectories of the natural resonances as the conductivity and relative permittivity of the ground vary.

I. INTRODUCTION

The general problem of the electromagnetic interaction of wire structures and external sources of excitation has been of interest for many years [1,2]. In a series of studies completed in recent years the progression has been as follows: the single isolated cylinder in free space in the frequency domain [3], a perpendicular crossed wire structure in free space in the frequency domain [4], a non-perpendicular set of crossed wires in free space in the frequency domain [5], a study of a cylinder [6] and a set of perpendicular crossed wires [7] using the singularity expansion method (SEM) [8], a cylinder [9] and a set of perpendicular crossed wires [10] over a perfectly conducting ground plane using image theory and SEM. Recently two studies of a cylindrical scatterer have considered different effects of the ground: in the first the effects of a close proximity perfectly conducting ground plane on the circumferential distribution of currents [11] have been studied, and in the second the effects of a finite conducting ground have been studied using SEM and Fresnel reflection coefficients [12]. Finally preliminary studies were performed to analyze the crossed wire and the cylinder over the finite conducting ground using the Sommerfeld formulation [13, 14, 15] in the frequency domain [16]. Simultaneously, others were applying transmission theory to gain information on this same problem [17].

The problem considered in this study is that of determining the behavior of the natural resonances in SEM for a set of perpendicular crossed wires over an imperfect ground using the Fresnel reflection coefficient method. While the technique has inherent limitations, trends

can be established that are of value in themselves as well as providing guidelines for more correct formulations; e.g., a Sommerfeld treatment.

II. FORMULATION

This analysis deals with the interaction of a set of perpendicular crossed wires whose plane is parallel to an imperfect ground. The effect of the ground on the wire structure is approximated by the Fresnel reflection coefficient method. SEM is used to follow the trajectories of the natural resonances as the ground conductivity (σ_g) and the relative ground permittivity (ϵ_r) vary. In analyzing the scattering problem, thin wire approximations are utilized. That is, the wires are required to satisfy the following:

- (1) the current and charge densities are constant around the periphery of the wire cross section,
- (2) the axial currents are zero at the free ends of the wires,
- (3) $ka \ll 1$,
- (4) $a \ll l$

where k is the propagation constant defined by $2\pi/\text{wavelength}$, a is the radius of the wire, and l is the length of the wire.

Graves [17] has applied Pocklington theory to a set of orthogonal crossed wires, Figure 2-1. If, in the method of moments solution to the thin wire Pocklington type integral equations, sinusoidal pulse expansions are used for the unknown current distributions and delta testing functions are used, relatively simple results are obtained that are equivalent to the following. If the current distribution on a filament is assumed sinusoidal, exact analytical expressions for the accompanying field components are [18]

$$\hat{r}_{21} \cdot \hat{E}(\vec{r}) = \frac{1}{4\pi\epsilon s} \left[I'(\vec{r}_1) G(\vec{r}, \vec{r}_1) - I'(\vec{r}_2) G(\vec{r}, \vec{r}_2) \right] \quad (2.1)$$

for the axial electric field where s is the complex Laplacian frequency, $s = \sigma + j\omega$; the current filament extends from \vec{r}_1 to \vec{r}_2 . I' is the axial




Figure 2-1. The orthogonal crossed wire configuration over a ground plane.

derivative of the current and

$$\hat{r}_{21} = \frac{r_2 - r_1}{|r_2 - r_1|}, \quad G(r, r_1) = \frac{e^{-s|r-r_1|/c}}{|r - r_1|}$$

The corresponding radial component of the electric field is

$$\hat{\rho}_{21} \cdot \vec{E}(r) = \frac{1}{4\pi\epsilon s \rho_{21}} \left\{ \begin{aligned} & \hat{r}_{21} \cdot \left[(r-r_2)I'(r_2)G(r, r_2) \right. \\ & \quad \left. - (r-r_1)I'(r_1)G(r, r_1) \right] \\ & - \frac{s}{c} \left[I(r_2)(|r-r_2|)G(r, r_2) - I(r_1)(|r-r_1|)G(r, r_1) \right] \end{aligned} \right\} \quad (2.2)$$

and ρ_{21} is the radial variable or the perpendicular distance from the axis of the current filament to the field point.

To derive the system of equations for the current distribution on the crossed wires by the method of moments the various wires are divided into segments. The current on the k^{th} segment of the m^{th} wire is

$$I_{mk}(x) = \frac{\alpha_k \sinh[s(x_{k+1} - x)/c] + \alpha_{k+1} \sinh[s(x - x_k)/c]}{\sinh[s(x_{k+1} - x_k)/c]} \quad (2.3)$$

It follows that α_k is the axial current at the point $x = x_k$ where x is a general variable along any given wire.

For crossed wires in free space the procedure is as follows. Assume currents $I_{1k}(y)$ and $I_{2k}(x)$ flow on the wires in Figure 2-1. Substituting (2.3) into (2.1) and (2.2) leads to electric field expressions that can be evaluated at points on the conducting structure. For example, a current zone on wire 1 will induce an axial field at other zones on wire 1 through (2.1) and an axial field (as far as wire 2 is concerned) at zones on wire 2 through (2.2). The total axial field at each element due to the induced currents is set equal to $(-\vec{E}_{\text{incident}})_{\text{tangent}}$ at a discrete set of match

points along each wire, and solutions for the α 's may be obtained. In the remainder of this report the field contributions (2.1) and (2.2) are called primary scattered (p.s.) excitation terms.

The effects of a perfect ground plane may be accounted for by introducing image currents (parallel to the ground plane and opposite in direction to the object currents) and calculating their E-field contributions at match points on the crossed wire structure. A modification on the G functions in (2.1) and (2.2) is necessary due to the distance factor now depending on the height above the ground, but the procedure is straight forward [10]. In the perfect ground plane problem the tangential component of the incident field is now added to the two p.s. terms plus two image terms to produce a total tangential E field on the wires that equals zero. The image terms are referred to as secondary scattered (s.s.) terms.

Riggs and Shumpert [12] have recently studied the problem of a cylinder over an imperfect ground by modifying the image term. The modification is a multiplicative factor on the image term that equals the Fresnel reflection coefficient for a non-magnetic, finite conducting ground with conductivity σ_g and relative permittivity ϵ_r . Limitations do exist in this approach: the Fresnel reflection coefficients are derived for incident plane waves, thus the "scattered" field at the interface between the lossy ground and free space should approximate a plane wave. Sarkar and Strait [15] have studied this method in the frequency domain and observed that their results are within 10% of the Sommerfeld formulation if the dipole was at least $(0.25 \lambda / \sqrt{\epsilon_r})$ above the ground.

Consider the geometry of Figure 2-2. The current at s_2' contributes to the scattered field at s_2 due to the p.s. term and due to the s.s. term. Since the discussion is limited to axial currents only the axial field




Figure 2-2. The geometry for the primary and secondary scattered fields along one wire.

component from s_2' will contribute to the p.s. and s.s. terms. It follows therefore that s.s. field lies in the plane of incidence, and the Fresnel reflection coefficient becomes (19)

$$\text{RPA} = \frac{(\epsilon_r + X) \sin\psi(s_2, s_2') - \sqrt{(\epsilon_r + X) - \cos^2\psi(s_2, s_2')}}{(\epsilon_r + X) \sin\psi(s_2, s_2') + \sqrt{(\epsilon_r + X) - \cos^2\psi(s_2, s_2')}} \quad (2.4)$$

$$\text{where } X = 120 \frac{\pi\sigma_g}{\gamma}, \quad \gamma = \frac{g}{c}, \quad \sin\psi(s_2, s_2') = \frac{h^2}{\sqrt{\left(\frac{s_2 - s_2'}{2}\right)^2 + h^2}}$$

The particular sign associated with RPA depends on the choice of the direction of the reflected field (Riggs and Shumpert use one convention and this study uses a different one, hence our reflection coefficient differs by a multiplicative factor, -1). In the limit as $\sigma_g \rightarrow \infty$, image theory and the reflection method become the same.

The crossed wire problem is geometrically more complex but can be treated by the reflection method. Consider the current element at s_1' ; see Figure 2-3. The ground scattered field is neither parallel nor perpendicular to the incident plane. Thus the axial field $E_{s1}(s_1')$ is resolved into two terms, $E_{s1}(s_1')_{||}$ and $E_{s1}(s_1')_{\perp}$, that are parallel and perpendicular to the incident plane, respectively. Similarly, the radial field component, $E_{\rho}(s_1')$, is resolved into parallel and perpendicular terms. First, $E_{\rho}(s_1')$ is projected into the s_2, s_1 plane or

$$E_{\rho}^{s_2, s_1}(s_1') = E_{\rho}(s_1') \sin \theta ;$$

see Figures 2-3 and 2-4. Then the components of $E_{\rho}^{s_2, s_1}(s_1')$ perpendicular and parallel to the incident plane are found, Figure 2-4. Finally, the components of $E_{s1}(s_1')$ are defined; see Figure 2-5.




Figure 2-5. The geometry for the radial field secondary scattered term.

The total scattered field in the plane of incidence at the scattering point is

$$E_{\rho}(s_1)_{||} - E_{s_1}(s_1)_{||}$$

and the total reflected "parallel" field at s_1 is

$$\text{RPA} \left[E_{\rho}(s_1)_{||} - E_{s_1}(s_1)_{||} \right] \quad (2.5)$$

Similarly the total reflected "perpendicular" field at s_1 is

$$\text{RPE} \left[E_{\rho}(s_1)_{\perp} + E_{s_1}(s_1)_{\perp} \right] \quad (2.6)$$

In (2.5) and (2.6)

$$\text{RPA} = - \frac{(\epsilon_r + X) \sin\psi(s_2, s_1) - \sqrt{(\epsilon_r + X) - \cos^2\psi(s_2, s_1)}}{(\epsilon_r + X) \sin\psi(s_2, s_1) + \sqrt{(\epsilon_r + X) - \cos^2\psi(s_2, s_1)}} \quad (2.7)$$

$$\text{RPE} = \frac{\sin\psi(s_2, s_1) - \sqrt{(\epsilon_r + X) - \cos^2\psi(s_2, s_1)}}{\sin\psi(s_2, s_1) + \sqrt{(\epsilon_r + X) - \cos^2\psi(s_2, s_1)}} \quad (2.8)$$

The total scattered field at a point on wire 2, e.g. s_2 , can now be written as the vector sum of

- 1) $\vec{E}_{\text{primary}}(s_2, s_2')$ (see Figure 2-2)
- 2) $\vec{E}_{\text{primary}}(s_2, s_1')$ (see Figure 2-3)
- 3) $\vec{E}_{\text{secondary}}(s_2, s_2')$ (see Figure 2-2)
- 4) $\vec{E}_{\text{secondary}}(s_2, s_1')$ (see Figure 2-3)

Item 1 and 2 are simply the free space terms. Item 3 is the secondary scattered term of Riggs and Shumpert while item 4 is the combination of (2.5) and (2.6). The tangential component of (this resultant vector plus the incident field) is set to zero. Thus, a system of linear equations

for the unknown current expansion coefficients is produced in the form

$$\bar{Z}(s) \bar{J}(s) = \bar{E}(s) \quad (2.9)$$

where $\bar{Z}(s)$ is the square matrix of the system, $\bar{J}(s)$ is the column matrix of the α 's (see 2.3), and $\bar{E}(s)$ is a column matrix whose elements are the particular values of the incident field components.

Since the techniques of SEM are well-documented [6,7,8,9,11,12], the details will not be repeated. The problem of interest is the behavior of the natural resonances as the ground parameters, σ_g and ϵ_r , vary. To find the natural resonances, the non-trivial solutions to

$$\det |\bar{Z}(s)| = 0 \quad (2.10)$$

must be found. Various techniques may be applied (6,7,10); in this study the Muller iteration is used.

III. RESULTS AND CONCLUSIONS

The geometry of the problem is defined in Figure 2-1. In particular, the parameters chosen are

$$h/L = 0.2, L/a = 20.0, \epsilon_1'/\epsilon_1 = 0.5, \epsilon_1' + \epsilon_1 = 2\epsilon_2 = L.$$

The trajectories of the first six natural resonances are determined as the ground conductivity varies from 120 mhos/m to 0.001 mhos/m, and the relative permittivity of the ground varies from 1 to 35. Table 3-1 and Figure 3-1 give the comparison between the results of this study for a high conductivity (120 mhos/m) and ϵ_r equal one (1) to a previous study of the crossed wires over a perfectly conducting ground [10]. The observed differences, mainly in the real parts, can be attributed to two factors: 1) the distance factors on the image terms [10] in the secondary scattered terms are defined in a slightly different way; 2) the conductivity is not infinite. Figures 3-2 through 3-7 present families of curves exhibiting the results of this study. The point x on each figure is the image theory [10] location of the resonance. Also on each figure is the location of the free-space resonance, \odot . Consider Figure 3-2: each curve on this figure represents the trajectory of the $s_{y,1,1}$ resonance for a particular choice of ϵ_r (1,5,10,20,35). The points on a given curve represent the value of the $s_{y,1,1}$ resonance on the particular ϵ_r curve for values of σ_g ($A = 120, B = 10, C = 1, D = 0.1, E = 0.01, F = 0.001$ mhos/meter).

Several conclusions can now be drawn. a. For a highly conducting ground (~ 120 mhos/m) the resonance location is relatively independent of the ϵ_r value and, in fact, approaches the image theory result in each case. b. For an $\epsilon_r = 1.0$, as the ground conductivity approaches zero the resonance

TABLE 3-1

Complex Natural Resonances for Crossed Wire Structure

 $(l_1' + l_1 = L = 2l_2, L/a = 20, l_1'/l_1 = 0.5, h/L = 0.2)$

resonance	perfect ground	imperfect ground $\sigma = 120 \frac{\text{mhos}}{\text{meter}} \epsilon_r = 1$
sy,1,1	-0.0513 + j2.361	-0.0759 + j2.3420
as,1	-0.0898 + j2.592	-0.1246 + j2.5619
sy,1,2	-0.1021 + j3.769	-0.1296 + j3.7450
sy,2,2	-0.3909 + j5.740	-0.4659 + j5.7155
sy,3,1	-0.6691 + j7.581	-0.7816 + j7.5489
as,2	-0.6478 + j8.034	-0.7579 + j8.003




Figure 3-1. A comparison of the natural resonances by image theory and the Fresnel reflection method at high conductivity.

SY,1,1




Figure 3-2. The trajectory of the natural resonance, SY,1,1 as a function of permittivity $\epsilon_r \epsilon_0$ and conductivity σ_g .

03.1




Figure 3-3. The trajectory of the natural resonance, $\omega L/c$, as a function of permittivity ϵ_r and conductivity σ_g .

sy. 1, 2




Figure 3-4. The trajectory of the natural resonance, $sy_{1,2}$ as a function of permittivity ϵ_r and conductivity σ_g .

SY.2.2




Figure 3-5. The trajectory of the natural resonance, $\delta L/c$, as a function of permittivity $\epsilon_r \epsilon_0$ and conductivity σ_g .

SY, 3, 1




Figure 3-6. The trajectory of the natural resonance, sy, 3, 1 as a function of permittivity $\epsilon_r \epsilon_0$ and conductivity σ_g .

as, 2




Figure 3-7. The trajectory of the natural resonance, $\omega L/c$, as a function of permittivity ϵ_r and conductivity σ_g .

location approaches the free space value. c. For large ϵ_r values, the trajectory of a resonance covers less of the complex plane as σ_g varies. The curves of Riggs and Shumpert exhibit the same behavior but for a very different shape parameter ($L/a = 200$ in their study).

REFERENCES

1. C. W. Oseen, "Über die elektromagnetische Schwingungen an dünnen Stäben," Ark. Mat. Astron. Fysik, Vol. 9, No. 30, pp. 1-27, 1914.
2. E. Hällén, "Über die elektrischen Schwingungen in drahtförmigen Leitern," Uppsala Univ. Arssk., No. 1, pp. 1-102, 1930.
3. R. W. P. King, The Theory of Linear Antennas, Harvard Univ. Press, Cambridge, Massachusetts (1956).
4. C. D. Taylor and T. T. Crow, "Induced electric currents on some configurations of wires, Part I - perpendicular crossed wires." AFWL Interaction Note 85 (1971).
5. T. T. Crow, T. H. Shumpert, and C. D. Taylor, "Induced electric currents on some configurations of wires, Part II - non-perpendicular intersecting wires." AFWL Interaction Note 100 (1972).
6. F. M. Tesche, "On the analysis of scattering and antenna problems using the singularity expansion techniques," IEEE Trans. Antennas Propagat., vol. AP-21, pp. 53-62, Jan. 1973. See also "On the singularity expansion method as applied to electromagnetic scattering from thin wires." AFWL Interaction Note 102 (1972) (same author).
7. T. T. Crow, B. D. Graves, and C. D. Taylor, "The singularity expansion method as applied to perpendicular crossed wires," IEEE Trans. Antennas Propagat., vol. AP-23, pp. 540-546, July 1975. See also "The singularity expansion method as applied to perpendicular crossed cylinders in free space," AFWL Interaction Note 161 (1973) (same authors).
8. C. E. Baum, "The Singularity Expansion Method," in Transient Electromagnetic Fields, Topics in Applied Physics, Vol. 10, 1976 (Editor, L. B. Felsen). See also "On the singularity expansion method for the solution of electromagnetic interaction problems," AFWL Interaction Note 88 (1971) (same author).
9. K. R. Umashankar, T. H. Shumpert, and D. R. Wilton, "Scattering by a thin wire parallel to a ground plane using the singularity expansion method," IEEE Trans. Antennas Propagat., vol. AP-23, pp. 178-184, Mar. 1975. See also T. H. Shumpert, "EMP interaction with a thin cylinder above a ground plane using the singularity expansion method," AFWL Interaction Note 182 (1973); and K. R. Umashankar and D. R. Wilton, "Transient scattering by a thin wire in free space and above a ground plane using the singularity expansion method," AFWL Interaction Note 236 (1974).
10. T. T. Crow, C. D. Taylor, and M. Kumbale, "The singularity expansion method applied to perpendicular crossed wires over a perfectly conducting ground plane," IEEE Trans. Antennas Propagat., vol. AP-27, pp. 248-252, Mar. 1979. See also AFWL Sensor and Simulation Note 258, 1979 (same authors, same title).

11. T. H. Shumpert and D. J. Galloway, "Finite length cylindrical scatterer near perfectly conducting ground--A transmission line mode approximation," *IEEE Trans. Antennas Propagat.*, vol. AP-26, pp. 145-151, Jan. 1978. See also "Transient analysis of a finite length cylindrical scatterer very near a perfectly conducting ground," *AFW Sensor and Simulation Note 226* (1976) (same authors).
12. L. S. Riggs and T. H. Shumpert, "Trajectories of the singularities of a thin wire scatterer parallel to lossy ground," *IEEE Trans. Antennas Propagat.*, vol. AP-27, pp. 864-869, Nov. 1979.
13. A. H. Sommerfeld, Partial Differential Equations, Academic Press, New York, 1949.
14. Jerry D. McCannon, "Comparative numerical study of several methods for analyzing a vertical thin-wire antenna over a lossy half-space," Ph.D. dissertation, University of Illinois at Urbana-Champaign, 1974.
15. T. K. Sarkar and B. J. Strait, "Analysis of arbitrarily oriented thin wire antenna arrays over imperfect ground planes, Syracuse Univ., Syracuse, New York, Technical Report TR-75-15, Dec. 1975.
16. C. D. Taylor, V. D. Naik, and T. T. Crow, "A Study of the EMP interaction with aircraft over an imperfect ground plane," *AFWL Interaction Note 362* (1979).
17. B. D. Graves, "Some field computations by the method of moments and the singularity expansion method: the crossed wire scatterer and an aperture in a conducting sheet," Ph.D. dissertation, Mississippi State University, 1974.
18. S. A. Schelkunoff and H. T. Friis, Antennas: Theory and Practice. New York, Wiley, p. 370 (1952).
19. P. Lorrain and D. Corson, Electromagnetic Fields and Waves. San Francisco, Freeman, Chap. 12 (1970).