1.0

1.1

1.25   1.4   1.6

2.8   2.5
3.2   2.2
3.6
4.0   2.0

1.8

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963-A

LEVEL III

TECHNICAL REPORT TR 10-81
OCT 81

AP.E700006

DECISION MODELS DIRECTORATE

US ARMY ARMAMENT MATERIEL READINESS COMMAND
DOD SINGLE MANAGER FOR CONVENTIONAL AMMUNITION

ROCK ISLAND, ILLINOIS 61299

AD A108245

DTIC
SELECTED
DEC 9 1981
D

DTIC FILE COPY

AMMUNITION DISTRIBUTION SYSTEM
## FOR
PROUD SPIRIT/MOBEX-80
VOLUME 1

81 12 09252
4115

Technical Report TR 10-81
Oct 1981

Decision Models Directorate

US Army Armament Materiel Readiness Command

DoD Single Manager for Conventional Ammunition

Rock Island, Illinois 61299

AMMUNITION DISTRIBUTION SYSTEM

PROUD SPIRIT for MOBEX-80

VOLUME 1

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

DTIC
ELECTE
DEC 9 1981

D

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER	2. 3OVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
TR 10-81	AD A108 245	

4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED
Ammunition Distribution System for PROUD SPIRIT/MOBEX 80 Volume 1	Oct 80 - Aug 81
	6. PERFORMING ORG. REPORT NUMBER
	TR 10-81

7. AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(s)
Stuart W. Olson Norman H. Trier	

9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
US Army Armament Materiel Readiness Command Decision Models Directorate Rock Island, IL 61299	

11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
	October 1981
	13. NUMBER OF PAGES
	118

14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)	15. SECURITY CLASS. (of this report)
	Unclassified
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
	U

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release, distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Army Supply System   Distribution
Materiel   Models
Ammunition Supply   Computer Simulation
Logistics Management

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

This manual is one of a set of two produced to document the Ammunition Distribution System (ADS) as developed for use in exercise PROUD SPIRIT/ MOBEX-80. The ADS is a development effort of the Decision Models Directorate of Headquarters, US Army Armament Materiel Readiness Command (ARRCOM) as the Single Manager for Conventional Ammunition (SMCA). Its purpose is to provide assistance in planning for surge or mobilization, assess plans, and provide operational assistance for mobilization exercises. Therefore, ADS can assess planned requirements (push) and walk-in requirements (pull) on a daily basis,

DD FORM 1473   1 JAN 73   EDITION OF 1 NOV 65 IS OBSOLETE

20.   The depot and port capability can be assessed according to predetermined constraints.   This report contains a discussion of model methodology, data base development, interface requirements, and the operators guide.   The second volume of this report is the Programmer's Manual which consists of descriptions, logic flow diagrams, file formats, and the FORTRAN code of all source programs associated with the Ammunition Distribution System.

TABLE OF CONTENTS

LIST OF ILLUSTRATIONS

Fig.

ABSTRACT

This manual is one of a set of two produced to document
the Ammunition Distribution System (ADS) as developed for use
in exercise PROUD SPIRIT/ MOBEX-80. The ADS is a development
effort of the Decisions Models Directorate of HQ, US Army
Armament Materiel Readiness Command (ARRCOM) as the Single
Manager for Conventional Ammunition (SMCA). Its purpose is
to provide assistance in planning for surge or mobilization,
assess   plans, and provide operational   assistance   for
mobilization exercises. Therefore, ADS can assess planned
requirements (push) and walk-in requirements (pull) on a
daily basis. The depot and port capability can be assessed
according to predetermined constraints. This report contains
a discussion of model methodology, data base development,
interface requirements, and the operators guide. The second
volume of this report is the Programmer's Manual which
consists of descriptions, logic flow diagrams, file formats,
and the FORTRAN code of all of the source programs associated
with the Ammunition Distribution System.

FOREWORD

ADS was developed over a period of two years in a succession of incremental steps. At each step, additional system capability was developed to satisfy a new objective which was followed by immediate applications. The successful adoption of ADS by the ammunition distribution functional managers is due, in large part, to the employment of heuristic rules to make the decisions of how to allocate ammunition asset shipments at each discrete point in time. These heuristic rules embody the collective, culled judgment of many functional managers who have considerable experience in manual distribution planning.

On 31 August 1981, the system operation was transitioned to the Defense Ammunition Supply Directorate and the Transportation and Traffic Management Directorate by direction of the Commanding General. Decision Models Directorate will continue to provide maintenance of the system and operational assistance as required.

This report documents ADS as it was envisioned for exercise PROUD SPIRIT/MOBEX-80. However, since MOBEX-80, the incremental process of application/development continued and the system described here is considerably enhanced. At the time of the publication, plans are being made for even more enhancements to satisfy increasing applications for ADS, therefore, this document should be considered a record of what capability was transitioned as of 31 August 1981.

This volume contains an executive summary overview and an operator's guide. It is intended to provide the interested reader with an appreciation of the SMCA ammunition distribution problem. The operator's manual was included as an appendix. Volume II contains the detailed program listings and logic diagrams. It is intended for in-house use at HQ, ARRCOM.

ACKNOWLEDGEMENT

This report was prepared as the result of the concentrated effort of the entire ADS team (listed below) during the MOBEX-80 which was underaken during October-November 1980.

ADS Team for PROUD SPIRIT/MOBEX-80

Name	Role
Decision Models Directorate:	
Stuart Olson	Leader
Don Eckman	Model Nucleus and System
Norman Hoesly	Model System, Reports
Herman Tarnow	Ship Manifest, Report
Byron White	Preprocessor, Requirements
Al Patsche	Preprocessor, Reports
George Stiles	Preprocessor, Update Logic
Dan Turk	Preprocessor, Requisitions
Ken Maly	MOBMDR Extract, MIDAS Files
George Robinson	MOBMDR Extract, MIDAS Files
Leonard Ambrosini, Jr.	Ship Planning Messages

Program Analysis and Evaluation Directorate:

    Lanny Wells   Requisition, Ship Manifest
                                                 Editors

Management Information Systems Directorate:

    Sue Sarlette   Ship Planning Messages,
                                                 MILSTRIP Interface

Defense Ammunition Supply Directorate:

    Greg Legare   Defense Ammunition Sponsor,
                                                 P.O.C.

Transportation and Traffic Management Directorate:

    LTC Lyman Walker   Transportation Sponsor,
                                                 P.O.C.

ARRCOM Ammunition Distribution System (ADS)

1. Executive Summary

The Ammunition Distribution System (ADS) is a joint development effort of the Directorates for Decision Models, Defense Ammunition Supply, and Transportation Management of the HQ, US Army Armament Materiel Readiness Command (ARRCOM). ARRCOM is the DOD Single Manager for Conventional Ammunition (SMCA). ADS is a powerful management tool for the SMCA as well as a significant accomplishment in the science of applied decision modeling and integrated model planning. This report describes the operational version of ADS developed for exercise PROUD SPIRIT/MOBEX-80.

ADS is also intended to assist SMCA management to understand the complex interdependencies involved in the distribution of ammunition from CONUS depots and production plants to the overseas theaters during mobilization. This is called the wholesale supply system because it addresses aggregate demand and supply by major areas of use. The SMCA must deal with many links in a complicated chain of responsibilities assigned to various other organizations outside the SMCA. For instance, most of the depots are under the Depot Systems Command (DESCOM), the transportation system is privately owned, the US ammunition ports are under the Military Traffic Management Command (MTMC) or the Navy, and so on. ADS simulates ammunition movement through links in the chain to highlight potential bottlenecks and the conditions of their occurence. These provide the basis for negotiations between SMCA sponsor and other agencies for solution.

The scope of the system can be inferred from the diagram in Figure 1. ADS consists of a variable-size network in which the nodes represent points of change of transportation modes and the resulting delays associated with the handling. The arcs represent the time to move between the nodes by a specified mode of transportation. The entities on the right introduce a demand function of time into the network. The entities on the left function to satisfy the demand in quantities required and in the time required. A measure of system performance or efficiency can be developed from the differences between supply, on the left, and demand, on the

FIGURE 1 - ADS NETWORK

Figure 1 - ADS Network

right, for each point in time. The objective is to minimize the differences, subject to specified conditions placed upon the network.

An earlier version of the network using only depot and CONUS port nodes was addressed in a linear programming model formulation. The number of nodes, arcs and constraint equations was large. Optimal solutions were obtained using MPSX on an IBM 360/65, but the system users were not satisfied with the inflexibility of the model structure and its slow, costly solutions. This prompted the development of a model based upon heuristic rules for allocation of ammunition supply assets through the network to satisfy demand. Heuristic rules were developed from discussions with managers familiar with manual procedures used during mobilization exercises. Employment of these rules resulted in machine solutions in minutes instead of hours or days. Although no attempt was made to achieve optimum allocations, the users were satisfied because the solutions were feasible and better than those obtainable through manual procedures.

The model produces as an output a comprehensive, transaction file. From this file, other programs are run to prepare summaries and analyses for special information reports as required. The fast execution, ease of access and high availability of the ADS programs prompted the users to request more "what if" capabilities. In turn, this caused an evolution in model development to an on-line, more interactive display, edit, update and execution of the model in response to changing needs. Thus, the operational requirements of live mobilization exercises could be supported easily in real time. ADS produces 30-day allocation and movement plans several times a day. The operators iterate their changes until a satisfactory plan is achieved. Then special execution reports which serve as the basis for issue and shipment orders are requested.

Referring to the functional diagram of Figure 2, ADS operates from a master data file containing all item inventory data, requirements, port and depot capabilities and network data. The ADS model (ADM) is a stand-alone, batch-mode processor which furnishes selective reports for management review. An interactive capability is provided to display results selectively and/or to edit and change data for another run of ADM. During an operational exercise, the system is used as shown in Figure 2 to study "what if" questions and the effect of various changes. Once each day,

FIGURE 2 - ADS FUNCTIONAL DIAGRAM
ADS-MOD2 VERSION FOR MOBEX-80

Figure 2 - ADS Functional Diagram

it is run for the "plan-of-record" and saved in an audit trail mechanism, thus adding a time dimension to the diagram.

Threat analyses performed by responsible Army organizations result in projected weapon deployment densities and firing rates for various theaters and contingencies. Projections of planned combat consumption are compared with actual assets on-hand and due-ins to estimate the amount of ammunition that must be shipped from CONUS to meet the demand. Amounts are summed up by item and by time period and then the in-theater transit times are subtracted to translate the requirement function to the ports of debarkation (POD). ADS converts the so-called planned requirements into a large set of MILSTRIP requisitions complete with address codes, user codes, and required delivery dates (RDD's). (MILSTRIP is the acronym for the standard military system for requisitioning and priorities.) Any unplanned requirements received from overseas units during the MOBEX are added to the top of the batch for priority processing as received (these are called "walk-in" requisitions.) This becomes the input demand function discussed in connection with the right side of Figure 1. It should be noted that many such demand functions can be analyzed simultaneously with ADS, including those for different theaters.

Consideration can also be given by ADS to the problems associated with the so-called "complete round." The "complete round" is defined in functional terms as the complete and necessary assemblage of separate-issue items needed to fire a given weapon to satisfy a given mission objective. In artillery, a complete round consists of the projectile, fuse, propelling charge(s), igniters, flash reducers, etc. The resultant complete round configuration is conveniently referred to by its principal component, i.e., the projectile. Combinations of these components yield configurations which can be fired from different weapons to achieve various desired effects. It is easy to see that a large number of combinations are possible. Not all combinations can be fired from every weapon, nor would they necessarily yield desirable firing effects. For given weapons and missions, certain combinations are preferred. Within the combinations, functional substitutions are possible, yielding altered performance.

The ADS model must satisfy certain objectives when allocating supplies of components to requirements. First, it is desirable to load ocean cargo ships with a balanced load

of components. Frequently, separate-issue components are stored at different geographic locations. ADS converts all pre-planned OPLANS requirements into standard requisitions in MILSTRIP format. These requisitions are combined with "walk-in" requisitions from the theater and are sorted according to priority criterion specified by the sponsors. Usually, the latter is selected by the theater required due date (RDD). The allocation for distribution is based upon this sequence and upon complete round configurations required. When the number of pallet loads of each component to be shipped is determined, ADS attempts to schedule their arrivals at receiving ports such that the ships can be loaded with components in such a proportion as required for complete round configurations. This imposes a considerable operational problem on the ports to sort incoming rail and truck loads so that they may be loaded to the ships in the proper sequence. Work on this problem is being coordinated with the Military Traffic Management Command because port operations are beyond the scope of ADS.

ADS can be used to assess plans. ADS can be described as a type of "logistic wargaming," in which the operations of the logistics system under various mobilizations plans is modeled and studied. ADS also has the capability to operate in two slightly different modes: one is the requirements planning mode and the other is the operational mode.

A given plan is specified by providing a requirement function, an asset position, a list of ports and depots with their associated capabilities and the system transportation parameters. In the requirements planning mode, the assets, locations and/or capabilities of depots or ports can be released singly from specified values and allowed to "float" or to seek values which correspond to the operation of the system. Thus, ADS can answer questions such as -- "How many assets are required to ...?", "How much depot outloading capability is needed to ...?" and "How many berths should be planned for at a given port?" ADS can also be used to estimate the number of boxcars, trucks and ships which might be required to execute a given plan.

ADS has an operational capability. Through the use of the interactive capabilities of ARRCOM's PRIME mini-computer system, a semi-interactive set of process modules, linked together by a powerful edit/operating control system, was developed which is very responsive to user needs. With the interactive capability to modify data files, to control fast batch runs and to display selected model outputs, ADS is a valuable tool to assist in mobilization exercises involving

Class V materiel (ammunition).

At various stages in its development, ADS was used to assist in distribution planning. This effort is representative of the manner in which the development process, itself, led to additional and useful applications. Some of these applications will be summarized to show how the process provided valuable "lessons learned." These lessons were, in turn, used to redirect modeling efforts so that the system would be of the greatest benefit to the SMCA.

Recently, there has been much information printed about the Rapid Deployment Joint Task Force (RDJTF). This is a Joint Chiefs of Staff (JCS) responsibility administered by the Joint Deployment Agency (JDA) at Macdill AFB. The JDA plans logistics support for various Army, Navy, Air Force and Marine deployment contingencies ranging from natural civil disasters to armed hostilities almost anywhere in the world. Some of the contingency plans require the deployment of predetermined units with their basic ammunition loads. ADS, because of its flexibility and responsiveness, is an ideal system for planning distribution shipments for the portion of the basic load in wholesale stock and for the resupply of ammunition. Within a very short time after the deployment conditions are specified, ADS can prepare a distribution plan for analysis and/or execution by the ARRCOM SMCA managers. The use of ADS in several exercises has pointed out that the automation of requirements planning should be expanded.

Another significant application of ADS was in the system assessment of ammunition depot outloading capabilities. In this study, each depot was requested to assess its current ammunition outloading capability and also its projected capabilities in the event of general mobilization. ADS proved invaluable in evaluating such assessments because it could simulate the role and highlight the shortcomings of each depot in its mobilization effort. The results were routed back to the depot managers, affording them the opportunity to re-evaluate their mobilization capabilities expansion plans.

ADS is also used by SMCA management in the determination of the best locations to store assets coming off production lines. The purpose of this effort is to determine the locations from which distribution made in response to a given statement of requirements would yield minimum shortfalls in supply. It was learned that it is sufficient to aggregate the requirement tonnage across all items and treat it as a

single, continuously-divisible commodity. When the proper tonnages are backward-allocated to the supply depots by ADS to best satisfy the requirement, refinements by item can be made. This is a very simple process in ADS and yields excellent results.

The system dynamics of ADS may be clarified by reference to Figure 3. This figure shows a graphical analysis of ADS results in which all items are aggregated by tons to display how ADS responds to a given requirements function. The requirement function is plotted cumulatively along with the responses of three variables in the system -- the depot deliveries, the CONUS port arrivals and the theater port arrivals. In this example, ADS is responding to a preplanned requirement which explains why the depot shipment function leads the requirement function. The port arrival function lags the requirement function to account for rail shipment time. In this version of the model, the availability of boxcars was not limited. In reality, such availability may be a serious consideration, given the reports of the state of the US rail system. ADS can print a report indicating the number of boxcars loaded at depots each day and the number of boxcars being utilized throughout the entire system each day. These figures peak at alarmingly high values in some of the plans studied.

The cumulative arrival of ammunition in the theater is also shown in Figure 3. The large time delay to achieve a given requirement results from cumulative delays in various parts of the distribution system and in the nonavailability of assets at the proper depot locations. The largest portion of the delay is due to insufficient port outloading capacity which, in the model, is proportional to the number of available ship berths. In this version of the model, boxcars arriving at the port must queue up to be offloaded. This is unrealistic, and in the next model enhancement, the shipment from the depot would be delayed if the boxcar cannot be offloaded to a ship within five days of arrival at the port facility. The effect of this constraint is expected to shift the depot shipment function further to the right to absorb some of the delay, but other complex interactions could occur which could reduce the slope (movement rate) of the system shipment functions as well.

ADS interfaces with the LOGNET system. An interface capability was developed in which ADS will provide, upon demand, specific, preformatted answers to a set of standard questions. These questions relate to the current status of specific ammunition items in the system.

Figure 3 - Sample ADS Output

Page   9

The remainder of the report is concerned with each of the ADS
subsystems -- the data base extract and MIDAS files, the
pre-processor, the distribution planning model, the report
generator and the execution/approval edit process.

2. Overview.

a. General. As shown in Figure 4 - Detailed ADS Functional Diagram, the heart of ADS is the Distribution Simulation Model. The model processes and analyzes input information and produces reports, shipping orders, and information for source file amendment. The system is designed to permit interactive and/or manual control by functional managers for matters which require their review, interaction and/or approval. In general, the system is run daily during an operation with the input files updated by the results of previous runs and from information added from outside of the system. Depending upon the nature of a given run of the model, various assumptions, limitations, and constraints are made or imposed upon the system and its operating parameters.

b. Source files/Preprocessor. In general, all of the source asset and parameter files are stored in the DARCOM Commodity Command Standard System (CCSS) computer which does not directly interface the PR1ME computer. Such source files are written in formats which are not handled efficiently in the model. The model is written in FORTRAN and needs to treat requisitions, ports, depots, etc. as simple integer subscripts. Therefore, the operating parameters and asset source files are transferred to tape and are entered into the preprocessor which, in turn, creates intermediate work files. The latter contain pre-planned requirements, walk-in requisitions, transportation network configurations, complete round and substitution information, depot out-load capabilities, assets, etc. in FORTRAN format for efficient model processing. The reports generator converts the model output from internal FORTRAN notation to the original, "real-world" format.

The intermediate files, the preprocessor, and some of the source files are designed to be up-dated automatically or by interactive programs as the model is run through successive iterations.

c. Distribution Simulation Model. In its most general sense, the purpose of the ADS Distribution Simulation Model is twofold. First, during peace time, it may be used to simulate all aspects of the very complex wartime system of distributing conventional ammunition to various retail users throughout the world. Secondly, it is anticipated that

Figure 4 - Detailed ADS Functional Diagram.

during periods of actual conflict, it may be used to efficiently guide the delivery of ammunition to augment conventional, manual methods. The model is designed to be sufficiently flexible that it can reflect changing scenarios. ADS will primarily assist in the transition from peacetime to mobilization.

The intermediate files created by the preprocessor furnish all of the data needed during a model run. Theater needs are presented in the form of pre-planned requirements or in the form of walk-in requisitions which reflect the day-to-day theater requirements after hostilities begin. During a run, the model attempts to satisfy all requisitions while simultaneously complying with the parameters, constraints, and assets contained in the input files. Allowable substitutions are selected as may be required. Upon completion of a run, a number of output files are created for further processing in the system.

d. Reports Generation. Upon either a selected or routine basis, the functional managers are supplied with status and other reports concerning the progress of the system. These reports are prepared by a program which utilizes the model output files with a correlated interface to the intermediate work files. A list of the standard reports includes the depot outloading schedule, depot lift capability posture, ship manifests, item readiness analysis, item shortfalls, theater shortfalls, Service shortfalls, depot outloading by Service summary, port receipts schedule, depot asset posture, port arrival workload profile, item stratification by tons shipped, and analysis of late shipments.

e. Ship Planning/Execution. Upon the completion of a run, the model permits functional managers an interactive review, edit and approval capability. Once this capability has been exercised, the system prepares appropriate shipping documents, corrects asset and related files for items shipped, and initializes itself for handling unfilled and/or unapproved requisitions during a following iteration.

Once a functional manager approves a shipment, the system prepares all documents needed for shipping the item(s) from specified depots, the selection of the approved transportation means, proper port designation, the ship loading orders, etc.; all of which are tied to the originating requisition. The functional managers, the

original requestor, and other interested individuals are advised of the shipment via reports and structured messages.

One output file, the open requisition file, is produced which the the functional manager may use to determine why a requisition was not completely filled (open requisition). The functional manager is enabled to take appropriate steps, through an interactive control program, to correct or otherwise analyze the circumstance. It may, thus, be possible to identify errors in the input data or to identify critical items which require priority.

For day-to-day operations, the residual assets, the depot lift capability, unapproved or unfilled requisitions, modified network configurations, etc. are utilized as input for the next iteration of the model.

3. Assumptions/Heuristic Rules

a. General. In order to establish a practical operational environment within which the ADS model can be most effective in meeting the needs of an exercise, the system must be understood and defined in terms of accepted assumptions and the model must perform in accordance with stated rules. These are detailed in the following sub-paragraphs.

b. Assumptions. In order that the goal of a particular exercise may be achieved and to add proper perspective to the interpretation of the output reports which are produced, the user must be aware of which limitations have been placed upon the system for a particular run of the model. These assumptions may be refined, added to and/or amended depending upon the degree of enhancement desired. The following are the assumptions which were made during MOBEX-80:

There may be ten substitute items per item. These are selected in the order encountered from the MOBMDR extract from CCSS. There is no differentiation made as to function. Substitutions are only made for end items, not for complete rounds.

Items selected from the MOBMDR are identified by National Item Identification Number (NIIN). Groups of

related NIIN's are identified by the DoD Ammunition Code (DODAC). The model handles individual items at the DODAC level.

Allowable complete round configurations and substitutions are a function of theater and intended use. Two files are available -- one for Army planned use and the other for SMCA recommended use.

Transportation data for a DODAC is taken from an item at the subordinate NIIN level.

Although transportation data for unit items, unit packs and pallet units is available, only the pallet unit data (weight, volume, quantity) is used. All shipments are made in pallet load multiples.

Only weight constraints are considered in the ADS distribution shipment plans. No constraints are applied for volume, net explosive weight, hazard classes, or mixed item shipments.

Planned requirement quantities are given by plan code, item, service, theater, and by time period. The time periods are five (5) days each, and up to ninety-nine (99) such time increments may be selected.

Assets available for model shipment are summed over related NIINs and are presented at the DODAC level.

All NIINs within the allowable set of condition codes and related to a given DODAC are identified by storage location, the DODAC, and the applicable ownership/purpose codes.

In walk-in requisitions, only the requested item is shipped. No complete round break-out is performed.

The ordering of depots, ports and destinations for allocation logic processing in the model is dictated by their order of appearance in the network file.

The model processes requisitions in the order given. If the order as given by the pre-processor is altered before the model is run, complete round shipments may be affected adversely.

The system may be started and stopped on any day relative to a starting D-day, identified as "Day 1." Many standard reports are limited to runs over a period from 1 to 180 days.

Only one depot outloading capability for each depot can be accomodated for each day. An aggregation of both rail and truck capabilities is assumed.

No depot processing time is assumed between the source-selection/depot shipment decision and the time the shipment occurs. Also, all shipments are assumed to occur on one day.

Each CONUS port processes ship loading using common, fixed parameters for ship loading time and ship weight capacity.

Non-SM items requiring depot outloading are pre-allocated from the stated depot outloading capabilities before the model is run.

Requisitions for the same item going to the same destination at the same time period are not aggregated. This causes overshipments if small quantities are required because of rounding-up of shipment quantities to full pallets.

c. **Heuristic Rules.** ADS was formulated on heuristic rules for allocation of ammunition supply assets through the transportation network to satisfy demand. The heuristic rules were developed from discussions with managers familiar with manual procedures used during previous mobilization exercises. The following is a list of such rules utilized in ADS.

Requirements are processed sequentially from a pre-ordered list. The ordering of the list reflects assignment of priorities according to a given criteria. Some of the criteria are: theaters, services, required delivery dates (RDD), issue priority designator, item designation, etc. The user of the system must specify a priority ordering or the system will default to ordering based upon earliest RDD.

Requirements with required delivery dates greater than the established horizon for a given study (in most cases, 180 days) are set equal to the end of the horizon (i.e. 180 days). For planning purposes, the transition from peacetime to war is 180 days. After this time, it is assumed that depot supplies will be mostly exhausted, and consumption will be supported by production facilities and by distribution planning systems other than ADS.

Depot shipments are timed so that arrivals in the theater meet the requisition required delivery date (RDD) or sooner. If the RDD cannot be met because of distribution bottlenecks, an earlier shipment date will be sought. If no earlier date can be found, the earliest possible late shipment date will be found, and the reason for the resultant late delivery date will be noted. Late requisitions have priority over requisitions with later original RDD's.

If it is determined that assets are available within the system, all depots are searched to determine the location of these assets prior to making a depot shipment decision.

If an item specified on a requisition is not available in the system, an appropriate substitution is sought from a pre-selected, ordered set of substitutions for the requested item.

When two or more depots can meet the same delivery time at a selected port, the most distant depot will be selected. This tends to utilize the earliest lift capability and preserve the later lift capability to respond to priority requirements.

If a requisition is for a quantity which is not equal to a multiple of a pallet equivalent, the quantity required is increased to the next incremental pallet equivalent.

Shipments of separate-issue items reflect the objective of a balance of complete round usage in a given theater for planned requirements. No complete round balancing is performed for walk-in requisitions.

If the remaining assets at a given depot are less than an equivalent unit pallet, no shipments are allowed for that item.

A record of remaining outloading lift capability in short tons per day is maintained day-by-day for each depot. Shipments from a depot on a given day are limited to equivalent unit ρallets weighing less than the available lift capability.

Processing of a requisition is terminated when the required quantity is shipped, when assets (primary and substitute) are depleted or when the lift capability is exhausted at applicable depots.

If the transit time from depot to port is one day or less, motor freight will be selected. For transit times greater than one day, rail freight is selected. (Other rules are available in the "Logistics Handbook for Strategic Mobility Planning," MTMC PAM 700-1, Feb 1980, a Military Traffic Management Command publication.)

Each overseas port is assigned an exclusive set of geographic areas which are designated by the geographic codes currently in use. A particular overseas port is considered to be the intermediate destination for shipments against requisitions referencing the assigned geographic codes as the location of the requisitioner.

CONUS ports serving an overseas port are selected on the basis of sailing time. In cases where port capacity is limited, the CONUS port with the next shortest sailing time to the overseas port is selected.

When CONUS port constraints are invoked, they are stated in terms of the number of berths and the loading time. Currently, the loading time is five (5) days. No holding and sorting of cargo at ports is considered, although it is required that all cargo for the shipment arrive at least one day prior to loading.

Shiploads are defined by imposing a minimum and maximum tonnage. Currently, 8,500 and 8,750 short tons, respectively, are used.

Ship destination is fixed by the required destination of the first requisition for which shipments are processed.

Ship berthing schedules are determined by the required delivery date of the first requisition for which shipments are processed.

If a ship berthing schedule is specified, it takes precedence over scheduling by the required delivery date.

If, for a give: requisition, no ship is scheduled for the required destination, a ship will be scheduled at a port and time with the shortest sailing time from an available port to the required destination and delivery date.

Subsequent shipments for requisitions to destinations will be made in ships already sheduled for those destinations within the specified time required.

Incomplete shiploads (normally occurring when there
is insufficient demand originating at a particular
location) are flagged for action by the functional
managers.

Termination of the overall processing of
transactions in the model occurs when all shipping
activity has ceased.

Shipment will be made on the latest possible day
consistent with ship sailing schedules and the
requisition RDD.

4. Data Base Development

a. General. The Data Base Development for ADS consists of obtaining data from the Mobilization Master Data Record (MOBMDR), building off-line files to initialize the system, and the running of the preprocessor to set up the files for the distribution module. The Distribution Module operates on data converted from real-world formats to formats for efficient and fast internal processing. The reports generator re-converts results back into real-world format.

b. MOBMDR Data. The MOBMDR data base, developed and maintained by ARRCOM's Directorates of Defense Ammunition Supply (DRSAR-DSP) and Management Information Systems (DRSAR-MSA), Defense Ammunition Supply is located on ARRCOM's CCSS computer. It contains information for each end item, such as its assets (quantity, location, condition code, etc.), transportation data (weight, volume, quantity per pallet, hazard class, etc.), substitution items, and requirements.

The first step in establishing a data base for processing through the ADS distribution module is the extracting of required information from the MOBMDR file. This information is loaded onto a tape, which, in turn, is loaded into a file on the PR1ME 550 computer system. Then several programs are executed, and the complete round data file (CRDPL) and the item file (MIDASI) are built. These two files are used as input to the preprocessor program which is discussed below.

The procedure to extract and process data from the MOBMDR is found in APPENDIX A. The file formats are found in Volume 2.

c. Initial off-line files. In order to establish the scenario in which the ADS distribution module is to be exercised, the functional user is required to build the following files which initialize/describe the system:

PARAM1 Parameter File
DEPOT1 Depot File
NONSM1 Non-SM Lift Capability Reduction
PORT01 Port File
NETM81 Network File

The parameter file identifies such items as the period of time under consideration, minimum and maximum ship weight, plans to consider, etc. The depot file contains the lift capability by day for each depot location. The non-SM lift capability reduction file contains the depot lift capability by day for non-SM items, and which is subsequently subtracted from the depot file to yield the lift capability used by the ADS distribution module. The port file contains the maximum number of berths for each port. Finally, the network file contains the transportation mode and transit times between each and every pair of sending and receiving locations.

When these files are built and the MIDASI and CRDPL files are built (see above), the files are ready for the preprocessor as described in the next section. File formats for these files are found in Volume 2.

d. Preprocessor. The main purpose of the preprocessor is to take all available information, edit it, and reformat it into the necessary work files for the Distribution module. Input files to the preprocessor are those discussed in part (b) and (c) above, along with the file called WORK14 which contains the walk-in requisitions. These requisitions are received by tape from the Ammunition Demand Automated Processing (ADAP) CCSS system in an extended requisition format. These requisitions are converted to a format required by ADS and filed into WORK14. (ADAP is currently designed for peacetime processing of requisitions ADS is for mobilization.)

Figure 5, The Preprocessor Functional Diagram, displays the input and output files along with a short description of the computation involved. The preprocessor generates output files WORK00 thru WORK11. The files COMO, EX$RPT and EXCEPTIONS are created for double checking purposes only. COMO is used to determine the reason when a model run is terminated abnormally. EX$RPT lists any items for which insufficient or erroneous data is given and EXCEPTIONS is the same file after being sorted by DODAC. EXCEPTIONS is used by DRSAR-DSP to correct, update, or otherwise modify the input files.

The work files generated are:

> WORK00 Model Parameter File
> WORK01 Requirements/Requisitions File (Model
> format)
> WORK02 Complete Round - Component File
> WORK03 Complete Round - Usages File
> WORK04 Item Information File
> WORK05 Substitution File
> WORK06 Depot Lift Capability File
> WORK07 Depot Information File
> WORK08 Asset File
> WORK09 Port Information File
> WORK10 Transportation Network File
> WORK11 Requisitions (MILSTRIP-like format)

The running of the preprocessor is shown in APPENDIX A,
and the file formats of all input and output files are shown
in Volume 2.

PREPROCESSOR FUNCTIONAL DIAGRAM

Figure 5 - Preprocessor Functional Diagram.

Page   24

5. Distribution Module

a. General. The Distribution Module was formulated on a set of heuristic rules for allocation of ammunition supply assets through the transportation network to satisfy demand. The intermediate work files generated by the preprocessor are used as input to the Distribution Module. The Distribution Module produces a detailed transaction file, along with files showing the status of the system after the module completes execution. The status shows such things as remaining assets, remaining depot lift capability, ship status, port status, and a summary item analysis.

Prior to the execution of the Distribution Module, the coded requisition file (WORK01) must be sorted in the sequence of processing priority. Currently these records are sorted by increasing required delivery date (RDD) however, other priorities might occasionally be considered by the user (e.g. service, destination, plan, etc.).

An overview of the Distribution Module is shown in Figure 6. Appendix A contains discussion on how to run the model. Volume 2 contains the source programs for the constrained and unconstrained model, phantom and command files, logic diagrams, and format listings for all input and output files.

b. Output Files. The output files of the Distribution Module are briefly described below:

The ROUTES file contains all the transactions generated by the model run. Each transaction contains all data necessary to track a shipment of an item from the depot to its final destination. This information contains such elements as item identification, amount shipped, depot location, shipping and receiving port data, final destination, times for each stage, etc.

The WORK12 output file contains the remaining assets and is in the same format as the initial asset input file WORK08.

DISTRIBUTION MODULE FUNCTIONAL DIAGRAM

Figure 6 - Distribution Module Functional Diagram.

The WORK13 output file contains the remaining depot lift capability file and is in the same format as the initial lift capability input file WORK06.

A WORK20 output file contains the remaining production capability and is in the same format as the initial production capability input file WORK18.

A ship status output file, WORK19, specifies each ship by port, berth, and ship number. Each ship's cargo is specified by weight, volume and explosive weight, date on berth, estimated port departure time, computed destination arrival time, and the maximum and minimum RDD's of the requisitions loaded.

A summary item analysis output file, ANALS1, contains the total quantity requested, total quantity shipped, beginning assets by equivalent pallet quantities, and ending assets by equivalent pallet quantities for each owner/requestor and service combination.

c. Sequence of Operation. This section discusses the internal workings of the Distribution Module with respect to default values used and the order in which events are processed.

The following program defaults are noted:

If the item description file, WORK04, does not contain all the required shipping data, the shipping data contained in the record is displayed in the audit file on screen by item sequence number and DODAC. The missing values are then set to default values:

Unit weight	=	0.00050 stons/unit (1 lb.)
Unit volume	=	0.00025 mtons/unit (0.01 cu ft)
Pallet count	=	one (1) item/pallet

If the record containing lift capability for a given depot and day is missing from the lift capability file, WORK06, the lift capability for that depot on that day defaults to zero (0) stons/day.

If the asset record for a given time, service and location is missing from the asset file, WORK08, the assets for that item and service at that depot default to zero (0) quantity.

If a production file (WORK18) exists it is read. If it does not exist all production defaults to zero (0). Records contain identity, service, item, and quantity available at a given time. If no record exists for the above combination zero production is defined.

If a WORK15 file exists it is read. The existance of a WORK15 indicates that ships may be pre-scheduled. The records of WORK15 contain the ship parameters of the pre-scheduled ships i.e. by POE and Ship Number, the berth assignment, destination (POD), current load (in STONS, MTONS, and explosive), ETA, DOD, DOB, and a flag indicating whether that particular ship is available for further loading. Ship numbering starts at the number following the maximum ship number read for each POE. If a WORK15 fle does not exist all ship parameter arrays are set to the null state and ship numbering begins at one (1). The intermediate files generated by the preprocessor (WORK00 through WORK10 and in addition WORK15 and WORK18 if they exist) are read, and their contents are loaded into the appropriate arrays and words. In addition to loading asset and production arrays with the number of individual items for each service and location, integral pallet quantities are computed for each item, service and in the case of production by time. The combination of beginning inventory and production availability describe the potential assets for the location, service, item combination.

In order to provide the desired priority in selection of ports (POE) and depots, two ancillary arrays, PTIME and DTIME, are generated. These arrays contain the port and depot sequence numbers in the order of desired selection for the required destination. The ports (POE's) are ordered by increasing sailing time to each specified port of debarkation (POD). The depots are ordered by decreasing rail shipment time to each POE.

The requisitions are loaded into a buffer from the the WORK01 file. As each requisition is read from the buffer, the following sequence is followed:

Determine if potential assets (beginning inventory and potential production) exist in the system at any location in a quantity equal than the equivalent on one pallet or greater.

If no potential assets are found for the requested primary item, then a substitute item is selected and the above is repeated. Substitutions are keyed to the primary item and maintained in the desired order of selection.

If, after searching all depots, no potential assets are found for the primary item or any of its substitutes, the next requisition is selected.

If there are potential assets than can be applied to the requisition, a POE is selected. The selected POE is searched to determine if a ship is in the process of loading which (a) is assigned to the required destinatin (i.e. POD) and (b) whose ETA will accomodate the allowable receiving window for the requisition in question (i.e. how early or late with respect to the RDD is receipt allowed). If no ship is found in this port, then the next port in the priority sequence is examined (Note: the port file must be ordered in the desired priority). If no available ships are found in any of the POE's, then a new ship is assigned.

The POE with the shortest sailing time to the specified POD is selected when assigning a new ship. If the ports are unconstrained, the next ship number for this POE is assigned with the specified POD as its destination, and the ship parameters are initialized.

For constrained ports, the availability of a berth with a loading window that will accomodate the specified required delivery date (RDD) is determined. If a berth is available, the next ship number, etc. is selected. If a berth is not available, the next priority port, etc. is selected. If no port is available, the conditions are relaxed by incrementing the RDD by one day, and the selection process is repeated. If the day on berth (DOB) corresponding to the berth and loading window exceeds the tolerance for

late receipt for this requisition the next requisition is selected for processing.

For the selected POE, a target day of receipt (DOR) of material at the port is computed. This day is set equal to the day preceeding the DOB of the assigned ship. If DOR preceeds the first day of the planning period, it is set equal to the first day of the planning period. Considering the DOR at the POE, the depots are addressed in order of decreasing rail shipment time to each POE.

If surface transport is selected for shipment between the POE and POD, rail transportation from the depot is attempted first and if no shipments can be made in this mode then motor transportation is attempted. For air shipment betwen POE and POD only motor shipment from the depot are allowed.

If the rail transit mode is selected and the transit time exceeds a preselected limit, it is assumed that available rail transportation link between this depot and the POE does not exist, and motot transportation is examined.

If a rail transportation link exists, a shipping day (DOS) is computed based on the target receipt day at the POE and the transportation time. If this day is earlier, than the first day of the planning period, motor transportation is examined, and the same tests are applied. If either transportation link cannot be established or the shipping day is too early, the next depot in order is addressed.

When assets are available, either inventory or production for the period addressed, and a viable shipping day can be established for a depot, the current state of lift capability at the depot on the shipping day is determined. If there is insufficient lift capability at the depot on the shipping day, two possibilities can occur depending upon the transportation mode being considered. If rail transportation is currently being considered, motor transportation with a recalculation of the shipping day will be attempted. If motor transportation is currently being considered, the next depot will be addressed.

The numerical minimum of the palletized lift capability, assets, remaining ship cargo space, and remaining

requisition quantity is then determined. If this minimum is greater than zero (0), it is defined as the shipment quantity. Shipment weight, volume, and explosive weight are computed using the shipping data and the shipment quantity for the items considered. Lift capability, ship cargo space, depot assets, system assets and requisition are updated using shipment quantity and weight where applicable.

A transaction record is written to the intermediate transaction file, ROUTEP. This file contains: locations (depot, POE, POD), ship number, berth used, times (ETA, DOD, DOB, DOR, DOS), item requested, item shipped, owner/requester, plan, requisition number, amount shipped (quantity, STONS, MTONS, N.E.W.) and the transportation mode for CONUS and transocean. A running total of the amount shipped by item and service owner is maintained.

The ship being loaded is examined to determine if the minimum cargo weight has been exceeded. If it has, the depot search is terminated and two possible conditions are investigated. If the requisition has been satisfied, the next requisition is read for processing, or if the system assets have been exhausted, the next substitute is considered. After action indicated by either of these two tests or in the case where no action is required, the ports are searched for a ship which is in the loading process or a newly assigned ship.

If:

        (a) All depots have been examined and

        (b) The requisition has not been filled and

        (c) System assets exist and

        (d) Transportation linkages exist between the POE and one or more depots and

        (e) The ship is not yet full,

the target receiving time (DOR) at the POE is decremented by one day. This process is repeated until the target receiving day equals the earliest day of the planning period. If the target receiving day has been reduced to its minimum limit and the requisition is still not satisfied as specified above, one day is added to the RDD for this requisition and the process is repeated.

The process of depot search continues until the requisition is satisfied, assets (primary and substitutions) are depleted or the adjusted RDD exceeds a predefined limit on the DOR. A condition may exist where no transportation linkage is available between depots with assets and the POE. When this occurs, assets are first drawn from the depots with transportation linkages. Then another POE and ship is selected for loading the remainder of the requisition.

When all requisitions have been processed, the DOB, DOD and ETA (RDD) in the transaction file, ROUTEP, is corrected to show the latest computed values for these variables corresponding to each ship. A new transaction file, ROUTES, is then written.

6. Reports Generation

a. Introduction. The Ammunition Distribution System (ADS) contains information concerning complete round, item substitutes, item assets, item parameters, transportation network, ship loading criteria, depot capabilities, port capabilities, and item requirements, and determines detailed transactions of potential shipments. The ADS Reports Generator program has captured much of this information in formatted reports. Additional reports are also made available as their need arise.

b. Reports Generator Program. The reports program is an interactive program with which the functional user can select the required reports. Figure 7 displays an overview of the reports generator program along with the required input files and the subsequent output files. In preparation for generating reports, the transaction file (ROUTES) is sorted four ways as follows: 1) by depot, shipping time and item, 2) by port, ship, and item, 3) by port, depot, and shipping time, and 4) by port, arrival time, and item. The reports generator program is then executed which asks the user which reports are required and the user then responds by typing the corresonding character(s) for the reports(s) desired.

Operational instructions for the reports generator are contained in Appendix A of this report. The source program, command files, phantom file and input/ output format listings are found in the Programmer's Manual, Volume 2.

The following is a list of the type of report and a description of the information furnished:

Type of Reports	Description
(1) Depot Loading Schedule DSCHUL	This report contains the item amount, in terms of quantity and short tons, loaded from each depot by day. Also furnished is the port arrival time and the port of embarkation (POE).
(2) Depot Lift Capability Posture Report DLIFTP	This report contains the lift capability by depot and by day for both before and after ADS allocation.

Figure 7

REPORTS GENERATOR FUNCTIONAL DIAGRAM

Figure 7 - Reports Generator Functional Diagram.

(3) Ship Manifest Report MANFST	This report contains each ship's contents by item in terms of quantity, short tons, measurement tons and net explosive weight. The port of debarkation (POD), the POE, the sail date and the estimated time of arrival (ETA) at POD are furnished.
(4) Item Analysis Summary Report (Quantity) IANALS	This report contains transportation shipping information, an asset posture, a readiness posture and prescribed substitute items. An analysis sheet is written for each item (primary item and substitutes), by DODAC, with all amounts expressed in terms of quantity. The assets are shown by service before and after ADS allocation. The readiness posture shows by service the requirement, deliveries in theater and shortfall for each time period. If any substitute item was shipped against this item requirement it is shown separately. However, the substitute item quantity is not included in the readiness posture, even though the quantity was shipped against the primary items requirements. The delivery schedule of the substitute item will be shown on its item analysis sheet.
(5) Depot Loading Service Summary Report DEPSER	This report contains the depot shipments from the depot to the specific POE's. Short tons, measurement tons and net explosive weights are furnished by service and time of shipment.
(6) Item Analysis Summary Report (tons) IANALT	This report is similar to the item Analysis Summary Report (Quantity) except the analysis sheets are written for each item by DODAC with all amounts expressed in terms of short tons.

(7) **Port Receipt**   This report contains the item amount,
    Schedule Report   in terms of quantity and short tons,
    PSCHUL   received at each port of embarkation
                         by day. The report also shows the
                         depot from which the item was shipped
                         from and when shipped.

(8) **Depot Asset**   This report contains the assets of the
    Posture Report   items contained in each depot. Initial
                         assets and final assets after ADS
    DASSET   allocation are given in terms of
                         quantity and short tons by service.

(9) **Item List, Depot** This report contains a list of study
    List and Port   items sorted by DODAC. Each item has
    List Report   its corresponding index number used
    INFORM   in the model. This number is useful to
                         locate items in the item analysis report
                         because this number corresponds to the
                         item analysis page number. A list of
                         the depots and ports with associated
                         identifier codes (provided as input)
                         are also given.

(10) **MTMC Port Cargo** The report generator furnishes two
     Availability   Military Transportation Management
     Report   Command (MTMC) reports, these being
     MTPSCH   the Port Cargo Availability Report
                         and the Port Cargo Availability Summary
                         Report. The first report shows the
                         tonnage available at each port (POE)
                         supplied from the depots. The amounts
                         are summed into 10 day time increments.
                         Report elements include short tons,
                         measurement tons, net explosive
                         weight, the percent of cargo available
                         at the port by time increment from a
                         particular depot and the percent of car-
                         go available in this time increment from
                         this depot relative to the total cargo
                         available from all depots. The other
                         report summarizes by time increment the
                         tons required, tons outloaded at all
                         depots, tons available for ship loading
                         theater delivery and theater shortfall.

The above reports include only those items and military services determined from the selected requirement plans and walkin requisitions. Therefore, the asset posture on the Item Analysis reports is shown only for those services that are included in the study, even though other services have assets for the studied items.

c. Additional Reports. Several reports are also available, but are not outputs of the Reports Generator Program. Operational instructions to obtain the following reports are located in Appendix A:

Type of Report	Description
(1) Requisition Shipped Report SHPREQ	A report which assists in the detailed analysis of all items shipped. The transactions are shown in the order processed by the model.
(2) Item Shipped Report SHPITM	A report which assists in the detailed analysis of all items shipped. The transactions are sorted by DODAC.
(3) Depot Shipping Report SHPDEP	A report which assists in the detailed analysis of all transactions. The transactions are first sorted by depot name, by depot departure time, and then by DODAC.
(4) Ship Summary Report SHPMT2	A report which assists in the detailed analysis of all ships. The transactions are first sorted by ship number, by service code, by depot name, and then by departure time. Intermediate sums are made after each depot name and after each ship number.
(5) Ship Summary Report SHPMT4	A report which assists in the detailed analysis of all items shipped. The transactions are first sorted by service, depot, POE, destination, and ETA. Intermediate sums are made after each of these variables.

(6) Open Requisition   A report which shows, for each requisi-
    Report   tion, the beginning and ending assets
                         along with the unfilled requirement
    OPENRQ   quantity and a reason why the requisi-
                         tion could not be filled.

7.   Ship Planning/Execution - Open Requisitions

        a. General. Following the run of the model as
described in paragraph 5 above, a number of output files are
created. At this point in the system, no execution
directives are generated. Based upon heuristics of the the
model, the output files represent plans for existing
requisitions and indicate proposed distribution for these
requisitions. The system permits the functional managers
interactive, selective control of shipment approval of these
plans. Two edit programs are available for this purpose.
The first program, EDITRQ, enables functional manager study
and amendment of requisitions which remained open after
processing by the model. The second of these, EDITTR,
initiates the process whereby shiploads (manifests) are
approved/released and appropriate shipping documents are
produced, files are amended, requestors are advised, etc.
These edit functions are illustrated in the system flow
chart, Figure 4.

        b. EDITRQ. EDITRQ is a program which permits the
functional manager to edit unfilled requisitions. Prior to
the execution of EDITRQ, it is desirable to have a copy of
OPENRQ. OPENRQ is the report which shows each unfilled
requisition, the beginning and ending assets for that item,
and a reason why the requisition could not be filled. The
input requisition files and the master data file, MIDASI, are
edited by the functional manager using the EDITRQ program.
Under this program, modification of open requisitions may be
made in three fields: DODAC, ownership/purpose code and/or
RDD. The edited information is processed back into the
system through the WORK14 file and the preprocessor as new
requisitions. The old requisitions are deleted. This edit
capability is provided to allow substitutions which are
beyond those permitted by the MOBMDR and by official
guidance.

        c. EDITTR. EDITTR allows the functional manager to
edit/change and execute a shipload. It is the first step in
the procedure which produces the shipping orders and modifies

all files to reflect changes brought on by items shipped. By means of this program, the transaction file, ROUTES, is analyzed by the functional manager in conjunction with ship information in WORK09 and WORK11. EDITTR selects ships by number and port and puts the WORK11 requisitions and the ROUTES transactions together for each ship. Certain changes in shipments are allowed as well as slight changes in the ship departure schedule.

Through EDITTR, the functional manager is requested to make a decision whether the shipload is to be approved for execution. EDITTR produces an intermediate file, SHXXYYY ("XX" being the port number and "YYY" being the ship number), for use in the SHIPLOAD process. SHXXYYY can be written out by EDITTR whether the transactions are approved or not. Also EDITTR flags its copy of the ROUTES transaction file, ROUTDA, to indicate that the item(s) has(have) been authorized for shipment. Such "executed transactions" are used to initialize and appropriately up-date the model for its next run.

The SHIPLOAD program is invoked to process shiploads which have been approved for execution. Two input files are utilized, SHXXYYY, created by EDITTR, and the master data file, MIDASI. Each shipload is analyzed, and three output products are created.

The first of these is the modification of MIDASI, whereby the assets are appropriately decremented at NIIN level by the the amount shipped.

Secondly, SHIPLOAD creates MILSTRIP lines in a file, MIL-AXXYYY, which is used to prepare depot shipping documents (MRO's). This file, in turn, is written on to tape and loaded to CCSS to cause dep..t shipments and to decrement the requisition source files.

The third output product of the SHIPLOAD program is the "plan" file which contains proposed ship planning messages. The functional manager may then edit the "plan" files through the program SHIP01 to add specific detail and/or supplements. When a message is ready to be sent, SHIP01 writes the message/supplement to the SHIP-M file and also writes the approved "body" file. The MILSTAMP program then reads the "body" file, adds addresses, dates, and standard information and writes out a ship planning message ready to be put on tape. These messages are

processed through the ARRCOM Communications Center to the ports with confirmation sent to the originating requestor organizations.

The shipload/execution process is shown in additional detail in Figure 8. In this diagram, it will be noted that although the primary files which are utilized are those discussed above, the edit process is somewhat more involved and additional files are addressed as indicated. For example, the SHIPLOAD program (using SHXXYYY - shown as SH01001 in the figure) interfaces additional files in the process of creating the three output files mentioned above.

Finally, as shown in Figure 8, the process of formulating ship messages through the MILSTAMP programs is performed. The MILSTAMP program (a) formats and addresses the output files created by SHIP01, (b) eliminates duplicates, and (c) summarizes, sorts, and prepares the messages with standard statements/instructions.

Once the ship(s) has(have) been approved, the feedback program, ADM007, is executed. This program reads the approved ship data and appropriately decrements the requisition files WORK01 and WORK11, the asset file WORK08, the depot lift capability file WORK06, and builds the ship status file WORK15. The preprocessor is then executed to process any additional requisitions which are located in WORK14.

8. Logistics Data Network for Army Crisis Management (LOGNET)

In order to respond to nine standard questions related to the status of items in transit, a program was written called LOGNET. These questions were formulated by DARCOM and require quick response. This requirement is achieved with the LOGNET program. The answers to the questions are formed from the approved transactions file (ROUTEH) and the current WORKXX files.

The nine questions, along with the desired response, are:

Question #1: What is quantity of DODIC _____ in transit in
CONUS from_____ (plant or depot) to_____ (POE)
for ship _____ (ship designator code).

Response: CONUS in transit from one shipper for one ship:

DODIC:_____
Ship:_____
POE:_____
Shipper:_____
Quantity:_____
Short tons:_____
Measurement tons:_____
Net explosive weight (New)(lbs):_____

Question #2: What is quantity from each shipper and total
quantity of DODIC _____ in transit in CONUS for
ship _____ (ship designator) to sail from_____
POE.

Response: Summary of CONUS in transit for one ship:

DODIC: _____
Ship: _____
POE: _____
Shipper:_____ Qty:_____ ea, short tons:_____,
        meas tons:_____, new _____
Shipper:_____ Qty:_____ ea, short tons:_____,
        meas tons:_____, new_____
Total: Qty:_____ ea, short tons:_____, meas
        tons:_____, new _____

Question #3: What is the total quantity of DODIC _____
              in transit in CONUS for all ships sailing from
              _____ (POE) for _____ (POD).

    Response: Summary of CONUS in transit for all ships:

               For POE:_____
               For POD:_____
               DODIC:_____
               Quantity:_____
               Short tons:_____
               Measurement tons:_____
               New (lbs):_____

Question #4: What is the total quantity (by DODIC) of
              materiel loaded on ship _____ (ship designator)

    Response: Total of materiel loaded on _____ (ship
               designator):

               POE:_____
               POD:_____
               Sailing date:_____
               ETA overseas:_____

               DODIC Qty   Short tons   Meas tons   New (lbs)
                XXX   XXX   XXX   XXX   XXX
                XXX   XXX   XXX   XXX   XXX

      Totals: XXX   XXX   XXX   XXX   XXX

Question #5: What is the total quantity of DODIC _____ which
              is on board all ships intransit to _____ (POD).

    Response: Total quantity of DODIC _____ intransit to _____
               (POD):

               Vessel Qty   Short tons   Meas tons   New(lbs)   ETA
                XXX   XXX   XXX   XXX   XXX   XXX
                XXX   XXX   XXX   XXX   XXX   XXX

      Totals: XXX   XXX   XXX   XXX   XXX   XXX

Question #6:   What is the total quantity, by DODIC, of
               materiel on board all ships in transit to____
               (port of discharge).

    Response: DODIC listing of all ships in transit to _____
               (POD).

               DODIC:_____ (#1)
               Vessel Qty Short tons Meas tons New(lbs) ETA
                XXX   XXX   XXX   XXX   XXX   XXX
                XXX   XXX   XXX   XXX   XXX   XXX

               DODIC:_____ (#2)
                XXX   XXX   XXX   XXX   XXX   XXX
                XXX   XXX   XXX   XXX   XXX   XXX
               Etc.:
Grand
Totals: XXX   XXX   XXX   XXX   XXX   XXX

Question #7:   What quantity of DODIC _____ was shipped to___
               (POD) between _____ and _____ (dates).

    Response: Total quantity of DODIC _____ shipped to _____
               (POD) between _____ and _____ (dates)
               _____ ea, _____ short tons, _____ meas tons

Question #8:   What quantity of DODIC _____ was shipped to ___
               (POD) between _____ and _____ (dates).

    Response: Quantity of DODIC _____ shipped to _____ (POD)
               between _____ and _____ (dates)

          Shpr   Vsl   Qty   Sh/tons   Mea/tons   New(lbs)   ETA

          XXX   XXX   XXX   XXX   XXX   XXX   XXX

Question #9: What were the shippers and quantities of DODIC
_____ shipped for _____ (ship).

Response: Summary of shipments of DODIC _____ shipped for
_____ (ship).

	Shipper	Qty	Sh/tons	Mea/tons	New (lbs)
	XXX	XXX	XXX	XXX	XXX
	XXX	XXX	XXX	XXX	XXX
Totals:	XXX	XXX	XXX	XXX	XXX

The LOGNET program operates on the approved transaction
history file ROUTEH, although, in planning situations where
no execution will occur, it can read the ROUTES file for
answers to the questions. This interactive program is on
PRlME and is not directly connected to the ARPA network.
Information must be transferred manually from the LOGNET
program terminal to the Army Crisis Management Network
terminals.

Figure 8 - Edit and Ship Message Programs.

APPENDIX A

Operators Manual

Technical Report TR 10-81
October 1981

APPENDIX A

Operators Manual

TABLE OF CONTENTS

APPENDIX A

Operators Manual

This appendix contains a step by step procedure for operating the ADS modules. Discussion on why actions are taken is covered in the main text of this Report and, therefore, is not reported herein. File descriptions and listings of all command files, phantom files, and source programs are found in the Programmers Manual, Volume 2 of this report.

I. Data Base Development

PART 1. Extracting data from the Ammunition Mobilization Master Data Record File (MOBMDR) on the G2 computer.

There are several extract programs which can be executed as shown on Figure A-1:

> MOEXC#GR - used to extract data related to complete round substitutions.

> MOEXI#KM and MOTPI#KM - used to extract data related to assets, requirements and item shipment.

> MOEXA#KM - used to extract data related to assets only.

To execute any of these programs, do the following:

STEP 1. Fill out the setup sheet, DRSAR Form 232, as per example shown in Figure A-2, except for the job number which is obtained from Step 3 below.

FIGURE A-1

MOBMDR EXTRACT - MIDAS LOAD PROCEDURES

Figure A-1 - MOBMDR Extract-MIDAS Load Procedures.

No JCL - see note at bottom

IBM 360 SET UP RECORD

1. PROJ TITLE		2. PROJ INDEX NO.	3. PROJ START DATE
Extract Complete Round		68Q149Ø5	5-8-81

4. REQUESTING ORG	5. FREQ	6. JOB NAME	7. ABEND	8. EST RUN HR	9. DATE RQR
DRSAR-MSA	A/R	MOBEX ØØ GR		0.5	5-8-81

10. PRIVATE DISK, VOL/SERIAL NO. _____ , _____ , _____

11. READER= remote line 2	12. CLASS= B	13. SYSOUT= A & Tape 9

MEMORY RQR (AMT) __250K__   7-TRACK TAPE STATIONS (MIN NO.) 0   9-TRACK TAPE STATIONS (MIN NO.) 1

PAPER FORM _____   PLY PAPER 1 _____   OUTPUT CARD FORM __None__

STEP NO. a	DEVICE b	INP/OUT c	DATA SET NAME/FILE IDENT d	CAT e	SCTYS f	FILE DESCRIPTION g	VOL/SERIAL NO. h	HOLD i	RELEASE j
1	SYSDA	I						x	
1	Tape 9	ō			U		7218	x	
1		ō							

REMARKS
Job has been submitted by remote 2 and is job 72. Please release job and mount scratch tape as needed. Tape label is attached.

Figure A-2 - Computer Set Up Record (Form 232).

PREPARED BY _____   DATE _____

DRSAR Form 232, _____   _____ MAY BE USED.

STEP 2. Attach to the UFD on the PRIME 550 in which the extract programs reside and then use RJHASP command to submit the job to the G2 computer. For example, to submit MOEXC#GR, type the following commands at the terminal:

A DMWORK>$ADS

RJHASP MOEXC#GR -TO G2

STEP 3. At the HASP terminal in the PR1ME computer room, type DDJ1-999 and hit the carriage return to verify that the job has reached G2 and to get the job number. Enter the job number on the setup sheet (See STEP 1)

STEP 4. Telephone the G2 operator, X4723, and explain that the job (specify the job number) will be writing to a scratch tape, and that the set up sheet and tape label will be delivered to the window (Bldg 350 1st Floor, NW). Note that when executing the program MOEXA#KM, instead of specifying a scratch tape, one must call the tape library, X6697, to request them to take the tape you need to the G2.

STEP 5. Deliver set up sheet and tape label to window (Bldg 350, 1st floor, NW).

STEP 6. Upon successful completion of the job, the tape library will inform you that the tape is available for pick up. Printouts will be available from either the Quality Assurance branch, X5977, or the receptionist, X6880.

PART 2. Transfer of data from G2 to PR1ME.

The output of PART 1 is a data tape. This section specifies the procedure to read the tape and put the data on the PR1ME computer in specified file.

Mount the tape on tape drive number 1 (MTU#=1), and perform
the following commands (Note: the user should be attached to
a UFD where the data is to be used):

```
A DMWORK>$ADS


AS MT1

MAGNET     (see FORTRAN Manual, p. 4-3)
Option: READ
MTU# = 1
MTFILE# = 1
LOGICAL RECORD SIZE = 80
BLOCKING FACTOR = 10
ACSII, BINARY, or EBCDIC? EBCDIC
FULL OR PARTIAL RECORD TRANSLATION? FULL
OUTPUT FILE:  CRD1 (or) ITEM1
```

After the entry of the above commands, the data tape
will be read and the data will be filed under the output file
specified (either CRD1 or ITEM1).

PART 3. Building/updating CRDPL, CRDSM, MIDASI and
DEPOT.

In order to build/update these four files, all commmand,
phantom and input file (CRD1 or ITEM1) must be co-located in
the same UFD or sub-UFD. For complete round data the
following command and phantom files must be executed in the
order specified:

```
CO C_CREPL


CO C_CRESM


PH P_LDCRD


PH P_ADDAS  (Supply condition codes and
   ownership/purpose codes as requested
   by the program prompt messages.  See
```

the Q_ADDAS listing in Appendix B for an
example of its interactive operation.)

For Item Data

     a) if new MIDASI and DEPOT files are to be created,
the following command and phantom files must be executed in
the order specified:

        CO C_CREIT

        CO C_CREDP

        PH P_LDITM

     b) if the MIDASI and DEPOT files already exist and
only an update is required, then only execute the phantom
file as follows:

        PH P_LDITM

PART 4. Preprocessor.

The preprocessor accepts the data from nine separate files and prepares it for input to the ADS module. Two of the nine input files (i.e. MIDASI and CRDPL) were created from PART 1 through PART 3 above. The other seven files (i.e. PARAM1, DEPOT1, NONSM1, PORT01, NETM81, REQEXT and WORK14) are built separately by the functional users. To edit/change/review existing files or to build new files, type SEG DMWORK>$ADS>#INPUT1 and follow the instructions given. To execute the preprocessor, perform the following:

STEP 1. Copy P_PREPRO to the same UFD where the output files WORK00 through WORK11 will be used.

STEP 2. Edit P_PREPRO and insure that the pathname for each of the nine input files is correct.

STEP 3. Run the phantom command file as such:

    PH P_PREPRO (See the Q_PREPRO listing in
       Appendix B for an example of its inter-
       active operation.)

II. Distribution Module

The distribution module accepts the data from eight of the work files generated by the preprocessor and generates the transaction file called ROUTES along with several other files used for further analyses/reports. To execute the distribution module, perform the following:

STEP 1. Copy P_ADMDSP to the UFD where the input files are located.

STEP 2. Edit P_ADMDSP and review the answers to the propted questions.

STEP 3. Run the phantom command file as such:

    PH P_ADMDSP (See the Q_ADMDSP listing in
       Appendix B for an example of its inter-
       active operation.)

III. Reports Generation.

a. Reports Generator Program.

Ten standard output reports are available to the functional user, as described in the main body of this report. To obtain the reports, perform the following:

STEP 1. Copy C_SORTS to the UFD where the WORK files and ROUTES file are located.

STEP 2. Run the command file as such:

CO C_SORTS

STEP 3. Execute the reports generator program as such:

SEG DMWORK>$ADS>#REPRTS8

The user must then interactively supply the report code characters for the desired reports. There are ten reports available for selection which are listed below along with the report file name and selection code character.

REPORT		CODE	REPORT NAME
a.	Depot Loading Schedule Report	1	DSCHUL
b.	Depot Lift Capability Posture Report	2	DLIFTP
c.	Ship Manifest Report	3	MANFST
d.	Item Analysis Summary Report (Quantity)	4	IANALS
e.	Depot Loading Service Summary Report	5	DEPSER
f.	Item Analysis Summary Reports (Tons)	6	IANALT
g.	Port Receipt Schedule	7	PSCHUL
h.	Depot Asset Posture Report	8	DASSET
i.	Item List, Depot List and Port List Report	9	INFORM
j.	MTMC Port Cargo Availability Report	A	MTPSCH

If a report is requested which requires a SORT file that is not available, a message will be printed advising to run the C_SORTS program.

A listing of these reports can be obtained by spooling the report name using the following command with format control:

SPOOL (Report Name) -F

Multiple copies may be obtained by the command:

SPOOL (Report Name) -F -COPIES n

Where "n" is the number of copies.

Note: See the Q_REPRTS8 listing in Appendix B for an example of its interactive operation.

b. Additional Reports.

A number of additional reports are also available (See the "Miscellaneous" section of Volume 2.) The first of these, the Open Requisition Report OPENRQ, is obtained as follows:

STEP 1. Copy P_OPEN_REQ to the UFD where the WORK files and the ROUTES file are located.

STEP 2. Run the phantom file as such (See the Q_OPEN_REQ
        listing in Appendix B for an example of
        its interactive operation):

PH P_OPEN_REQ

The reports SHPDEP, SHPITM, SHPREQ, SHPMT2, and SHPMT4 are obtained as follows:

STEP 1. Execute the phantom generator program as such
(See the Q_SHPRPT listing in Appendix B for an example of its interactive operation):

SEG DMWORK>$ADS>#SHPRPT

The user must then interactively supply the report code characters for the desired reports. The five reports available for selection are listed below, each with its selection code character.

Report	Code
SHPMT2	A
SHPMT4	C
SHPREQ	D
SHPITM	E
SHPDEP	F

After the user indicates the desired report, a phantom file P_SHMT will be written.

STEP 2. To obtain the desired reports, run the phantom file as such:

PH P_SHMT

IV. SHIPLOAD/Execution Programs

The EDITRQ program allows the user to amend unfilled requisitions. It is desirable to have a copy of OPENRQ available while operating the EDITRQ program. To operate this program, type the following:

SEG DMWORK>$ADS>#EDITRQ

The user must then interactively specify the requisition sequence number. The requisition is then displayed on the terminal, and the user is allowed to make changes to the DODAC, the ownership purpose code, and/or the RDD. An example of its interactive operation is found in the Q_EDITRQ listing in Appendix B.

The SHIPLOAD/Execution programs take the model output in the form of requisitions and transactions and creates ship planning messages and depot release orders for output to tape.

There are four main programs in the SHIPLOAD series, i.e. EDITTR, SHIPLOAD, SHIP01, and MILSTAMP.

EDITTR takes the requisitions and transactions (WORK11 and ROUTES), allows the functional manager to edit the totals and approve the transactions and writes out ship manifests (combined WORK11 and ROUTES).

SHIPLOAD reads the manifests, writes out depot release orders (MILSTRIP lines) and writes the body of the ship planning message in fast release format (lines 3, 4, 5 and 6). The body file is then available for editing by the user.

SHIP01 allows editing of the planned body file and allows the creation of supplements of the body of the message in the MIDAS file, SHIP-M. SHIP01 also writes the approved body of the message to a file called BODY-AXXYYY.

The tape program, MILSTAMP, reads the BODY file, adds addresses and information lines and writes completed ship planning messages ready for tape.

The SHIPLOAD/Execution program can be executed by either "manual" or "automatic" operations, as specified below (Note that the automatic operation is for planning purposes only):

STEP 1 (All manual operations).

To run, EDITTR must have copies of ROUTES, WORK11
and WORK09 or have a set of ROUTDA, WK11DA, ROTBIF and ROUTEH
available from a previous run. To begin operation, enter the
following (See the Q_EDITTR listing in Appendix B for an
example of interactive operation):

SEG DMWORK>$ADS>#EDITTR

The functional manager is then asked for port and
ship codes.

If "ALL" is given for the ship code, all ships for
the indicated ports will be run. The manager will be asked
if he wishes to keep, spool and/or execute the ship
manifests.

If "ALL" is not given for the ship code, the
functional manager will be allowed to edit transaction lines
for the ship given. (A copy of the ship manifest is very
handy to have when editing. To obtain a copy, run EDITTR
without editing the first time and then go back and run it
again.)

SHIPLOAD requires seven files in order to run.
These are WORK07, WORK09, WORK00, WORK04, MIDASI, SHIP-M and
the ship manifests. Changes will be made in MIDASI and
SHIP-P. The MILSTRIP line file and the body files
(BD-AXXXYYYY) will be written out. See the Q_SHIPLOAD
listing in Appendix B for an example of its interactive
operation.

Type the following to begin a run:

SEG DMWORK>$ADS>#SHIPLOAD

The functional manager will then be prompted for
the MIDASI file location, the type of walk-in requisition,
and the port and ship codes. (Note that SHIPLOAD will not
process a ship manifest unless it has been approved
(executed) in the EDITTR process.)

SHIP01 allows editing and creation of supplements of the body of the message as it exists in SHIP-M. To run this program, enter:

SEG DMWORK>$ADS>#SHIP01

From this point, the user queries are self-explanatory. It is desirable to have a copy of the body file available while editing. SHIP01 will allow writing out of a new body file when changes have been made. See the Q_SHIP01 listing in Appendix B for an example of its interactive operation.

Note: If no ships were previously approved by the SHIP01 program, the SHIP-M file must be initialized (i.e. any existing SHIP-M file would be deleted and an empty SHIP-M file would be generated.) To accomplish this, first copy the C_SHIP-M file to the UFD where the WORK files and the ROUTES file are located. Then enter CO C_SHIP-M.

The tape program, MILSTAMP, asks for port and ship numbers and creates ship planning messages from the body files. To begin the program, enter the following (See the Q_MILSTAMP listing in Appendix B for an example of its interactive operation):

SEG DMWORK>$ADS>#MILSTAMP

STEP 2 (Automatic operations for planning purposes only)

The EDITTR and SHIPLOAD programs can be run automatically for all ports and ships by executing the following steps. (NOTE: This action will delete all current SHIPLOAD files and start EDITTR from the beginning.):

(a) Copy P_AUTO1 to the UFD where the WORK and ROUTES files are located.

(b) Enter: PH P_AUTO1.

If EDITTR has been used to edit the transactions and the changes are saved in ROUTDA and WK11DA, execute the following steps:

       (a)   Copy P_AUTO2 to the UFD where the files exist.

       (b)   Enter: PH P_AUTO2

Once the transactions are approved, the program ADM007 is executed in order to prepare the WORK files for the next model run. To run ADM007, execute the following steps (See the Q_ADM007 listing in Appendix B for an example of its interactive operation):

       (a)   Copy P_ADM007 to the UFD where the files are located.

       (b)   Enter: PH P_ADM007

Once ADM007 is finished and all new walk-in requisitions are loaded into WORK14, the preprocessor is executed to prepare the WORK files for the next iteration of the model. To run the preprocessor, do the following (See the Q_PREPRO.IT listing in Appendix B for an example of its interactive operation):

     PH P_PREPRO

V. LOGNET

The LOGNET program is used to answer the nine standard
questions which are described in Paragraph 8 of the main body
of this Report.

To execute this program, copy the compiled program and
enter this command:

SEG DMWORK>$ADS>#LOGNET

After the functional manager supplies the output file
name, he will be asked to supply the number of the question
to be answered. Depending upon which question the manager
has selected, he will be asked to supply some required
information (one could be prepared for this process by
reviewing the questions in the main text of this Report).

Each time after a question is answered, the functional
manager will be given the option of selecting another
question or stopping the program. If the user decides to
terminate the questions, he must then indicate if the answers
to the questions are to be printed. Upon completion of the
program, the output file is automatically deleted.

APPENDIX B

Examples of Interactive Operations

TABLE OF CONTENTS

APPENDIX B

Examples of Interactive Operations

This appendix contains listings of interactive operation of selected programs. See Appendix A for the operation of such programs.

I. Q_ADDAS

OK, DATE

Friday, October 16, 1981   9:05 AM

OK, FUTIL
[FUTIL rev 17.6]
> SR Q_ADDAS 3
> QU

```
OK, SEG DMWORK>$ADS>#ADD-ASSETS
ENTER PATHNAME FOR ASSETS FILE:>DMWORK>$ADS>MIDASI
ENTER PATHNAME FOR DEPOT FILE:>DMWORK>$PP>DEPOT2
ENTER UP TO 9 CONDITION CODES:>ABCDEN
ENTER O/P CODES FOR SERVICE A:>ABCDMSTU
ENTER O/P CODES FOR SERVICE M:>4
ENTER O/P CODES FOR SERVICE N:>5
ENTER O/P CODES FOR SERVICE F:>6
ENTER O/P CODES FOR SERVICE X:>
THE ABOVE VALUES ARE DEFAULTS FOR THIS DEPOT LIST:
 BAD B08 B47 BKD B22 BPD BRD B3D B4D B2D BTD B21 BB2 BD2 BC2
 B51 AD1 B13 B15 B38 B19 B39 B28 B59 BE5 B18 BHZ
DO YOU WANT TO SPECIFY EXCEPTIONS (ENTER Y OR N)? N
*** FINAL VALUES ***


DEPOT= BAD; C/C=ABCDEN    ; O/P=ABCDMSTU456N
                            SS=AAAAAAAAAMNFX

DEPOT= B08; C/C=ABCDEN    ; O/P=ABCDMSTU456N
                            SS=AAAAAAAAAMNFX

DEPOT= B47; C/C=ABCDEN    ; O/P=ABCDMSTU456N
                            SS=AAAAAAAAAMNFX

DEPOT= BKD; C/C=ABCDEN    ; O/P=ABCDMSTU456N
                            SS=AAAAAAAAAMNFX

DEPOT= B22; C/C=ABCDEN    ; O/P=ABCDMSTU456N
                            SS=AAAAAAAAAMNFX

DEPOT= BPD; C/C=ABCDEN    ; O/P=ABCDMSTU456N
                            SS=AAAAAAAAAMNFX

DEPOT= BRD; C/C=ABCDEN    ; O/P=ABCDMSTU456N
```

```
                                    SS=AAAAAAAAMNFX

DEPOT= B3D; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX
TYPE C/R TO CONTINUE:

DEPOT= B4D; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= B2D; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= BTD; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= B21; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= BB2; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= BD2; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= BC2; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= B51; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX
TYPE C/R TO CONTINUE:

DEPOT= AD1; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= B13; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= B15; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= B38; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= B19; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= B39; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX

DEPOT= B28; C/C=ABCDEN      ; O/P=ABCDMSTU456N
                                    SS=AAAAAAAAMNFX
```

```
DEPOT= B59; C/C=ABCDEN    ; O/P=ABCDMSTU456N
                            SS=AAAAAAAAMNFX
TYPE C/R TO CONTINUE:

DEPOT= BE5; C/C=ABCDEN    ; O/P=ABCDMSTU456N
                            SS=AAAAAAAAMNFX

DEPOT= B18; C/C=ABCDEN    ; O/P=ABCDMSTU456N
                            SS=AAAAAAAAMNFX

DEPOT= BHZ; C/C=ABCDEN    ; O/P=ABCDMSTU456N
                            SS=AAAAAAAAMNFX
ARE THE VALUES SATISFACTORY (ENTER Y OR N)?Y

OK, DATE

Friday, October 16, 1981   9:12 AM

OK, COMO -E
```

II. Q_PREPRO


```
OK, FUTIL
[FUTIL rev 17.6]
> SR Q_PREPRO 3
> QU

OK, DATE

Tuesday, October 6, 1981   9:48 AM

OK, AVAIL
      VOLUME DM
      155142 TOTAL RECORDS (NORMALIZED)
       70043 RECORDS AVAILABLE (NORMALIZED)
          54.9



OK, SEG DMWORK>$ADS>#PREPRO
ENTER "PARAM1" FILE TREENAME: DMWORK>$PP>PARAM1
ENTER "CRDPL"  FILE TREENAME: DMWORK>$ADS>CRDPL
ENTER "MIDASI" FILE TREENAME: DMWORK>$ADS>MIDASI
ENTER "WORK14" FILE TREENAME: DMWORK>$PP>WORK14
ENTER "NONSM1" FILE TREENAME: DMWORK>$PP>NONSM1
ENTER "DEPOT1" FILE TREENAME: DMWORK>$PP>DEPOT2
ENTER "PORT01" FILE TREENAME: DMWORK>$PP>PORTPP
ENTER "NETM81" FILE TREENAME: DMWORK>$PP>NETWRK
ENTER "PODGLC" FILE TREENAME: DMWORK>$PP>PODGCL
**PODGLC FILE OPENED**
 NPOD=  1 POD=UDA    THR=1    GLC=T4    PODNAME=CHINHAE
 NPOD=  2 POD=TA1    THR=1    GLC=X4    PODNAME=GUAM AIR
 NPOD=  3 POD=1AT    THR=1    GLC=XA    PODNAME=GUAM SURF
***<<<PODGLC FILE READ>>>***
**EX$RPT OPENED NORMALLY**
--- PARAMETER FILE READ
**MIDASI OPENED NORMALLY**
**WORK01 OPENED NORMALLY**
**WORK04 OPENED NORMALLY**
**WORK11 OPENED NORMALLY**
**CRDPL FILE OPENED NORMALLY **
*** OFFSET OF 10 PERIODS IS APPLIED TO ALL PLANS EXCEPT 1DIT
**WORK02 OPENED NORMALLY**
**WORK03 OPENED NORMALLY**
*** COMPONENT PART FILE WRITTEN <WORK02> IC=  0
*** USAGE FILE WRITTEN <WORK03> IC=  0 ***
```

```
  **   START PROCESSING WALK-INS   **
***WORK14 CLOSED NORMALLY****
*** YOUR ORIGINAL WALKIN FILE IS NOW EMPTY.
 A COPY OF YOUR ORIGINAL IS AT FILENAME WORK14-001   ***
***FINISHED PROCESSING  525 WALK-IN REQS. CODE=    0 ***
*** REQN FILE FOR ALL DEST AND PLANS WRITTEN WORK01 IC=  0
*** WORK11 FILE WRITTEN. CODE=    0 ***
**    67 ITEMS WILL BE ANALYZED.**
**WORK05 OPENED NORMALLY**
     1302D563   THIS ITEM NOT FOUND IN <MIDAS>ITEM FILE
     1315C541   THIS ITEM NOT FOUND IN <MIDAS>ITEM FILE
     1302D506   THIS ITEM NOT FOUND IN <MIDAS>ITEM FILE
*** SUBSTITUTION PART FILE WRITTEN <WORK05> IC=  0
***   136   ITEMS WRITTEN <WORK04>.IC=  0
**WORK07 OPENED NORMALLY**
**WORK06 OPENED NORMALLY**
*** DEPOT LIFT CAPABILITY FILE WRITTEN <WORK06> IC=  0
*** DEPOT STORAGE DATA FILE WRITTEN <WORK07> IC=  0
***IDEP=  1 DEPOT  ID=BAD*** WORK07 REREAD ***
***IDEP=  2 DEPOT  ID=B08*** WORK07 REREAD ***
***IDEP=  3 DEPOT  ID=B47*** WORK07 REREAD ***
***IDEP=  4 DEPOT  ID=BKD*** WORK07 REREAD ***
***IDEP=  5 DEPOT  ID=B22*** WORK07 REREAD ***
***IDEP=  6 DEPOT  ID=BPD*** WORK07 REREAD ***
***IDEP=  7 DEPOT  ID=BRD*** WORK07 REREAD ***
***IDEP=  8 DEPOT  ID=B3D*** WORK07 REREAD ***
***IDEP=  9 DEPOT  ID=B4D*** WORK07 REREAD ***
***IDEP= 10 DEPOT  ID=B2D*** WORK07 REREAD ***
***IDEP= 11 DEPOT  ID=BTD*** WORK07 REREAD ***
***IDEP= 12 DEPOT  ID=B21*** WORK07 REREAD ***
***IDEP= 13 DEPOT  ID=BB2*** WORK07 REREAD ***
***IDEP= 14 DEPOT  ID=BD2*** WORK07 REREAD ***
***IDEP= 15 DEPOT  ID=BC2*** WORK07 REREAD ***
***IDEP= 16 DEPOT  ID=B51*** WORK07 REREAD ***
***IDEP= 17 DEPOT  ID=AD1*** WORK07 REREAD ***
***IDEP= 18 DEPOT  ID=B13*** WORK07 REREAD ***
***IDEP= 19 DEPOT  ID=B15*** WORK07 REREAD ***
***IDEP= 20 DEPOT  ID=B38*** WORK07 REREAD ***
***IDEP= 21 DEPOT  ID=B19*** WORK07 REREAD ***
***IDEP= 22 DEPOT  ID=B39*** WORK07 REREAD ***
***IDEP= 23 DEPOT  ID=B28*** WORK07 REREAD ***
***IDEP= 24 DEPOT  ID=B59*** WORK07 REREAD ***
***IDEP= 25 DEPOT  ID=BE5*** WORK07 REREAD ***
***IDEP= 26 DEPOT  ID=B18*** WORK07 REREAD ***
***IDEP= 27 DEPOT  ID=BHZ*** WORK07 REREAD ***
**WORK07 RE-READ COMPLETED**
**WORK08 OPENED NORMALLY**
***   136 ASSETS ADDED TO <WORK08> CODE=  0
**CRDPL CLOSED NORMALLY**
**MIDASI CLOSED NORMALLY**
** PORT01 FILE OPENED NORMALLY**
**WORK09 OPENED NORMALLY**
```

```
**CLOSING CODES AT 1115 ARE:    0    0 WORK09 WRITTEN***
**NETWRK OPENED NORMALLY**
**WORK10 OPENED NORMALLY**
 DEPOT B43 IN NETWORK NOT FOUND IN DEP FILE
 POE DCC IN NETWORK NOT FOUND IN PORT FILE
**CLOSING CODES AT 6805 ARE:    0    0    0 ***
**WORK00 OPENED NORMALLY**
*** PARAMETER WORK FILE WRITTEN <WORK00> IC=  0
0******END OF PRE-PROCESSOR RUN*******

OK, SORT BRIEF
EX$RPT EXCEPTIONS 1
1 9

BEGINNING SORT



  PASSES         2          ITEMS          85

[SORT-REV18.0]

OK, DELETE EX$RPT
OK, SEG DMWORK>$ADS>#NUMW04
*** END OF PROGRAM -- ERROR CODES=  0    0 ***
YOUR ORIGINAL WORK04 FILE IS CALLED WORG04
YOUR NEW WORK04 FILE FOR UNIT SHIPMENTS IS CALLED WORK04

OK, DATE

Tuesday, October 6, 1981    10:25 AM

OK, COMO -E
```

III.   Q_ADMDSP

OK, DATE

Wednesday, October 14, 1981   1:09 PM

OK, FUTIL
[FUTIL rev 17.6]
> SR Q_ADMDSP 2
> DELETE ROUTES
> DELETE ROUTEP
> DELETE ANALS1
> DELETE WORK19
> DELETE WORK20
> DELETE WORK13
> DELETE WORK12
> DELETE PORTUS
> DELETE WORK16
> Q

OF, DATE

Wednesday, October 14, 1981   1:09 PM

OK, SEG #ADMDSP
 LOOK FORWARD IN DAYS
5
 CONSTRAINED PORT "C" OR UNCONSTRAINED "U"
C
TO SHIP FROM CLOSEST DEPOTS FIRST, INPUT "0",
 IF FURTHEST DEPOTS FIRST, INPUT "1"
0
 INPUT TRANS-SHIPPING MODE, 1-SHIP OR 2-AIR
1
 TO SHIP AS EARLY AS POSSIBLE FROM DEPOT-INPUT "E"
  IF WISH TO BE AS LATE AS POSSIBLE-INPUT "L"
E
INPUT HOW MANY DAYS PRIOR TO THE RDD ARE YOU WILLING
TO RECEIVE A SHIPMENT
5
INPUT HOW MANY DAYS LATE YOU ARE WILLING TO ACCEPT A SHIPMENT
15
INPUT UNFILLED REQUISITION PROCESSING OPTION
      OPTION 1 -- SKIP REQUISITION
      OPTION 2 -- FILL AS SOON AS POSSIBLE

```
2
>>>> <WORK00> PARAMETER FILE READ
>>>> <WORK10> NETWORK-TRANS1T-TIME FILE READ
>>>> <WORK09> PORT ATTRIBUTE FILE READ
>>>> <WORK06> DEPOT LIFT CAPACITY FILE READ
--- MISSING SHIPPING DATA, FILE <WORK04)
     ITEM    DODAC     PALLET    UNIT WT.      UNIT VOL      UNIT NEW
                       QNTY       STONS         MTONS          STONS
         69 1315C447      1     0.0000000     0.0000000     0.0000000
         81 1340T001      1     0.0000000     0.0000000     0.0000000
         88 1305T008      1     0.0000000     0.0000000     0.0000000
         91 1315C220      1     0.0000000     0.0000000     0.0000000
         96 1315C428      1     0.0000000     0.0000000     0.0000000
        104 1320T021      1     0.0000000     0.0000000     0.0000000
        125 1340H550      1     0.0000000     0.0000000     0.0000000
        129 1340H568      1     0.0000000     0.0000000     0.0000000
>>>> <WORK04> ITEM ATTRIBUTE FILE READ
>>>> <WORK08> DEPOT ASSET FILE READ
>>>> <WORK18> PRODUCTION FILE DOES NOT EXIST
>>>> <WORK05> ITEM SUBSTITUTION FILE READ
CHECK FOR EXISTANCE OF <WORK15>
>>>>> <WORK15> SHIP   PORT STATUS FILES DO NOT EXIST

<<<< <WORK01> REQUISITION FILE READ

R    1   0   1   1   1    3714              8   45        1  PASS=    1
X    1   0   1   1   1    2471    1243      8   45  34  29  4   1      1
X    1   0   1   1   1    1850     621      8   45  34  29  4   1      1
X    1   0   1   1   1       8    1842      8   45  34  29  5   1      1
X    1   0   1   1   1       0       8      8   45  34  29  5   2      1
*987*     1   7   8   8

R    2   0   1   1   2    1734              8   45        1  PASS=    1
X    2   0   1   1   2    1436     298      8   45  34  29  5   1      1
X    2   0   1   1   2    1066     370      8   45  34  29  5   2      1
X    2   0   1   1   2       0    1066      8   45  34  29  6   2      1
*987*     2   8   8   8

R  521   0   1   2   43  81792             8   44        1  PASS=    1
*987*  521   5   6   3

R  522   0   1   2   44  10830             8   44        1  PASS=    1
*987*  522   2  -1  -1

R  523   0   1   2   46   2880             8   44        1  PASS=    1
*987*  523   2  -1  -1

R  524   0   1   2   53   6588             8   44        1  PASS=    1
*987*  524   5   6   3

R  525   0   1   2   67   3500             8   44        1  PASS=    1
*987*  525   5   6   3
```

```
<<<< LIST OF UNFILLED REQUISITIONS >>>>
     3    0    1    1    -1    3    45   603
     6    0    1    1    -1    3    45   980
     7    0    2    1    -1    6    10   176
   521    0    1    2    -1   43    4481792
   522    0    1    2    -1   44    4410830
   523    0    1    2    -1   46    44 2880
   524    0    1    2    -1   53    44 6588
   525    0    1    2    -1   67    44 3500
>>>> <PORTUS> PORT/BERTH STATUS FILE WRITTEN
>>>> <WORK19> SHIP ATTRIBUTE FILE WRITTEN
>>>> <WORK12> REMAINING ASSETS IN DEPOTS FILE WRITTEN
>>>> <WORK13> REMAINING DEPOT LIFT CAPACITY FILE WRITTEN
>>>> <ANALS1> PERFORMANCE ANALYSIS BY ITEM WRITTEN
OPEN ERROR ON WORK18 FILE.  IC =  15
CLOSE ERROR ON WORK18 FILE.  IC =  15
>>>> <WORK20>  UNUSED PRODUCTION FILE WRITTEN
>>>> <WORK16> OPEN REQUISITION FILE WRITTEN

OK, DATE

Wednesday, October 14, 1981   7:29 PM

OK, COMO -E
```

IV. Q_REPRTS8

OK, DATE

Thursday, October 15, 1981   2:28 PM

OK, SEG DMWORK>$ADS>#REPRTS8
 SPECIFY THE CODE NUMBERS FOR THE REPORTS DESIRED
 INPUT THE NUMBERS CONSECUTIVELY

REPORTS	CODE	FILENAME
DEPOT OUTLOADING SCHEDULE	1	DSCHUL
DEPOT LIFT CAPABILITY POSTURE	2	DLIFTP
SHIP MANIFEST	3	MANFST
ITEM ANALYSIS SUMMARY IN QUANTITY	4	IANALS
DEPOT OUTLOADING SERVICE SUMMARY	5	DEPSER
ITEM ANALYSIS SUMMARY IN TONS	6	IANALT
PORT RECEIPT SCHEDULE	7	PSCHUL
DEPOT ASSET REPORT	8	DASSET
ITEM,DEPOT AND PORT LISTS	9	INFORM
MTMC PORT SCHEDULES	A	MTPSCH

```
179
WORK00 READ
WORK04 READ
WORK07 READ
WORK08 READ
WORK09 READ
WORK12 READ
WORK11 READ
START DSCHUL
DSCHUL COMPLETED
WORK11 READ
START PSCHUL
PSCHUL COMPLETED
START INFORM
INFORM COMPLETED
END OF MAIN
```

OK, COMO -E

V.   Q_OPEN_REQ

```
OK, FUTIL
[FUTIL rev 17.6]
> SR Q_OPEN_REQ 2
> Q

OK, SEG DMWORK>$PP>#OPEN_REQ
Sort/Merge begining
ENTER PATHNAME OF MIDASI-INIT FILE: DMWORK>$ADS>MIDASI
MIDASI opened
WORK07 read
WORK04 READ
ROUTES READ
In-memory sort performed
Sort complete [SORT$L Rev 3.1]

Want file spooled? NO

OK, COMO -E
```

VI. Q_SHPRPT

OK, DATE

Thursday, October 15, 1981   1:48 PM

OK, SEG DMWORK>$ADS>#SHPRPT

SPECIFY THE CODES FOR THE DESIRED REPORTS...
INPUT THE CODES CONSECUTIVELY

REPORTS	CODE
SHPMT2	A
SHPMT3	B
SHPMT4	C
SHPREQ	D
SHPITM	E
SHPDEP	F

ACD
DO YOU WISH THE REPORTS TO BE SPOOLED? YES

YOUR PHANTOM FILE IS P_SHMT

SUBMIT THAT PHANTOM TO GENERATE THE DESIRED REPORTS

OK, COMO -E

VII.   Q_EDITRQ

OK, DATE

Thursday, October 15, 1981   1:54 PM

OK, SEG DMWORK>$ADS>#EDITRQ
Want to spool WORK11? NO
Want to edit? YES

Wait...(take 2 minutes)... OPENING UNIT 3
 WORK11 CLOSED

Sort/Merge beginning
In-memory sort performed
Sort complete [SORT$L Rev 3.1]

Sort/Merge beginning
In-memory sort performed
Sort complete [SORT$L Rev 3.1]

Break is over

You can change the DODAC, service ID, and/or the computed
delivery date. Be very careful to enter the replacement
characters directly under the ones to be replaced.
Good Luck.

Enter req seq # (c/r to quit)...> 14
0   1   2   3   4   5   6
            7   8

1234567890123456789012345678901234567890123456789012345678901
2345678901234567890

   14U41B14W13250Y41   EA00914FW202612594494 FK4624M   G58
35002010 FX480010

   DODAC >   O/P   >   COMPUTED DELIVERY
DATE >   020

Record now reads --

```
0          1          2          3          4          5          6
           7          8
1234567890123456789012345678901234567890123456789012345678901
2345678901234567890

    14U41B14W13250Y41          EA00914FW202612594494 FK4624M  G58
35002010  FX4802000
```

Is this what you want? NO

```
    14U41B14W13250Y41          EA00914FW202612594494 FK4624M  G58
35002010  FX480200
```

DODAC   >   O/P   >   COMPUTED DELIVERY
DATE >   021

Record now reads --

```
0          1          2          3          4          5          6
           7          8
1234567890123456789012345678901234567890123456789012345678901
2345678901234567890

    14U41B14W13250Y41          EA00914FW202612594494 FK4624M  G58
35002010  FX4802100
```

Is this what you want? YES

Enter req seq # (c/r to quit)...>
Are you finished? YES

OK, COMO -E

VIII.   Q_EDITTR


```
OK, SEG #EDITTR
Where do you want output spooled?...> B110
Initial EDITTR run since last model run? YES

Begin initialization

This section writes the following files --

   'ROUTDA'   - direct access copy of 'ROUTES'
   'WK11DA'   - direct access copy of 'WORK11'
   'ROTBIF'   - index/status file for 'ROUTDA'

These files are reqd for subsequent editing and/or execution.
The 'ROUTDA' file is the final updated routes file.

Wait...
ROUTDA written
WK11DA written

Sort/Merge beginning
In-memory sort performed
Sort complete [SORT$L Rev 3.1]

Sort/Merge beginning
In-memory sort performed
Sort complete [SORT$L Rev 3.1]

Sort/Merge beginning
In-memory sort performed
Sort complete [SORT$L Rev 3.1]

Sort/Merge beginning
In-memory sort performed
Sort complete [SORT$L Rev 3.1]

ROTBIF written

Initialization complete

Number of ships..........    28
Number of requisitions...   525
Number of transactions...  1507

Enter port #, RIC, or ALL...> ?
```

Ship Berthing Schedule

Port	Berth	Ship	DOB	DOD	App Flag
2	1	1	17	22	0
2	1	5	23	28	0
2	1	7	34	39	0
2	1	8	40	45	0
2	1	9	46	51	0
2	1	10	52	57	0
2	1	11	58	63	0
2	1	12	64	69	0
2	1	13	70	75	0
2	1	14	76	81	0
2	1	15	82	87	0
2	2	2	17	22	0
2	2	6	23	28	0
2	3	3	12	17	0
2	3	4	22	27	0

```
Enter the ship id # or ALL...> 12
Want to edit? N
Want a ship manifest? Y
Want to spool manifest? N
Want to execute manifest? Y
Departure date is      69
Want to change departure date? Y

Enter new departure date...> 73

Your ship manifest file is SH02012


Want to do another ship? Y
Enter port #, RIC, or ALL...> 2
```

Ship Berthing Schedule

Port	Berth	Ship	DOB	DOD	App Flag
2	1	1	17	22	0
2	1	5	23	28	0
2	1	7	34	39	0
2	1	8	40	45	0
2	1	9	46	51	0
2	1	10	52	57	0
2	1	11	58	63	0
2	1	12	64	69	1
2	1	13	70	75	0
2	1	14	76	81	0
2	1	15	82	87	0
2	2	2	17	22	0
2	2	6	23	28	0
2	3	3	12	17	0
2	3	4	22	27	0

```
Enter the ship id # or ALL...> 11
```

```
Want to edit? N
Want a ship manifest? Y
Want to spool manifest? N
Want to execute manifest? Y
Departure date is      63
Want to change departure date? YES

Enter new departure date...> 65

Your ship manifest file is SH02011


Want to do another ship? Y
Enter port #, RIC, or ALL...> 2
                Ship Berthing Schedule

     Port    Berth    Ship     DOB      DOD    App Flag
       2        1        1      17       22        0
       2        1        5      23       28        0
       2        1        7      34       39        0
       2        1        8      40       45        0
       2        1        9      46       51        0
       2        1       10      52       57        0
       2        1       11      58       63        1
       2        1       12      64       69        1
       2        1       13      70       75        0
       2        1       14      76       81        0
       2        1       15      82       87        0
       2        2        2      17       22        0
       2        2        6      23       28        0
       2        3        3      12       17        0
       2        3        4      22       27        0
Enter the ship id # or ALL...> 10
Want to edit? N
Want a ship manifest? Y
Want to spool manifest? N
Want to execute manifest? Y
*** DIAG LINE   509 SKEY =      2    10     0    82    87     0
0
Departure date is      57
Want to change departure date? Y

Enter new departure date...> 60
Your ship manifest file is SH02010


Want to do another ship? Y
Enter port #, RIC, or ALL...> 2
```

Ship Berthing Schedule

Port	Berth	Ship	DOB	DOD	App Flag
2	1	1	17	22	0
2	1	5	23	28	0
2	1	7	34	39	0
2	1	8	40	45	0
2	1	9	46	51	0
2	1	10	52	57	1
2	1	11	58	63	1
2	1	12	64	69	1
2	1	13	70	75	0
2	1	14	76	81	0
2	1	15	82	87	0
2	2	2	17	22	0
2	2	6	23	28	0
2	3	3	12	17	0
2	3	4	22	27	0

Enter the ship id # or ALL...> 32
Ship not found.

Want to do another ship? NO

OK,

OK, COMO -E

IX. Q_SHIPLOAD

```
OK, DATE

Thursday, October 15, 1981   2:58 PM

OK, SEG DMWORK>$ADS>#SHIPLOAD
Enter pathname of MIDASI file : DMWORK>$ADS>MIDASI
MIDASI opened
Enter U for EXCAP, A for CCSS: A
Enter Port ID OR "ALL" : 1
Enter ship number : 3
SHIP-M Opened
Do you want SHIPLOAD to update MIDASI : NO
THE SHIP PLANNING MESSAGES ARE IN FILENAME BODY-A01003
Want to do another ship? NO

OK, COMO -E
```

X. Q_SHIP01

OK, DATE

Thursday, October 15, 1981   3:01 PM

OK, SEG DMWORK>$ADS>#SHIP01
Ship id (Axxyyy) (CR to quit) : A01003

  THERE ARE 0 SUPPLEMENTS + THE ORIGINAL (# 0) FOR SHIP A01003
  THE LAST COPY HAS NOT BEEN SENT AND CAN BE EDITTED
  WHICH SUPPLEMENT DO YOU WANT TO LOOK AT : 0

  WAIT::(TO LOAD ARRAY FROM MIDAS FILE)::::

  THERE ARE   125 ENTRIES FOR SHIP A01003   SUPPLEMENT NUMBER
  0
  SPOOL THIS SUPPLEMENT (A GOOD IDEA FOR EDITTING) ? NO

  EDIT, NEW SUPPLEMENT OR SHIP, OR QUIT (E,N,OR Q)   : E
  ANY NEW LINES WILL BE ADDED AT THE END OF THE ORIGINAL ONES

  ADD, CHANGE, DELETE, LOOK, SEND, END EDIT, OR QUIT
  (A,C,D,L,S,E, OR Q) : S
  SPECIAL SEND OPTION

  ADD, CHANGE, DELETE, LOOK, SEND, END EDIT, OR QUIT
   (A,C,D,L,S,E, OR Q) : E

  DO YOU WANT THIS SUPPLEMENT ENTERED IN THE MIDAS FILE ? YES
  SHIP A01003 0 IS BEING ENTERED
  WAIT :::
  SHIP04 RUN
  WAIT :::
  WOULD YOU LIKE THIS SHIP MANIFEST PUT OUT AS A
   BODY-AXXYYY FILE (Y OR N)
  ** REMEMBER ANY OLD FILE BY THAT NAME WILL BE DELETED ** ? Y
  OLD BODY-A01003 DELETED
  THE SHIP PLANNING MESSAGES ARE IN FILENAME BODY-A01003
  Ship id (Axxyyy) (CR to quit) :
   *****END OF PROGRAM****

OK, COMO -E

1.0

1.1

1.25

1.4

1.6

1.8

2.0

2.2

2.5

2.8

3.2

3.6

4.0

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963-A

XI. Q_MILSTAMP

OK, DATE

Thursday, October 15, 1981   3:06 PM

```
OK, SEG DMWORK>$ADS>#MILSTAMP
AUTOMATIC OPERATION (WILL RUN ALL SHIPS)? NO
PORT # (C/R) TO QUIT : 1
SHIP # (C/R) TO QUIT : 3
SHIP # (C/R) TO QUIT :
PORT # (C/R) TO QUIT :
Final ship message file is SP-A01003
**** END OF MILSTAMP PROGRAM ***
```

OK, COMO -E

XII.   Q_ADM007

OK, DATE

Thursday, October 1, 1981   3:52 PM

OK, SEG #ADM007
READING PARAMETER FILE
INITIALIZE SHIP ATTRIBUTE ARRAYS
INITIALIZE TOTAL SHIPMENTS AGAINST REQUISITIONS
INITIALIZE ASSET   LIFT CAPABILITY ARRAYS
READING LIFT DATA
   PROCESSING RECORD   100
   PROCESSING RECORD   200
   PROCESSING RECORD   300
   PROCESSING RECORD   400
   PROCESSING RECORD   500
   PROCESSING RECORD   600
   PROCESSING RECORD   700
   PROCESSING RECORD   800
WRITE UNMET BALANCES TO WRKA01
WRITE UNMET BALANCES TO WRKA11
WRITE WRKA15 STATUS FILE
WRITE REMAINING LIFT CAPACITY
WRITE REMAINING ASSETS
JOB HAS FINISHED

OK, DATE

Thursday, October 1, 1981   3:58 PM

OK, COMO -E

XIII. Q_PREPRO.IT


```
OK, DATE

Thursday, October 1, 1981    4:05 PM

OK, FUTIL
[FUTIL rev 17.6]
> SR Q_PREPRO.IT 3
> Q

OK, DATE

Thursday, October 1, 1981    4:05 PM

OK, FUTIL
[FUTIL rev 17.6]
> DELETE WORK01
> DELETE WORK06
> DELETE WORK08
> DELETE WORK11
> DELETE WORK15
> Q

OK, DATE

Thursday, October 1, 1981    4:05 PM

OK, CN WRKA01 WORK01
OK, CN WRKA06 WORK06
OK, CN WRKA08 WORK08
OK, CN WRKA11 WORK11
OK, CN WRKA15 WORK15
OK, DATE

Thursday, October 1, 1981    4:06 PM

OK, SEG DMAXSO>$TEST>#PREPRO
ENTER "PARAM1" FILE TREENAME: DMWORK>$PP>PARAM1
ENTER "CRDPL"  FILE TREENAME: DMWORK>$ADS>CRDPL
ENTER "MIDASI" FILE TREENAME: DMWORK>$ADS>MIDASI
ENTER "WORK14" FILE TREENAME: DMWORK>$PP>WORK14
ENTER "NONSM1" FILE TREENAME: DMWORK>$PP>NONSM1
ENTER "DEPOT1" FILE TREENAME: DMWORK>$PP>DEPOT2
ENTER "PORT01" FILE TREENAME: DMWORK>$PP>PORTPP
ENTER "NETM81" FILE TREENAME: DMWORK>$PP>NETWRK
```

```
ENTER "PODGLC" FILE TREENAME: DMWORK>$PP>PODGCL
**PODGLC FILE OPENED**
 NPOD=  1 POD=UDA  THR=1    GLC=T4   PODNAME=CHINHAE
 NPOD=  2 POD=TA1  THR=1    GLC=X4   PODNAME=GUAM AIR
 NPOD=  3 POD=1AT  THR=1    GLC=XA   PODNAME=GUAM SURF
***<<<PODGLC FILE READ>>>***
**EX$RPT OPENED NORMALLY**
--- PARAMETER FILE READ
**MIDASI OPENED NORMALLY**
**WORK01 OPENED NORMALLY**
**WORK04 OPENED NORMALLY**
**WORK11 OPENED NORMALLY**
**WORK00 READ IN FOR A RESTART**
***--WARNING-*-AN EXTANT WORK00 FILE IMPLIES THE EXISTENCE
 AND REUSE OF WORK00-WORK11 FOR THIS RUN--***
**  136 OLD ITEMS RE-ESTABLISHED FROM WORK04**
 **   START PROCESSING WALK-INS   **
***FINISHED PROCESSING     0 WALK-IN REQS. CODE=     0 ***
*** REQN FILE FOR ALL DEST AND PLANS WRITTEN WORK01 IC=  0
*** WORK11 FILE WRITTEN. CODE=     0 ***
**  136 ITEMS WILL BE ANALYZED.**
***   136  ITEMS WRITTEN <WORK04>.IC=  0
***IDEP=  1 DEPOT ID=BAD*** WORK07 REREAD ***
***IDEP=  2 DEPOT ID=B08*** WORK07 REREAD ***
***IDEP=  3 DEPOT ID=B47*** WORK07 REREAD ***
***IDEP=  4 DEPOT ID=BKD*** WORK07 REREAD ***
***IDEP=  5 DEPOT ID=B22*** WORK07 REREAD ***
***IDEP=  6 DEPOT ID=BPD*** WORK07 REREAD ***
***IDEP=  7 DEPOT ID=BRD*** WORK07 REREAD ***
***IDEP=  8 DEPOT ID=B3D*** WORK07 REREAD ***
***IDEP=  9 DEPOT ID=B4D*** WORK07 REREAD ***
***IDEP= 10 DEPOT ID=B2D*** WORK07 REREAD ***
***IDEP= 11 DEPOT ID=BTD*** WORK07 REREAD ***
***IDEP= 12 DEPOT ID=B21*** WORK07 REREAD ***
***IDEP= 13 DEPOT ID=BB2*** WORK07 REREAD ***
***IDEP= 14 DEPOT ID=BD2*** WORK07 REREAD ***
***IDEP= 15 DEPOT ID=BC2*** WORK07 REREAD ***
***IDEP= 16 DEPOT ID=B51*** WORK07 REREAD ***
***IDEP= 17 DEPOT ID=AD1*** WORK07 REREAD ***
***IDEP= 18 DEPOT ID=B13*** WORK07 REREAD ***
***IDEP= 19 DEPOT ID=B15*** WORK07 REREAD ***
***IDEP= 20 DEPOT ID=B38*** WORK07 REREAD ***
***IDEP= 21 DEPOT ID=B19*** WORK07 REREAD ***
***IDEP= 22 DEPOT ID=B39*** WORK07 REREAD ***
***IDEP= 23 DEPOT ID=B28*** WORK07 REREAD ***
***IDEP= 24 DEPOT ID=B59*** WORK07 REREAD ***
***IDEP= 25 DEPOT ID=BE5*** WORK07 REREAD ***
***IDEP= 26 DEPOT ID=B18*** WORK07 REREAD ***
***IDEP= 27 DEPOT ID=BHZ*** WORK07 REREAD ***
**WORK07 RE-READ COMPLETED**
**WORK08 OPENED NORMALLY**
***       1 ASSETS ADDED TO <WORK08> CODE=  0
```

```
**CRDPL CLOSED NORMALLY**
**MIDASI CLOSED NORMALLY**
** PORT01 FILE OPENED NORMALLY**
**WORK09 OPENED NORMALLY**
**CLOSING CODES AT 1115 ARE:     0     0 WORK09 WRITTEN***
**NETWRK OPENED NORMALLY**
**WORK10 OPENED NORMALLY**
 DEPOT B43 IN NETWORK NOT FOUND IN DEP FILE
 POE DCC IN NETWORK NOT FOUND IN PORT FILE
**CLOSING CODES AT 6805 ARE:     0     0     0 ***
**WORK00 OPENED NORMALLY**
*** PARAMETER WORK FILE WRITTEN <WORK00> IC=   0
0******END OF PRE-PROCESSOR RUN*******

OK, SORT BRIEF
EX$RPT EXCEPTIONS 1
1 9

BEGINNING SORT



  PASSES        2              ITEMS        2

[SORT-REV18.0]

OK, DELETE EX$RPT
OK, SEG DMWORK>$ADS>#NUMW04
*** END OF PROGRAM -- ERROR CODES=  2 18 ***


OK, DATE

Thursday, October 1, 1981   4:07 PM

OK, COMO -E
```

GLOSSARY

ADAP	Ammunition Demand Automated Processing
ADM007	Feedback program which takes output files and prepares them to be used as input files for the next iteration of the model after execution/approval and/or requisition editing.
ADM184	Distribution module for the unconstrained ports of embarkation mode of operation.
ADM294	Distribution module for the constrained ports of embarkation mode of operation.
ADS	Ammunition Distribution System.
ADS network	A graph of inter-connecting arcs and nodes which show, respectively, the permissable distribution routing and changes of transportation modes between the points of demand and the source of supply.
ADS module	See Distribution module
ANALS1	Summary item analysis file.

Ammunition Demand Automated Processing

ADAP

Army Crisis Management Network

Asset file	MIDASI file.
Assumptions	A stated set of conditions imposed upon the ADS system which determines the method of operation and solutions obtained.
BASSET	Beginning asset file (See TASSET).
CCSS	DARCOM Commodity Command Standard System.
COMO	A method for tracing and recording terminal operations.
CONUS	Continental United States.
CRDPL	Complete round data file per the official army supply bulletins of permissable components.

Class V	Supply class -conventional ammunition.
Commodity Command Standard System	
	A DARCOM standard inventory control system.
Complete round	An assemblage of separate-issue items needed to fire a given weapon in support of a given mission objective.
Complete round - Component file	
	See Complete round.
Complete round - Usages file	
	See Complete round.
DASSET	ADS output report containing the assets at each depot.
DEPOT1	Preprocessor input file -Depot information
DEPSER	ADS output report containing depot shipments to specific POE's.
DESCOM	Depot Systems Command.
DLIFTP	ADS output report containing lift capability by depot.
DOB	Day on berth.
DODAC	DoD Ammunition Code.
DODIC	DoD Identification Code.
DOR	Day of receipt.
DOS	Day of shipping.
DRSAR-DSP	Defense Ammunition Supply Directorate, ARRCOM, Policy, Plans and Systems Division
DRSAR-MSA	Management Information Systems Directorate ARRCOM, Ammunition Management Systems Division.
DSCHUL	ADS output report containing daily item amounts loaded by depot and port arrival time and POE.

DTIME   Distribution model input file contain-
                               depot sequence numbers.

Data base   A computerized file containing data.

Default values   In a computer program, the value to
                               which a variable will assume if an option-
                               al value has not been selected.

Department of Defense Ammunition Code

                      DODAC

Depot sequence number   DTIME

Depot asset posture report

                      DASSET

Depot file   DEPOT1

Depot information file   WORK07

Depot lift capability file

                      WORK06

Depot lift capability posture report

                      DLIFTP.

Depot loading schedule report
                      DSCHUL.

Depot loading service summary report

                      DEPSER.

Distribution model   A computer simulation of the convention-
                               al ammunition distribution system.

Distribution module   See Distribution model.

Distribution simulation model

                               See Distribution model.

DoD   Department of Defense.

EDITRQ   An interactive program which permits the
                               operator to edit open requisitions.

EDITTR   An interactive program which permits the
                               operator to edit/change/execute a shipload

EX$RPT	A program to detect missing or erroneous data.
FSC	Federal Supply Class.
Hazard class	A code associated with various levels of risk for shipping/storing items.
Heuristic rules	Rules of thumb for making distribution decisions in the Distribution Module.
IANALS	ADS output report containing transportation shipping information, asset posture, readiness posture, and prescribed substitute items.
IANALT	ADS output report containing item analysis by DODAC.
INFORM	ADS output report containing a list of study items by DODAC.
Interactive	In a computer system, a program which permits an operator to monitor and input data/instructions to an on-going program.

Intermediate transaction file

    ROUTEP.

Item analysis report	IANALT

Item analysis summary report

    IANALT.

Item information file	WORK04

Item list, Depot list and Port list report

    ADS output report containing a list of study items sorted by DODAC.

Iterate	In a computer program, the re-cycling of an entire program or a part of a program, usually with new data and/or operating parameters.
Iteration	See Iterate.
JDA	Joint Deployment Agency of the Joint Chiefs of Staff.

Joint Deployment Agency

JDA.

LOGNET   Logistics Data Network for Army Crisis
                                Management.

Logistics Data Network/Army Crisis Management

LOGNET.

MANFST   ADS output report containing each ship's
                                contents by item, the POE, the POD, the
                                sailing date, and the ETA.

MIDAS   Multiple Index Data Access System, a spe-
                                cialized system of programs, files and
                                sub-routines designed for use with the
                                PR1ME computer.

MIDASI   A preprocessor input file containing
                                item attribute data, asset levels,
                                and planned requirements amounts.
                                (See CRDPL)

MILSTAMP   An interactive program used in the pre-
                                paration of ship planning messages.

MILSTP   A file of depot materiel
                                release orders.

MILSTRIP   See MILSTP.

MOBEX-80   Mobilization Exercise, 1980.

MOBMDR   Mobilization Master Data Record on
                                CCSS.

MRO   Materiel Release Order (see MILSTP and
                                MILSTAMP.)

MTMC   Military Traffic Management Command.

MTMC Port cargo availability report

See MTPSCH.

MTPSCH   ADS output report containing information
                                on port cargo availability.

Management Information Systems

DRSAR-MSA.

Model parameter file	PARAM1.
NETM81	Network file.
NIIN	National Item Identification Number.
NONSM1	An input file containing non-SM lift capability reduction information.
National Item Identification Number	NIIN.
Network file	NETM81.
Non-SM Lift Capability Reduction	NONSM1.
OCONUS	Outside CONUS.
OPLAN	Pre-planned operational ammunition requirements.
Open requisition	After processing through ADS, an unfilled requisition.
Output file	Any of the files created by the ADS Distribution Module.
PARAM1	An input file containing system operating parameters.
PORT01	An input file containing information concerning ports.
PR1ME/PR1ME computer	A mini-computer system available at ARRCOM upon which the ADS system is programmed for execution.
PROUD SPIRIT	See MOBEX-80.
PSCHUL	ADS output report containing item amount received at POE's daily.
PTIME	Distribution model input file containing port sequence numbers.
Pallet load	A load standardized for a given item.
Parameter file	PARAM1.
Port file	PORT01.

Port information file   WORK09.

Port receipt schedule report

                          PSCHUL.

Port sequence number   PTIME.

Pre-planned requirements

                          Estimated theater needs determined
                          prior to mobilization. (See OPLAN)

Preprocessor   A sub-system within ADS which edits
                          and re-formats input data base information
                          as working input files for the ADS distri-
                          bution module.

RDD   Required delivery day.

RDJTF   Rapid Deployment Joint Task Force.

ROUTDA   ADS output transaction file.

ROUTEH   ADS output approved transaction file.

ROUTEP   ADS intermediate transaction file.

ROUTES   ADS output transaction file.

Rapid Deployment Joint Task Force

                          RDJTF.

Remaining assets file   WORK12.

Remaining depot lift capability file

                          WORK13.

Reports generation   An ADS capability to automatically
                          or on demand create needed status reports.

Reports generator   See Reports generation.

Required delivery date

                          RDD.

Requisition   A record ordering a quantity
                          of an ammunition for a specified
                          delivery time.

Requirements/Requisitions file

WORK01.

Requisitions file (MILSTRIP-like format)

WORK11.

SEXRPT   ADS program used by DRSAR-DSP to
                          correct, update, or otherwise modify the
                          input files.

SH01001   "Port No.1, Ship No.1".
                          See SHXXYYY.

SHIP-M   ADS MIDAS file created by SHIP-M con-
                          taining ship planning messages.

SHIP01   ADS program used to interactively
                          edit SHIP-M.

SHIPLOAD   ADS program to daily process
                          shiploads approved for execution.

SHXXYYY   An ADS intermediate file used in the
                          SHIPLOAD process "XX" being the port num-
                          ber and "YYY" being ship number.

SM   Single Manager for Conventional
                          Ammunition (ARRCOM).

SMCA   See SM.

Separate issue item   Fundamental component as differ-
                          ing from an item which is issued as an
                          assemblage of separate issue items or
                          components.

Ship manifest report   MANFST.

Ship status file   WORK15.

Shortfall   The amount by which a shipment does
                          not meet theater requirements, either in
                          quantity or delivery date.

Substitution file   An input file delineating per-
                          missable substitute items for those
                          requisitioned.

Summary item analysis file

ANALS1.

TASSET	Current asset array.
Transaction file	ROUTES.
Transportation network file	
	WORK10.
WORK00	Model parameter file.
WORK01	Requirements/requisitions file.
WORK02	Complete round -Component file.
WORK03	Complete round -Usages file.
WORK04	Item information file.
WORK05	Substitution file.
WORK06	Depot lift capability file.
WORK07	Depot information file.
WORK08	Asset file.
WORK09	Port information file.
WORK10	Transportation network file.
WORK11	Requisitions (MILSTRIP-like format) file.
WORK12	Remaining assets file.
WORK13	Remaining depot list capability file.
WORK14	Walk-in requisitions file.
WORK15	Ship status file.
WORK16	Output requisition file.
Walk-in requisition	Current theater requirement after mobilization.
WORK Files	ADS intermediate files needed to couple the scientific notation of the simulated distribution system to the notation of the real world.

INDEX

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

Commander
Joint Deployment Agency
ATTN: JDDX-PL
Mc Dill AFB, Fl 33608   (1)

DEPARTMENT OF THE AIR FORCE

Office of the Asst Secretary
  of the Air Force (I&L)
ATTN: SAF/ILP
Rm 4D862 Pentagon
Washington, DC 20330   (1)

Deputy Chief of Staff
  System & Logistics
Rm 4E262 Pentagon
Washington, DC 20330   (3)

ATTN: AF/LE
       AF/LEYW
       AF/LEYWC

Deputy Chief of Staff R&D
Washington, DC 20300   (2)

ATTN: AF/RDQ
       AF/RDP

Commander
Air Force Logistics Command
Wright-Patterson AFB,
  OH 45433   (5)

ATTN: LOW
       LMV
       XRX
       XRP
       XRS

Commander
Ogden Air Logistics Center
Hill AFB, UT 84406   (2)

ATTN: MMJ
       MMW

Ogden Air Logistics Center
ACDTB/G. Gibson
Hill AFB, UT 84406   (3)

DEPARTMENT OF NAVY

Office of Assistant Secretary
  of the Navy (I&L)
ATTN: Dir, Ordnance Prgms
Washington, DC 20360   (1)

Commander
Naval Supply Systems Command
NAVSSC Code 042
Rm 706 Crystal Mall 3
Washington, DC 20376   (1)

Officer In Charge
NAVAL Ammunition Prod Eng Ctr
NAVAL Weapons Support Ctr
ATTN: J. Lanno/C6425R
Crane, IN 47522   (3)

DEPARTMENT OF ARMY

Commander
US Army Materiel Development
  & Readiness Command
5001 Eisenhower Ave
Alexandria, VA 22333   (5)

ATTN: DRCPA
       DRCPS
       DRCRE-I
       DRCMM-R
       DRCMS

DISTRIBUTION LIST

Commander
US Army Materiel Development
  & Readiness Command
ATTN: DRSAR-AA
5001 Eisenhower
Alexandria, VA 22333   (1)

HQ, Department of Army
Washington, DC 20310   (5)

ATTN: DAMO-RQ
       DCSOPS
       DAMA-CSM
       DAMA-PPZ-B
       DALO-SMZ

Commander
US Army Logistics
  Evaluation Agency
ATTN: DALO-LEP
New Cumberland, PA 17070   (1)

Industrial Base Eng Activity
ATTN: DRXIB-IP
Rock Island, IL 61299   (1)

Commander
Harry Diamond Laboratory
Washington, DC 20783   (1)

Commander
US Army Armament Research
  & Development Command
ATTN: DRDAR-SEA
Dover, NJ 07801   (1)

Commander
US Army Research Office
P.O. Box 12211
Research Triangle Park,
  NC 27709   (1)

Director
Mathematics Research Center
Univ of Wisconsin-Madison
610 Walnut Street
Madison, WI 53706   (1)

Director
Army Materiel Systems
  Analysis Agency
ATTN: DRXSY-DI
APG, MD 21005   (1)

Commander
US Army Commun and Electronics
  Materiel Readiness Cmd
ATTN: DRSEL-PL-SA
Fort Monmouth, NJ 07703   (1)

Commander
US Army Electronics Research
  and Development Command
ATTN: DRDEL-ST-SE
Adelphi, MD 20783   (1)

Commander
US Army Missile Command
ATTN: DRSMI-D
      DRSMI-DS (R&D)
Redstone Arsenal, AL 35809 (2)

Commander
US Army Communications Research
  and Development Command
ATTN: DRDCO-PPA-SA
Fort Monmouth, NJ 07703   (1)

Commander
US Army Tank-Automotive Cmd
ATTN: DRSTA-S/Dr. Joe Ryan
Warren, MI 48090   (1)

Commander
US Army Troop Spt and Aviation
  Materiel Readiness Command
ATTN: DRDAV-BC
P.O. Box 209
St. Louis, MO 63120   (1)

Commander
US Army Munitions Prod Base
  Modernization Agency
ATTN: SARPM-PBM
Dover, NJ 07801   (1)

DISTRIBUTION LIST

Commander
Military Traffic Mgmt Command
ATTN: MT-PL
Nassif Bldg
Washington, DC 20301   (1)

Commander
Military Traffic Mamt Command
  Transportation Eng Agency
ATTN: MTT-OA/Dr. Knickmeyer
P.O. Box 6276
Newport News, VA 23606   (1)

Commander
US Army Mobility Equip Research
  and Development Command
ATTN: DRDME-O
Fort Belvoir, VA 22060   (1)

Commander
US Army Field Artillery Ctr
Fort Sill, OK 73505   (1)

Director
US Army Mgmt Engineering
  Training Agency
ATTN: DRXOM-QA
Rock Island, IL 61299   (1)

Director
US Army TRADOC Systems
  Analysis Activity
ATTN: ATAA-SL/Tech Lib
       Mr. Keith Thorp
White Sands Missile Range
White Sands, NM 88002   (2)

Commander
US Army Logistics Center
ATTN: ATCL-S
Fort Lee, VA 23801   (1)

Director
US Army Materiel Development
  and Readiness Command
  Ammunition Center
ATTN: SARAC-DO
Savanna, IL 61074   (1)

Director
US Army Inventory Research Office
ATTN: DRXMC-IRO
Room 800, Custom House
2nd & Chestnut Streets
Philadelphia, PA 19106   (1)

Commander
US Army Armament Materiel
  Readiness Command
Rock Island, IL 61299

ATTN: DRSAR-CG (1)
        DRSAR-DCG (1)
        DRSAR-DR (1)
        DRSAR-DP (1)
        DRSAR-LC (1)
        DRSAR-DS (4)
        DRSAR-DM (20)
        DRSAR-IR (1)
        DRSAR-JS (1)
        DRSAR-MS (2)
        DRSAR-OP (1)
        DRSAR-PE (1)
        DRSAR-TM (1)
        DRSAR-LEP-L (1)

DISTRIBUTION LIST

SERVICE SCHOOLS

Industrial College of
  the Armed Forces
Ft. Leslie J. NcNair
Washington, DC   20319   (1)

National War College
Ft. Leslie J. NcNair
Washington, DC   20319   (1)

Armed Forces Staff College
Norfolk, VA   23511   (1)

Naval Postgraduate School
Monterey, CA   93940   (1)

US Air Force Air Univty
Maxwell AFB, AL   36112   (1)

Defense System Mgmt College
Ft. Belvoir, VA   22060   (1)

Army War College
Carlisle Barracks
Carlisle, PA   17013   (1)

OTHER

Defense Documentation Center
Cameron Station
Alexandria, VA   22314   (1)

Commander
Defense Logistics Studies
  Information Exchange
Fort Lee, VA   23801   (1)

END

DATE
FILMED

1-82

DTIC