


MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

ADA138522



Systems
Optimization
Laboratory

ARO 18424.14-MA




MINOS 5.0 USER'S GUIDE

by

Bruce A. Murtagh[†] and Michael A. Saunders

TECHNICAL REPORT SOL 83-20

December 1983



Department of Operations Research
Stanford University
Stanford, CA 94305

DTIC FILE COPY

84-02 16 097

**SYSTEMS OPTIMIZATION LABORATORY
DEPARTMENT OF OPERATIONS RESEARCH
STANFORD UNIVERSITY
STANFORD, CALIFORNIA 94305**

MINOS 5.0 USER'S GUIDE

by

Bruce A. Murtagh[†] and Michael A. Saunders

TECHNICAL REPORT SOL 83-20

December 1983

Copyright © 1983 Stanford University

MAR 2 1984

A

[†]Department of Industrial Engineering, The University of New South Wales, Kensington, N.S.W., Australia 2033.

Research and reproduction of this report were supported by the Department of Energy Contract DE-AM03-76SF00326, PA No. DE-AT03-76ER72018; National Science Foundation Grants MCS-7926009 and ECS-8012974; the Office of Naval Research Contract N00014-75-C-0267; and the Army Research Office Contract DAAG29-81-K-0156.

Any opinions, findings, and conclusions or recommendations expressed in this publication are those of the authors and do not necessarily reflect the views of the above sponsors.

Reproduction in whole or in part is permitted for any purposes of the United States Government.

This document has been approved
for public release and sale; its
distribution is unlimited.

PREFACE

Since the middle of 1980, approximately 150 academic and research institutions around the world have installed MINOS/AUGMENTED, the predecessor of the present system. About 30 further installations exist in private industry. With enquiries continuing to arrive almost daily, the need for a combined linear and nonlinear programming system is apparent in both environments. To date, many users have been able to develop substantial nonlinear models and have come to be fairly confident that the *Optimal Solution* message actually means what it says. Certainly, other less joyful exit messages will often have greeted eager eyes. These serve to emphasize that model building remains an *art*, and that nonlinear programs can be *arbitrarily difficult to solve*. Nevertheless, the success rate has been high, and the positive response from users with diverse applications has inspired us to pursue further development.

MINOS 5.0 is the result of prolonged refinements to the same basic algorithms that were in MINOS/AUGMENTED:

- the simplex method (Dantzig, 1947, 1963),
- a quasi-Newton method (very many authors from Davidon, 1959, onward),
- the reduced-gradient method (Wolfe, 1962), and
- a projected Lagrangian method (Robinson, 1972; Rosen and Kreuser, 1972).

From numerous potential options, it has been possible to develop these particular algorithms into a relatively harmonious whole. The resulting system permits the solution of both small and large problems in the four main areas of *smooth* optimization:

- linear programming,
- unconstrained optimization,
- linearly constrained optimization, and
- nonlinearly constrained optimization.

In rare cases, the quasi-Newton method may require excessive storage. We have chosen *not* to provide a nonlinear conjugate-gradient method, or a truncated linear conjugate-gradient method, for this situation. Instead, we retain the quasi-Newton method throughout, restricting it to certain subspaces where necessary. (The strategy for altering the subspaces remains experimental.)

We regret that other obvious algorithms (such as integer programming, piece-wise smooth optimization, the dual simplex method) are still not available. Nor are ranging procedures or parametric algorithms. Sensitivity analysis is still confined to the usual interpretation of Lagrange multipliers.

As before, MINOS 5.0 is a stand-alone system that is intended for use alongside commercial mathematical programming systems whenever such facilities are available. The systems should complement each other.

To users of MINOS/AUGMENTED, the most apparent extensions are a scaling option (for linear constraints and variables only), and the ability to estimate some or all gradients numerically, if they are not computed by the user. On a more mundane level, the names of the user subroutines for computing nonlinearities have been changed from CALCFG and CALCON to FUNOBJ and FUNCON, and two new parameters allow access to the workspace used by MINOS.

Internally, one of the major improvements has been the development of a new basis-handling package, which forms the foundation of LUSOL (Gill, et al., 1984), a set of routines for computing and updating a *sparse LU* factorization. This package draws much from the work of Reid (1976, 1982). It replaces the P^4 -based procedures in MINOS/AUGMENTED (Saunders, 1976) and is

Preface

substantially more efficient on problems whose basis matrices are not close to triangular. As before, column updates are performed by the method of Bartels and Golub (1969, 1971), but the implementation is more efficient and there is no severe degradation arising from large numbers of "spikes". We venture to say that LUSOL is the first *truly stable basis package* that has been implemented for production use.

A further vital improvement has been the development of two new linesearch procedures (Gill, et al., 1979) for finding a step length with and without the aid of derivatives. In particular they cater for function values that are somewhat "noisy"—a common practical circumstance.

From a software engineering viewpoint, the source code has been restructured to ease the problems of maintenance and future development. MINOS still stands for *Modular In-core Nonlinear Optimization System*, and we have done our best to respect the implications of the "M". Nevertheless, MINOS 5.0 remains a parameter-driven system. It is a speeding train on a railroad that has parallel tracks and many switches but few closed circuits. Its various modules cannot be called upon in an arbitrary order. In fact, there are 80 parameters that can be set if necessary—these are the switching points along the railroad. Fortunately, only a handful need be set for any particular application. In most cases, the default values are appropriate for large and small problems alike.

For interactive users, a new feature is the SUMMARY file, which provides at the terminal a brief commentary on the progress of a run. Unfortunately, a two-way conversation is not possible. The only input engendered by this feature is an occasional dive for the Break key to abort an errant run. While rarely called upon, such a facility can be crucial to the security of one's computer funds.

Throughout the development of MINOS, we have received a great deal of assistance from many kind people. Most especially, our thanks go to Philip Gill, Walter Murray and Margaret Wright, whose knowledge and advice have made much of this work possible. They are largely responsible for the linesearch procedures noted above (which are as vital to nonlinear optimization as basis factors are to linear programming), and they are authorities on all of the algorithms employed within MINOS. Their patience has been called upon continually as other important work at SOL either languished or fell unfairly on their shoulders.

Further to basis factors, we acknowledge the pioneering work of John Reid in implementing the Markowitz-based *LU* factorization and the Bartels-Golub update. The LUSOL procedures in MINOS 5.0 owe much to the ingenuity embodied in his LA05 package.

Users have naturally provided an essential guiding influence. In some cases they are algorithm developers themselves. At home, we have had constant encouragement from George Dantzig and the benefit of his modeling activity within SOL, notably on the energy-economic model PILOT. We thank him warmly for bringing the Systems Optimization Laboratory into existence. We also thank Patrick McAllister, John Stone and Wesley Winkler for the feedback they have provided by running various versions of MINOS during their work on PILOT. (We note that PILOT has grown to 1500 constraints and 4000 variables, and now has a quadratic objective. From our perspective, it is a nontrivial test problem!) Likewise, Alan Manne has provided encouragement and assistance from the beginning. Two of his nonlinear economic models have been invaluable as test problems (and are included on the MINOS distribution tape). We also thank him and Paul Preckel for the development of procedures for solving sequences of related problems (Preckel, 1980). The main ingredients of these procedures are now an integral part of MINOS.

From industry, we have received immense benefit from the working relationship between SOL and Robert Burchett of the General Electric Company (Electric Utility Systems Engineering Department) in Schenectady, New York. Many algorithmic and user-oriented details have resulted

CONTENTS

1. INTRODUCTION	1
1.1 Linear Programming	1
1.2 Nonlinear Objective	2
1.3 Nonlinear Constraints	3
1.4 Problem Formulation	5
1.5 Restrictions	5
1.6 Files	6
1.7 Input Data Flow	7
1.8 Multiple SPECS Files	8
1.9 Internal Modifications	8
2. USER-WRITTEN SUBROUTINES	9
2.1 Subroutine FUNOBJ	9
2.2 Subroutine FUNCON	11
2.3 Constant Jacobian Elements	12
2.4 Subroutine MATMOD	13
2.5 Subroutine MATCOL	15
2.6 Matrix Data Structure	15
3. THE SPECS FILE	17
3.1 SPECS File Format	17
3.2 SPECS File Checklist and Defaults	18
3.3 SPECS File Definitions	21
4. THE MPS FILE	41
4.1 The NAME Card	41
4.2 The ROWS Section	42
4.3 The COLUMNS Section	43
4.4 The RHS Section	45
4.5 The RANGES Section	45
4.6 The BOUNDS Section	46
4.7 Comment Cards	48
4.8 Restrictions and Extensions in MPS Format	48
5. BASIS FILES	49
5.1 OLD and NEW BASIS Files	49
5.2 PUNCH and INSERT Files	52
5.3 DUMP and LOAD Files	53
5.4 Restarting Modified Problems	55
6. OUTPUT	57
6.1 Iteration Log	57
6.2 Basis Factorization Statistics	61
6.3 EXIT Conditions	63
6.4 Solution Output	70
6.5 SOLUTION File	72
6.6 SUMMARY File	73

Contents

7. SYSTEM INFORMATION	75
7.1 Distribution Tape	75
7.2 Source Files	76
7.3 COMMON Blocks	78
7.4 Machine-dependent Subroutines	79
7.5 Subroutine Structure	82
7.6 Test Problems	83
8. EXAMPLES	85
8.1 Linear Programming	86
8.2 Unconstrained Optimization	88
8.3 Linearly Constrained Optimization	90
8.4 Nonlinearly Constrained Optimization	94
8.5 Use of Subroutine MATMOD	109
8.6 Things to Remember	112
REFERENCES	113
INDEX	115

1. INTRODUCTION

MINOS is a Fortran-based computer system designed to solve large-scale optimization problems expressed in the following standard form:

$$\text{minimize}_{x,y} \quad F(x) + c^T x + d^T y \quad (1)$$

$$\text{subject to} \quad f(x) + A_1 y = b_1, \quad (2)$$

$$A_2 x + A_3 y = b_2, \quad (3)$$

$$l \leq \begin{pmatrix} x \\ y \end{pmatrix} \leq u, \quad (4)$$

where the vectors c , d , b_1 , b_2 , l , u and the matrices A_1 , A_2 , A_3 are constant, $F(x)$ is a smooth scalar function, and $f(x)$ is a vector of smooth functions $\{f^i(x)\}$. Ideally the first derivatives (gradients) of $F(x)$ and $f^i(x)$ should be known and coded by the user. (If only some gradients are known, MINOS will estimate the missing ones using finite differences.)

The n_1 components of x are called the *nonlinear variables*, and the n_2 components of y are the *linear variables*. Similarly, the m_1 equations (2) are called the *nonlinear constraints*, and the m_2 equations (3) are the *linear constraints*. Equations (2) and (3) together are called the *general constraints*. We define $m = m_1 + m_2$ and $n = n_1 + n_2$.

The constraints (4) specify *upper and lower bounds* on all variables. These are fundamental to many problem formulations and are treated specially by the solution algorithms in MINOS. Some of the components of l and u may be $-\infty$ or $+\infty$ if desired.

Similar bounds may be defined for the general constraints (2), (3). These constraints may therefore be thought of as taking the form

$$l_1 \leq f(x) + A_1 y \leq u_1,$$

$$l_2 \leq A_2 x + A_3 y \leq u_2,$$

though for historical reasons the bounds are specified in terms of a *right-hand side* b_i and a *range* $u_i - l_i$.

In the following sections we introduce some of the terminology required, and give an overview of the algorithms used in MINOS and the main system features.

1.1 Linear Programming

If the functions $F(x)$ and $f(x)$ are absent, the problem becomes a *linear program*. Since there is no need to distinguish between linear and nonlinear variables, we prefer to use x rather than y . It is also convenient computationally to convert all general constraints into equalities, with the only inequalities being simple bounds on the variables. Thus, we will write linear programs in the form

$$\text{minimize}_{x,s} \quad c^T x \quad \text{subject to} \quad Ax + Is = 0, \quad l \leq \begin{pmatrix} x \\ s \end{pmatrix} \leq u,$$

where the elements of x are called *structural variables* (or *column variables*) and s is a set of *slack variables* (called *logical variables* by some authors). The bounds l and u are suitably redefined.

MINOS solves linear programs using a reliable implementation of the *primal simplex method* (Dantzig, 1963). The simplex method partitions the constraints $Ax + Is = 0$ into the form

$$Bx_B + Nx_N = 0,$$

where the *basis matrix* B is square and nonsingular. The elements of x_B and x_N are called the *basic* and *nonbasic variables* respectively; they are a permutation of the elements of x and s . At any given stage, each nonbasic variable is equal to its upper or lower bound, and the basic variables take on whatever values are needed to satisfy the general constraints. (Clearly they may be computed by solving the linear equation $Bx_B = -Nx_N$.) It can be shown that if an optimal solution to a linear program exists, then it has this form. The simplex method reaches such a solution by performing a sequence of *iterations*, in which one column of B is replaced by one column of N (and vice versa), until no such interchange can be found that will reduce the value of $c^T x$.

If the components of x_B do not satisfy their upper and lower bounds, we say that the current point is *infeasible*. In this case, the simplex method first aims to reduce the sum of infeasibilities to zero.

MINOS maintains a sparse *LU* factorization of the basis matrix B , using a Markowitz ordering scheme and Bartels-Golub updates, as implemented in the LUSOL package of Gill, Murray, Saunders and Wright (1984). (For a description of the concepts involved, see Reid, 1976, 1982.) The basis factorization is central to the efficient handling of sparse linear and nonlinear constraints.

1.2 Nonlinear Objective

When nonlinearities are confined to the term $F(x)$ in the objective function, the problem is a *linearly constrained nonlinear program*. MINOS solves such problems using a *reduced-gradient algorithm* (Wolfe, 1962) in conjunction with a *quasi-Newton algorithm* (Davidon, 1959). The implementation follows that described in Murtagh and Saunders (1978).

In this case, the constraints $Ax + Is = 0$ are partitioned into the form

$$Bx_B + Sx_s + Nx_N = 0,$$

where x_s is a set of *superbasic variables*. At a solution, the basic and superbasic variables will lie somewhere between their bounds, while the nonbasic variables will again be equal to one of their bounds. In broad terms, the number of superbasic variables (the number of columns in S) is a measure of how *nonlinear* the problem is. Let this number be s . (The context will always distinguish s from the vector of slack variables.) In many practical cases we have found that s remains reasonably small, say 200 or less, regardless of the size of the problem.

In the reduced-gradient algorithm, x_s is regarded as a set of independent variables that are free to move in any desirable direction, namely one that will improve the value of the objective function (or reduce the sum of infeasibilities). The basic variables can then be adjusted in order to continue satisfying the linear constraints.

If it appears that no improvement can be made with the current definition of B , S and N , some of the nonbasic variables are selected to be added to S , and the process is repeated with an increased value of s . At all stages, if a basic or superbasic variable encounters one of its bounds, that variable is made nonbasic and the value of s is reduced by one.

Users familiar with linear programs may interpret the simplex method as being exactly the above process, with s oscillating between 0 and 1. (Later, one step of the simplex method or the reduced-gradient method will be called a *minor iteration*.)

A certain operator Z will frequently be useful for descriptive purposes. In the reduced-gradient algorithm it takes the form

$$Z = \begin{pmatrix} -B^{-1}S \\ I \\ 0 \end{pmatrix},$$

though it is never computed explicitly. Since it has full column rank and satisfies $(B \ S \ N)Z = 0$, we say that Z spans the null space of the constraint matrix $(A \ I)$. Given an LU factorization of the basis matrix B , Z allows us to work within a region defined by the linear constraints.

An important part of MINOS is a stable implementation of the quasi-Newton algorithm for optimizing the superbasic variables. This can achieve superlinear convergence within each relevant subspace (defined by the current B , S and N). It obtains a search direction p_s for the superbasic variables by solving a system of the form

$$R^T R p_s = -Z^T g,$$

where g is the gradient of $F(x)$, $Z^T g$ is the reduced gradient, and R is a dense upper triangular matrix that is updated in various ways in order to approximate the reduced Hessian according to $R^T R \approx Z^T H Z$, where H is the matrix of second derivatives of $F(x)$ (i.e., the Hessian).

Once p_s is available, the search direction for all variables is defined by $p = Z p_s$. A line search is then performed to find an approximate solution to the one-dimensional problem

$$\underset{\alpha}{\text{minimize}} \ F(x + \alpha p) \quad \text{subject to} \quad 0 \leq \alpha \leq \alpha_{\max},$$

where α_{\max} is determined by the bounds on the variables. Another important part of MINOS is the step-length procedure used in the line search to determine the step-length α . Two different procedures are used, depending on whether all gradients are known. (See Gill, Murray, Saunders and Wright, 1979.) Interested users can influence the amount of work involved by setting a parameter called the LINESEARCH TOLERANCE.

Normally, the objective function $F(x)$ will never be evaluated at a point x unless that point is feasible, i.e., it satisfies the linear constraints and the bounds on the variables. Facilities are provided to check the calculation of gradient elements, and normally the check is performed at the first feasible point. However, users may request that the check be performed at the very beginning of a run, in which case x may not be feasible.

For details of the matters mentioned here and many other essential aspects of numerical optimization, see Gill, Murray and Wright (1981).

1.3 Nonlinear Constraints

When the problem contains nonlinear constraints, MINOS uses a *projected augmented Lagrangian algorithm*, based on a method due to Robinson (1972); see Murtagh and Saunders (1982). MINOS treats linear constraints and bounds specially, but the nonlinear constraints may not be satisfied until an optimal point is reached. Thus, $f(x)$ and its gradients (the Jacobian matrix $J(x) = [\partial f^i(x)/\partial x_j]$) may need to be defined outside the region of interest.

In fact, the constraint functions will almost never be evaluated unless the linear constraints and bounds are satisfied. The principal exception is at the very first point x_0 , which may optionally be specified by the user. The vector $f(x)$ and its Jacobian will be evaluated at x_0 regardless of feasibility. This matter must be borne in mind during the formulation of a nonlinear program. The main point to remember is that the nonlinear constraints may be violated during the solution process.

The nature of the solution process can be summarized as follows. A sequence of *major iterations* is performed, each one requiring the solution of a *linearly constrained subproblem*. The subproblems contain the original linear constraints and bounds, as well as linearized versions of the nonlinear constraints. This just means that $f(x)$ in equation (2) is replaced by Lf , its linear approximation at the current point. We shall write this approximation as

$$\tilde{f}(x, x_k) = f(x_k) + J(x_k)(x - x_k),$$

or more briefly

$$\tilde{f} = f_k + J_k(x - x_k), \quad (5)$$

where x_k is the estimate of the nonlinear variables at the start of the k -th major iteration. The subproblem to be solved takes the form

$$\underset{x, y}{\text{minimize}} \quad F(x) + c^T x + d^T y - \lambda_k^T (f - \tilde{f}) + \frac{1}{2} \rho (f - \tilde{f})^T (f - \tilde{f}) \quad (6)$$

$$\text{subject to} \quad \tilde{f} + A_1 y = b_1, \quad (7)$$

$$A_2 x + A_3 y = b_2, \quad (8)$$

$$l \leq \begin{pmatrix} x \\ y \end{pmatrix} \leq u. \quad (9)$$

The objective function (6) is called an *augmented Lagrangian*. The vector λ_k is an estimate of λ , the *Lagrange multipliers* for the nonlinear constraints. The scalar ρ is a *penalty parameter*, and the term involving ρ is a modified *quadratic penalty function*.

Using (5) we see that the linear constraints (7) and (8) take the form

$$\begin{pmatrix} J_k & A_1 \\ A_2 & A_3 \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix} + \begin{pmatrix} I & 0 \\ 0 & I \end{pmatrix} \begin{pmatrix} s_1 \\ s_2 \end{pmatrix} = \begin{pmatrix} J_k x_k - f_k \\ 0 \end{pmatrix}. \quad (10)$$

MINOS uses the reduced-gradient algorithm to minimize (6) subject to (10), with the original bounds on x and y , and suitable bounds on the slack variables s_1 and s_2 . The Jacobian J_k is treated as a sparse matrix, the same as the matrices A_i .

Unfortunately, there is no guarantee that the algorithm just described will converge from an arbitrary starting point. The concerned user can influence the likelihood of convergence in several ways:

1. By specifying x_0 as carefully as possible.
2. By including sensible upper and lower bounds on all variables.
3. By specifying a **PENALTY PARAMETER** ρ that is higher than the default value, if the problem is suspected of being highly nonlinear.
4. By specifying a **DAMPING PARAMETER** that is lower than the default value, again if the problem is highly nonlinear.

In rare cases it may be safe to use $\lambda_k = 0$ and $\rho = 0$ for all subproblems, by specifying **LAGRANGIAN = NO**. However, convergence is much more likely with the default setting, **LAGRANGIAN = YES**. The initial estimate of the Lagrange multipliers is then $\lambda_0 = 0$, but for later subproblems, λ_k is taken to be the Lagrange multipliers associated with the (linearized) nonlinear constraints at the end of the previous major iteration.

The penalty parameter is initially $100.0/m_1$ by default, and it is reduced in stages for later subproblems when it appears that the sequence $\{x_k, \lambda_k\}$ is converging. In many cases it is safe to specify $\rho = 0$ from the beginning, particularly if the problem is only mildly nonlinear. This may improve the overall efficiency.

1.4 Problem Formulation

In general, it is worthwhile expending considerable prior analysis to make the constraints completely linear if at all possible. Sometimes a simple transformation will suffice. For example, a pipeline optimization problem has pressure drop constraints of the form

$$\frac{K_1}{d_1^{4.814}} + \frac{K_2}{d_2^{4.814}} + \dots \leq P_T^2 - P_0^2$$

where d_i are the design variables (pipe diameters) and the other terms are constant. These constraints are highly nonlinear, but by re-defining the decision variables to be $x_i = 1/d_i^{4.814}$ we can make the constraints linear. Even if the objective function becomes more nonlinear by such a transformation (and this usually happens), the advantages of having linear constraints greatly outweigh this.

Similarly, it is important not to move nonlinearities from the objective function into the constraints. Thus, we would *not* replace minimize $F(x)$ by

$$\text{minimize } z \quad \text{subject to } F(x) - z = 0.$$

Scaling is a very important matter during problem formulation. A general rule is to scale both the data and the variables to be as close to 1.0 as possible. In general we suggest the range 1.0 to 10.0. When conflicts arise, one should sacrifice the objective function in favor of the constraints. Real-world problems tend to have a natural scaling within each constraint, as long as the variables are expressed in consistent physical units. Hence it is often sufficient to apply a scale factor to each row. MINOS has an option to scale the *linear* constraints and variables automatically.

Finally, *upper and lower bounds* on the variables (and on the constraints) are extremely useful for confining the region over which optimization has to be performed. If sensible values are known, they should always be used. They are also important for avoiding singularities in the problem functions. For safety when such singularities exist, the initial point x_0 discussed above should lie within the bounds.

1.5 Restrictions

MINOS is designed to find solutions that are *locally optimal*. The nonlinear functions in a problem must be *smooth* (i.e., their first derivatives must exist). The functions need not be separable. Integer restrictions cannot be imposed directly.

A certain region is defined by the linear constraints in a problem and by the bounds on the variables. If the nonlinear objective and constraint functions are convex within this region, any optimal solution obtained will be a *global optimum*. Otherwise there may be several local optima, and some of these may not be global. In such cases the chances of finding a global optimum are usually increased by choosing a starting point that is "sufficiently close", but there is no general procedure for determining what "close" means, or for verifying that a given local optimum is indeed global.

MINOS uses one large array of main storage for most of its workspace. The length of this array may need to be adjusted to suit a particular problem, but otherwise the implementation places no fixed limitation on the size of a problem or on its shape (many constraints and relatively few variables, or *vice versa*). In general, the limiting factor will be the amount of main storage

available on a particular machine, and the amount of computation time that one's budget can stand.

Some *a priori* knowledge of a particular application will usually indicate whether the solution procedure is likely to be efficient. An important quantity is $m = m_1 + m_2$, the total number of general constraints in (2) and (3). We note that $m \leq 100$ is considered "small", $m = 1000$ or 2000 is "medium", and $m \geq 5000$ would be "large". On machines that use 16-bit integers (INTEGER*2 on IBM and DEC VAX systems), the normal implementation of MINOS requires that $m \leq 32767$.

The amount of workspace required by MINOS is roughly $100m$ words, where one "word" is the relevant storage unit for the floating-point arithmetic being used (REAL*8 on IBM and DEC VAX, REAL on Burroughs and most CDC machines). On IBM and VAX systems, this means about $800m$ bytes for workspace. A further 300K bytes, approximately, are needed for the program itself, along with buffer space for several files.

Another important quantity is $n = n_1 + n_2$, the total number of variables in x and y . For nonlinear problems, if m_1 and n_1 are small compared to m and n , the total storage required should not be much greater than just described. If n_1 is "large" (say $n_1 \geq 200$), the amount of storage required may or may not be substantial, depending on whether $F(x)$ or $f(x)$ are highly nonlinear or not.

In this context, the efficiency of MINOS depends on s , the number of superbasic variables. Recall that $m + s$ variables lie between their upper and lower bounds, where s is zero for purely linear problems. We know that s need never be larger than $n_1 + 1$. In practice, s is often very much less than this upper limit.

In the quasi-Newton algorithm, the dense triangular matrix R has dimension s and requires about $\frac{1}{2}s^2$ words of storage. If it seems likely that s will be very large, some aggregation or reformulation of the problem should be considered.

1.6 Files

MINOS operates primarily within central memory, and is well suited to a virtual storage environment. Certain disk files are accessed as follows.

<i>Input file</i>	<i>Status</i>	<i>Record Length (characters)</i>
READ file	see below	
SPECS file	required	80
MPS file	required	81
BASIS files	optional	80
<i>Output file</i>	<i>Status</i>	<i>Record Length (characters)</i>
SCRATCH file	required	8
PRINT file	required	129
SUMMARY file	optional	80
BASIS files	optional	80
SOLUTION file	optional	111

Fixed-length, blocked records may be used in all cases, and the files are always accessed sequentially. The logical record length must be at least that shown. For efficiency, the physical block size should be several hundred characters in most cases. Note that the logical record length for the SCRATCH file is unusually small. Each record will contain an 8-character name for a constraint or variable, and there will be $m + n$ such names.

Unit numbers for the READ, SPECS, PRINT and SCRATCH files are defined at compile time; typically they will be 5, 5, 6 and 8, but they may depend on the installation. The remaining unit numbers are specified at run time in the SPECS file.

Unit numbers for the READ, PRINT and SUMMARY files are stored in the following COMMON block:

```
COMMON /M1FILE/ IREAD, IPRINT, ISUMM
```

It may be convenient to reference these in the user subroutines FUNOBJ, FUNCON and MATMOD.

System Note: The READ file is not used explicitly by MINOS, but its unit number is used to test if a file should be rewound. (Thus, input files are subject to a Fortran REWIND as long as they are not the same as the READ file.) The PRINT file is used frequently. Other output files are rewound if they are not the same as the PRINT file.

1.7 Input Data Flow

Some or all of the following items are supplied by the user:

- Subroutine FUNOBJ
- Subroutine FUNCON
- Subroutine MATMOD
- A SPECS file
- An MPS file
- A BASIS file
- Data read by FUNCON on its first entry
- Data read by FUNOBJ on its first entry
- Data read by FUNCON on its last entry
- Data read by FUNOBJ on its last entry

The order of the files and data is important if all are stored in the same input stream.

Subroutines FUNOBJ and FUNCON define the nonlinear objective and constraint functions respectively (if any); they are not needed if the functions are purely linear and are defined in the MPS file.

Subroutine MATMOD is occasionally needed, for applications involving a sequence of closely related problems.

The SPECS file defines various run-time parameters (ITERATION LIMIT, SAVE FREQUENCY, etc.). Its file number is defined at compile time. It will normally be the first data set in the system card input stream.

The MPS file specifies names for the constraints and variables, and defines all the linear constraints and bounds. It may follow the SPECS file in the card input stream, but will often reside in a file of its own (as specified in the SPECS file). The data format is similar to that used in commercial mathematical programming systems (hence the name). The format has been generalized slightly for nonlinear problems.

If desired, a BASIS file may be loaded at the beginning of a run. This will normally have been saved at the end of an earlier run. Three kinds of basis file are available; they are used to restart the solution of a problem that was interrupted, or to provide a good starting point for some slightly modified problem.

1.8 Multiple SPECS Files

One or more problems may be processed during a run. The parameters for a particular problem are delimited by **BEGIN** and **END** in the SPECS file. While scanning for the keyword **BEGIN**, MINOS recognizes the keywords **SKIP** and **ENDRUN**. Thus in the following example:

```

BEGIN CASE 1
.
.
END CASE 1
SKIP CASE 2
.
.
END CASE 2
BEGIN CASE 3
.
.
END CASE 3
ENDRUN
BEGIN CASE 4
.
.
END CASE 4

```

only the first and third problem will be processed.

1.9 Internal Modifications

A sequence of closely related problems may be specified within a single SPECS file, via the **CYCLE** parameter; for example,

```

BEGIN CYCLING EXAMPLE
.
CYCLE LIMIT      10
.
END EXAMPLE

```

indicates that up to 10 problems are to be processed. This is intended for cases where the solution of one problem P_k is needed to *define* the next problem P_{k+1} .

The actual method for defining the next problem in a cycle depends on the application. Sometimes it can be done by changing the output from the function subroutines **FUNOBJ** and/or **FUNCON**. Alternatively, the user may provide a third subroutine **MATMOD** to perform some modifications to the problem data. **MATMOD** is called by MINOS at the beginning of every cycle except the first.

If necessary, the number of linear variables can be *increased* when a problem P_{k+1} is defined. We think of this as *adding new columns* to P_k . The new columns are not included in the MPS file, and their sparsity pattern need not be known until P_k has been solved. Instead, an appropriate number of **PHANTOM COLUMNS** and **PHANTOM ELEMENTS** are defined in the SPECS file (to reserve a pool of storage), and the user's subroutine **MATMOD** generates each new column by calling the MINOS subroutine **MATCOL**.

2. USER-WRITTEN SUBROUTINES

To solve a purely linear problem, only a SPECS file and an MPS file (and possibly a BASIS file) need be supplied.

For nonlinear problems, one must also provide some appropriate Fortran code. Nonlinearities in the objective function are defined by subroutine FUNOBJ. Those in the constraints are defined separately by subroutine FUNCON. On every entry except perhaps the last, these subroutines must return appropriate function values F . Wherever possible, they should also return *all gradient components* in the array G . This provides maximum reliability and corresponds to the default setting, $DERIVATIVE\ LEVEL = 3$.

In practice it is often convenient *not* to code gradients. MINOS is able to estimate gradients by finite differences, by making a call to FUNOBJ or FUNCON for each variable x_j whose partial derivatives need to be estimated. However, this reduces the reliability of the optimization algorithms, and it can be very expensive if there are many such variables x_j .

As a compromise, MINOS allows you to code *as many gradients as you like*. This option is implemented as follows: just before a function routine is called, each element of the gradient array G is initialized to a specific value. On exit, any element retaining that value must be estimated by finite differences.

Some rules of thumb follow:

1. For maximum simplicity and reliability, compute F and all components of G .
2. If not all gradients are known, compute as many of them as you can. (It often happens that some of them are constant or even zero.)
3. If *some* gradients are known (but not all), it may be convenient to compute them each time the function routines are called, even though they will be ignored if $MODE = 2$.
4. If the known gradients are *expensive* to compute, use the parameter $MODE$ to avoid computing them on certain entries.
5. While the function routines are being developed, use the $VERIFY$ parameter to check the computation of any gradient elements that are supposedly known.

2.1 Subroutine FUNOBJ

This subroutine is provided by the user to calculate the objective function $F(x)$ and as much of its gradient $g(x)$ as possible. (It is not needed if the objective function is entirely linear.)

Specification:

```
SUBROUTINE FUNOBJ( MODE, N, X, F, G, NSTATE, NPROB, Z, NWCORE )
  IMPLICIT          REAL*8(A-H,O-Z)
  DIMENSION        X(N), G(N), Z(NWCORE)
```

(The **IMPLICIT** statement should not be used on machines for which single-precision floating-point is adequate; e.g., Burroughs and CDC.)

Parameters:

- MODE** (Input) This parameter can be ignored if DERIVATIVE LEVEL = 1 or 3 (i.e., if all elements of G are computed). In this case, MODE will always have the value 2. Otherwise, you must specify DERIVATIVE LEVEL = 0 or 2 in the SPECS file to indicate that FUNOBJ will not compute all of G. MINOS will then call FUNOBJ sometimes with MODE = 2 and sometimes with MODE = 0. You may test MODE to decide what to do:
- If MODE = 2, compute F and as many components of G as possible.
- If MODE = 0, compute F but set G only if you wish. (On return, the contents of G will be ignored.)
- (Output) If for some reason you wish to terminate solution of the current problem, set MODE to a negative value, e.g., -1.
- N** (Input) The number of variables involved in $F(x)$. These must be the first N variables in the problem.
- X(*)** (Input) An array of dimension N containing the current values of the nonlinear variables x .
- F** (Output) The computed value of the objective function $F(x)$.
- G(*)** (Output) The computed gradient vector $g(x)$. In general, $G(j)$ should be set to the partial derivative $\partial F/\partial x_j$ for as many j as possible (except perhaps if MODE = 0—see above).
- NSTATE** (Input) If NSTATE = 0, there is nothing special about the current call to FUNOBJ. If NSTATE = 1, MINOS is calling your subroutine for the first time. Some data may need to be input or computed and saved in local or COMMON storage. Note that if there are nonlinear constraints, the first call to FUNCON will occur *before* the first call to FUNOBJ. If NSTATE \geq 2, MINOS is calling your subroutine for the *last* time. You may wish to perform some additional computation on the final solution. (If CYCLE LIMIT is specified, this call occurs at the end of each cycle.) Note again that if there are nonlinear constraints, the last call to FUNCON will occur *before* the last call to FUNOBJ.
- In general, the last call is made with NSTATE = 2 + IERR, where IERR indicates the status of the final solution. In particular, if NSTATE = 2, the current X is *optimal*; if NSTATE = 3, the problem appears to be *infeasible*; if NSTATE = 4, the problem appears to be *unbounded*; and if NSTATE = 5, the iterations limit was reached. In some cases, the solution may be *nearly optimal* if NSTATE = 11; this value occurs if the linesearch procedure was unable to find an improved point.
- If the nonlinear functions are expensive to evaluate, it may be desirable to do nothing on the last call, by including a statement of the form IF (NSTATE .GE. 2) RETURN at the start of the subroutine.
- NPROB** (Input) An integer that can be set by a card of the form PROBLEM NUMBER n in the SPECS file.
- Z(*)** (Input) The primary work array used by MINOS. In certain applications it may be desirable to access parts of this array, using various COMMON blocks to pinpoint the required locations. (For example, the dual variables are stored in Z(LPI) onward, where LPI is the first integer in the COMMON block MSLOC.) Otherwise, Z and NWCORE can be ignored.
- NWCORE** (Input) The dimension of Z.

2.2 Subroutine FUNCON

This subroutine is provided by the user to compute the nonlinear constraint functions $f(x)$ and as many of their gradients as possible. (It is not needed if the constraints are entirely linear.) Note that the gradients of the vector $f(x)$ define the Jacobian matrix $J(x)$. The j -th column of $J(x)$ is the vector $\partial f/\partial x_j$.

FUNCON may be coded in two different ways, depending on the method used for storing the Jacobian, as specified in the SPECS file.

JACOBIAN = DENSE

Specification:

```

SUBROUTINE FUNCON( MODE, M, N, NJAC, X, F, G, NSTATE, NPROB, Z, NWCORE )
  IMPLICIT      REAL*8(A-H,O-Z)
  DIMENSION    X(N), F(M), G(M,N), Z(NWCORE)

```

Parameters:

- MODE** (Input) This parameter can be ignored if DERIVATIVE LEVEL = 2 or 3 (i.e., if all elements of G are computed). In this case, MODE will always have the value 2.
- Otherwise, you must specify DERIVATIVE LEVEL = 0 or 1 in the SPECS file to indicate that FUNCON will not compute all of G. You may then test MODE to decide what to do:
- If MODE = 2, compute F and as many components of G as possible.
- If MODE = 0, compute F but set G only if you wish. (On return, the contents of G will be ignored.)
- (Output) If for some reason you wish to terminate solution of the current problem, set MODE to a negative value, e.g., -1.
- M** (Input) The number of nonlinear constraints (not counting the objective function). These must be the first M constraints in the problem.
- N** (Input) The number of variables involved in $f(x)$. These must be the first N variables in the problem.
- NJAC** (Input) The value $M*N$.
- X(*)** (Input) An array of dimension N containing the current values of the nonlinear variables x .
- F(*)** (Output) The computed values of the functions in the constraint vector $f(x)$.
- G(*,*)** (Output) The computed Jacobian matrix $J(x)$. The j -th column of $J(x)$ should be stored in the j -th column of the 2-dimensional array G (except perhaps if MODE = 0—see above). Equivalently, the gradient of the i -th constraint should be stored in the i -th row of G.

The other parameters are the same as for subroutine FUNOBJ.

JACOBIAN = SPARSE

Specification:

```

SUBROUTINE FUNCON( MODE, M, N, NJAC, X, F, G, NSTATE, NPROB, Z, NWCORE )
  IMPLICIT      REAL*8(A-H,O-Z)
  DIMENSION    X(N), F(M), G(NJAC), Z(NWCORE)

```

This is the same as for JACOBIAN = DENSE, except for the declaration of G(NJAC).

Parameters:

NJAC (Input) The number of nonzero elements in the Jacobian matrix $J(x)$. This is exactly the number of entries in the MPS file that referred to nonlinear rows and nonlinear Jacobian columns (the first M rows in the ROWS section and the first N columns in the COLUMNS section).

Usually NJAC will be less than $M*N$. The actual value of NJAC may not be of any use when coding FUNCON, but in all cases, any expression involving $G(l)$ should have the subscript l between 1 and NJAC.

G(*) (Output) The computed elements of the Jacobian matrix (except perhaps if $MODE = 0$ —see previous page). These elements must be stored into G in exactly the same positions as implied by the MPS file. There is no internal check for consistency (except indirectly via the VERIFY parameter), so great care is essential.

The other parameters are the same as for JACOBIAN = DENSE.

2.3 Constant Jacobian Elements

If all constraint gradients (Jacobian elements) are known (DERIVATIVE LEVEL = 2 or 3), any *constant* elements may be specified in the MPS file if desired. An element of G that is not computed in FUNCON will retain the value implied by the MPS file. (The value is taken to be zero if not given explicitly in the MPS file.)

This feature is useful when JACOBIAN = DENSE and many Jacobian elements are identically zero. Such elements need not be specified in the MPS file, nor set in FUNCON.

Note that constant *nonzero* elements do affect F. Thus, if J_{ij} is defined in the MPS file and is constant, the array element $G(i, j)$ need not be set in FUNCON, but the value $G(i, j)*X(j)$ must be added to $F(i)$.

When JACOBIAN = SPARSE, constant Jacobian elements will normally not be listed in the MPS file unless they are nonzero. If the correct value is entered in the MPS file, the corresponding element $G(l)$ need not be reassigned, but a term of the form $G(l)*X(j)$ must be added to one of the elements of F. (This feature allows a matrix generator to output constant data to the MPS file; FUNCON does not need to know that data at compile time, but can use it at run time to compute the elements of F.)

Remember, if DERIVATIVE LEVEL < 2, unassigned elements of G are *not* treated as constant; they are estimated by finite differences, at significant expense.

2.4 Subroutine MATMOD

This subroutine is called at the start of every cycle except the first. If **CYCLE LIMIT** k is specified with $k > 1$, you may wish to provide your own **MATMOD** to make certain changes to the problem data. MINOS will make a *flying start* on the modified problem, retaining the current set of basic, superbasic and nonbasic variables, the reduced Hessian approximation R , and the Lagrange multiplier estimates λ_k for any nonlinear constraints. (The LU factorization of the basis is not retained; it will be recomputed.)

Specification:

```

SUBROUTINE MATMOD( .NCYCLE, NPROB, FINISH,
*                M, N, NB, NE, NKA, NS, NSCL,
*                A, HA, KA, BL, BU,
*                ASCALE, HS, ID1, ID2,
*                X, PI, Z, NWCORE )
IMPLICIT          REAL*8(A-H,O-Z)
INTEGER*2        HA(NB), HS(NB)
INTEGER          KA(NKA), ID1(NB), ID2(NB)
DIMENSION        A(NB), ASCALE(NSCL), BL(NB), BU(NB)
DIMENSION        X(NB), PI(M), Z(NWCORE)
LOGICAL          FINISH

```

Parameters:

- NCYCLE** (Input) The number of the cycle that has just terminated.
- NPROB** (Input) An integer that can be set by a card of the form **PROBLEM NUMBER** n in the **SPECS** file.
- FINISH** (Input) On entry, **FINISH** = **.FALSE.**
 (Output) On exit, if you wish the cycles to be terminated (e.g., if some convergence criterion has been satisfied), set **FINISH** = **.TRUE.**
- M** (Input) The number of rows in the constraint matrix.
- N** (Input) The number of variables, excluding slacks.
- NB** (Input) The number of variables, *including slacks*. ($NB = N + M$; it is the length of many arrays including **BL** and **BU**. The name is short for Number of Bounds.)
- NE** (Input) The number of elements in the constraint matrix (used only to dimension **A** and **HA**).
- NKA** (Input) $NKA = N + 1$ (used to dimension **KA**).
- NS** (Input) The number of superbasic variables.
- NSCL** (Input) If $NSCL = 1$, the constraint matrix has not been scaled; there is only one element in the array **ASCALE** and it is undefined.

Otherwise, $NSCL = NB$ and the constraint matrix *has* been scaled. An original element a_{ij} is now stored in A as $a_{ij} \times ASCALE(N+i) / ASCALE(j)$. Similarly, an original bound l_j on a column or slack ($j = 1$ to NB) is now stored in $BL(j)$ as $l_j \times ASCALE(j)$. (Likewise for upper bounds.) Any new or modified elements must be treated accordingly.

- A(*)** (Input, output) The current elements of the constraint matrix, stored column-wise. They may be altered as desired. Additional entries in A , HA and KA associated with "phantom columns" must be set by calling subroutine **MATCOL**.
- HA(*)** (Input, output) The row indices associated with A .
- KA(*)** (Input, output) $KA(j)$ points to the start of column j in the arrays $A(*)$, $HA(*)$.
- BL(*)** (Input, output) The lower bounds on all column and slack variables, in that order. They may be altered as desired.
- BU(*)** (Input, output) The upper bounds on all variables, including slacks. They may be altered as desired.
- ASCALE(*)** (Input) The set of scale factors for columns and rows, in that order (if $NSCL > 1$).
- HS(*)** (Input) The state vector for all variables.
 $HS(j) = 0$ if variable j is nonbasic at its lower bound;
 $HS(j) = 1$ if variable j is nonbasic at its upper bound;
 $HS(j) = 2$ if variable j is superbasic;
 $HS(j) = 3$ if variable j is basic.
- ID1(*)** (Input) The first half of the names of the columns and rows, in that order, in **A4** format. (Sometimes it may be useful to determine the index of a column or row by searching **ID1** and **ID2**.)
- ID2(*)** (Input) The second half of the names of the columns and rows, in **A4** format.
- X(*)** (Input) The numerical values of all columns and slack variables.
- PI(*)** (Input) The numerical values of the dual variables. The first m_1 components will be the current estimates of λ , the Lagrange multipliers for the nonlinear constraints.
- Z(*)** (Input) The primary work array used by **MINOS**. In certain applications it may be desirable to access parts of this array, using various **COMMON** blocks to pinpoint the required locations.
- NWCORE** (Input) The dimension of Z .

2.5 Subroutine MATCOL

If PHANTOM COLUMNS c and PHANTOM ELEMENTS e are defined in the SPECS file (along with CYCLE LIMIT k), this subroutine may be called by MATMOD up to c times throughout cycles 2 through k . The aim is to turn at most c "phantom columns" into normal columns containing a total of at most c nonzero elements. MATMOD must provide an array COL(*) and a zero tolerance ZTOL for each call. The significant elements of COL will be packed into the matrix data structure, to form a new column. The associated variable will be given the default LOWER and UPPER bounds, and a scale factor of 1.0.

Specification:

```

SUBROUTINE MATCOL( M, N, NB, NE, NKA,
*                A, HA, KA, BL, BU, COL, ZTOL )
IMPLICIT        REAL*8(A-H,O-Z)
INTEGER*2       HA(NE)
INTEGER         KA(NKA)
DIMENSION       A(NE), BL(NB), BU(NB), COL(M)

```

Parameters:

- M** (Input) The length of the array COL. Usually this will be m , the number of rows in the constraint matrix. In general, it may be anywhere in the range $1 \leq M \leq m$, if the new column is known to be zero beyond position M .
- COL(*)** (Input) The dense vector that is to become a new matrix column.
- ZTOL** (Input) A zero tolerance for deleting negligible elements from COL when it is packed into A and HA. On most machines, a reasonable value is $ZTOL = 1.0E-8$.

The other parameters come directly from MATMOD. For further details, see the CYCLE options in section 3.3, and the example in section 8.5.

2.6 Matrix Data Structure

In the MINOS source code, the constraint matrix A is stored column-wise in sparse format in the arrays A, HA, KA, as defined in the specifications of subroutine MATMOD (section 2.4). The matrix I associated with the slack variables is represented implicitly. If the objective function contains linear terms $c^T x + d^T y$, then $(c^T \ d^T)$ is included as the IOBJ-th row of A (see the COMMON block M5LOBJ below).

If there are nonlinear constraints, the top left-hand corner of A is loaded with the current Jacobian matrix at the start of each major iteration.

The following COMMON blocks contain dimensions and other items relating to the storage of A .

```

COMMON /M3LEN / M , N , NB , NSCL

```

M m , the number of rows in A , including the linear objective row (if any).

N n , the number of columns in A , possibly including c "phantom columns".

NB $n + m = N + M$, the total number of variables in the problem, including the slacks.

NSCL Either NB or 1, depending on whether SCALE has been specified or not.

COMMON /M2MAPA/ NE ,NKA ,LA ,LHA ,LKA

NE The number of nonzero elements in A , possibly including e "phantom elements".

NKA $n + 1 = N+1$, the number of pointers in the array KA .

LA The address of $A(*)$ in the work array $Z(*)$.

LHA The address of $HA(*)$ in the work array $Z(*)$.

LKA The address of $KA(*)$ in the work array $Z(*)$.

COMMON /M5LEN / MAXR ,MAXS ,MBS ,NN ,NNO ,NR ,NX

MAXR The HESSIAN DIMENSION.

MAXS The SUPERBASICS LIMIT.

MBS $M+MAXS$, the maximum number of basic and superbasic variables.

NN $n_1 = \max\{NNOBJ, NNJAC\}$, the number of NONLINEAR VARIABLES.

NNO $\max\{1, NN\}$.

NR The dimension of the array R that is used to approximate the reduced Hessian, R .

NX $\max\{MBS, NN\}$.

COMMON /M5LOBJ/ SINP ,WTOBJ ,MINIMZ,NINF ,IOBJ

SINF The current sum of infeasibilities.

WTOBJ The scalar w used in the composite objective technique.

MINIMZ +1 if the objective is to be minimized; -1 if it is to be maximized.

NINF The current number of infeasibilities.

IOBJ The row number for the linear objective. (If IOBJ is zero, there is no such row.)

COMMON /M7LEN / FOBJ ,FOBJ2 ,NNOBJ ,NNOBJO

FOBJ The current value of the function value F returned by FUNOBJ.

FOBJ2 A temporary value of FOBJ.

NNOBJ n'_1 , the number of NONLINEAR OBJECTIVE VARIABLES.

NNOBJO $\max\{1, NNOBJ\}$.

COMMON /M8LEN / NJAC ,NNCON ,NNCONO,NNJAC

NJAC The number of elements in the Jacobian.

NNCON m_1 , the number of NONLINEAR CONSTRAINTS.

NNCONO $\max\{1, NNCON\}$.

NNJAC n''_1 , the number of NONLINEAR JACOBIAN VARIABLES.

3. THE SPECS FILE

The SPECS file sets various run-time parameters that describe the nature of the problem being solved and the manner in which a solution is to be obtained. The file consists of a sequence of card images, each of which contains a *keyword* and certain associated *values*.

The first keyword is **BEGIN** and the last keyword is **END**. If the problem could be solved using default values for all parameters, the SPECS file could consist of just those two keywords (on separate cards). Normally, however, at least some of the parameters must be specified; for example, the number of nonlinear variables if there are any.

3.1 SPECS File Format

Each card in the SPECS file contains a sequence of items in free format (they may appear anywhere in columns 1 to 72). The items are separated by spaces or equal signs (' ' or '='). Those selected from each card are:

1. The first word (the *keyword*). Only the first 3 characters are significant.
2. The second word (if any). Sometimes this is the keyword's associated *name value*, an 8-character name. More often it qualifies the keyword, and its first 4 characters are significant.
3. The first number (if any). This may be an *integer value* or a *real value*; up to 8 characters in Fortran's I, F, E or D format.

In the following examples the significant characters are underlined:

<u>OBJECTIVE</u>	<u>PROFIT</u>
<u>SOLUTION FILE</u>	<u>12</u>
<u>ROWS</u>	<u>500</u>
<u>ROW TOLERANCE</u>	<u>0.0001</u>
<u>LOWER BOUND</u>	<u>-1.0</u>
<u>AIJ TOL</u>	<u>1.0E-6</u>

If the first character of an item is one of the following *numeric characters*

1 2 3 4 5 6 7 8 9 0 + - .

then the item is taken to be a *number*. The number may be from 1 to 8 contiguous numeric characters, including an E or a D if need be. It is terminated by a non-numeric character such as a space.

(An exception is made for the keywords **OBJECTIVE**, **RHS**, **RANGE** and **BOUND**, which specify names to be extracted from the MPS file. For these keywords the second item is taken to be the required name value even if it begins with a numeric character. Thus,

<u>AIJ TOLERANCE</u>	<u>.00001</u>
<u>OBJECTIVE</u>	<u>.00001</u>
<u>RHS</u>	<u>...ZE001</u>
<u>BOUND</u>	<u>+1000</u>

are all allowed. However, names like **OBJECTIVE = COST** or **RHS = DEMAND02** will be more common.)

Blank cards and comments may be used to improve readability. A *comment* begins with an asterisk ('*') and includes all subsequent characters on the same card; these are ignored. The '*' may be the first non-blank character on the card, or the first non-blank after a space or an equal sign. For example:

```

*
* MPS file parameters
*
ROWS          1000      * (or less)
COLUMNS      2000      * (or less)
ELEMENTS      8000      * (or less)
OBJECTIVE =   PROFIT02 * (the 2nd N row)

```

Scanning terminates once a number has been recognized. An asterisk is therefore not essential following a number:

```
WEIGHT ON OBJECTIVE = 10.0 DURING PHASE 1
```

3.2 SPECS File Checklist and Defaults

The following example SPECS file shows all valid *keywords* and their *default values*. The keywords are grouped according to the function they perform.

Some of the default values depend on ϵ , the relative precision of the machine being used. The values given here correspond to double-precision arithmetic on IBM 360/370 systems and their successors ($\epsilon \approx 2.22 \times 10^{-16}$). Similar values would apply to any machine having about 15 decimal digits of precision.

BEGIN checklist of SPECS file parameters and their default values

```

*
* Keywords for the MPS file
*
MINIMIZE          * (opposite of MAXIMIZE)
OBJECTIVE =      ?      * the first name encountered
RHS =            ?      * the first name encountered
RANGE =          ?      * the first name encountered
BOUNDS =         ?      * the first name encountered
ROWS             100    *
COLUMNS         300    * or 3*ROWS
ELEMENTS (or COEFFICIENTS) 1500 * or 5*COLUMNS
AIJ TOLERANCE    1.0E-10 *
LOWER BOUND      0.0    *
UPPER BOUND      1.0E+20 * plus infinity
MPS FILE         ?      * depends on installation
LIST LIMIT       0      * for printing MPS data
ERROR MESSAGE LIMIT 10   * during MPS input
*
* Keywords for the simplex method
*
CRASH OPTION     1      * all variables eligible for initial basis
ITERATIONS LIMIT 300    * or 3*ROWS + 10*NONLINEAR VARIABLES
PARTIAL PRICE    1      * or COLS/(2*ROWS) if COLS is large
MULTIPLE PRICE   1      * BEWARE - not like commercial LP
WEIGHT ON LINEAR OBJECTIVE 0.0 * during phase 1

```

SUMMARY FILE	0	* > 0 for occasional output to terminal
SUMMARY FREQUENCY	100	* iteration log on SUMMARY file
LOG FREQUENCY	1	* iteration log on PRINT file
CHECK FREQUENCY	30	* numerical test on row residuals
FACTORIZATION FREQUENCY	50	* refactorize the basis matrix
SAVE FREQUENCY	100	* basis map
SCALE	NO	* linear constraints and variables
SOLUTION	YES	* on PRINT file
*		
* BASIS files		
*		
OLD BASIS FILE	0	* input basis map
NEW BASIS FILE	0	* output basis map
BACKUP BASIS FILE	0	* output basis map
INSERT FILE	0	* input in industry format
PUNCH FILE	0	* output INSERT data
LOAD FILE	0	* input names and values
DUMP FILE	0	* output LOAD data
SOLUTION FILE	0	* separate from printed solution
*		
* Convergence and stability tolerances		
*		
FEASIBILITY TOLERANCE	1.0E-6	* for satisfying bounds
OPTIMALITY TOLERANCE	1.0E-6	* for reduced gradients
PIVOT TOLERANCE	3.7E-11	* $\epsilon^{\frac{1}{2}}$
LU FACTOR TOLERANCE	10.0	* limits size of multipliers in L
LU UPDATE TOLERANCE	10.0	* the same during updates
*		
* Parameters for nonlinear problems		
*		
NONLINEAR CONSTRAINTS	0	* must be the exact number, m_1
NONLINEAR VARIABLES	0	* must be the exact number, n_1
NONLINEAR OBJECTIVE VARIABLES	0	* use if different from Jacobian variables
NONLINEAR JACOBIAN VARIABLES	0	* use if different from objective variables
SUPERBASICS LIMIT	1	* or HESSIAN DIMENSION
HESSIAN DIMENSION	1	* or SUPERBASICS LIMIT
*		
PROBLEM NUMBER	0	* sets subroutine parameter NPROB
DERIVATIVE LEVEL	3	* assumes all gradients are known
VERIFY LEVEL	0	* gives cheap check on gradients
EMERGENCY VERIFY LEVEL	0	* cheap check before stopping
*		
START OBJECTIVE CHECK AT COL	1	*
STOP OBJECTIVE CHECK AT COL	n_1	*
START CONSTRAINT CHECK AT COL	1	*
STOP CONSTRAINT CHECK AT COL	n_1	*

LINESEARCH TOLERANCE	0.1	* smaller for more accurate search
SUBSPACE TOLERANCE	0.5	* affects when to PRICE
FUNCTION PRECISION	3.0E-13	* $\epsilon^{0.8}$ (almost full accuracy)
DIFFERENCE INTERVAL	5.5E-7	* (FUNCTION PRECISION) ^{1/2}
CENTRAL DIFFERENCE INTERVAL	6.7E-5	* (FUNCTION PRECISION) ^{1/3}
*		
* Further parameters for nonlinear constraints		
*		
JACOBIAN	DENSE	*
LAGRANGIAN	YES	*
MAJOR ITERATIONS	20	*
MINOR ITERATIONS	40	*
PENALTY PARAMETER	100.0/ m_1	* may need to be larger if very nonlinear
DAMPING PARAMETER	2.0	* affects step-size between subproblems
*		
COMPLETION	PARTIAL	* FULL if no nonlinear constraints
ROW TOLERANCE	1.0E-6	* allowable nonlinear constraint violation
RADIUS OF CONVERGENCE	0.01	* for reducing the penalty parameter
PRINT LEVEL (JFLXB)	00001	* $J(x_k)$, $f(x_k)$, λ_k , x_k , Basis statistics
*		
* Sequences of related problems		
*		
CYCLE LIMIT	1	*
CYCLE PRINT	1	*
CYCLE TOLERANCE	0.0	*
PHANTOM COLUMNS	0	*
PHANTOM ELEMENTS	0	*
*		
* Miscellaneous		
*		
DEBUG LEVEL	0	*
LINESEARCH DEBUG AFTER ITN	999999	*
WORKSPACE (USER)	0	*
WORKSPACE (TOTAL)	?	* depends on installation
* SUPPRESS PARAMETER LISTING		
END of SPECS file checklist		

3.3 SPECS File Definitions

The following is an alphabetical list of recognized SPECS file keywords. A typical use of each keyword is given, along with a definition of the quantities involved and comments on usage. In many cases the value associated with a keyword is denoted by a letter such as k , and allowable values for k are subsequently defined.

AIJ TOLERANCE t (default $t = 1.0E-10$)

During input of the MPS file, matrix coefficients a_{ij} will be ignored if $|a_{ij}| < t$.

If a_{ij} is a Jacobian element, it is *not* ignored. (Its position is recorded, and it will retain the value t if DERIVATIVE LEVEL = 2 or 3 and FUNCION does not reset the corresponding element of G.)

If CYCLE LIMIT > 1 and a_{ij} is to be changed from zero to a value greater than t during a later cycle, set $t = 0.0$ to retain all entries in the MPS file.

BACKUP BASIS FILE k (default $k = 0$)

This is intended as a safeguard against losing the results of a long run. Suppose that a NEW BASIS FILE is being saved every 100 iterations, and that MINOS is about to save such a basis at iteration 2000. It is conceivable that the run may time-out during the next few milliseconds (i.e., in the middle of the save), or the host computer could unexpectedly crash. In this case the basis file will be corrupted and the run will have been essentially wasted.

To eliminate this risk, both a NEW BASIS FILE and a BACKUP BASIS FILE may be specified. The following would be suitable for the above example:

OLD BASIS FILE	11	(or 0)
BACKUP BASIS FILE	11	
NEW BASIS FILE	12	
SAVE FREQUENCY	100	

The current basis will then be saved every 100 iterations, first on file 12 and then immediately on file 11. If the run is interrupted at iteration 2000 during the save on file 12, there will still be a useable basis on file 11 (corresponding to iteration 1900).

Note that a NEW BASIS will be saved at the end of a run if it terminates normally, but there is no need for a further BACKUP BASIS. In the above example, if an optimum solution is found at iteration 2050 (or if the iteration limit is 2050), the final basis on file 12 will correspond to iteration 2050, but the last basis saved on file 11 will be the one for iteration 2000.

BOUNDS **BOUND01**

This specifies the 8-character name of the bound set to be selected from the MPS file.

1. BNDS is a valid alternative keyword.
2. If BOUNDS is not specified, or if the name is blank, the *first* bound set in the MPS file will be selected.
3. If the MPS file contains one or more bound sets but you do not want any of them to be used, specify a dummy name such as BOUND = NONE.

CENTRAL DIFFERENCE INTERVAL h_2 (default $h_2 = (\text{FUNCTION PRECISION})^{\frac{1}{2}}$)

When DERIVATIVE LEVEL < 3, the central-difference interval h_2 is used near an optimal solution to obtain more accurate (but more expensive) estimates of gradients. Twice as many function evaluations are required compared to forward differencing. The interval used for the j -th variable is $h_j = h_2(1 + |x_j|)$. The resulting gradient estimates should be accurate to $O(h_j^2)$, unless the functions are badly scaled.

CHECK FREQUENCY k (default $k = 30$)

Every k -th iteration after the most recent basis factorization, a numerical test is made to see if the current solution x satisfies the general linear constraints (including any linearized nonlinear constraints, if any). If these are $Ax + s = 0$ where s is the set of slack variables, the residual vector $r = Ax + s$ is computed. If the largest component of r is judged to be too large, the current basis is refactored and the basic variables are recomputed to satisfy the general constraints more accurately.

COEFFICIENTS 5000
See ELEMENTS.

COLUMNS n (default $n = 3 \cdot \text{ROWS}$)

This must specify an *over-estimate* of the number of columns in the constraint matrix (excluding slack variables, but including any PHANTOM COLUMNS). If n proves to be too small, MINOS will continue reading the MPS file to determine the true value of n , and an appropriate warning message will be issued. If the MPS file number is the same as the system card reader, the problem will then be terminated; otherwise the MPS file will be re-read.

COMPLETION PARTIAL (default)
COMPLETION FULL

When there are nonlinear constraints, this determines whether subproblems should be solved to moderate accuracy (PARTIAL completion), or to full accuracy (FULL completion). MINOS effects the option by using two sets of convergence tolerances for the subproblems.

Use of partial completion may reduce the work during early major iterations, unless the MINOR ITERATIONS limit is active. The optimal set of basic and superbasic variables will probably be determined for any given subproblem, but the reduced gradient may be larger than it would have been with full completion.

An automatic switch to full completion occurs when it appears that the sequence of major iterations is converging. The switch is made when the nonlinear constraint error is reduced below $100 \cdot (\text{ROW TOLERANCE})$, the relative change in λ_k is 0.1 or less, and the previous subproblem was solved to optimality.

Full completion tends to give better Lagrange-multiplier estimates. It may lead to fewer major iterations, but may result in more minor iterations.

CRASH OPTION k (default $k = 1$)

If a starting basis is not specified, a triangular basis will be selected from certain columns of the constraint matrix ($A \ I$). Free rows and variables are given priority. Columns are then chosen from A according to the following values of k . Slack columns (from I) are then added where necessary.

<i>k</i>	<i>Meaning</i>
0	The all-slack basis is set up.
1	All columns of <i>A</i> are considered.
2	Only the columns of <i>A</i> corresponding to the linear variables <i>y</i> will be considered. Linear programming will then be used to optimize <i>y</i> as much as possible, before the nonlinear variables <i>x</i> are altered from their initial values. (If an accurate initial point x_0 is provided, this may increase overall efficiency.)
3	Nonlinear objective variables will be excluded from the initial basis.
4	Nonlinear Jacobian variables will be excluded from the initial basis.

In all cases, CRASH will refrain from selecting variables that were made superbasic by means of an FX indicator in the INITIAL bounds set.

CYCLE LIMIT	<i>l</i>	(default $l = 1$)
CYCLE PRINT	<i>p</i>	(default $p = 1$)
CYCLE TOLERANCE	<i>t</i>	(default $t = 0.0$)
PHANTOM COLUMNS	<i>c</i>	(default $c = 0$)
PHANTOM ELEMENTS	<i>e</i>	(default $e = 0$)

These keywords refer to a facility for constructing and solving a sequence of related problems, as described in sections 1.9, 2.4 and 2.5. The COMMON block

```
COMMON /CYCLCM/ CNVTOL, JNEW, MATERR, MAXCY, NEPHNT, NPHANT, NPRINT
```

contains certain relevant variables.

1. $l = \text{MAXCY}$ is the maximum number of problems to be solved.
2. $p = \text{NPRINT}$ controls the printing of intermediate solutions. At most, the last p solutions will be output.
3. $t = \text{CNVTOL}$ is a real number for possible use in a user-specified convergence test within subroutine MATMOD.
4. $c = \text{NPHANT}$ is the number of columns that can be added to the constraint matrix beyond those specified in the MPS file. Each column must be added by means of a call to subroutine MATCOL. If an error occurs, MATCOL increments MATERR (which is initially zero). Otherwise, JNEW records the index of the new column.
5. $e = \text{NEPHNT}$ is the number of nonzero elements that are allocated to the "phantom columns" beyond those specified in the MPS file.

DAMPING PARAMETER *d* (default $d = 2.0$)

This parameter may assist convergence on problems that have highly nonlinear constraints. It is intended to prevent large relative changes between subproblem solutions (x_k, λ_k) and (x_{k+1}, λ_{k+1}) . For example, the default value 2.0 prevents the relative change in either x_k or λ_k from exceeding 200 per cent. It will not be active on well-behaved problems.

The parameter is used to interpolate between the solutions at the beginning and end of each major iteration. Thus, x_{k+1} and λ_{k+1} are changed to

$$x_k + \sigma(x_{k+1} - x_k) \quad \text{and} \quad \lambda_k + \sigma(\lambda_{k+1} - \lambda_k)$$

for some step-length $\sigma < 1$. (In the case of nonlinear equations, this gives a *damped Newton method*.)

1. This is a very crude control. If the sequence of major iterations does not appear to be converging, one should first re-run the problem with a higher PENALTY PARAMETER ρ (say 10 or 100 times the default ρ). (Skip this re-run in the case of nonlinear equations. There are no degrees of freedom and the value of ρ is irrelevant.)
2. If the subproblem solutions continue to change violently, try reducing d to 0.2 or 0.1 (say).
3. For implementation reasons, the shortened step σ applies to the nonlinear variables x , but not to the linear variables y or the slack variables s . This may reduce the efficiency of the control.

DEBUG LEVEL d (default $d = 0$)

This causes various amounts of information to be output to the PRINT file.

<i>k</i>	<i>Meaning</i>
0	No debug output.
2	(or more) Output from M5SETX showing the maximum residual after a row check.
40	Output from LU8RPC showing the position of the last nonzero in the transformed incoming column.
50	Output from LU2FAC showing each pivot row and column and the dimensions of the dense matrix involved in the associated elimination.
100	Output from M2BFAC and M5LOG listing the basic and superbasic variables and their values at every iteration.

DERIVATIVE LEVEL d (default $d = 3$)

This specifies which nonlinear function gradients are known analytically and will be supplied to MINOS by the user subroutines FUNOBJ and FUNCON.

<i>d</i>	<i>Meaning</i>
3	All objective and constraint gradients are known.
2	All constraint gradients are known, but some or all components of the objective gradient are unknown.
1	The objective gradient is known, but some or all of the constraint gradients are unknown.
0	Some components of the objective gradient are unknown and some of the constraint gradients are unknown.

The value $d = 3$ should be used whenever possible. It is the most reliable and will usually be the most efficient.

If $d = 0$ or 2 , MINOS will estimate the missing components of the objective gradient, using finite differences. This may simplify the coding of subroutine FUNOBJ. However, it could increase the total run-time substantially (since a special call to FUNOBJ is required for each missing element), and there is less assurance that an acceptable solution will be located. If the nonlinear variables are not well scaled, it may be necessary to specify a nonstandard DIFFERENCE INTERVAL (see below).

If $d = 0$ or 1 , MINOS will estimate missing elements of the Jacobian. For each column of the Jacobian, one call to FUNCON is needed to estimate all missing elements in that column, if any. If JACOBIAN = SPARSE and the sparsity pattern of the Jacobian happens to be

$$\begin{pmatrix} * & * & * \\ & ? & ? \\ * & & ? \\ & * & * \end{pmatrix}$$

where * indicates known gradients and ? indicates unknown elements, MINOS will use one call to FUNCON to estimate the missing element in column 2, and another call to estimate both missing elements in column 3. No calls are needed for columns 1 and 4.

At times, central differences are used rather than forward differences. Twice as many calls to FUNOBJ and FUNCON are then needed. (This is not under the user's control.)

Remember: when analytic derivatives are not provided, the attainable accuracy in locating an optimal solution is usually less than when all gradients are available. DERIVATIVE LEVEL 3 is strongly recommended.

DIFFERENCE INTERVAL h_1 (default $h_1 = (\text{FUNCTION PRECISION})^{\frac{1}{2}}$)

This alters the interval h_1 that is used to estimate gradients by forward differences in the following circumstances:

1. In the initial ("cheap") phase of verifying the objective gradients.
2. For verifying the constraint gradients.
3. For estimating missing objective gradients.
4. For estimating missing Jacobian elements.

In the last three cases, a derivative with respect to x_j is estimated by perturbing that component of x to the value $x_j + h_1(1 + |x_j|)$, and then evaluating $F(x)$ or $f(x)$ at the perturbed point. The resulting gradient estimates should be accurate to $O(h_1)$ unless the functions are badly scaled. Judicious alteration of h_1 may sometimes lead to greater accuracy.

DUMP FILE f (default $f = 0$)

If $f > 0$, the last solution obtained will be output to file f in the format described in section 5.3. The file will usually have been output previously as a LOAD file.

ELEMENTS e (default $e = 5 * \text{COLUMNS}$)

This must specify an over-estimate of the number of nonzero elements (coefficients a_{ij}) in the constraint matrix, including all entries in a DENSE or SPARSE Jacobian, and all nonzeros in the matrices A_1, A_2, A_3 . (It should also include the number of PHANTOM ELEMENTS, if any.)

1. COEFFICIENTS is a valid alternative keyword.
2. If e proves to be too small, MINOS continues in the manner described under COLUMNS.

EMERGENCY VERIFY LEVEL

See VERIFY LEVEL.

ERROR MESSAGE LIMIT e (default $e = 10$)

This is the maximum number of error messages to be printed for each type of error occurring when the MPS file is read. The default value is reasonable for early runs on a particular MPS file. If the same file is used repeatedly, e can be reduced to suppress warning of non-fatal errors.

FACTORIZATION FREQUENCY k (default $k = 50$)

At most k basis changes will occur between factorizations of the basis matrix.

1. With linear programs, the basis factors are usually updated every iteration. The default k is reasonable for typical problems. Higher values up to $k = 100$ (say) may be more efficient on problems that are extremely sparse and well scaled.
2. When the objective function is nonlinear, fewer basis updates will occur as an optimum is approached. The number of iterations between basis factorizations will therefore increase. During these iterations a test is made regularly (according to the CHECK FREQUENCY) to ensure that the general constraints are satisfied. If necessary the basis will be refactorized before the limit of k updates is reached.
3. When the constraints are nonlinear, the MINOR ITERATIONS limit will probably preempt k .

FEASIBILITY TOLERANCE t (default $t = 1.0E-6$)

A *feasible solution* is one in which all variables satisfy their upper and lower bounds to within the absolute tolerance t . (This includes slack variables. Hence, the general linear constraints are also satisfied to within t .)

1. MINOS attempts to find a feasible point before optimizing the objective function. If the sum of infeasibilities cannot be reduced to zero, the problem is declared INFEASIBLE. Let SINF be the corresponding sum of infeasibilities. If SINF is quite small, it may be appropriate to raise t by a factor of 10 or 100. Otherwise, some error in the data should be suspected.
2. *Note:* if SINF is not small, there may be other points that have a *significantly smaller sum of infeasibilities*. MINOS does not attempt to find the solution that minimizes the sum.
3. If SCALE is used, feasibility is defined in terms of the scaled problem (since it is then more likely to be meaningful).
4. A nonlinear objective function $F(x)$ will be evaluated only at feasible points. If there are regions where $F(x)$ is undefined, every attempt should be made to eliminate these regions from the problem. For example, if $F(x) = \sqrt{x_1} + \log x_2$, it is essential to place lower bounds on both variables. If FEASIBILITY TOLERANCE = 10^{-6} , the bounds $x_1 \geq 10^{-5}$ and $x_2 \geq 10^{-4}$ might be appropriate. (The log singularity is more serious; in general, keep x as far away from singularities as possible.)
5. Bounds should also be used to keep x more than t away from singularities in $f(x)$.
6. If there are any nonlinear constraints, each major iteration attempts to satisfy their linearization to within the tolerance t . If this is not possible, the bounds on the nonlinear constraints are relaxed temporarily (in several stages).
7. Feasibility with respect to the nonlinear constraints themselves is measured against the ROW TOLERANCE (not against t). The relevant test is made at the start of a major iteration.

FUNCTION PRECISION ϵ_R (default $\epsilon_R = \epsilon^{0.8}$)

The *relative function precision* ϵ_R is intended to be a measure of the relative accuracy with which the nonlinear functions can be computed. For example, if $F(x)$ is computed as 1000.56789 for some relevant x and if the first 6 significant digits are known to be correct, the appropriate value for ϵ_R would be 1.0E-6.

(Ideally the functions $F(x)$ or $f^i(x)$ should have magnitude of order 1. If all functions are substantially less than 1 in magnitude, ϵ_R should be the *absolute* precision. For example, if $F(x) = 1.23456789E-4$ at some point and if the first 6 significant digits are known to be correct, the appropriate value for ϵ_R would be 1.0E-10.)

1. The default value of ϵ_R is appropriate for simple analytic functions.
2. In some cases the function values will be the result of extensive computation, possibly involving an iterative procedure that can provide rather few digits of precision at reasonable cost. Specifying an appropriate FUNCTION PRECISION may lead to savings, by allowing the linesearch procedure to terminate when the difference between function values along the search direction becomes as small as the absolute error in the values.

HESSIAN DIMENSION r (default $r = \text{SUPERBASICS LIMIT}$ or 30)

This specifies that an $r \times r$ triangular matrix R is to be available for use by the quasi-Newton algorithm (to approximate the reduced Hessian matrix according to $Z^THZ \approx R^TR$). Suppose there are s superbasic variables at a particular iteration.

1. If $s \leq r$, the first s columns of R will be used to approximate the reduced Hessian in the *normal* manner. If there are no further changes to the set of superbasic variables, the rate of convergence will ultimately be superlinear.
2. If $s > r$, a matrix of the form

$$R = \begin{pmatrix} R_r & 0 \\ & D \end{pmatrix}$$

will be used to approximate the reduced Hessian, where R_r is an $r \times r$ upper triangular matrix and D is a *diagonal* matrix of order $s - r$. The rate of convergence will no longer be superlinear.

3. The storage required is of order $\frac{1}{2}r^2$, which is substantial if r is as large as 200 (say). In general, r should be a slight over-estimate of the final number of superbasic variables, whenever storage permits. It need not be larger than $n_1 + 1$, where n_1 is the number of nonlinear variables. For many problems it can be much smaller than n_1 .
4. If SUPERBASICS LIMIT s is specified, the default value of r is the same number, s (and conversely). This is a safeguard to ensure superlinear convergence wherever possible. If neither r nor s is specified, both default to the value 30.

INSERT FILE f (default $f = 0$)

If $f > 0$, this references a file containing basis information in the format of section 5.2.

1. The file will usually have been output previously as a PUNCH file.
2. The file will not be accessed if an OLD BASIS file is specified.

INVERT FREQUENCY

See FACTORIZATION FREQUENCY.

ITERATIONS LIMIT k (default $k = 3 \cdot \text{ROWS} + 10 \cdot \text{NONLINEAR VARS}$)
 This is the maximum number of minor iterations allowed (i.e., iterations of the simplex method or the reduced-gradient algorithm).

1. ITNS is an alternative keyword.
2. $k = 0$ is valid. Both feasibility and optimality are checked.
3. If **CYCLE LIMIT** > 1 , the limit of k minor iterations applies to each cycle separately.

JACOBIAN **DENSE** (default)
JACOBIAN **SPARSE**

This determines the manner in which the constraint gradients are evaluated and stored. It affects the MPS file and subroutine **FUNCON**.

1. The **DENSE** option is convenient if there are not many nonlinear constraints or variables. It requires storage for three dense matrices of order $m_1 \times n_1$.
2. The MPS file may then contain any number of Jacobian entries. Usually this means no entries at all.
3. For efficiency, the **SPARSE** option is preferable in all nontrivial cases. (*Beware — it must be specifically requested.*) The MPS file must then specify the position of all Jacobian elements (that are not identically zero), and subroutine **FUNCON** must store the elements of the Jacobian array **G** in exactly the same order.
4. In both cases, if **DERIVATIVE LEVEL** = 2 or 3 the MPS file may specify Jacobian elements that are constant for all values of the nonlinear variables. The corresponding elements of **G** need not be reset in **FUNCON**.

LAGRANGIAN **YES** (default)
LAGRANGIAN **NO**

This determines the form of the objective function used for the linearized subproblems. The default value **YES** is highly recommended. The **PENALTY PARAMETER** value is then also relevant.

If **NO** is specified, subroutine **FUNCON** will be called only twice per major iteration. Hence this option may be useful if the nonlinear constraint functions are very expensive to evaluate. However, in general there is a great risk that convergence may not occur. (Note: **FUNCON** will be called more often to estimate $J(x)$ if **DERIVATIVE LEVEL** < 2 .)

LINESEARCH DEBUG AFTER ITERATION i (default $i = 999999$)

This causes considerable information to be output by the linesearch procedures every iteration, once iteration i has been completed. Its principal purpose is to assist the authors of the linesearch procedures to determine if the procedures are functioning correctly. In some cases it may confirm that the function values are very "noisy", or that the gradients computed in **FUNOBJ** or **FUNCON** are incorrect.

LINESEARCH TOLERANCE t (default $t = 0.1$)

For nonlinear problems, this controls the accuracy with which an optimum of the merit function will be located along the direction of search each iteration.

1. t must be a real value in the range $0.0 \leq t \leq 1.0$.
2. The default value $t = 0.1$ requests a moderately accurate search. It should be satisfactory for many problems.
3. If the nonlinear functions are cheap to evaluate, a more accurate search may be appropriate; try $t = 0.01$ or $t = 0.001$. The number of iterations should decrease, and this will reduce total run time if there are many linear or nonlinear constraints.
4. If the nonlinear functions are expensive to evaluate, a less accurate search may be appropriate. If all gradients are known, try $t = 0.5$ or perhaps $t = 0.9$. (The number of iterations will probably increase, but the total number of function evaluations may decrease enough to compensate.)
5. If not all gradients are known, a reasonably accurate search remains appropriate. Each search will require only 2-5 function values (typically), but many function calls will then be needed to estimate missing gradients for the next iteration.

LIST LIMIT k (default $k = 0$)

This limits the number of lines of the MPS file to be listed on the PRINT file during input. The header cards (NAME, ROWS, COLUMNS, RHS, RANGE, BOUNDS, ENDATA) and comment cards will always be listed, along with their position in the file.

LOAD FILE f (default $f = 0$)

If $f > 0$, this references a file containing basis information in the format of section 5.3.

1. The file will usually have been output previously as a DUMP file.
2. The file will not be accessed if an OLD BASIS file or an INSERT file is specified.

LOG FREQUENCY k (default $k = 1$)

One line of the iteration log will be printed every k -th minor iteration. A value such as $k = 10$ is suggested for those interested only in the final solution.

LOWER BOUND l (default $l = 0.0$)

Before the BOUNDS section of the MPS file is read, all structural variables are given the default lower bound l . (Individual variables may subsequently have their lower bound altered by a BOUND set in the MPS file.)

1. LOWER BOUND = 1.OE-5 (say) is a useful method for bounding all variables away from singularities at zero. (Explicit bounds may also be necessary in the MPS file.)
2. If all or most variables are to be FREE, use LOWER BOUND = -1.OE+20 to specify "minus infinity". (The default upper bound is already 1.OE+20, which is treated as "plus infinity".)

LU FACTOR TOLERANCE t_1 (default $t_1 = 10.0$)

LU UPDATE TOLERANCE t_2 (default $t_2 = 10.0$)

These tolerances affect the stability and sparsity of the basis factorization $LB = U$, during refactorization and updates respectively. Both tolerances must satisfy $t_i \geq 1.0$. The matrix L is a product of matrices of the form

$$\begin{pmatrix} 1 & \\ \mu & 1 \end{pmatrix}$$

where the multipliers μ will satisfy $|\mu| \leq t_i$.

1. The default values $t_i = 10.0$ usually strike a good compromise between stability and sparsity.
2. For large and relatively dense problems, $t_i = 25.0$ (say) may give a marked improvement in sparsity without impairing stability to a serious degree.
3. For certain very special structures (e.g., band matrices) it may be necessary to set t_1 in the range $1.0 \leq t_1 < 2.0$ to achieve stability.

MAJOR ITERATIONS k (default $k = 20$)

This is the maximum number of major iterations allowed. It is intended to guard against an excessive number of linearizations of the constraints, since in some cases the sequence of major iterations may not converge.

For preliminary runs on a new problem, a fairly low MAJOR ITERATIONS limit should be specified (e.g., 10 or 20). See the advice given under PENALTY PARAMETER.

MAXIMIZE

MINIMIZE

(default)

This specifies the required direction of optimization. It applies to both linear and nonlinear terms in the objective.

MINOR ITERATIONS k (default $k = 40$)

This is the maximum number of iterations allowed between successive linearizations of the nonlinear constraints. A moderate value (e.g., $10 \leq k \leq 50$) prevents excessive effort being expended on early major iterations, but allows later subproblems to be solved to completion.

In general it is unsafe to specify a value as small as $k = 1$ or 2. (Even when an optimal solution has been reached, a few minor iterations may be needed for the corresponding subproblem to be recognized as optimal.)

Note that an independent limit on total iterations should be specified by the ITERATIONS keyword as usual. If the problem is linearly constrained, this is the *only* limit (i.e., the MINOR ITERATIONS keyword is ignored).

MPS FILE f (default $f = ?$)

This is the file number for the MPS file. The default value is the system card reader IREAD, which is often $f = 5$.

1. INPUT FILE is a valid alternative keyword.
2. For nontrivial problems it is usually best to store the MPS file separately from the SPECS file. If the ROWS, COLUMNS or ELEMENTS estimates prove to be too low, MINOS will be able to rewind the MPS file and try again.

MULTIPLE PRICE k (default $k = 1$)

Whenever a PRICE operation is performed, the k best nonbasic variables will be selected for admission to the superbasic set. ("Best" means the variables with largest reduced gradients of appropriate sign. If partial pricing is in effect, up to k variables are selected from the current partition of A and I .)

1. The default value $k = 1$ is best for linear programs, since an optimal solution will have zero superbasic variables.
2. *Warning:* if $k > 1$, MINOS will go into *reduced-gradient mode* even on purely linear problems. The subsequent iterations do *not* correspond to the very efficient suboptimization ("minor iterations") carried out by standard linear programming systems using multiple pricing. (MINOS varies all superbasic variables simultaneously. However, its storage requirements are essentially independent of k on linear problems. Thus, k need not be limited to 5 or 6 as it is in standard systems, which require storage for k dense vectors of dimension m .)
3. On large nonlinear problems it may be important to set $k > 1$, if the starting point does not contain many superbasic variables. For example, if a problem has 3000 variables and 500 of them are nonlinear, the optimal solution may well have 200 variables superbasic. If the problem is solved in several runs, it may be beneficial to use $k = 10$ (say) for early runs, until it seems that the number of superbasics has levelled off.

NEW BASIS FILE f (default $f = 0$)

If $f > 0$, a basis map will be saved on file f every k -th iteration, where k is the SAVE FREQUENCY.

1. The first card of the file will contain the word PROCEEDING if the run is still in progress.
2. If $f > 0$, a basis map will also be saved at the end of a run, with some other word indicating the final solution status.

NONLINEAR CONSTRAINTS	m_1	(default $m_1 = 0$)
NONLINEAR VARIABLES	n_1	(default $n_1 = 0$)
NONLINEAR OBJECTIVE VARIABLES	n'_1	(default $n'_1 = 0$)
NONLINEAR JACOBIAN VARIABLES	n''_1	(default $n''_1 = 0$)

These keywords define the parameters M and N in subroutines FUNOBJ and FUNCON. For example, M in FUNCON will take the value m_1 , if $m_1 > 0$.

1. If the objective function and the constraints involve the same set of nonlinear variables x , then **NONLINEAR VARIABLES** n_1 is the simplest way to set N to be the same value for both subroutines.
2. Otherwise, the **NONLINEAR OBJECTIVE** and **NONLINEAR JACOBIAN** keywords should be used to specify n'_1 and n''_1 separately.
3. If $m_1 = 0$, the value $n''_1 = 0$ is assumed regardless of n_1 or n'_1 .
4. Remember that the nonlinear constraints and variables must always be the first ones in the problem. It is usually best to place Jacobian variables before objective variables, so that $n''_1 \leq n'_1$ (unless $n'_1 = 0$). This affects the way the function subroutines should be programmed, and the order in which variables should be placed in the COLUMNS section of the MPS file.

OBJECTIVE**COST**

This specifies the 8-character name of the type **N** row in the MPS file to be selected as the linear part of the objective function (i.e., the objective function for linear programs).

1. If **OBJECTIVE** is not specified, or if the name is blank, the first **N** row in the **ROWS** section of the MPS file will be selected. (Warning: objective rows must be listed after nonlinear constraint rows in the **ROWS** section of the MPS file.)
2. If the **ROWS** section contains one or more **N** rows but you do not want any of them to be used in the objective function, specify a dummy name. If the objective is defined entirely by subroutine **FUNOBJ** it may be helpful to specify **OBJECTIVE = FUNOBJ**. (However, don't expect a different name to invoke a different subroutine!)

OLD BASIS FILE

f (default $f = 0$)

If $f > 0$, the starting point will be obtained from this file in the format of section 5.1.

1. The file will usually have been output previously as a **NEW BASIS FILE**.
2. The file will not be acceptable if the number of rows or columns in the problem has been altered.

OPTIMALITY TOLERANCE

t (default $t = 1.0E-6$)

This is used to judge the size of the reduced gradients $d_j = g_j - \pi^T a_j$, where g_j is the gradient of the objective function corresponding to the j -th variable, a_j is the associated column of the constraint matrix (or Jacobian), and π is the set of dual variables.

1. By construction, the reduced gradients for basic variables are always zero. Optimality will be declared if the reduced gradients for nonbasic variables at their lower or upper bounds satisfy

$$d_j / \|\pi\| \geq -t \quad \text{or} \quad d_j / \|\pi\| \leq t$$

respectively, and if

$$|d_j| / \|\pi\| \leq t$$

for superbasic variables.

2. In the above tests, $\|\pi\|$ is a measure of the size of the dual variables. It is included to make the tests independent of a scale factor on the objective function.
3. The quantity actually used is defined by

$$\sigma = \sum_{i=1}^m |\pi_i|,$$

$$\|\pi\| = \max\{\sigma / \sqrt{m}, 1\},$$

so that only large scale factors are allowed for. If the objective is scaled down substantially, the test for optimality reduces to comparing just d_j against t .

PARTIAL PRICE p (default $p = 1$ or c (see below))

This parameter is recommended for large problems that have significantly more variables than constraints. It reduces the work required for each "pricing" operation (when a nonbasic variable is selected to become superbasic).

1. When $p = 1$, all columns of the constraint matrix ($A \ I$) are searched.
2. Otherwise, A and I are partitioned to give p roughly equal segments A_j, I_j ($j = 1$ to p). If the previous pricing search was successful on A_{j-1}, I_{j-1} , the next search begins on the segments A_j, I_j . (All subscripts here are modulo p .) If a reduced gradient is found that is larger than some dynamic tolerance, the variable with the largest such reduced gradient (of appropriate sign) is selected to become superbasic. (Several may be selected if MULTIPLE PRICE has been specified.) If nothing is found, the search continues on the next segments A_{j+1}, I_{j+1} , and so on.
3. The default value of p is 1 for moderate-sized problems, but may be greater than 1 otherwise. A quantity

$$c = \max\{1000, 4 \cdot \text{ROWS}\}$$

is defined. If $\text{COLUMNS} \geq c$ and PARTIAL PRICE has not been specified, p will take the value $\text{COLUMNS}/2 \cdot \text{ROWS}$.

4. PARTIAL PRICE p is recommended for time-stage models having p time periods.

PENALTY PARAMETER ρ (default $\rho = 100.0/m_1$)

This is the value of ρ in the modified augmented Lagrangian. It is used only when LAGRANGIAN = YES.

For early runs on a problem with unknown characteristics, something like the default value should be specified. If the problem is known to be highly nonlinear, specify a larger value, such as 10 times the default. In general, a positive value of ρ may be necessary to ensure convergence, even for convex programs.

On the other hand, if ρ is too large, the rate of convergence may be unnecessarily slow. If the functions are not highly nonlinear or a good starting point is known, it will often be safe to specify PENALTY PARAMETER 0.0.

If several related problems are to be solved, the following strategy for setting the PENALTY PARAMETER may be useful:

1. Initially, use a moderate value of ρ , such as the default, and a reasonably low ITERATIONS and/or MAJOR ITERATIONS limit.
2. If successive major iterations appear to be terminating with radically different solutions, the penalty parameter should be increased. (See also the DAMPING PARAMETER.)
3. If there appears to be little progress between major iterations, the penalty parameter could be reduced.

PHANTOM COLUMNS c (default $c = 0$)

PHANTOM ELEMENTS e (default $e = 0$)

See the CYCLE parameters.

PIVOT TOLERANCE t (default $t = \epsilon^{\frac{1}{3}}$)

This allows the pivot tolerance to be altered if necessary. (The tolerance is used to prevent columns entering the basis if they would cause the basis to become almost singular.) The default value of t is roughly 10^{-11} for double precision on IBM systems. This should be satisfactory in most circumstances.

PRINT LEVEL (JFLXB) p (default $p = 00001$)

This varies the amount of information that will be output to the printer file. It is independent of the LOG FREQUENCY. Typical values are

PRINT LEVEL 1

which gives normal output for linear and nonlinear problems, and

PRINT LEVEL 11

which in addition gives the values of the nonlinear variables x_k at the start of each major iteration, for problems with nonlinear constraints.

In general, the value being specified is best thought of as a binary number of the form

PRINT LEVEL JFLXB

where each letter stands for a digit that is either 0 or 1. The quantities referred to are:

- B BASIS statistics, i.e., information relating to the basis matrix whenever it is refactorized.
- X x_k , the nonlinear variables involved in the objective function or the constraints.
- L λ_k , the Lagrange-multiplier estimates for the nonlinear constraints. (Suppressed if the option LAGRANGIAN = NO is specified, since $\lambda_k = 0$ then.)
- F $f(x_k)$, the values of the nonlinear constraint functions.
- J $J(x_k)$, the Jacobian matrix.

To obtain output of any item, set the corresponding digit to 1, otherwise to 0.

If J=1, the Jacobian matrix will be output column-wise at the start of each major iteration. Column j will be preceded by the value of the corresponding variable x_j and a key to indicate whether the variable is basic, superbasic or nonbasic. (Hence if J=1, there is no reason to specify X=1 unless the objective contains more nonlinear variables than the Jacobian.) A typical line of output is

3 1.25000D+01 BS 1 1.00000E+00 4 2.00000E+00

which would mean that x_3 is basic at value 12.5, and the third column of the Jacobian has elements of 1.0 and 2.0 in rows 1 and 4.

PRINT LEVEL 0 may be used to suppress most output, including page ejects between major iterations. (Error messages will not be suppressed.) This print level should be used only for production runs on well understood models. A high LOG FREQUENCY may also be appropriate for such cases, e.g. 100 or 1000. (For convenience, LOG FREQUENCY 0 may be used as shorthand for LOG FREQUENCY 99999.)

PROBLEM NUMBER n (default $n = 0$)

For nonlinear problems, this assigns a value to the parameter NPROB in the user subroutines FUNOBJ, FUNCON and MATMOD.

PUNCH FILE f (default $f = 0$)

If $f > 0$, the final solution obtained will be output to file f in the format described in section 5.2. For linear programs, this format is compatible with various commercial systems.

RADIUS OF CONVERGENCE r (default $r = 0.01$)

This determines when the penalty parameter ρ will be reduced (if initialized to a positive value). Both the nonlinear constraint violation (see *ROWERR* below) and the relative change in consecutive Lagrange multiplier estimates must be less than r at the start of a major iteration before ρ is reduced or set to zero. Once ρ is zero, the sequence of major iterations should converge quadratically to an optimum.

RANGES **RANGE001**

This specifies the 8-character name of the range set to be selected from the MPS file.

1. *RNGS* is a valid alternative keyword.
2. If *RANGES* is not specified, or if the name is blank, the *first* range set in the MPS file will be selected.
3. If the MPS file contains one or more range sets but you do not want any of them to be used, specify a dummy name such as *RANGES = NONE*.

RHS **RHSIDE3**

This specifies the 8-character name of the righthand side to be selected from the MPS file.

1. If *RHS* is not specified, or if the name is blank, the *first* righthand side in the MPS file will be selected.
2. If the MPS file contains one or more righthand sides but you do not want any of them to be used, specify a dummy name such as *RHS = NONE*.

ROWS m (default $m = 100$)

This must specify an *over-estimate* of the number of rows in the constraint matrix. It includes the number of nonlinear constraints and the number of general linear constraints.

If m proves to be too small, MINOS continues in the manner described under *COLUMNS*.

ROW TOLERANCE ϵ_r (default $\epsilon_r = 1.0E-6$)

This specifies how accurately the nonlinear constraints should be satisfied. (Both "ROW" and "TOLE" are significant on this data card.) The default value of $1.0E-6$ is often appropriate, since the MPS file contains data to about that accuracy.

Let *ROWERR* be defined as the maximum component of the residual vector $f(x) + A_1y - b_1$, normalized by the size of the solution. Thus,

$$ROWERR = \|f(x) + A_1y - b_1\|_{\infty} / XNORM,$$

where *XNORM* is a measure of the size of the basic and superbasic variables. The solution (x, y) is regarded as acceptably feasible if $ROWERR \leq \epsilon_r$.

If some of the problem functions are known to be of low accuracy, a larger *ROW TOLERANCE* may be appropriate.

SAVE FREQUENCY k (default $k = 100$)

If a NEW BASIS file has been specified, a basis map describing the current solution will be saved on the appropriate file every k -th iteration. A BACKUP BASIS file will also be saved if specified.

SCALE

SCALE YES

SCALE NO (default)

SCALE TOLERANCE t (default $t = 0.9$)

SCALE, PRINT

SCALE, PRINT, TOLERANCE = t (default $t = 0.9$)

All forms of SCALE (except NO) request that the linear constraints and variables be scaled by an iterative procedure that attempts to make the matrix coefficients as close as possible to 1.0. This will sometimes improve the performance of the solution procedures.

The printed solution and the basis and solution files are output in original unscaled units. Scaling is therefore transparent to the user, except that more storage is required ($NB = n + m$ double words) and precautions must be taken in applications involving subroutines MATMOD and MATCOL.

1. The tolerance t must lie in the range $0.0 < t < 1.0$. It affects how many passes might be needed through the constraint matrix. On each pass, the scaling procedure computes for each column j the ratio of the largest and smallest nonzero coefficients in the column:

$$\rho_j = \max_{i(a_{ij} \neq 0)} |a_{ij}| / \min_i |a_{ij}|,$$

and records the largest such ratio, $\max_j \rho_j$. If this is less than t times its previous value, another scaling pass is performed to adjust the row and column scales.

2. Raising t from 0.9 to 0.99 (say) will probably increase the number of scaling passes. At most 10 passes will be made.
3. If PRINT is specified, the row-scales $r(i)$ and column-scales $c(j)$ will be output ($i = 1$ to m , $j = 1$ to n). The scaled matrix coefficients are

$$\bar{a}_{ij} = a_{ij}r(i)/c(j),$$

and the scaled bounds on the variables and slacks are

$$\bar{l}_j = l_j c(j), \quad \bar{u}_j = u_j c(j),$$

where $c(j) \equiv r(j - n)$ if $j > n$. These scaled items are stored permanently in place of the original data.

4. The scale factors for nonlinear constraints and nonlinear variables are defined to be 1.0; they are not printed.

SOLUTION YES (default)

SOLUTION NO

SOLUTION IF OPTIMAL, INFEASIBLE, or UNBOUNDED

SOLUTION IF ERROR CONDITION

SOLUTION FILE f (default $f = 0$)

The first four options determine whether the final solution obtained is to be output to the PRINT file. The FILE option operates independently; if $f > 0$, the final solution will be output to file f (whether optimal or not).

1. For the YES, IF OPTIMAL, and IF ERROR options, floating-point numbers are printed in F16.6 format, and "infinite" bounds are denoted by the word NONE.
2. For the FILE option, all numbers are printed in 1PE16.6 format, including "infinite" bounds which will have magnitude 1.000000E+20.
3. To see more significant digits in the printed solution, it will sometimes be useful to make f refer to the system PRINT file.

START OBJECTIVE CHECK AT COLUMN k (default $k = 1$)
 START CONSTRAINT CHECK AT COLUMN k (default $k = 1$)
 STOP OBJECTIVE CHECK AT COLUMN l (default $l = n'_1$)
 STOP CONSTRAINT CHECK AT COLUMN l (default $l = n''_1$)

These keywords may be used to abbreviate the verification of individual gradient elements computed by subroutines FUNOBJ and FUNCON. For example:

1. If the first 100 objective gradients appeared to be correct in an earlier run, and if you have just found a bug in FUNOBJ that ought to fix up the 101-th component, then you might as well specify START OBJECTIVE CHECK AT COLUMN 101. Similarly for columns of the Jacobian matrix.
2. If the first 100 variables occur nonlinearly in the constraints, and the remaining variables are nonlinear only in the objective, then FUNOBJ must set the first 100 components of $G(*)$ to zero, but these hardly need to be verified. The above data card would again be appropriate.

These keywords are effective if VERIFY LEVEL > 0. For an emergency verification at the end of a run, all objective and constraint gradients will be checked if EMERGENCY VERIFY LEVEL > 0.

SUBSPACE TOLERANCE t (default $t = 0.5$)

This controls the extent to which optimization is confined to the current set of basic and superbasic variables (Phase 4 iterations), before one or more nonbasic variables are added to the superbasic set (Phase 3).

1. t must be a real number in the range $0.0 < t \leq 1.0$. It is used as follows.
2. When a nonbasic variable x_j is made superbasic, the resulting norm of the reduced-gradient vector (for all superbasics) is recorded. Let this be $\|Z^T g_0\|$. (In fact, the norm will be $|d_j|$, the size of the reduced gradient for x_j .)
3. Subsequent Phase 4 iterations will continue at least until the norm of the reduced-gradient vector satisfies $\|Z^T g\| \leq t \times \|Z^T g_0\|$. ($\|Z^T g\|$ is the size of the largest reduced-gradient component among the superbasic variables.)
4. A smaller value of t is likely to increase the total number of iterations, but may reduce the number of basis changes. A larger value such as $t = 0.9$ may sometimes lead to improved overall efficiency, if the number of superbasic variables has to increase substantially between the starting point and an optimal solution.
5. Other convergence tests on the change in the function being minimized and the change in the variables may prolong Phase 4 iterations. This helps to make the overall performance insensitive to larger values of t .

SUMMARY FILE f (default $f = 0$)
 SUMMARY FREQUENCY k (default $k = 100$)

If $f > 0$, a brief log will be output to file f , including one line of information every k -th iteration. In an interactive environment, it is useful to direct this output to the terminal, to allow a run to be monitored on-line. (If something looks wrong, the run can be manually terminated.) Further details are given in section 6.6.

SUPERBASICS LIMIT s (default $s = \text{HESSIAN DIMENSION, } 30, \text{ or } 1$)
 This specifies "how nonlinear" you expect a problem to be.

1. Normally, s need not be greater than $n_1 + 1$, where n_1 is the specified number of nonlinear variables.
2. For many problems (that are not highly nonlinear), s may be considerably smaller than n_1 . This will save storage if n_1 is very large.
3. This parameter also sets the HESSIAN DIMENSION, unless the latter is specified explicitly (and conversely). If neither parameter is specified, both default to the value 30 (except if there are no nonlinear variables, in which case both default to 1).

SUPPRESS PARAMETERS

Normally MINOS prints the SPECS file as it is being read, and then prints a complete list of the available keywords and their final values. The SUPPRESS PARAMETERS option tells MINOS not to print the full list. (Both "SUP" and "PARA" are significant.)

UNBOUNDED OBJECTIVE VALUE F_{\max} (default $F_{\max} = 1.0E+20$)
 UNBOUNDED STEP SIZE α_{\max} (default $\alpha_{\max} = 1.0E+10$)

These parameters are intended to detect unboundedness in nonlinear problems. (They may or may not achieve that purpose!) During a linesearch of the form

$$\min_{\alpha} F(x + \alpha p),$$

if $|F|$ exceeds F_{\max} or α exceeds α_{\max} , iterations are terminated with the exit message **PROBLEM IS UNBOUNDED (OR BADLY SCALED)**.

1. If singularities are present, unboundedness in $F(x)$ may be manifested by a floating-point overflow (during the evaluation of $F(x + \alpha p)$), before the test against F_{\max} can be made.
2. Unboundedness in x is best avoided by placing finite upper and lower bounds on the variables. (For convenience, this can be accomplished in the SPECS file; see the LOWER and UPPER BOUND parameters.)

UPPER BOUND u (default $u = 1.0E+20$)

Before the BOUNDS section of the MPS file is read, all structural variables are given the default upper bound u . (Individual variables may subsequently have their upper bound altered by the BOUNDS section in the MPS file.)

VERIFY LEVEL	l_1	(default $l_1 = 0$)
EMERGENCY VERIFY LEVEL	l_2	(default $l_2 = \max(l_1, 0)$)
VERIFY	NO	
VERIFY LEVEL	0	
VERIFY OBJECTIVE GRADIENTS		
VERIFY LEVEL	1	
VERIFY CONSTRAINT GRADIENTS		
VERIFY LEVEL	2	
VERIFY		
VERIFY	YES	
VERIFY GRADIENTS		
VERIFY LEVEL	3	

These keywords refer to finite-difference checks on the gradient elements computed by the user subroutines FUNOBJ and FUNCON. It is possible to specify VERIFY LEVELs 0-3 in several ways, as indicated above. For example, the nonlinear objective gradients (if any) will be verified if either VERIFY OBJECTIVE or VERIFY LEVEL 1 is specified. Similarly, both the objective and the constraint gradients will be verified if VERIFY YES or VERIFY LEVEL 3 or just VERIFY is specified.

If $0 \leq l_1 \leq 3$, gradients will be verified at the first point reached that satisfies the linear constraints and the upper and lower bounds. The current linearization of the nonlinear constraints must also be satisfied. If $l_1 = 0$, only a "cheap" test will be performed, requiring 3 calls to FUNOBJ or 2 calls to FUNCON. If $1 \leq l_1 \leq 3$, a more reliable check will be made on individual gradient components, within the ranges specified by the START and STOP keywords. A key of the form "OK" or "BAD?" indicates whether or not each component appears to be correct.

If $10 \leq l_1 \leq 13$, the action is the same as for $l_1 = 10$, except that it will take place immediately after the first basis factorization. Any superbasic variables will retain their initial value (for example, those specified with FX indicators in the INITIAL bound set, if no basis file is loaded). This option may be preferable, or even necessary if the first set of linearized constraints has no feasible solution. However, if the nonlinear functions are not well defined at the first (infeasible) point, a fatal error may result.

An EMERGENCY gradient check takes place at the end of a run if the solution algorithm is unable to make proper progress. The various levels $l_2 = 0-3$ have the same meaning as for l_1 , but the individual gradient checks are not controlled by the START and STOP keywords.

1. VERIFY LEVEL 3 should be specified whenever a new function routine is being developed.
2. Missing gradients are not checked; i.e., they result in no overhead.
3. The default action is to perform a cheap check on the gradients at the first feasible point. Even on debugged function routines, the message "GRADIENTS SEEM TO BE OK" will provide certain comfort at nominal expense.
4. If necessary, checking can be suppressed by specifying VERIFY LEVEL -1 and/or EMERGENCY VERIFY LEVEL -1.

WEIGHT ON LINEAR OBJECTIVE w (default $w = 0.0$)

This keyword invokes the so-called *composite objective* technique, if the first solution obtained is infeasible, and if linear terms for the objective function are specified in the MPS file. While trying to reduce the sum of infeasibilities, the method also attempts to optimize the linear objective.

1. At each infeasible iteration, the objective function is defined to be

$$\text{minimize } \sigma w(c^T x) + (\text{sum of infeasibilities}),$$

where $\sigma = 1$ for MINIMIZE, $\sigma = -1$ for MAXIMIZE, and c is the linear objective row.

2. If an "optimal" solution is reached while still infeasible, w is reduced by a factor of 10. This helps to allow for the possibility that the initial w is too large. It also provides dynamic allowance for the fact the sum of infeasibilities is tending towards zero.
3. The effect of w is disabled after 5 such reductions, or if a feasible solution is obtained.

WORKSPACE (USER) maxw (default $\text{maxw} = 0$)

WORKSPACE (TOTAL) maxz (default $\text{maxz} = \text{NWCORE}$)

These keywords define the limits of the region of storage that MINOS may use in solving the current problem. The main work array is declared in the main program, along with its length, by statements of the form

```
DOUBLE PRECISION  Z(25000)
DATA              NWCORE/25000/
```

where the actual length of Z must be specified at compile time. The values specified by the **WORKSPACE** keywords are stored in

```
COMMON  /M2MAPZ/  MAXW, MAXZ, LEN(30), LOC(60)
```

and workspace may be shared according to the following rules:

1. $Z(1)$ through $Z(\text{MAXW})$ is available to the user.
2. $Z(\text{MAXW}+1)$ through $Z(\text{MAXZ})$ is available to MINOS, and should not be altered by the user.
3. $Z(\text{MAXZ}+1)$ through $Z(\text{NWCORE})$ is unused (or available to the user).

The arrays **LEN** and **LOC** are not used by MINOS.

The **WORKSPACE** parameters are most useful on machines with a virtual (paged) store. Some systems will allow **NWCORE** to be set to a very large number (say 500000) with no overhead in saving the resulting object code. At run time, when various problems of different size are to be solved, it may be sensible to confine MINOS to a portion of Z to reduce paging activity slightly. (However, MINOS accesses storage contiguously wherever possible, so the benefit may be slight. In general it is far better to have too much storage than not enough.)

4. THE MPS FILE

An MPS file is required for all problems to specify names for the variables and constraints, and to define the constraints themselves. In contrast to the relatively free format allowed in the SPECS file, a very *fixed* format must be used for the MPS file. (This means that each item of data must appear in specific columns.)

Various "header cards" divide the MPS file into several sections as follows:

```

NAME
ROWS
.
COLUMNS
.
RHS
.
RANGES (optional)
.
BOUNDS (optional)
.
ENDATA

```

Each header card must begin in column 1. The intervening card images (indicated by "." above) all have the following data format:

Columns	2-3	5-12	15-22	25-36	40-47	50-61
Contents	Key	Name0	Name1	Value1	Name2	Value2

In addition, "comment" cards are allowed; these have an asterisk "*" in column 1 and any characters in columns 2-22.

MPS format has become the industry standard. Files of this kind are recognized by all commercial mathematical programming systems (including MPS/360, MPSX, MPSX/370 and MPS III on IBM systems; APEX III and IV on CDC machines; FMPS on Univac systems; TEMPO on Burroughs systems). They may be created by hand, by your own special-purpose program, or by various commercial "matrix generators", such as GAMMA, MAGEN and OMNI.

Beware that variations are inevitable in almost any "standard" format. Some restrictions in the format accepted by MINOS are listed later. Some extensions are also needed for nonlinear problems.

4.1 The NAME Card

```

NAME          MODEL001      (for example)

```

This card contains the word **NAME** in columns 1-4, and a name for the problem in columns 15-22. (The name may be from 1 to 8 characters of any kind, or it may be blank.) The name is used to label the solution output, and it appears on the first card of each basis file.

The NAME card is normally the first card in the MPS file, but it may be preceded or followed by comment cards.

4.2 The ROWS Section

```

ROWS
E  FUNO1
G  FUNO2      (for example)
L  CAPITAL1
N  COST

```

The general constraints are commonly referred to as *rows*. The ROWS section contains one card for each constraint (i.e., for each row). *Key* defines what type the constraint is, and *Name0* gives the constraint an 8-character name. The various row-types are as follows:

Key	Row-type
E	=
G	≥
L	≤
N	Objective
N	Free

(The 1-character *Key* may be in column 2 or column 3.)

Row-types E, G and L are easily understood in terms of a linear function $a^T x$ and a right-hand side β . They would be used to specify constraints of the form

$$a^T x = \beta, \quad a^T x \geq \beta \quad \text{and} \quad a^T x \leq \beta$$

respectively. (Nonzero elements of the row-vector a will appear in appropriate parts of the COLUMNS section, and if β is nonzero it will appear in the RHS section.)

Row-type N stands for "Not binding", also known as "Free". It is used to define the *objective row*, and also to prevent a constraint from actually being a constraint. (Note that $-\infty \leq a^T x \leq +\infty$ is not really a constraint at all. Type N rows are implemented by giving them infinite bounds of this kind.)

The *objective row* is a free row that specifies the vectors c and d in the objective function $F(x) + c^T x + d^T y$. It is taken to be the *first* free row, unless some other free row is specified by the OBJECTIVE keyword in the SPECS file.

The ROWS section need not contain any free rows if $c = d = 0$. If there are some nonlinear objective variables, the objective function will then be $F(x)$ as defined by subroutine FUNOBJ. Otherwise, *no* objective function exists and MINOS will terminate at the first point that satisfies the constraints.

If the ROWS section does contain free rows but none of them is intended to be an objective row, then some dummy name such as OBJECTIVE = NONE should be specified in the SPECS file to prevent the first free row from being selected. (If the objective function is $F(x)$ with no linear terms, OBJECTIVE = FUNOBJ would be a mnemonic reminder.)

Row-names for Nonlinear Constraints

The names of nonlinear constraints must be listed *first* in the ROWS section, and their order must be consistent with the computation of the array $F(*)$ in subroutine FUNCON.

In particular, the objective row (if any) must appear after the list of nonlinear row names. For simplicity we suggest that potential objective rows be placed last:

```

ROWS
G FUN01      nonlinear constraints first
G FUN02
.
E LIN01      now linear constraints
E LIN02
.
N COST01     objective rows last
N COST02

```

4.3 The COLUMNS Section

```

1  5.....12  15....22  25.....36  40....47  50.....61  (fields)
COLUMNS
X01      FUN06      1.0      ROW09      -3.0
X01      ROW08      2.5      ROW12      1.123456  (example)
X01      ROW03     -11.111111
X02      FUN02      1.0
X02      COST01     5.0

```

For each variable x_j (say), the COLUMNS section defines a name for x_j and lists the nonzero entries a_{ij} in the corresponding column of the constraint matrix. The nonzeros for the first column must be grouped together before those for the second column, and so on. If a column has several nonzeros, it does not matter what order they appear in (as long as they all appear before the next column).

In general, *Key* is blank (except for comments), *Name0* is the column name, and *Name1*, *Value1* give a row name and value for some coefficient in that column. If there is another row name and value for the same column, they may appear as *Name2*, *Value2* on the same card, or they may be on the next card.

If either *Name1* or *Name2* is blank, the corresponding value is ignored.

Values are read by MINOS using Fortran format E12.0. This allows values to be entered in several forms; for example, 1.2345678, 1.2345678E+0, 123.45678E-2 and 12345678E-07 all represent the same number. It is usually best to include an explicit decimal point.

Beware that spaces within the value fields are the same as 0's (on most computer systems). In particular, this means that if an exponent like E-2 appears then it must be *right-justified* in the value field. For example, the two values

```

1.23E-02
1.23E-2

```

are not the same if the decimal point is in column 30 in both cases. The second value is actually 1.23E-20.

In the example above, the variable called X01 has 5 nonzero coefficients in the constraints named FUN06, ROW09, ROW08, ROW12 and ROW03. The row names and values may be in an arbitrary order, but they must all appear before the entries for column X02.

There is no need to specify columns for the slack variables; they are incorporated implicitly.

Nonlinear Variables

Nonlinear variables must appear *first* in the COLUMNS section, ordered in a manner that is consistent with the array X(*) in the user subroutines FUNOBJ and/or FUNCON. In the example

$$\begin{aligned} \text{minimize} \quad & (x + y + z)^2 + 3z + 5w \\ \text{subject to} \quad & x^2 + y^2 + z = 2 \\ & x^4 + y^4 + w = 4 \\ & 2x + 4y \geq 0 \\ & z \geq 0, \quad w \geq 0 \end{aligned}$$

we have three nonlinear objective variables (x, y, z), two nonlinear Jacobian variables (x, y), one linear variable w , two nonlinear constraints, one linear constraint, and some simple bounds. The nonlinear constraints and variables should always be ordered in a similar way, at the *top left-hand corner* of the constraint matrix. The latter is therefore of the form

$$A = \begin{pmatrix} J_k & A_1 \\ A_2 & A_3 \end{pmatrix}$$

where J_k is the Jacobian matrix. The variables associated with J_k and A_2 must appear *first* in the COLUMNS section, and their order must be consistent with the array X(*) in subroutine FUNCON. Similarly, entries belonging to J_k must appear in an order that is consistent with the array G(*) in subroutine FUNCON.

For convenience, let the first n_1 columns of the constraint matrix be

$$\begin{pmatrix} J_k \\ A_2 \end{pmatrix} = \begin{pmatrix} j_1 & j_2 & \dots & j_{n_1} \\ a_1 & a_2 & \dots & a_{n_1} \end{pmatrix},$$

where j_1 is the first column of J_k and a_1 is the first column of A_2 . The coefficients of j_1 and a_1 must appear before the coefficients of j_2 and a_2 (and so on for all columns). Usually, those belonging to j_1 will appear before any in a_1 , but this is not essential. (If certain linear constraints are made nonlinear at a later date, this means that entries in the COLUMNS section will not have to be reordered. However, the corresponding row names will need be moved towards the top of the ROWS section.)

If JACOBIAN = DENSE, the elements of J_k need not be specified in the MPS file. If JACOBIAN = SPARSE, all nonzero elements of J_k must be specified. Any variable coefficients should be given a dummy value, such as zero. These dummy entries identify the location of the elements; their actual values will be computed later by subroutine FUNCON or by finite differences.

If all constraint gradients are known (DERIVATIVE LEVEL = 2 or 3), any Jacobian elements that are constant may be given their correct values in the COLUMNS section, and then they need not be reset by subroutine FUNCON. This includes values that are identically zero—such elements do not have to be specified anywhere (in the MPS file or in FUNCON). In other words, Jacobian elements are assumed to be zero unless specified otherwise.

Note that X(*) need not have the same dimension in subroutines FUNOBJ and FUNCON (i.e., the parameter N may differ), in the event that different numbers are specified by the NONLINEAR OBJECTIVE and NONLINEAR JACOBIAN keywords. However the shorter set of nonlinear variables must occur at the beginning of the longer set, and the ordering of variables in the COLUMNS section must match both sets.

A nonlinear objective function will often involve variables that occur only linearly in the constraints. In such cases we recommend that the objective variables be placed *after* the Jacobian variables in the COLUMNS section, since the Jacobian will then be as small as possible. (See the variable z in the example above.)

4.4 The RHS Section

```

1  5.....12  15.....22  25.....36  40.....47  50.....61
RHS
RHS01    FUN01        1.0        ROW09        -3.0
RHS01    ROW08        2.5        ROW12        1.123456
RHS01    ROW03       -11.111111
RHS02    FUN02        1.0
RHS02    FUN04        5.0

```

This section specifies the elements of b_1 and b_2 in (2)-(3). Together these vectors comprise what is called the right-hand side. Only the nonzero coefficients need to be specified. They may appear in any order. The format is exactly the same as in the COLUMNS section, with *Name0* giving a name to the right-hand side.

If $b_1 = 0$ and $b_2 = 0$, the RHS header card must appear as usual, but no rhs coefficients need follow.

The RHS section may contain more than one right-hand side. The *first* one will be used unless some other name is specified in the SPECS file.

4.5 The RANGES Section (Optional)

```

1  5.....12  15.....22  25.....36  40.....47  50.....61
ROWS
E  FUN01
E  FUN02
G  CAPITAL1
L  CAPITAL2
.
COLUMNS
.
RHS
RHS01    FUN01        4.0        FUNO2        4.0
.
RANGES
RANGE01  FUNO1        1.0        FUNO2        -1.0
RANGE01  CAPITAL1    1.0        CAPITAL2    1.0

```

Ranges are used for constraints of the form

$$l \leq a^T x \leq u,$$

where both l and u are finite. The range of the constraint is $r = u - l$. Either l or u is specified in the RHS section (as b say), and r is defined in the RANGES section. The resulting l and u depend on the row-type of the constraint and the sign of r as follows:

Row-type	Sign of r	Lower limit, l	Upper limit, u
E	+	b	$b + r $
E	-	$b - r $	b
G	+ or -	b	$b + r $
L	+ or -	$b - r $	b

The format is exactly the same as in the COLUMNS section, with *Name0* giving a name to the range set. The constraints listed above will have the following limits:

$$\begin{aligned} 4.0 &\leq \text{FUNO1} &&\leq 5.0, \\ 3.0 &\leq \text{FUNO2} &&\leq 4.0, \\ 4.0 &\leq \text{CAPITAL1} &&\leq 5.0, \\ 3.0 &\leq \text{CAPITAL2} &&\leq 4.0. \end{aligned}$$

The RANGES section may contain more than one set of ranges. The *first* set will be used unless some other name is specified in the SPECS file.

4.6 The BOUNDS Section (Optional)

```

1   5.....12  15....22  25.....36
BOUNDS
UP BOUNDO1   X01           4.0
UP BOUNDO1   X02           4.0
.
LO BOUNDO1   X04          -1.0
UP BOUNDO1   X04           4.0
.
FR BOUNDO1   X06
UP BOUNDO1   X06           4.0

```

The default bounds on all variables x_j (excluding slacks) are $0 \leq x_j \leq \infty$. If necessary, the default values 0 and ∞ can be changed in the SPECS file to $l \leq x_j \leq u$ by the LOWER and UPPER keywords respectively.

If uniform bounds of this kind are not suitable, any number of alternative values may be specified in the BOUNDS section. As usual, several sets of bounds may be given, and the first set will be used unless some other name is specified in the SPECS file.

In this section, *Key* gives the type of bound required, *Name0* is the name of the bound set, and *Name1* and *Value1* are the column name and bound value. (*Name2* and *Value2* are ignored.)

Let l and u be the default bounds just mentioned, and let x and b be the column and value specified. The various bound-types allowed are as follows:

Key	Bound-type	Resulting bounds
LO	Lower bound	$b \leq x \leq u$
UP	Upper bound	$l \leq x \leq b$
FX	Fixed variable	$b \leq x \leq b$ (i.e., $x = b$)
FR	Free variable	$-\infty \leq x \leq +\infty$
MI	Minus infinity	$-\infty \leq x \leq u$
PL	Plus infinity	$l \leq x \leq +\infty$

The effect of the examples above is to give the following bounds:

$$\begin{aligned} l &\leq \text{X01} \leq 4.0 \\ l &\leq \text{X02} \leq 4.0 \\ -1.0 &\leq \text{X04} \leq 4.0 \\ -\infty &\leq \text{X06} \leq 4.0 \end{aligned}$$

Note that types FR, MI, or PL should always be used to specify "infinite" bounds; they imply values of $\pm 10^{20}$, which are treated specially at certain times.

Nonlinear Problems

It is often essential to use bounds to avoid singularities in the nonlinear functions. For example, if an objective function involves $\log x_j$, a bound of the form $x_j \geq 10^{-4}$ may be necessary to avoid evaluating the objective function at zero or negative values of x_j . (Subroutine FUNOBJ is usually not called until a feasible point has been found. Note that x is regarded as feasible if it satisfies its bounds to within the FEASIBILITY TOLERANCE t . Thus, it would not be safe to specify the bound $x_j \geq 10^{-8}$ if t retained its default value $t = 10^{-6}$.)

Beware that subroutine FUNCON sometimes will be called before the nonlinear variables satisfy their bounds. If this causes difficulty, one approach is to specify feasible values for the offending variables in the INITIAL bounds set described next.

The INITIAL Bounds Set

The name INITIAL is reserved for a special bound set that may be used (optionally) to assign initial values to any number of the column variables. The INITIAL bounds set must appear after any normal bound sets (if any). A warning is given if it is the first set encountered after the BOUNDS card.

All bound types except FR have a meaning. In the example

FX INITIAL	X1	1.0
LO INITIAL	X2	2.0
UP INITIAL	X3	3.0
MI INITIAL	Y1	
PL INITIAL	Y2	

suppose that the five variables have already been given the upper and lower bounds $0.0 \leq X1, X2, X3, Y1, Y2 \leq 5.0$. The initial basis and the starting point will then be affected as follows:

1. X1 will be made superbasic at the value 1.0.
2. X2 will initially be made nonbasic at its lower bound, but if it is involved in the nonlinear constraints, it will have the value 2.0 when subroutine FUNCON is called for the first time.
3. X3 will initially be made nonbasic at its upper bound, but if it is involved in the nonlinear constraints, it will have the value 3.0 when subroutine FUNCON is called for the first time.
4. Y1 will initially be made nonbasic at its lower bound, and its initial value will be that bound (0.0 in this case).
5. Y2 will initially be made nonbasic at its upper bound, and its initial value will be that bound (5.0 in this case).

The key FX should be used if good starting values are known, particularly for nonlinear variables. However, this should not be at the expense of forming a very large set of superbasic variables, if the optimal solution is likely to contain only a few. If the number of FX entries has reached the SUPERBASICS LIMIT, any further FX will be treated as LO or UP, depending on which bound is closer to the specified numerical value.

Variables that are not specified in the INITIAL bounds set will initially be nonbasic at their lower or upper bounds (whichever is smaller in absolute value), or at zero if a variable is free.

In this context, variables that are initially nonbasic may be selected by the CRASH procedure to become basic, in which case their initial values are unpredictable. If this arbitrariness sounds troublesome, use one of the CRASH OPTIONS to prevent various sets of variables from being chosen for the initial basis.

As with normal bound sets, variables may be listed in any order. (For each entry a linear search is made through the column names, starting at the name on the previous entry. Thus, for large problems it helps to follow the order of the variables in the COLUMNS section, at least to some extent.)

The INITIAL bounds set is ignored if a basis file is supplied.

4.7 Comment Cards

Any card in the MPS file may contain an asterisk "*" in column 1 and arbitrary data in columns 2-22. Such cards will be treated as comments. They will appear in the printer listing but will otherwise be ignored.

Note that comment cards are input as if they were genuine data in each section of the MPS file. Thus, columns 25-36 and 50-61 should preferably be blank. If not, they should contain valid numerical data whenever non-comment cards would do so. (This is a limitation of ANSI 1966 Standard Fortran; data cannot be read under one format and then re-read under another.)

4.8 Restrictions and Extensions in MPS Format

1. Blanks are significant in the 8-character name fields. We recommend that all names be left-justified with no imbedded blanks. In particular, names referred to in the SPECS file *must* be left-justified in the MPS file; for example, OBJECTIVE = COST02 specifies an 8-character name whose last two characters are blank.
2. Comments ideally should use only columns 1-22 as noted above.
3. Scale factors cannot be entered in the ROWS section.
4. It does not matter if there is no row of type N.
5. There must be at least one row in the ROWS section, even for problems with no general constraints. (It may have row-type N.)
6. Nonlinear constraints must appear before linear constraints in the ROWS section.
7. Markers such as INTORG and INTEND are not recognized in the COLUMNS section.
8. Numerical values may be entered in E or F format. Spaces within the 12-character fields are treated as if they were 0's.
9. Nonlinear variables must appear before linear variables in the COLUMNS section.
10. If RANGES and BOUNDS sections are both present, the RANGES section must appear first.
11. In the BOUNDS section, if an UP entry specifies a zero upper bound, the corresponding lower bound is *not* affected. (Beware--in some MP systems, the lower bound is converted to $-\infty$.)
12. The bounds name INITIAL has a special meaning.

5. BASIS Files

For non-trivial problems, it is advisable to save a BASIS file at the end of a run, in order to restart the run if necessary, or to provide a good starting point for some closely related problem.

Three formats are available for saving basis descriptions. They are invoked by SPECS cards of the following form:

NEW BASIS FILE	10	
BACKUP FILE	11	(same as NEW BASIS but on a different file)
PUNCH FILE	20	
DUMP FILE	30	

The file numbers may be whatever is convenient, or zero for files that are not wanted.

NEW BASIS and BACKUP files are saved every k -th iteration, in that order, where k is the SAVE FREQUENCY.

NEW, PUNCH and DUMP files are saved at the end of a run, in that order. They may be re-loaded at the start of a subsequent run by specifying SPECS cards of the following form respectively:

OLD BASIS FILE	10
INSERT FILE	20
LOAD FILE	30

Only one such file will actually be loaded. If more than one positive file number is specified, the order of precedence is as shown. If no BASIS files are specified, one of the CRASH OPTIONS takes effect.

Figures 5.1-5.3 illustrate the data formats used for BASIS files. 80-character fixed-length records are suitable in all cases. (36-character records would be adequate for PUNCH and DUMP files.) The files shown correspond to the optimal solution for the economic-growth model MANNE, described in section 8.4. Selected column numbers are included to define significant data fields. The problem has 10 nonlinear constraints, 10 linear constraints, and 30 variables.

5.1 NEW and OLD BASIS Files

We sometimes call these files *basis maps*. They contain the most compact representation of the state of each variable. They are intended for restarting the solution of a problem at a point that was reached by an earlier run on the *same problem* or a related problem with the *same dimensions*. (Perhaps the ITERATIONS LIMIT was previously too small, or some other objective row is to be used.)

As illustrated in Figure 5.1, the following information is recorded in a NEW BASIS file.

1. A card containing the problem name, the iteration number when the file was created, the status of the solution (OPTIMAL SOLN, INFEASIBLE, UNBOUNDED, EXCESS ITNS, ERROR CONDN, or PROCEEDING), the number of infeasibilities, and the current objective value (or the sum of infeasibilities).
2. A card containing the OBJECTIVE, RHS, RANGES and BOUNDS names, M = the number of rows in the constraint matrix, N = the number of columns in the constraint matrix, and SB = the number of superbasic variables.

3. A set of $(N + M - 1)/80 + 1$ cards indicating the state of the N column variables and the M slack variables in that order. One character $HS(j)$ is recorded for each $j = 1, 2, \dots, N + M$ as follows, written with `FORMAT(80I1)`.

$HS(j)$	State of the j -th variable
0	Nonbasic at lower bound
1	Nonbasic at upper bound
2	Superbasic
3	Basic

If variable j is *fixed* (lower bound = upper bound), then $HS(j)$ may be 0 or 1. The same is true if variable j is *free* (infinite bounds) and still nonbasic, although free variables will almost always be basic.

4. A set of cards of the form

$$j \quad x_j$$

written with `FORMAT(I8, 1PE24.14)` and terminated by an entry with $j = 0$, where j denotes the j -th variable and x_j is a real value. The j -th variable is either the j -th column or the $(j - N)$ -th slack, if $j > N$. Typically, $HS(j) = 2$ (superbasic). When nonlinear constraints are present, this list of superbasic variables is extended to include all basic nonlinear variables. The Jacobian matrix can then be reconstructed exactly for a restart.

Loading a NEW BASIS file

A file that has been saved as an OLD BASIS file may be input at the beginning of a later run as a NEW BASIS file. The following notes are relevant:

1. The first card is input and printed but otherwise not used.
2. The values labelled M and N on the second card must agree with those for the MPS file that has just been read. The value labelled SB is input and printed but is not used.
3. The next set of cards must contain exactly M values $HS(j) = 3$, denoting the basic variables.
4. The list of j and x_j values must include an entry for every variable whose state is $HS(j) = 2$ (the superbasic variables).
5. Further j and x_j values may be included, in any order.
6. For any j in this list, if $HS(j) = 3$ (basic), the value x_j will be recorded for nonlinear variables, but the variable will remain basic.
7. If $HS(j) \neq 3$, variable j will be initialized at the value x_j and its state will be reset to 2 (superbasic). If the number of superbasic variables has already reached the `SUPERBASICS LIMIT`, then variable j will be made nonbasic at the bound nearest to x_j (or at zero if it is a free variable).

```

1.....8      15.....23      29.....40  43.....50      57.....80
MANNE10      ITN      11      OPTIMAL SOLN  NINF  0      OBJ -2.670097657643D 00
OBJ=FUNOBJ   RHS=RHS      RNG=RANGE1      BND=BOUND1      M= 20  N= 30  SB= 7
0322222230333333333333333333333311111111110000000000
 3      3.21443030684617D 00
 4      3.30400454090345D 00
 5      3.39521998701140D 00
 6      3.48787820873372D 00
 7      3.58172296168424D 00
 8      3.67642859114579D 00
 9      3.77158258744102D 00
 1      3.05000000000000D 00
 2      3.12665035156788D 00
10      3.86666666666667D 00
11      9.50000000000000D-01
12      9.68418063859247D-01
13      9.97801010964169D-01
14      1.02820056913317D 00
15      1.05967015220673D 00
16      1.09227222613700D 00
17      1.12607635491810D 00
18      1.16116395808810D 00
19      1.19762814945433D 00
20      1.21394308024559D 00
 0
1.....8      12.....32

```

Figure 5.1. Format of NEW and OLD BASIS files

Warning: This format is not quite compatible with MINOS 4.0 in the following respects.

1. On the second card, M is the number of constraints (m , as before) but N is now the number of variables excluding slacks (i.e., n , the number of columns in the MPS file plus the number of phantom columns, if any). Previously, N had the value $n + 1 + m$; this included 1 for the right-hand side and m for the slacks.
2. The basis map starting at card 3 does not contain an entry for the right-hand side, which was previously in position $n + 1$. The length of the map is now $n + m$, not $n + 1 + m$.
3. In the list of (j, x_j) entries, the values of j referring to slacks are now one less than before. (These are entries for which $j > n$.)

A basis map from MINOS 4.0 can therefore be converted to the present format with reasonable ease. PUNCH and DUMP files from MINOS 4.0 should be acceptable as INSERT and LOAD files without change.

5.2 PUNCH and INSERT Files

These files provide compatibility with commercial mathematical programming systems. The PUNCH file from a previous run may be used as an INSERT file for a later run on the same problem. It may also be possible to modify the INSERT file and/or problem and still obtain a useful advanced basis.

The standard MPS format has been slightly generalized to allow the saving and reloading of nonbasic solutions. It is illustrated in Figure 5.2. Apart from the first and last card, each entry has the following form:

Columns	2-3	5-12	15-22	25-36
Contents	Key	Name1	Name2	Value

The various keys are best defined in terms of the action they cause on input. It is assumed that the basis is initially set to be the full set of slack variables, and that column variables are initially at their smallest bound in absolute magnitude.

Key	Action to be taken during INSERT
XL	Make variable <i>Name1</i> basic and slack <i>Name2</i> nonbasic at its lower bound.
XU	Make variable <i>Name1</i> basic and slack <i>Name2</i> nonbasic at its upper bound.
LL	Make variable <i>Name1</i> nonbasic at its lower bound.
UL	Make variable <i>Name1</i> nonbasic at its upper bound.
SB	Make variable <i>Name1</i> superbasic at the specified <i>Value</i> .

Note that *Name1* may be a column name or a row name, but (on XL and XU cards) *Name2* must be a row name. In all cases, row names indicate the associated slack variable, and if *Name1* is a nonlinear variable then its *Value* is recorded for possible use in defining the initial Jacobian matrix.

The key SB is an addition to the standard MPS format to allow for nonbasic solutions.

Notes on PUNCH Data

1. Variables are output in natural order. For example, on the first XL or XU card, *Name1* will be the first basic column and *Name2* will be the first row whose slack is not basic. (The slack could be nonbasic or superbasic.)
2. LL cards are *not* output for nonbasic variables if the corresponding lower bound value is zero.
3. Superbasic slacks are output last.
4. PUNCH and INSERT files deal with the status and values of *slack variables*. This is in contrast to the printed solution and the SOLUTION file, which deal with *rows*.

Notes on INSERT Data

1. Before an INSERT file is read, column variables are made nonbasic at their smallest bound in absolute magnitude, and the slack variables are made basic.
2. Preferably an INSERT file should be an unmodified PUNCH file from an earlier run on the same problem. If some rows have been added to the problem, the INSERT file need not be altered. (The slacks for the new rows will be in the basis.)

3. Entries will be ignored if *Name1* is already basic or superbasic. XL and XU cards will be ignored if *Name2* is not basic.
4. SB cards may be added before the ENDATA card, to specify additional superbasic columns or slacks.
5. An SB card will not alter the status of *Name1* if the SUPERBASICS LIMIT has been reached. However, the associated *Value* will be retained if *Name1* is a Jacobian variable.

5.3 DUMP and LOAD Files

These files are similar to PUNCH and INSERT files, but they record solution information in a manner that is more direct and more easily modified. In particular, no distinction is made between columns and slacks. Apart from the first and last card, each entry has the form

Columns	2-3	5-12	25-36
Contents	Key	Name	Value

as illustrated in Figure 5.3. The keys LL, UL, BS and SB mean Lower Limit, Upper Limit, Basic and Superbasic respectively.

Notes on DUMP Data

1. A card is output for every variable, columns followed by slacks.
2. Nonbasic free variables will be output with either LL or UL keys and with *Value* zero.

Notes on LOAD Data

1. Before a LOAD file is read, all columns and slacks are made nonbasic at their smallest bound in absolute magnitude. The basis is initially empty.
2. Each LL, UL or BS card causes *Name* to adopt the specified status. The associated *Value* will be retained if *Name* is a Jacobian variable.
3. An SB card causes *Name* to become superbasic at the specified *Value*.
4. An entry will be ignored if *Name* is already basic or superbasic. (Thus, only the first BS or SB card takes effect for any given *Name*.)
5. An SB card will not alter the status of *Name* if the SUPERBASICS LIMIT has been reached, but the associated *Value* will be retained if *Name* is a Jacobian variable.
6. (*Partial basis*) Let M be the number of rows in the problem. If fewer than M variables are specified to be basic, a tentative basis list will be constructed by adding the requisite number of slacks, starting from the first row and taking those that were not previously specified to be basic or superbasic. (If the resulting basis proves to be singular, the basis factorization routine will replace a number of basic variables by other slacks.) The starting point obtained in this way will not necessarily be "good".
7. (*Too many basics*) If M variables have already been specified as basic, any further BS keys will be treated as though they were SB. This feature may be useful for combining solutions to smaller problems.

```

1  5.....12  15.....22  25.....36
NAME          NAME10     PUNCH/INSERT
LL KAP001          3.050000 00
XU KAP002          MON001     3.126650 00
SB KAP003          3.214430 00
SB KAP004          3.304000 00
SB KAP005          3.395220 00
SB KAP006          3.487800 00
SB KAP007          3.581720 00
SB KAP008          3.676430 00
SB KAP009          3.771500 00
XU KAP010          MON002     3.866670 00
LL CON001          9.500000-01
XU CON002          MON003     9.684100-01
XU CON003          MON004     9.978010-01
XU CON004          MON005     1.028200 00
XU CON005          MON006     1.059670 00
XU CON006          MON007     1.092270 00
XU CON007          MON008     1.126000 00
XU CON008          MON009     1.161160 00
XU CON009          MON010     1.197630 00
XL CON010          CAP002     1.213940 00
XL INV001          CAP003     7.665040-02
XL INV002          CAP004     8.778000-02
XL INV003          CAP005     8.957420-02
XL INV004          CAP006     9.121540-02
XL INV005          CAP007     9.265820-02
XL INV006          CAP008     9.384400-02
XL INV007          CAP009     9.470560-02
XL INV008          CAP010     9.515400-02
XL INV009          TERMINV    9.508410-02
UL INV010          1.160000-01
ENDATA

```

Figure 5.2. Format of PUNCH and INSERT files

```

1  5.....12  15.....22  25.....36
NAME          NAME10     DUMP/LOAD
LL KAP001          3.050000 00
BS KAP002          3.126650 00
SB KAP003          3.214430 00
SB KAP004          3.304000 00
SB KAP005          3.395220 00
SB KAP006          3.487800 00
SB KAP007          3.581720 00
SB KAP008          3.676430 00
SB KAP009          3.771500 00
BS KAP010          3.866670 00
LL CON001          9.500000-01
BS CON002          9.684100-01
BS CON003          9.978010-01
BS CON004          1.028200 00
BS CON005          1.059670 00
BS CON006          1.092270 00
BS CON007          1.126000 00
BS CON008          1.161160 00
BS CON009          1.197630 00
BS CON010          1.213940 00
BS INV001          7.665040-02
BS INV002          8.778000-02
BS INV003          8.957420-02
BS INV004          9.121540-02
BS INV005          9.265820-02
BS INV006          9.384400-02
BS INV007          9.470560-02
BS INV008          9.515400-02
BS INV009          9.508410-02
UL INV010          1.160000-01
UL MON001          0.000000-01
UL MON002          0.000000-01
UL MON003          0.000000-01
UL MON004          0.000000-01
UL MON005          0.000000-01
UL MON006          0.000000-01
UL MON007          0.000000-01
UL MON008          0.000000-01
UL MON009          0.000000-01
UL MON010          0.000000-01
LL CAP002          0.000000-01
LL CAP003          0.000000-01
LL CAP004          0.000000-01
LL CAP005          0.000000-01
LL CAP006          0.000000-01
LL CAP007          0.000000-01
LL CAP008          0.000000-01
LL CAP009          0.000000-01
LL CAP010          0.000000-01
LL TERMINV        0.000000-01
ENDATA

```

Figure 5.3. Format of DUMP and LOAD files

5.4 Restarting Modified Problems

Sections 5.1–5.3 document three distinct starting methods (OLD BASIS, INSERT and LOAD files), which may be preferable to any of the cold start (CRASH) options. The best choice depends on the extent to which a problem has been modified, and whether it is more convenient to specify variables by number or by name. The following notes offer some rules of thumb.

Protection

In general there is no danger of specifying infinite values. For example, if a variable is specified to be nonbasic at an upper bound that happens to be $+\infty$, it will be made nonbasic at its lower bound. Conversely if its lower bound is $-\infty$. If the variable is *free* (both bounds infinite), it will be made nonbasic at value zero. No warning message will be issued.

Default Status

If the status of a variable is not explicitly given, it will initially be nonbasic at the bound that is smallest in absolute magnitude. Ties are broken in favor of lower bounds, and *free* variables will again take the value zero.

Restarting with Different Bounds

Suppose that a problem is to be restarted after the bounds on some variable X have been altered. Any of the basis files may be used, but the starting point obtained depends on the status of X at the time the basis is saved.

If X is basic or superbasic, the starting point will be the same as before (all other things being equal). The value of X may lie outside its new set of bounds, but there will be minimal loss of feasibility or optimality for the problem as a whole.

If X was previously *fixed*, it is likely to be nonbasic at its *lower* bound (which happens to be the same as its upper bound). Increasing its upper bound will not affect the solution.

In contrast, if X is nonbasic at its *upper* bound and if that bound is altered, the starting values for an arbitrary number of basic variables could be changed (since they will be recomputed from the nonbasic and superbasic variables). This may not be of great consequence, but sometimes it may be worthwhile to retain the old solution precisely. To do this, one must make X superbasic at the original bound value.

For example, if X is nonbasic at an upper bound of 5.0 (which has now been changed), one should insert a card of the form

```

      j                5.0

```

near the end of an OLD BASIS file, or the card

```

    SB X                5.0

```

near the end of an INSERT or LOAD file. Note that the SPECS file must specify a SUPERBASICS LIMIT at least as large as the number of variables involved, even for purely linear problems.

Sequences of Problems

Whenever practical, a series of related problems should be ordered so that the *most tightly constrained* cases are solved first. Their solutions will often provide feasible starting points for subsequent relaxed problems, as long as the above precautions are taken.

Altering Bounds with the CYCLE Option

Sequences of problems will sometimes be defined in conjunction with the CYCLE facilities. Various alterations can be made to each problem from within your own subroutine MATMOD. In particular, it is straightforward to alter the bounds on any of the columns or slacks.

Unfortunately, the present implementation of MINOS does not make it easy to alter the set of superbasic variables from within MATMOD. If the bound on a nonbasic variable is altered, it is simplest to accept the resulting perturbation to the values of the basic variables (rather than making the variable superbasic as suggested above).

6. OUTPUT

The following information is output to the PRINT file during the solution of each problem referred to in the SPECS file.

- A listing of the relevant part of the SPECS file.
- A listing of the parameters that were or could have been set in the SPECS file.
- An estimate of the amount of working storage needed, compared to how much is available.
- A listing of the MPS file, possibly abbreviated to the header cards and comment cards.
- Some statistics about the problem in the MPS file.
- The amount of storage available for the *LU* factorization of the basis matrix.
- A summary of the scaling procedure, if *SCALE* was specified.
- Notes about the initial basis resulting from a *CRASH* procedure or a *BASIS* file.
- The iteration log.
- Basis factorization statistics.
- The *EXIT* condition and some statistics about the solution obtained.
- The printed solution, if requested.

The last four items are described in the following sections. Further brief output may be directed to the *SUMMARY* file, as discussed in section 6.6.

6.1 Iteration Log

One line of information is output to the PRINT file every *k*-th minor iteration, where *k* is the specified *LOG FREQUENCY* (default *k* = 1). A heading is printed before the first such line following a basis factorization. The heading contains the items described below. In this description, a *PRICE* operation is defined to be the process by which one or more nonbasic variables are selected to become superbasic (in addition to those already in the superbasic set). Normally just one variable is selected, which we will denote by *JQ*. If the problem is purely linear, variable *JQ* will usually become basic immediately (unless it should happen to reach its opposite bound and return to the nonbasic set).

If *PARTIAL PRICE* is in effect, variable *JQ* is selected from *A_{pp}* or *I_{pp}*, the *PP*-th segments of the constraint matrix (*A I*). If *MULTIPLE PRICE* is in effect, several variables may be selected from *A_{pp}* or *I_{pp}*. In this case, *JQ* refers to the variable with the largest favorable reduced cost, *DJ*.

<i>Label</i>	<i>Description</i>
ITN	The current iteration number. For problems with nonlinear constraints, this is the cumulative number of minor iterations.
PH	The current phase of the solution procedure, as follows: <ol style="list-style-type: none"> 1 Phase 1 of the simplex method is being used to find a feasible point. 2 Phase 2 of the simplex method is being used to optimize the linear objective. <p>Normally, Phase 1 and 2 are used for purely linear problems. They may also be used at the start of a run even for nonlinear problems, if the initial basis contains only linear variables. Any superbasic variables will be temporarily held at their initial values.</p>

- 3 Phase 3 of the reduced-gradient procedure is being used. This is the same as Phase 4 except that a PRICE operation is performed prior to the iteration, adding one or more nonbasic variables to the superbasic set.
- 4 Phase 4 of the reduced-gradient procedure is being used. Optimization is performed on the basic and superbasic variables (ignoring the nonbasics).
- PP The Partial Price indicator. The variable(s) selected by the last PRICE operation came from the PP-th partition of A and I . PP is set to zero when the basis is refactored. It is reset during Phase 1, 2 or 3.
- NOPT The number of "non-optimal" variables present in the set of nonbasic variables that were scanned during the last PRICE operation. It is reset during Phase 1, 2 or 3.
- DJ, RG In Phase 1, 2 or 3, this is DJ, the reduced cost (or reduced gradient) of the variable JQ selected by PRICE at the start of the present iteration. Algebraically, DJ is $d_j = g_j - \pi^T a_j$, for $j = \text{JQ}$, where g_j is the gradient of the current objective function, π is the vector of dual variables, and a_j is the j -th column of the constraint matrix $(A \ I)$.
- In Phase 4, this quantity is RG, the norm of the reduced-gradient vector after the present iteration. (It is the largest value of $|d_j|$ for variables j in the superbasic set.)
- Note that for Phase 3 iterations, DJ is the norm of the reduced-gradient vector at the start of the iteration, just after the PRICE operation.
- +SBS The variable JQ selected by PRICE to be added to the superbasic set. (This is zero in Phase 4.)
- SBS The variable chosen to leave the set of superbasics. It has become basic if the entry under -BS is nonzero; otherwise it has become nonbasic.
- BS The variable removed from the basis (if any) to become nonbasic.
- STEP The step length α taken along the current search direction p . The basic and superbasic variables x_{ns} have just been changed to $x_{ns} + \alpha p$.
- PIVOT If column a_q replaces the r -th column of the basis B , PIVOT is the r -th element of a vector y satisfying $By = a_q$. Wherever possible, STEP is chosen to avoid extremely small values of PIVOT (since they cause the basis to be nearly singular). In rare cases, it may be necessary to increase the PIVOT TOLERANCE to exclude very small elements of y from consideration during the computation of STEP.
- L The number of nonzeros representing the basis factor L . Immediately after a basis factorization $LB = U$, this is LENL, the number of subdiagonal elements in the columns of a lower triangular matrix. Further nonzeros are added to L when various columns of B are later replaced. (Thus, L increases monotonically.)
- U The number of nonzeros in the basis factor U . Immediately after a basis factorization, this is LENU, the number of diagonal and superdiagonal elements in the rows of an upper triangular matrix. As columns of B are replaced, the matrix U is maintained explicitly (in sparse form). The value of U may fluctuate up or down; in general it will tend to increase.

NCP The number of compressions required to recover storage in the data structure for U . This includes the number of compressions needed during the previous basis factorization. Normally **NCP** should increase very slowly. If not, the amount of workspace available to MINOS should be increased by a significant amount. As a suggestion, the work array $Z(*)$ should be extended by $L + U$ elements.

NINF The number of infeasibilities *before* the present iteration. This number decreases monotonically.

SINF, OBJECTIVE If **NINF** > 0 , this is **SINF**, the sum of infeasibilities before the present iteration. (It will usually decrease at each nonzero **STEP**, but if **NINF** decreases by 2 or more, **SINF** may occasionally increase.)

Otherwise, it is the value of the current objective function *after* the present iteration. Note that "current objective function" can mean different things when **NINF** = 0. For linear programs, it means the true linear objective function. For problems with linear constraints, it means the sum of the linear objective and the value returned by subroutine **FUNOBJ**. For problems with nonlinear constraints, it is the quantity just described if **LAGRANGIAN** = **NO**; otherwise it is the value of the augmented Lagrangian function for the current major iteration (which tends to the true objective function as convergence is approached).

The following items are printed if the problem is nonlinear or if the superbasic set is non-empty (i.e., if the current solution is nonbasic).

<i>Label</i>	<i>Description</i>
NCON	The number of times subroutine FUNCON has been called to evaluate the nonlinear constraint functions.
NOBJ	The number of times subroutine FUNOBJ has been called to evaluate the nonlinear objective function.
NSB	The current number of superbasic variables.
HMOD	An indication of the type of modifications made to the triangular matrix R that is used to approximate the reduced Hessian matrix. Two integers i_1 and i_2 are shown. They will remain zero for linear problems. If $i_1 = 1$, a BFGS quasi-Newton update has been made to R , to account for a move within the current subspace. (This will not occur if the solution is infeasible.) If $i_2 = 1$, R has been modified to account for a change in basis. This will sometimes occur even if the solution is infeasible (if a feasible point was obtained at some earlier stage).

Both updates are implemented by triangularizing the matrix $R + vw^T$ for some vectors v and w . If an update fails for numerical reasons, i_1 or i_2 will be set to 2, and the resulting R will be nearly singular. (However, this is highly unlikely.)

H-CONDN An estimate of the condition number of the reduced Hessian. It is the square of the ratio of the largest and smallest diagonals of the upper triangular matrix R . This constitutes a lower bound on the condition number of the matrix $R^T R$ that approximates the reduced Hessian. H-CONDN gives a rough indication of whether or not the optimization procedure is having difficulty. If ϵ is the relative precision of the machine being used, the reduced-gradient algorithm will make slow progress if H-CONDN becomes as large as $\epsilon^{-1/2}$, and will probably fail to find a better solution if H-CONDN reaches $\epsilon^{-3/4}$ or larger. (On IBM-like machines, these values are about 10^8 and 10^{12} .)

To guard against high values of H-CONDN, attention should be given to the scaling of the variables and the constraints. In some cases it may be necessary to add upper or lower bounds to certain variables to keep them a reasonable distance from singularities in the nonlinear functions or their derivatives.

CONV A set of four logical variables C_1, C_2, C_3, C_4 that are used to determine when to discontinue optimization in the current subspace (Phase 4) and consider releasing a nonbasic variable from its bound (the PRICE operation of Phase 3). Let RG be the norm of the reduced gradient, as described above. The meaning of the variables C_j is as follows:

- C_1 is TRUE if the change in x was sufficiently small;
- C_2 is TRUE if the change in the objective was sufficiently small;
- C_3 is TRUE if RG is smaller than some loose tolerance TOLRG;
- C_4 is TRUE if RG is smaller than some tighter tolerance.

The test used is of the form

if (C_1 and C_2 and C_3) or C_4 then go to Phase 3.

In the present implementation, $TOLRG = t|DJ|$, where t is the SUBSPACE TOLERANCE (nominally 0.5) and DJ is the reduced-gradient norm at the most recent Phase 3 iteration. The "tighter tolerance" is the maximum of $0.1 TOLRG$ and $10^{-7} \|\pi\|$. Only the tolerance t can be altered at run-time (see section 3.3).

6.2 Basis Factorization Statistics

The following items are output whenever the basis matrix B is factored. Gaussian elimination is used to compute an LU factorization of the form

$$LB = U,$$

where L is unit lower triangular and PUQ is upper triangular for some permutation matrices P and Q . This factorization is stabilized in the manner described under LU FACTOR TOLERANCE in section 3.3.

<i>Label</i>	<i>Description</i>
FACTORIZE	The number of factorizations since the start of the run.
DEMAND	A code giving the reason for the present factorization. (Since this is not important to the user we omit details.)
ITERATION	The current iteration number.
INFEAS	The number of infeasibilities at the <i>start</i> of the previous iteration.
OBJECTIVE	If $INFEAS > 0$, this is the sum of infeasibilities at the start of the previous iteration. If $INFEAS = 0$, this is the value of the objective function <i>after</i> the previous iteration. If there are nonlinear constraints, it is the value of the augmented Lagrangian for the present subproblem.
NONLINEAR	The number of nonlinear variables in the current basis B .
LINEAR	The number of linear variables in B .
SLACKS	The number of slack variables in B .
ELEMS	The number of nonzero matrix elements in B .
DENSITY	The percentage nonzero density of B , $100 \times ELEMS / (M \times M)$, where M is the number of rows in the problem ($M = NONLINEAR + LINEAR + SLACKS$).
COMPRSSNS	The number of times the data structure holding the partially factored matrix needed to be compressed, to recover unused storage. Ideally this number should be zero. If it is more than 3 or 4, the amount of workspace available to MINOS should be increased for efficiency.
MERIT	The average Markowitz merit count for the elements chosen to be the diagonals of PUQ . Each merit count is defined to be $(c - 1)(r - 1)$ where c and r are the number of nonzeros in the column and row containing the element at the time it is selected to be the next diagonal. MERIT is the average of M such quantities. It gives an indication of how much work was required to preserve sparsity during the factorization.
LENL	The number of nonzeros in L . On IBM-like machines, each nonzero is represented by one REAL*8 and two INTEGER*2 data types.
LENU	The number of nonzeros in U . The storage required for each nonzero is the same as for the nonzeros of L .

- INCREASE** The percentage increase in the number of nonzeros in L and U relative to the number of nonzeros in B ; i.e., $100 \times (\text{LENL} + \text{LENU} - \text{ELEMS})/\text{ELEMS}$.
- LMAX** The maximum subdiagonal element in the columns of L . This will be no larger than the LU FACTOR TOLERANCE.
- BMAX** The maximum nonzero element in B .
- UMAX** The maximum nonzero element in U , excluding elements of B that remain in U unaltered. (For example, if a slack variable is in the basis, the corresponding row of B will become a row of U without alteration. Elements in such rows will not contribute to UMAX. If the basis is strictly triangular, none of the elements of B will contribute, and UMAX will be zero.)
- Ideally, UMAX should not be substantially larger than BMAX. If it is several orders of magnitude larger, it may be advisable to reduce the LU FACTOR TOLERANCE to some value nearer 1.0. (The default value is 10.0.)
- UMIN** The smallest *diagonal* element of PUQ in absolute magnitude.
- GROWTH** The ratio UMAX/BMAX, which should not be too large (see above).
- As long as LMAX is not large (say 10.0 or less), the ratio $\max\{\text{BMAX}, \text{UMAX}\}/\text{UMIN}$ gives an estimate of the condition number of B . If this number is extremely large, the basis is nearly singular and some numerical difficulties could conceivably occur. (However, an effort is made to avoid near-singularity by using slacks to replace columns of B that would have made UMIN extremely small. Messages are issued to this effect, and the modified basis is refactored.)

6.3 EXIT Conditions

For each problem in the SPECS file, a message of the form `EXIT -- message` is printed to summarize the final result. Here we describe each message and suggest possible courses of action.

System Note: A number is associated with each message below. It is the final value assigned to the integer variables `INFORM` and `IERR`, for possible use within subroutines `MINOS1` and `MINOS2`. The variables appear in the declarations

```
SUBROUTINE MINOS2( Z, NWCORE, NCALLS, INFORM )
```

and

```
COMMON /M5LOG1/ IDEBUG, IERR, LPRINT
```

If a problem is infeasible, for example, their final values will be `INFORM = IERR = 1`.

The following messages arise when the SPECS file is found to contain no further problems.

-2. `EXIT -- INPUT ERROR. MINOS ENCOUNTERED END-OF-FILE OR AN ENDRUN CARD BEFORE FINDING A SPECS FILE ON UNIT nn`

The SPECS file may not be properly assigned. Its unit number `nn` is defined at compile time in subroutine `MIFILE`, and normally it is the system card input stream.

Otherwise, the SPECS file may be empty, or cards containing the keywords `SKIP` or `ENDRUN` may imply that all problems should be ignored (see section 1.8).

-1. `ENDRUN`

This message is printed at the end of a run if `MINOS` terminates of its own accord. Otherwise, the operating system will have intervened for one of many possible reasons (excess time, missing file, arithmetic error in user routines, etc.).

The following messages arise when optimization terminates gracefully. A solution exists, any of the `BASIS` files may be saved, and the solution will be printed and/or saved on the `SOLUTION` file if requested.

0. `EXIT -- OPTIMAL SOLUTION FOUND`

This is the message we all hope to see! It is certainly preferable to every other message, and we naturally want to believe what it says, because this is surely one situation where *the computer knows best*. There may be cause for celebration if the objective function has reached an astonishingly new high (or low). Or perhaps it will signal the end of a strenuous series of runs that have iterated far into the night, depleting one's patience and computing funds to an equally alarming degree. (We hope not!)

In all cases, a distinct level of caution is in order, even if it can wait until next morning. For example, if the objective value is much better than expected, we may have obtained an optimal solution to the wrong problem! Almost any item of data could have that effect, if it has the wrong value or is entered in the wrong columns of an input record. There may be thousands of items of data in the `MPS` file, and the nonlinear functions (if any) could depend on input files and other

data in innumerable ways. Verifying that the problem has been defined correctly is one of the more difficult tasks for a model builder. For early runs, we suggest that the LIST LIMIT be set to a suitably large number to allow the MPS file to be printed for visual checking. It is also good practice in the function subroutines to print any data that is read in on the first entry.

If nonlinearities exist, one must always ask the question: could there be more than one local optimum? When the constraints are linear and the objective is known to be convex (e.g., a sum of squares) then all will be well if we are *minimizing* the objective: a local minimum is a global minimum in the sense that no other point has a lower function value. (However, many points could have the same objective value, particularly if the objective is largely linear.) Conversely, if we are *maximizing* a convex function, a local maximum cannot be expected to be global, unless there are sufficient constraints to confine the feasible region.

Similar statements could be made about nonlinear constraints defining convex or concave regions. However, the functions of a problem are more likely to be neither convex nor concave. Our advice is always to specify a starting point that is as good an estimate as possible, and to include reasonable upper and lower bounds on all variables, in order to confine the solution to the specific region of interest. We expect modellers to *know something about their problem*, and to make use of that knowledge as they themselves know best.

One other caution about "OPTIMAL SOLUTION"s. When nonlinearities are present, the final size of the reduced-gradient norm (NORM RG) should be examined to see if it is reasonably small compared to the norm of the dual variables (NORM PI). These quantities are printed following the EXIT message. MINOS attempts to ensure that

$$\text{NORM RG} / \text{NORM PI} \leq \text{OPTIMALITY TOLERANCE.}$$

However, if messages of the form XXX SEARCH TERMINATED occur at the end of the run, this condition will probably not have been satisfied. The final solution may or may not be acceptably close to optimal. Broadly speaking, if

$$\text{NORM RG} / \text{NORM PI} = 10^{-d},$$

then the objective function would probably change in the d -th significant digit if optimization could be continued. One must judge whether or not d is sufficiently large.

1. EXIT -- THE PROBLEM IS INFEASIBLE

When the constraints are linear, this message can probably be trusted. Feasibility is measured with respect to the upper and lower bounds on the variables. The message tells us that among all the points satisfying the general constraints $Ax + s = 0$, there is apparently no point that satisfies the bounds on x and s . Violations as small as the FEASIBILITY TOLERANCE are ignored, but at least one component of x or s violates a bound by more than the tolerance.

Note: Although the objective function is the sum of infeasibilities (when NINF > 0), this sum will usually not have been *minimized* when MINOS recognizes the situation and exits. There may exist other points that have a significantly lower sum of infeasibilities.

When nonlinear constraints are present, infeasibility is *much* harder to recognize correctly. Even if a feasible solution exists, the current linearization of the constraints may not contain a feasible point. In an attempt to deal with this situation, MINOS is prepared to relax the bounds on the slacks associated with nonlinear rows. In the current implementation, the bounds are relaxed by increasingly large amounts up to 5 times per major iteration. Normally a feasible point

will be obtained to the perturbed constraints, and optimization can continue on the subproblem. However, if 5 consecutive subproblems require such perturbation, the problem is terminated and declared **INFEASIBLE**. Clearly this is an ad hoc procedure. Wherever possible, nonlinear constraints should be defined in such a way that feasible points are known to exist when the constraints are linearized.

2. EXIT -- THE PROBLEM IS UNBOUNDED (OR BADLY SCALED)

For linear problems, unboundedness is detected by the simplex method when a nonbasic variable can apparently be increased or decreased by an arbitrary amount without causing a basic variable to violate a bound. A message prior to the EXIT message will give the index of the nonbasic variable. Consider adding an upper or lower bound to the variable. Also, examine the constraints that have nonzeros in the associated column, to see if they have been formulated as intended.

Very rarely, the scaling of the problem could be so poor that numerical error will give an erroneous indication of unboundedness. Consider using the **SCALE** option.

For nonlinear problems, MINOS monitors both the size of the current objective function and the size of the change in the variables at each step. If either of these is very large (as judged by the **UNBOUNDED** parameters - see section 3.3), the problem is terminated and declared **UNBOUNDED**. To avoid large function values, it may be necessary to impose bounds on some of the variables in order to keep them away from singularities in the nonlinear functions.

3. EXIT -- TOO MANY ITERATIONS

Either the **ITERATIONS LIMIT** or the **MAJOR ITERATIONS LIMIT** was exceeded before the required solution could be found. Check the iteration log to be sure that progress was being made. If so, restart the run using a basis file that was saved (or *should* have been saved!) at the end of the run.

4. EXIT -- THE OBJECTIVE HAS NOT CHANGED FOR THE LAST *nnn* ITERATIONS

This is an emergency measure for the rare occasions when the solution procedure appears to be *cycling*. Suppose that a zero step is taken for several consecutive iterations, with a basis change occurring each time. It is theoretically possible for the set of basic variables to become the same as they were one or more iterations earlier. The same sequence of iterations would then occur *ad infinitum*.

No direct attempt is made to recognize such cycling. The method used for determining the step size tends to guard against it happening, but nothing is guaranteed. Furthermore, on so-called degenerate models (in which many basic variables are equal in value to their upper or lower bounds), a great number of consecutive zero steps may *have* to occur before any progress can be made. A generous limit is therefore used on the number of consecutive zero steps allowed before this exit is taken. For small problems, the limit *nnn* is the maximum of 200 and $2(m + n)$. For large problems ($m + n \geq 1000$) it is 1000.

5. EXIT -- THE SUPERBASICS LIMIT IS TOO SMALL... *nnn*

The problem appears to be more nonlinear than anticipated. The current set of basic and superbasic variables have been optimized as much as possible and a **PRICE** operation is necessary to continue, but there are already *nnn* superbasics (and no room for any more).

In general, raise the **SUPERBASICS LIMIT** *s* by a reasonable amount, bearing in mind the storage needed for the reduced Hessian. (The **HESSIAN DIMENSION** *h* will also increase to *s*

unless specified otherwise, and the associated storage will be about $1/2s^2$ words.) In extreme cases you may have to set $h < s$ to conserve storage, but beware that the rate of convergence will probably fall off severely.

**6. EXIT -- REQUESTED BY USER IN SUBROUTINE FUNOBJ (or FUNCON)
AFTER *nnn* CALLS**

This exit occurs if the subroutine parameter **MODE** is set to a negative number during some call to **FUNOBJ** or **FUNCON**. **MINOS** assumes that you want the problem to be abandoned forthwith.

In some environments, this exit means that your subroutines were not successfully linked to **MINOS**. If the default versions of **FUNOBJ** and **FUNCON** are ever called, they issue a warning message and then set **MODE** to terminate the run. For example, you may have asked the operating system to

LINK MINOS, FUNOBJ, FUNCON

when in fact you should have said

LINK FUNOBJ, FUNCON, MINOS

(or something similar) to give your own subroutines priority. Most linkers or loaders retain the first version of any subprogram that they see.

7. EXIT -- SUBROUTINE FUNOBJ SEEMS TO BE GIVING INCORRECT GRADIENTS

A check has been made on some individual elements of the gradient array, and at least one component $G(j)$ is being set to a value that disagrees markedly with a forward-difference estimate of $\partial F/\partial x_j$. (The relative difference between the computed and estimated values is 1.0 or more.) This exit is a safeguard, since **MINOS** will usually fail to make progress when the computed gradients are seriously inaccurate. In the process it may expend considerable effort before terminating with exit 9 below.

Check the function and gradient computation *very carefully*. A simple omission (such as forgetting to divide **F** by 2) could explain everything. If **F** or $G(j)$ is very large, then give serious thought to scaling the function or the nonlinear variables.

If you feel *certain* that the computed $G(j)$ is correct (and that the forward-difference estimate is therefore wrong), you can specify **VERIFY LEVEL 0** to prevent individual elements from being checked. However, the optimization procedure is likely to terminate unsuccessfully.

8. EXIT -- SUBROUTINE FUNCON SEEMS TO BE GIVING INCORRECT GRADIENTS

This is analogous to the preceding exit. At least one of the computed Jacobian elements is significantly different from an estimate obtained by forward-differencing the constraint vector $f(x)$. Follow the advice given above, trying to ensure that the arrays **F** and **G** are being set correctly in subroutine **FUNCON**.

9. EXIT -- THE CURRENT POINT CANNOT BE IMPROVED UPON

Several circumstances could lead to this exit.

1. Subroutine **FUNOBJ** and/or subroutine **FUNCON** could be returning accurate function values but inaccurate gradients (or vice versa). This is the most likely cause. Study the comments given for exits 7 and 8, and do your utmost to ensure that the subroutines are coded correctly.

2. The function and gradient values could be consistent, but their precision could be too low. For example, accidental use of a single-precision data type when double-precision was intended throughout, would lead to a relative function precision of about 10^{-6} instead of something like 10^{-15} . The default **OPTIMALITY TOLERANCE** of 10^{-6} would need to be raised to about 10^{-3} for optimality to be declared (at a rather suboptimal point). Of course, it is better to revise the function coding to obtain as much precision as economically possible.
3. If function values are obtained from an expensive iterative process, they may be accurate to rather few significant figures, and gradients will probably not be available. One should specify

FUNCTION PRECISION	t
OPTIMALITY TOLERANCE	\sqrt{t}

but even then, if t is as large as 10^{-5} or 10^{-6} (only 5 or 6 significant figures), the same exit condition may occur. At present the only remedy is to increase the accuracy of the function calculation.

10. **EXIT -- NUMERICAL ERROR. GENERAL CONSTRAINTS CANNOT BE SATISFIED ACCURATELY**
 An *LU* factorization of the basis has just been obtained and used to recompute the basic variables x_B , given the present values of the superbasic and nonbasic variables. A single step of "iterative refinement" has also been applied to increase the accuracy of x_B . However, a row check has revealed that the resulting solution does not satisfy the current constraints $Ax + s = 0$ sufficiently well.

This probably means that the current basis is very ill-conditioned. Request the **SCALE** option if there are any linear constraints and variables.

For certain highly structured basis matrices (notably those with band structure), a systematic growth may occur in the factor *U*. Consult the description of **UMAX**, **UMIN** and **GROWTH** in section 6.2, and set the **LU FACTOR TOLERANCE** to 2.0 (or possibly even smaller, but not less than 1.0).

11. **EXIT -- CANNOT FIND SUPERBASIC TO REPLACE BASIC VARIABLE**

If this exit occurs, the problem must be very badly scaled. A basic variable has reached a bound and must be replaced, but none of the superbasic columns has a pivot element exceeding the **PIVOT TOLERANCE**. The latter could be reduced (at great risk). You should first try specifying **SCALE**.

12. **EXIT -- BASIS FACTORIZATION REQUESTED TWICE IN A ROW**

This exit may occur after the linesearch has terminated unsuccessfully several times in a row. It is a safeguard to prevent the various recovery measures from being repeated endlessly. It should probably be treated as if it were exit 9.

If the following exits occur during the *first* basis factorization, the basic variables x_B will have certain default values that may not be particularly meaningful, and the dual vector π will be zero. BASIS files will be saved if requested, but certain values in the printed solution will not be meaningful. The problem will be terminated, even if the CYCLE LIMIT has not yet been reached.

20. EXIT -- NOT ENOUGH STORAGE FOR THE BASIS FACTORIZATION

The main storage array Z(*) is apparently not large enough for this problem. The routine declaring Z is probably the main program. It should be recompiled with a larger dimension for Z. The new value should also be assigned to *NWCORE*.

In some cases it may be sufficient to increase the specified *WORKSPACE (USER)*, if it is currently less than *WORKSPACE (TOTAL)*.

An estimate of the additional storage required is given in messages preceding the exit.

21. EXIT -- ERROR IN BASIS PACKAGE

A preceding message will describe the error in more detail. One such message says that the current basis has more than one element in row i and column j . This could be caused by a corresponding error in the MPS file. (MINOS does not check for duplicate row names within each column.) Determine the name of row i (e.g., by consulting the i -th entry in the rows section of the printed solution), and scan the *COLUMNS* section of the MPS file for that name. Alternatively, check the $(j - l)$ -th variable in the *COLUMNS* section of the MPS file, where l is the number of slack variables in the basis.

22. EXIT -- THE BASIS IS STRUCTURALLY SINGULAR AFTER TWO FACTORIZATION ATTEMPTS

This exit is highly unlikely to occur. The first factorization attempt will have found the basis to be structurally or numerically singular. (Some diagonals of the triangular matrix *PUQ* were respectively zero or smaller than a certain tolerance.) The associated variables are replaced by slacks and the modified basis is refactored. The ensuing singularity must mean that the problem is badly scaled, or the *LU FACTOR TOLERANCE* is too high.

If the following messages arise, the MPS file was read successfully. However, either an OLD BASIS file could not be loaded properly, or some fatal system error has occurred. New BASIS files cannot be saved, and there is no solution to print. The problem is abandoned.

30. EXIT -- THE BASIS FILE DIMENSIONS DO NOT MATCH THIS PROBLEM

On the first card of the OLD BASIS file, the dimensions labelled *M* and *N* are different from those associated with the MPS file that has just been read. You have probably loaded a file that belongs to some other problem.

Remember, if you have added rows or columns to the MPS file, you will have to alter *M* and *N* and the map beginning on the third card (a hazardous operation). It may be easier to restart with a *PUNCH* or *DUMP* file from the earlier version of the problem.

31. EXIT -- THE BASIS FILE STATE VECTOR DOES NOT MATCH THIS PROBLEM

For some reason, the OLD BASIS file is incompatible with the present problem, or is not consistent within itself. The number of basic entries in the state vector (i.e., the number of 3's in the map) is not the same as M on the first card, or else some of the 2's in the map did not have a corresponding $j \ x_j$ entry following the map.

32. EXIT -- SYSTEM ERROR. WRONG NO. OF BASIC VARIABLES... nnn

This exit should never happen. If it does, something is seriously awry in the MINOS source code. Perhaps the single- and double-precision files have been mixed up.

The following messages arise if the MPS file is seriously deficient, or if additional storage is needed to allow the MPS file to be input or to allow optimization to begin. The problem is abandoned.

40. EXIT -- FATAL ERRORS IN THE MPS FILE

One of the following conditions exists:

1. There are no entries in the ROWS section.
2. There are no entries in the COLUMNS section.
3. A type N row has been selected to be the linear objective row, but it is one of the first m_1 rows, where m_1 is the number of NONLINEAR CONSTRAINTS.

The first two conditions speak for themselves. If condition 3 occurs, the N row may have been selected by default (if you did not specify any OBJECTIVE name in the SPECS file). To prevent this, specify some other (possibly fictitious) row name. Otherwise, you must put the N row after the nonlinear row names in the ROWS section.

41. EXIT -- NOT ENOUGH STORAGE TO READ THE MPS FILE

One of the ROWS, COLUMNS, or ELEMENTS estimates in the SPECS file proved to be too small. The minimum (exact) values are shown in earlier messages. You must specify these values, or higher values, and re-run the problem.

If the MPS data had been on a file of its own (rather than in the card input stream), MINOS would have been able to continue by rewinding the MPS file and trying again.

42. EXIT -- NOT ENOUGH STORAGE TO START SOLVING THE PROBLEM

The MPS file was read successfully, but the main storage array Z(*) is not large enough to provide workspace for the optimization procedure. Be sure that the SUPERBASICS LIMIT and HESSIAN DIMENSION are not unreasonably large. Otherwise, see the advice given for exit 20.

6.4 Solution Output

At the end of a run, the final solution will be output to the PRINT file in accordance with the SOLUTION keyword. Some header information appears first to identify the problem and the final state of the optimization procedure. A ROWS section and a COLUMNS section then follow, giving one line of information for each row and column. The format used is similar to that seen in commercial systems, though there is no rigid industry standard.

ROWS Section

The general constraints take the form $l \leq f(x) + Ay \leq u$, where x and y are the nonlinear and linear variables respectively. The i -th constraint is therefore of the form

$$\alpha \leq f^i(x) + a^T y \leq \beta,$$

and we define the i -th "row" to be the linearization of $f^i(x) + a^T y$. For linear constraints, the i -th row is just $a^T y$.

Internally, the constraints take the form $Lf(x) + Ay + s = 0$ where $Lf(x)$ is the current linearization of $f(x)$, and s is the set of slack variables (which happen to satisfy the bounds $-u \leq s \leq -l$). For the i -th constraint it is the slack variable s_i that is directly available, and it is sometimes convenient to refer to its state.

<i>Label</i>	<i>Description</i>
NUMBER	The value $n + i$. This is the internal number used to refer to the i -th slack in the iteration log.
ROW	The name of the i -th row.
STATE	The state of the i -th row relative to the bounds α and β . The various states possible are as follows.
LL	The row is at its lower limit, α .
UL	The row is at its upper limit, β .
EQ	The row is equal to the RHS element, $\alpha = \beta$.
BS	The constraint is not binding. s_i is basic.
SBS	The constraint is not binding. s_i is superbasic.
	A key is sometimes printed before the STATE to give some additional information about the state of the slack variable.
A	<i>Alternative optimum possible.</i> The slack is nonbasic, but its reduced gradient is essentially zero. This means that if the slack were allowed to start moving away from its bound, there would be no change in the value of the objective function. The values of the basic and superbasic variables <i>might</i> change, giving a genuine alternative solution. However, if there are any degenerate variables (labelled D), the actual change might prove to be zero, since one of them could encounter a bound immediately. In either case, the values of dual variables <i>might</i> also change.
D	<i>Degenerate.</i> The slack is basic or superbasic, but it is equal to (or very close to) one of its bounds.

I *Infeasible.* The slack is basic or superbasic and it is currently violating one of its bounds by more than the **FEASIBILITY TOLERANCE**.

N *Not precisely optimal.* The slack is nonbasic or superbasic. If the **OPTIMALITY TOLERANCE** were tightened by a factor of 10 (e.g., if it were reduced from 10^{-5} to 10^{-6}), the solution would not be declared optimal because the reduced gradient for the slack would not be considered negligible. (If a loose tolerance has been used, or if the run was terminated before optimality, this key might be helpful in deciding whether or not to restart the run.)

Note: If **SCALE** is specified, the tests for assigning the **A, D, I, N** keys are made on the scaled problem, since the keys are then more likely to be correct.

ACTIVITY The row value; i.e., the value of $a^T y$ for linear constraints, or the value of the linearization $Lf'(x) + a^T y$ if the constraint is nonlinear.

SLACK ACTIVITY The amount by which the row differs from its nearest bound. (For free rows, it is taken to be minus the **ACTIVITY**.)

LOWER LIMIT α , the lower bound on the row.

UPPER LIMIT β , the upper bound on the row.

DUAL ACTIVITY The value of the dual variable π_i , often called the shadow price (or simplex multiplier) for the i -th constraint. The full vector π always satisfies $B^T \pi = g_B$, where B is the current basis matrix and g_B contains the associated gradients for the current objective function.

If the solution is feasible, the first m_1 components of π are used at the start of the k -th major iteration to define λ_k , the estimate of the Lagrange multipliers for the nonlinear constraints.

I The constraint number, i .

COLUMNS Section

Here we talk about the "column variables" (x, y) . For convenience we let the j -th component of (x, y) be the variable x_j , and assume that it satisfies the bounds $\alpha \leq x_j \leq \beta$. Linear and nonlinear variables are treated the same.

<i>Label</i>	<i>Description</i>
NUMBER	The column number, j . This is the internal number used to refer to x_j in the iteration log.
COLUMN	The name of x_j .
STATE	The state of x_j relative to the bounds α and β . The various states possible are as follows.
LL	x_j is nonbasic at its lower limit, α .
UL	x_j is nonbasic at its upper limit, β .
EQ	x_j is nonbasic and fixed at the value $\alpha = \beta$.

- FR** x_j is nonbasic and currently zero, even though it is free to take any value. (Its bounds are $\alpha = -\infty$, $\beta = +\infty$. Such variables are normally basic.)
- BS** x_j is basic.
- SBS** x_j is superbasic.

A key is sometimes printed before the STATE to give some additional information about the state of x_j . The possible keys are A, D, I and N. They have the same meaning as described above (for the ROWS section of the solution), but the words "the slack" should be replaced by " x_j ".

- ACTIVITY** The value of the variable x_j .
- OBJ GRADIENT** g_j , the j -th component of the combined linear and nonlinear objective function $F(x) + c^T x + d^T y$. (We define $g_j = 0$ if the current solution is infeasible.)
- LOWER LIMIT** α , the lower bound on x_j .
- UPPER LIMIT** β , the upper bound on x_j .
- REDUCED GRADNT** The reduced gradient $d_j = g_j - \pi^T a_j$, where a_j is the j -th column of the constraint matrix (or the j -th column of the Jacobian at the start of the final major iteration).
- M+J** The value $m + j$.

An example of the printed solution is given in chapter 8. Infinite **UPPER** and **LOWER LIMITS** are output as the word **NONE**. Other real values are output with format **F16.5**. The maximum record length is 111 characters, including the first (carriage-control) character.

Note: If two problems are the same except that one minimizes $F(x)$ and the other maximizes $-F(x)$, their solutions will be the same but the signs of the dual variables π , and the reduced gradients d_j , will be reversed.

6.5 SOLUTION File

If a positive **SOLUTION FILE** is specified, the information contained in a printed solution may also be output to the relevant file (which may be the **PRINT** file if so desired). Infinite **UPPER** and **LOWER LIMITS** appear as $\pm 10^{20}$ rather than **NONE**. Other real values are output with format **1PE16.6**. Again, the maximum record length is 111 characters, including what would be the carriage-control character if the file were printed.

A **SOLUTION** file is intended to be read from disk by a self-contained program that extracts and saves certain values as required for possible further computation. Typically the first 11 records would be ignored. Each subsequent record may be read using

FORMAT(I8, 2X, 2A4, 1X, A1, 1X, A3, 5E16.6, I7)

adapted to suit the occasion. The end of the **ROWS** section is marked by a record that starts with a 1 and is otherwise blank. If this and the next 4 records are skipped, the **COLUMNS** section can then be read under the same format. (There should be no need to use any **BACKSPACE** statements.)

6.6 SUMMARY File

If **SUMMARY FILE** f is specified with $f > 0$, certain brief information will be output to file f . When MINOS is run interactively, file f will usually be the terminal. For batch jobs, a disk file should be used to retain a concise log of each run (if desired; a **SUMMARY** file is more easily perused than the associated **PRINT** file).

A **SUMMARY** file (like the **PRINT** file) is not rewound after a problem has been processed. It can therefore accumulate a log for every problem in the **SPECS** file, if each specifies the same file. The maximum record length is 72 characters, including a carriage-control character in column 1.

The following information is included:

1. The **BEGIN** card from the **SPECS** file.
2. The actual number of rows, columns and elements in the **MPS** file.
3. The basis file loaded, if any.
4. The status of the solution after each basis factorization (whether feasible; the objective value; the number of function calls so far).
5. The same information every k -th iteration, where k is the specified **SUMMARY FREQUENCY** (default $k = 100$).
6. Warnings and error messages.
7. For nonlinear constraints, $\|x_{k+1} - x_k\|$, $\|\lambda_{k+1} - \lambda_k\|$ and the norm of the nonlinear constraint violation at the start of each major iteration.
8. The exit condition and a summary of the final solution.

Item 4 is preceded by a blank line, but item 5 is not. All items are illustrated in Figure 6.1, which shows the **SUMMARY** file for the test problem **MANNE**, using **SUMMARY FREQUENCY 1**.

```

MINOS ( 5.0 DEC 1963 )

BEGIN MANNE10
ROWS          20
COLUMNS      30
ELEMENTS      59
XXXX WARNING - THE RHS IS ZERO

XXXX TOTAL NO. OF ERRORS IN MPS FILE      2

*** FUNCN SETS      7  OUT OF      10  CONSTRAINT GRADIENTS.

-----
START OF MAJOR ITN  1          PENALTY PARAMETER =  1.000-01
CONSTRAINT VIOLATION =  0.0

ITN      0  SINP= 1.0000000000-03  NINF=      1
ITN      1  SINP= 1.0000000000-03  NINF=      1

*** FUNOBJ SETS      17  OUT OF      20  OBJECTIVE GRADIENTS.

ITN      1  OBJ=  2.6690907250+00  FUNS=      1      5  SB=      0
ITN      2  OBJ=  2.6690275500+00  FUNS=     30     23  SB=      9
OPTIMAL SUBPROBLEM AT MINOR ITN  2  -  TOTAL ITNS =      2

```

Figure 6.1. Format of **SUMMARY** file for test problem **MANNE**

```

-----
START OF MAJOR ITN  2          PENALTY PARAMETER =  1.000-01
CHANGE IN JACOBN VARS =  3.3333D-02
CHANGE IN MULTIPLIERS =  9.8643D+00
CONSTRAINT VIOLATION =  9.1735D-06

```

```

ITN   2  OBJ=  2.669730897D+00  FUNS=   31   24  SB=   8
ITN   3  OBJ=  2.669828204D+00  FUNS=   40   33  SB=   7
ITN   4  OBJ=  2.670022604D+00  FUNS=   47   40  SB=   7
OPTIMAL SUBPROBLEM AT MINOR ITN  2 - TOTAL ITNS =  4

```

```

-----
START OF MAJOR ITN  3          PENALTY PARAMETER =  1.000-01
CHANGE IN JACOBN VARS =  1.6701D-02
CHANGE IN MULTIPLIERS =  1.4206D-02
CONSTRAINT VIOLATION =  2.7670D-06

```

```

ITN   4  OBJ=  2.670022627D+00  FUNS=   48   41  SB=   7
ITN   5  OBJ=  2.670063679D+00  FUNS=   59   52  SB=   7
ITN   6  OBJ=  2.670080358D+00  FUNS=   64   57  SB=   7
ITN   7  OBJ=  2.670088009D+00  FUNS=   69   62  SB=   7
ITN   8  OBJ=  2.670092644D+00  FUNS=   76   69  SB=   7
ITN   9  OBJ=  2.670097602D+00  FUNS=   82   75  SB=   7
ITN  10  OBJ=  2.670097667D+00  FUNS=   89   82  SB=   7
ITN  11  OBJ=  2.670097667D+00  FUNS=   94   87  SB=   7
OPTIMAL SUBPROBLEM AT MINOR ITN  7 - TOTAL ITNS =  11

```

```

-----
START OF MAJOR ITN  4          PENALTY PARAMETER =  0.0
CHANGE IN JACOBN VARS =  1.5251D-02
CHANGE IN MULTIPLIERS =  5.7251D-03
CONSTRAINT VIOLATION =  2.0170D-06

```

```

ITN  11  OBJ=  2.670097658D+00  FUNS=   95   88  SB=   7
ITN  12  OBJ=  2.670097658D+00  FUNS=  103   96  SB=   7
OPTIMAL SUBPROBLEM AT MINOR ITN  1 - TOTAL ITNS =  12

```

```

-----
START OF MAJOR ITN  5          PENALTY PARAMETER =  0.0
CHANGE IN JACOBN VARS =  4.0114D-06
CHANGE IN MULTIPLIERS =  9.6064D-07
CONSTRAINT VIOLATION =  1.4354D-13

```

EXIT -- OPTIMAL SOLUTION FOUND

```

MAJOR, MINOR ITNS           5           12
OBJECTIVE FUNCTION         2.6700976576430D+00
SUPERBASICS, RGNORM        7           2.41D-09
XNORM, PINORM              8.18D+00      7.61D+00
FUNOBJ, FUNCON CALLS       103          96

```

BASIS MAP SAVED ON FILE 11 ITN = 12

SOLUTION PRINTED

FUNCON CALLED WITH NSTATE = 2

FUNOBJ CALLED WITH NSTATE = 2

Figure 6.1 (continued). Format of SUMMARY file for test problem MANNE

7. SYSTEM INFORMATION

7.1 Distribution Tape

The source code and test problems for MINOS are distributed on a magnetic tape containing 14 files. The tape characteristics are described in a document accompanying the tape; normally they are: 9 track, 1600 bpi, unlabeled, ASCII, 80-character records (card images), 3600-character blocks.

The following is a list of the files and a summary of their contents. For reference purposes we give a name to each file. However, the names will not be recorded on unlabeled tapes. The **HEAD** and **BODY** files are composed of several smaller files described in section 7.2.

File Name	Type	Cards	Description
1. HEAD1	FORTRAN	923	Source files 1 2: MIOOMAIN and MI10MACH
2. BODY1	FORTRAN	12846	Source files 3 13: MI15BLAS thru MI8ONCON
3. HEAD2	FORTRAN	923	
4. BODY2	FORTRAN	12846	
5. HEAD3	FORTRAN	923	
6. BODY3	FORTRAN	12846	
7. MANNE	DATA	146	SPECS and MPS files for test problem MANNE
8. WEAPON	FORTRAN	56	Double-precision file MIOOMAIN for WEAPON
9. WEAPON	SINGLE	56	Single-precision version of file 8
10. WEAPON	DATA	154	SPECS and MPS files for WEAPON
11. ETAMACRO	FORTRAN	135	Double-precision file MIOOMAIN for ETAMACRO
12. ETAMACRO	SINGLE	135	Single-precision version of file 11
13. ETAMACRO	SPECS	38	SPECS file for ETAMACRO
14. ETAMACRO	MPS	2134	MPS file for ETAMACRO

One **HEAD** and one **BODY** file should be selected for any given installation. **HEAD1** and **BODY1** are intended for machines using Fortran declarations of the form

```

IMPLICIT          REAL*8(A-H,O-Z)
DOUBLE PRECISION Z(NWCORE)
INTEGER           KA(NKA)      (long integers)
INTEGER*2         HA(NE)       (short integers)

```

For example: IBM Systems 360, 370, 3033, 3081, etc.; Amdahl 470, Facom, Fujitsu, Hitachi, and other systems analogous to IBM; DEC VAX 11/750 and 11/780; Data General MV/8000; ICL 2900 series; recent PRIME systems.

HEAD2 and **BODY2** are intended for machines using Fortran declarations of the form

```

IMPLICIT          DOUBLE PRECISION(A-H,O-Z)
DOUBLE PRECISION Z(NWCORE)
INTEGER           KA(NKA)      (long integers only)

```

For example: DEC Systems 10 and 20; Honeywell systems; Univac 1100 series.

HEAD3 and **BODY3** are intended for machines using Fortran declarations of the form

```

REAL              Z(NWCORE)
INTEGER           KA(NKA)

```

For example: Burroughs 6700 and 7700 series; CDC 6000 and 7000 series and their Cyber counterparts; Cray-1.

Installation Procedure

1. Obtain the appropriate **HEAD** and **BODY** files from the tape, along with the test data in file 7 (**MANNE DATA**).
2. Split the **HEAD** file into file **MIOOMAIN** and file **MI10MACH** as suggested in section 7.2.
3. If necessary, edit the subroutines in **MI10MACH** according to section 7.4.
4. Decide whether or not to split the **BODY** file into files **MI15BLAS** through **MI8ONCON** as suggested in section 7.2.
5. If all source code must be compiled together (e.g., with the Watfiv compiler), compile all the routines that were originally in the **HEAD** and **BODY** files, and run them on the test data in file **MANNE DATA**. Check the output against that shown in section 8.4.
6. If all source code can be compiled together and saved as a load module, and if various routines can later be compiled and linked to the load module, then do as described in step 5.
7. If individual routines *cannot* be recompiled to replace those in an already compiled collection, it is essential to compile the four routines in file **MIOOMAIN** separately; these contain the default user routines (appropriate for the test problem **MANNE**), and they will be replaced for other problems. Compile all remaining **HEAD** and **BODY** routines together (or separately if more convenient). In some circumstances it may be desirable to keep subroutines **MIFILE**, **MINOS1** and **MINOS2** separate. Run the resulting code on the test data in file **MANNE DATA**, and check the output against that shown in section 8.4.
8. If further testing is desired, compile the appropriate **WEAPON FORTRAN** file and link it to the previously compiled **MINOS** code. Run it on the **SPECS** and **MPS** files contained in **WEAPON DATA**. See section 7.6 for a summary of the test problem results.
9. For a more demanding test, perform the same steps on the three relevant **ETAMACRO** files.

7.2 Source Files

The source code for **MINOS** is intended to be acceptable to both Fortran 66 and Fortran 77 compilers, with a minimum of editing required for any particular installation. Certain unavoidable machine dependencies are confined to a few short subroutines, involving file definitions, word lengths, and end-of-file recognition. The only widespread difficulty arises in the definition of character strings in **DATA** statements and **FORMAT** statements. For example,

```
DATA      LWORD /4HWORD/
FORMAT(33H FANCY HAVING TO COUNT CHARACTERS)
```

is accepted by most Fortran 66 compilers, but may result in warning messages from Fortran 77 compilers. We have chosen to use quotes to delimit strings, as in

```
DATA      LWORD /'WORD'/
FORMAT(' THIS STRING IS EASY TO TYPE')
```

since it is legal in Fortran 77 and it fails on very few Fortran 66 compilers. (In the past, CDC compilers have allowed strings to be delimited by asterisks (*) rather than quotes.)

DATA statements are used to initialize integer variables to character strings in the manner just shown. The strings vary from 1 to 4 characters in length. Implicitly typed integers are therefore assumed to be at least 32 bits long. On some systems (e.g., **PRIME**) this means that a compiler option must be invoked to treat implicit integers as "long". (Elsewhere in the source code, variables that are intended to be 16 bits long are explicitly typed **INTEGER*2**.)

The source code is divided into 13 logical parts. For ease of handling, these are combined into the HEAD and BODY files on the distribution tape, but for subsequent maintenance we recommend that 13 separate files be kept. In the description below we suggest a name for each file and summarize its purpose. We then list the names of the Fortran subroutines and functions involved. The naming convention used should minimize the risk of a clash with user-written routines.

File 1. **MI00MAIN** *Main program and default user routines.*

MAIN FUNOBJ FUNCON MATMOD

File 2. **MI10MACH** *Machine-dependent routines.*

MIFILE MINOS1 MINOS2 M1HASH M1INIT M1READ

File 3. **MI15BLAS** *Basic Linear Algebra Subprograms (a subset).*

DASUM DAXPY DCOPY DDOT DNRM2 DSCAL

These routines are functionally similar to members of the BLAS package (Lawson, *et al.*, 1979). Beware that they perform the correct function only when the parameters INCX and INCY are both equal to 1 (which is the only way MINOS uses them). If possible they should be replaced by authentic BLAS routines. There may exist versions that have been tuned to your particular machine.

DZERO HCOPY ICOPY

These are additional utility routines that could be tuned to your machine. DZERO is used the most, to set a vector to zero. If tuned versions of the BLAS are available, DZERO could call DCOPY with appropriate arguments.

File 4. **MI20AMAT** *Constraint matrix routines.*

M2APRD M2APR5 M2APR7 M2APR8 M2BSPR M2CRSH M2SCAL M2UNPK
M2UNP2 MATCOL

File 5. **MI25BFAC** *Basis factorization routines.*

LU1FAC LU2FAC LU3CP LU4AC LU4AR LU5PQ1 LU5PQ2 LU5PQ3
LU6SOL LU7MVR LU7MVW LU8RPC M2BELM M2BFAC M2BMAP M2BSOL
M2SING

File 6. **MI30SPEC** *SPECS file routines.*

M3SPCO M3SPC1 M3SPC2

File 7. **MI35INPT** *Storage allocation and MPS file input.*

M3CORE M3INPT M3MPS M3NAME M3READ

File 8. **MI40BFIL** *BASIS file input/output and SOLUTION printing.*

M4GETB M4DUMP M4INST M4LOAD M4NEWB M4OLDB M4PNCH M4SAVB
M4SOLN M4SOL1 M4SOL2

File 9. **MI50LP** *Primal simplex method.*

M5CHZR M5FRMC M5LOG M5LPIT M5PRIC M5SETP M5SETX M5SOLV

File 10. **MI6OSRCH** *Linesearch and merit function.*

GETPTC GETPTQ MERFUN MERGRD MERSAV SEARCH M6DCON M6DOBJ
M6DMY M6FCON M6FOBJ

File 11. **MI65RMOD** *Maintaining the quasi-Newton factor R.*

M6BFGS M6BSWP M6RADD M6RCND M6RDEL M6RMOD M6RSET M6RSOL
M6SWAP

File 12. **MI7ONOBJ** *Nonlinear objective; reduced-gradient algorithm.*

M7BSG M7BSX M7CHKD M7CHKG M7CHZQ M7RG M7RGIT M7SDIR
M7SSCV

File 13. **MIBONCON** *Nonlinear constraints; projected Lagrangian algorithm.*

M8AJAC M8AUGL M8AUG1 M8CHKJ M8PRTJ M8SETJ

7.3 COMMON Blocks

Certain Fortran COMMON blocks are used in the MINOS source code to communicate between subroutines. Their names are listed below.

M1EPS M1FILE M1WORD
M2FILE M2LU1 M2LU2 M2LU3 M2MAPA M2MAPZ M2PARM
M3LEN M3LOC M3MPS1 M3MPS2 M3MPS3 M3MPS4 M3SCAL
M5LEN M5LOC M5FREQ M5LOBJ M5LOG1 M5LOG2 M5LOG3 M5LP1
M5LP2 M5PRC M5TOLS
M7LEN M7LOC M7CG1 M7CG2 M7CONV M7PHES M7TOLS
M8LEN M8LOC M8AL1 M8AL2 M8DIFF M8FUNC M8SAVE M8VERI
CYCLCM

A complete listing of the COMMON blocks and their contents appears in subroutine MINOS2. (Also see section 2.6). It may be convenient to make use of these occasionally; for example,

```
COMMON /M1FILE/ IREAD, IPRINT, ISUMM
```

gives the file numbers for the system reader and printer and for the SUMMARY file. Otherwise, the naming convention should again minimize the risk of a clash with user-defined COMMON blocks and subroutines.

As supplied, MINOS does not use blank COMMON. However, in some installations it may be desirable to store the workspace array Z there, as noted in the next section.

7.4 Machine-dependent Subroutines

Some of the routines in the HEAD file may require modification to suit a particular machine or a non-standard application. We discuss each of them in turn.

The Main Program

The workspace for MINOS is allocated in the main program by code of the following form:

```

      DOUBLE PRECISION  Z(10000)
      DATA             NWCORE/10000/
C
      CALL MINOS1( Z,NWCORE )
      RETURN
C
C      END OF MAIN
      END

```

Ten thousand words of storage are sufficient to solve small examples such as the test problems MANNE and WEAPON. About 25000 words are needed for ETAMACRO, which has approximately 400 constraints and 700 variables. For linear programs containing m constraints, the length of Z should be roughly $100m$, depending on the density of the constraint matrix. Nonlinear programs may require more workspace if there are many nonlinear variables.

On some machines it is possible to replace the main program by a non-Fortran routine that allocates storage for Z at run-time.

For Burroughs installations, the main program should allocate Z by calling an Algol procedure GETCOR (not provided), which in turn should call MINOS1 as above. This will overcome two problems in the process:

1. The binder can replace GETCOR in a compiled code file (but it cannot replace the main program).
2. The length of Z is effectively unlimited if declared in an Algol procedure (but is restricted to be 65535 or less when declared in Fortran).

In some installations it will be desirable to put Z in blank COMMON and then extend it at run-time if necessary. This could be done in MAIN, or in subroutine MINOS2 (see below).

On Honeywell machines, Z must be in blank or labeled COMMON to avoid a limit on the total storage for local variables (16K words).

The CDC version of MAIN will need to begin with PROGRAM cards of the following general form:

```

      PROGRAM MINOS( INPUT, OUTPUT, TAPE5=INPUT, TAPE6=OUTPUT,
1             TAPE8, TAPE9, TAPE10, TAPE11,
2             TAPE12, TAPE13, TAPE14, TAPE15 )

```

The unit numbers are suggested for use as follows:

TAPE8	The SCRATCH file (record length 8)
TAPE9	A SUMMARY file (e.g., a terminal)
TAPE10	An MPS file
TAPE11	An OLD BASIS file and/or a BACKUP file
TAPE12	A NEW BASIS file

TAPE13	An INSERT file or a LOAD file
TAPE14	A PUNCH file or a DUMP file
TAPE15	A SOLUTION file (record length 111)

Subroutines FUNOBJ, FUNCON, MATMOD

These are the user routines described in Chapter 2. The HEAD file contains default versions that are appropriate for the test problem MANNE. They test if PROBLEM NUMBER 1111 has been specified, as in the file MANNE DATA. If not, they terminate the run with a message indicating that the required subroutine has not been loaded. (See exit 6 in section 6.3.)

Subroutine MIFILE

This subroutine assigns explicit unit numbers to certain global files, namely the "card reader", the "line printer", the SCRATCH file, and the SPECS file. Typical values are 5, 6, 8, and 5, but these will not be suitable for all installations.

In some cases (e.g., DEC 10 and 20), MIFILE must use explicit OPEN statements to open both the global files and certain others that are defined in the SPECS file for a particular problem, and to assign symbolic names to these files. In such cases, it may be sensible to let the user compile his own version of MIFILE each time MINOS is run.

For Burroughs installations, MIFILE may need to be compiled separately with some Burroughs FILE statements inserted at the start (since they must be the first statements that the compiler sees). The attributes in these FILE statements can be altered by the usual WFL statements associated with a run, but their default values cannot be altered by binding in a different version of MIFILE. It is therefore advisable to consider the FILE statements carefully before compiling the entire source code.

Subroutine MINOS1

This opens some global files and then passes the array Z to subroutine MINOS2 as many times as necessary, until a signal is given that all problems in the SPECS file have been processed.

For special applications, MINOS1 may need to be expanded. The most likely extension would be to call a matrix generator and a report writer (before and after the call to subroutine MINOS2).

Subroutine MINOS2

For special applications, MINOS2 may require modification. Again, one may wish to insert calls to a matrix generator or a report writer.

Some systems (e.g., CDC) allow blank COMMON to be extended at run-time. If so, a sensible place to do this is after the call to M3CORE, making use of the integer variables NWCORE, MINCOR and MAXZ. MINCOR will contain an estimate of the amount of storage required, and the user may assign a value to MAXZ by means of a data card of the form

```
WORKSPACE (TOTAL) 50000
```

in the SPECS file. See the in-line documentation for further details.

Subroutine M1HASH

This subroutine should not require modification if a word containing four characters of left-justified data (read under A4 format) can be treated as a valid INTEGER.

On certain machines that regard INTEGER variables as a subset of the REALs, the characters must be right-shifted in order to produce a zero floating-point exponent. The in-line documentation points to four words requiring conversion.

For CDC and Cray installations, an offending word KEY1 may be converted into an acceptable integer K1 as follows:

```
DECODE( 4,10,KEY1 ) K1
10 FORMAT(R4)
```

For Burroughs machines, the following statement has the required effect if KZERO = 0:

```
K1 = CONCAT( KZERO,KEY1,31,47,32 )
```

Burroughs installations need some further non-standard Fortran to facilitate character comparisons. In M1HASH, the statement

```
IF (KEY1 .EQ. NAME1(KT) .AND. KEY2 .EQ. NAME2(KT)) GO TO 60
```

must be changed to use ".IS." in place of ".EQ.", and the same change must be made to many ".EQ." tests in subroutine M3SPC1 (in the BODY file).

Subroutine M1INIT

The variable EPS in this subroutine should be set to the relative precision of the machine's floating-point arithmetic, when it operates on words of the same type as the main storage array Z. Typical values are as follows:

```
EPS = 16.0**(-13) for IBM systems,
EPS = 2.0**(-55) for DEC VAX 11/780 with standard double precision,
EPS = 2.0**(-61) for DEC 10 and 20,
EPS = 2.0**(-62) for Honeywell systems,
EPS = 2.0**(-59) for Univac systems,
EPS = 2.0**(-47) for CDC and Cray systems,
EPS = 2.0**(-37) for Burroughs systems.
```

Some VAX systems have additional double-precision hardware with slightly lower precision but a greater exponent range. Use of this option may be worthwhile, since it will essentially eliminate some annoying (but otherwise harmless) occurrences of floating-point underflow.

Subroutine M1READ

This subroutine contains a READ statement that is required to recognize an end-of-file condition (when reading the SPECS file). Most compilers allow the form

```
READ(ISPECS, 1000, END=900) L,LINE
RETURN
```


but CDC compilers require the statements

```
READ(ISPECS, 1000) L,LINE
IF (EOF(ISPECS)) 900, 100
100 RETURN
```

Note: Once installed correctly, subroutines M1HASH, M1INIT and M1READ will not be changed by the user. They should be treated the same as the subroutines in the BODY file.

7.5 Subroutine Structure

The first five levels of the subroutine hierarchy are shown below.



1. The main program allocates workspace and calls MINOS1.
2. MINOS1 defines the READ, PRINT, SCRATCH and SPECS files via MIFILE, then calls MINOS2 once for each problem in the SPECS file.
3. MINOS2 inputs the SPECS file and the MPS file, loads an initial basis, solves the problem (or a sequence of problems according to the CYCLE LIMIT), and finally saves BASIS files and prints the solution.

7.6 Test Problems

Test Problem MANNE

This is a small example of an economic model due to Manne (1979). It has a nonlinear objective function, 10 nonlinear constraints, 10 linear constraints, and 30 variables. The nonlinearities are defined by the default function routines FUNOBJ and FUNCON in the MINOS source code. The starting point given in the MPS file is intentionally close to the optimum solution, to make this an inexpensive test problem. Other values in the INITIAL bounds set can be tried.

As supplied, FUNOBJ and FUNCON compute all gradients analytically if the SPECS file specifies DERIVATIVE LEVEL 3. For test purposes, the first three nonzero gradients in each routine are *not* computed if DERIVATIVE LEVEL = 0. We give a summary of the output produced by MINOS for the latter case. A full listing appears in section 8.4.

For this and later examples, the results were obtained on an IBM 3081 using the Fortran II Extended (Enhanced) compiler with optimization level OPT=3.

Maximum objective value:	2.67009603
Iterations to get feasible:	1
Total iterations:	14
Major iterations:	3
Evaluations of $F(x)$ and its gradient:	21
Evaluations of $f(x)$ and its Jacobian:	24
Number of superbasis at optimum:	7
CPU time (IBM 3081):	0.3 seconds

The Weapon Assignment Problem, WEAPON

This problem has a nonlinear objective function and linear constraints. It is described by Bracken and McCormick (1969) and Himmelblau (1972). The constraint matrix is 12×100 and all 100 variables occur nonlinearly in the objective function $F(x)$. The latter depends on 12 data cards which are read during the first entry to subroutine FUNOBJ.

The following are some solution statistics, obtained by MINOS on an IBM 3081 as noted above. They give an indication of the effort required to solve the problem. However, one should not expect to obtain identical results on some other machine.

Minimum objective value:	-1735.56958
Iterations to get feasible:	3
Total iterations:	120
Evaluations of $F(x)$ and its gradient:	270
Number of superbasis at optimum:	18
CPU time (IBM 3081):	2 seconds

Test Problem ETAMACRO (linear version)

This is one example of the energy model developed by Manne (1977). The constraint matrix is 401×689 . To obtain a linear problem, we have included one linear objective row **OPTIMALG** in the MPS file. The latter also contains one right-hand-side vector **RHS00001**, and one bounds set **BOUNDS01**.

The objective row **OPTIMALG** contains the optimal gradient values for the 80 nonlinear variables in the original (nonlinear) form of ETAMACRO. Hence the linear version of the problem has the same optimal dual variables π as the nonlinear version (but rather different primal variables x).

The file **ETAMACRO SPECS** is set up to solve this linear program first. It asks for the linear variables and constraints to be scaled. (Note that it also asks for a **BASIS** map to be saved on unit 11 every 100 iterations. This may be used as a starting basis for the nonlinear version of the problem.)

Typical solution statistics follow.

Maximum objective value:	755.715213
Iterations to get feasible:	240
Total iterations:	904
CPU time (IBM 3081):	15 seconds

Test Problem ETAMACRO (nonlinear version)

The objective function for the original form of the energy model is entirely nonlinear, and involves the first 80 variables. It is defined by subroutine **FUNOBJ** in file **ETAMACRO FORTRAN**. It depends on 3 data cards which are included at the end of file **ETAMACRO SPECS** and are read during the first entry to **FUNOBJ**.

The MPS file does not initialize any of the nonlinear variables. When started from the optimal solution to the preceding linear problem, typical solution statistics (with scaling requested) are as follows.

Maximum objective value:	1337.72468
Iterations to get feasible:	0
Total iterations:	235
Evaluations of $F(x)$ and its gradient:	444
Number of superbasics at optimum:	28
CPU time (IBM 3081):	7 seconds

From a cold start, with and without scaling, typical statistics are as follows.

	SCALE YES	SCALE NO
Maximum objective value:	1337.72468	1337.72468
Iterations to get feasible:	235	213
Total iterations:	1022	1267
Evaluations of $F(x)$ and its gradient:	1271	1554
Number of superbasics at optimum:	28	28
CPU time (IBM 3081):	21 seconds	28 seconds

8. EXAMPLES

The following sections define some example problems and show the input required to solve them using MINOS. The last example in section 8.4 is test problem MANNE as supplied on the distribution tape. For this example we also give the output produced by MINOS.

As the examples show, certain Fortran routines may be required to run a particular problem, depending on the problem and on the Fortran installation:

- A main program to allocate workspace
- Subroutine FUNOBJ to define a nonlinear objective function (if any)
- Subroutine FUNCON to define nonlinear constraint functions (if any)
- Subroutine MATMOD for special applications

The following input items are *always* required:

- A SPECS file
- An MPS file

Additional input may include a BASIS file and data read by the Fortran routines.

Load modules and file specifications are inevitably machine-dependent. A resident expert will be needed to install MINOS on your particular machine and to recommend job control or operating system commands. On some machines it will be possible to run *linear programs* through MINOS without compiling any routines or linking them to the MINOS code file. For nonlinear problems, some compilation and linking is unavoidable.

For some installations it may also be convenient to have your own copy of subroutine MIFILE, to define certain file attributes in (non-standard) Fortran, rather than via operating system commands. The resident expert will know best.

Good luck! We hope the examples that follow are general enough to set you on the right track.

8.1 Linear Programming

One of the classical applications of the simplex method was to the so-called *diet problem*. Given the nutritional content of a selection of foods, the cost of each food, and the consumer's minimum daily requirements, the problem is to find the combination that is least expensive. The following example is taken from Chvátal (1983).

$$\text{minimize } c^T x \quad \text{subject to} \quad Ax \geq b, \quad 0 \leq x \leq u,$$

where

$$A = \begin{pmatrix} 110 & 205 & 160 & 160 & 420 & 260 \\ 4 & 32 & 13 & 8 & 4 & 14 \\ 2 & 12 & 54 & 285 & 22 & 80 \end{pmatrix}, \quad b = \begin{pmatrix} 2000 \\ 55 \\ 800 \end{pmatrix},$$

and

$$c = (3 \ 24 \ 13 \ 9 \ 20 \ 19)^T, \quad u = (4 \ 3 \ 2 \ 8 \ 2 \ 2)^T.$$

Main program (not needed for some installations)

```
DOUBLE PRECISION  Z(10000)
DATA              NWCORE/10000/
C
CALL MINOS1( Z,NWCORE )
STOP
END
```

Dummy user routines (not needed for some installations)

```
SUBROUTINE FUNOBJ
ENTRY FUNCON
ENTRY MATMOD
RETURN
END
```

SPECS File

```
BEGIN DIET PROBLEM
MINIMIZE
ROWS                20
COLUMNS            30
ELEMENTS            50

SUMMARY FILE        9
SUMMARY FREQUENCY   1 * (for small problems only)
NEW BASIS FILE      11
END DIET PROBLEM
```

MPS File

```

NAME          DIET
ROWS
G  ENERGY
G  PROTEIN
G  CALCIUM
N  COST
COLUMNS
OATMEAL  ENERGY  110.0    PRGTEIN    4.0
OATMEAL  CALCIUM   2.0      COST       3.0
CHICKEN  ENERGY  205.0    PROTEIN    32.0
CHICKEN  CALCIUM   12.0     COST       24.0
EGGS     ENERGY  160.0    PROTEIN    13.0
EGGS     CALCIUM   54.0     COST       13.0
MILK     ENERGY  160.0    PROTEIN    8.0
MILK     CALCIUM  285.0    COST       9.0
PIE      ENERGY  420.0    PROTEIN    4.0
PIE      CALCIUM   22.0     COST       20.0
PORKBEAN ENERGY  260.0    PROTEIN    14.0
PORKBEAN CALCIUM   80.0     COST       19.0
RHS
DEMANDS  ENERGY  2000.0    PROTEIN    55.0
DEMANDS  CALCIUM   800.0
BOUNDS
UP SERVINGS OATMEAL  4.0
UP SERVINGS CHICKEN  3.0
UP SERVINGS EGGS     2.0
UP SERVINGS MILK     8.0
UP SERVINGS PIE      2.0
UP SERVINGS PORKBEAN 2.0
ENDATA

```

Notes on the Diet Problem

1. For small problems such as this, the SPECS file does not really need to specify certain parameters, because the default values are large enough. However, we include them as a reminder for more substantial models.
2. In the MPS file we put the objective row last. Looking ahead, this is one way of ensuring that it does not get mixed up with nonlinear constraints, whose names must appear *first* in the ROWS section.
3. The constraint matrix is unusual in being 100% *dense*. Most models have at least a few zeros in each column and in b . They would not need to appear in the COLUMNS and RHS sections.
4. MINOS takes three iterations to solve the problem. The optimal objective is $c^T x = 92.5$. The optimal solution is $x = (4, 0, 0, 4.5, 2, 0)^T$ and $s = (0, -5, -534.5)^T$. The optimal dual variables are $\pi = (0.05625, 0, 0)^T$.

8.2 Unconstrained Optimization

The following is a classical unconstrained problem, due to Rosenbrock (1960):

$$\text{minimize } F(x) = 100(x_2 - x_1^2)^2 + (1 - x_1)^2.$$

We use it to illustrate the data required to minimize a function with no general constraints. Bounds on the variables are easily included; we specify $-10 \leq x_1 \leq 5$ and $-10 \leq x_2 \leq 10$.

Calculation of $F(x)$ and its gradients

```

SUBROUTINE FUNOBJ( MODE, N, X, F, G, NSTATE, NPROB, Z, NWCORE )
  IMPLICIT      REAL*8(A-H,O-Z)
  DOUBLE PRECISION  X(N), G(N), Z(NWCORE)

C
C  ROSENBRÖCK'S BANANA FUNCTION.
C
  X1      =  X(1)
  X2      =  X(2)
  T1      =  X2 - X1**2
  T2      =  1.0 - X1
  F       =  100.0 * T1**2 + T2**2
  G(1)    =  - 400.0 * T1 * X1 - 2.0 * T2
  G(2)    =  200.0 * T1
  RETURN

C
C  END OF FUNOBJ FOR ROSENBRÖCK
  END

```

SPECS File

```

BEGIN ROSENBRÖCK
  OBJECTIVE = FUNOBJ
  NONLINEAR VARIABLES 2
  SUPERBASICS LIMIT 3

  LOWER BOUND -10.0
  UPPER BOUND 10.0

  SUMMARY FILE 9
  SUMMARY FREQUENCY 1
  ITERATIONS LIMIT 50
END ROSENBRÖCK

```

MPS File

```

NAME          ROSENBROCK
ROWS
  N DUMMYROW
COLUMNS
  X1
  X2
RHS
BOUNDS
  UP BOUND1   X1          5.0
  FX INITIAL  X1          -1.2
  FX INITIAL  X2          1.0
ENDATA

```

Notes on Rosenbrock's function

1. There is nothing special about subroutine FUNOBJ. It returns the function value $F(x)$ and two gradient values $g_j = \partial F / \partial x_j$ on every entry. If G(1) or G(2) were not assigned values, MINOS would "notice" and proceed to estimate either or both by finite differences.
2. The SPECS file apparently does not need to estimate the dimensions of the constraint matrix A , which is supposed to be void anyway. But in fact, MINOS will represent A as a $1 \times n_1$ matrix containing n_1 elements that are all zero. For very large unconstrained problems, the COLUMNS and ELEMENTS keywords must be specified accordingly.
3. The SPECS file must specify the exact number of nonlinear variables, n_1 . To allow a little elbow room, the SUPERBASICS LIMIT must be set to $n_1 + 1$, unless it is known that some of the bounds will be active at the solution.
4. The MPS file must specify at least one row. Here it is a dummy free row (type N = non-binding constraint). The basis matrix will remain $B = I$ throughout, corresponding to the slack variable on the free row.
5. The COLUMNS section contains just a list of the variable names. The RHS header card must appear, but a free row has no right-hand-side entry.
6. Uniform bounds $-10 \leq x_j \leq 10$ are specified in the SPECS file as a matter of good practice. Their presence does not imply additional work. If the LOWER and UPPER BOUND keywords did not appear, the variables would implicitly have the bounds $0 \leq x_j \leq \infty$, which will not always be appropriate.
7. With the uniform bounds specified, only one additional card is needed in the BOUNDS section to impose the restriction $x_1 \leq 5$.
8. The INITIAL bound set illustrates how the starting point $(x_1, x_2) = (-1.2, 1.0)$ is specified. These cards must appear at the end of the BOUNDS section. Since the SUPERBASICS LIMIT is sufficiently high, both variables will initially be superbasic at the indicated values.
9. If the INITIAL bound set were absent (and if no BASIS file were loaded), x_1 and x_2 would initially be nonbasic at the bound that is smaller in absolute value (with ties broken in favor of lower bounds); in this case, $x_1 = u_1 = 5$ and $x_2 = l_2 = -10$.
10. From the standard starting point shown, a quasi-Newton method with a moderately accurate linesearch takes about 20 iterations and 60 function and gradient evaluations to reach the unique solution $x_1 = x_2 = 1.0$.

AD-A138 522

MINOS 50 USER'S GUIDE(U) STANFORD UNIV CA SYSTEMS
OPTIMIZATION LAB B A MURTAGH ET AL. DEC 83 SOL-83-20
ARO-18424.14-MA N00014-75-C-0267


2/2

UNCLASSIFIED

F/G 9/2

NL

END
DATE
FORMED
3-84
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

8.3 Linearly Constrained Optimization

Quadratic programming (QP) is a particular case of linearly constrained optimization, in which the objective function $F(x)$ includes linear and quadratic terms. There is no special way of informing MINOS that $F(x)$ is quadratic, but the algorithms in MINOS will tend to perform more efficiently on quadratics than on other nonlinear functions. The following items are required to solve the quadratic program

$$\text{minimize } F(x) = \frac{1}{2}x^T Qx + c^T x \quad \text{subject to} \quad Ax \leq b, \quad x \geq 0$$

for the particular data

$$Q = \begin{pmatrix} 4 & 2 & 2 \\ 2 & 4 & 0 \\ 2 & 0 & 2 \end{pmatrix}, \quad c = \begin{pmatrix} -8 \\ -6 \\ -4 \end{pmatrix}, \quad A = (1 \ 1 \ 2), \quad b = 3.$$

Calculation of quadratic term and its gradients

```

SUBROUTINE FUNOBJ( MODE, N, X, F, G, NSTATE, NPROB, Z, NWCORE )
IMPLICIT          REAL*8(A-H,O-Z)
DOUBLE PRECISION X(N), G(N), Z(NWCORE)
COMMON           /QPCOMM/ Q(50,50)

C
C   Computation of  F = 1/2 x'Qx,  g = Qx.
C   The COMMON statement and subroutine SETQ are problem dependent.
C
C
C   IF (NSTATE .EQ. 1) CALL SETQ( Q, 50, N )
F      = 0.0

C
DO 200 I = 1, N
  GRAD = 0.0
  DO 100 J = 1, N
    GRAD = GRAD + Q(I,J)*X(J)
100   CONTINUE
  F      = F + X(I)*GRAD
  G(I)   = GRAD
200   CONTINUE

C
F      = 0.5*F
RETURN

C
C   END OF FUNOBJ FOR QP
END

```

SPECS File

```

BEGIN QP
  NONLINEAR VARIABLES  3
  SUPERBASICS LIMIT   3

  SUMMARY FILE        9
  SUMMARY FREQUENCY   1
  ITERATIONS LIMIT    50
END QP

```

MPS File

```

NAME          QP
ROWS
  L  A
  N  C
COLUMNS
  X1  A      1.0    C      -8.0
  X2  A      1.0    C      -6.0
  X3  A      2.0    C      -4.0
RHS
  B   A      3.0
ENDATA

```

Notes on the QP example

1. In subroutine FUNOBJ we assume that the array $Q(*,*)$ is initialized during the first entry by another subroutine SETQ, which is problem-dependent. The COMMON statement is also problem-dependent and is included to ensure that Q will retain its values for later entries. (In some Fortran implementations, local variables are not retained between entries.)
2. The quadratic form will often involve only some of the variables. In such cases the variables should be ordered so that the nonzero rows and columns of Q come first, thus:

$$Q = \begin{pmatrix} \bar{Q} & \\ & 0 \end{pmatrix}.$$

3. The parameter N and the number of NONLINEAR VARIABLES would then be the dimension of \bar{Q} .
4. FUNOBJ could have computed the linear term $c^T x$ (and its gradient c). However we have included c as an objective row in the MPS file, in the same manner as for linear programs. This is more general, because c could contain entries for all variables, not just those associated with \bar{Q} .
5. Beware—if $c \neq 0$, the factor $\frac{1}{2}$ makes a vital difference to the function being minimized.
6. The optimal solution to the QP problem as stated is

$$z = (1.3333, 0.77777, 0.44444), \quad \frac{1}{2}z^T Q z = 8.2222, \quad c^T z = -17.111 \quad F(z) = -8.8888.$$

Test Problems WEAPON and ETAMACRO

The MINOS distribution tape contains data for these two linearly constrained problems. The SPECS file for ETAMACRO is as follows. It is set up to solve a linear form of the problem first, and then use the optimal basis as a starting point for the nonlinear form.

```

BEGIN ETAMACRO AS AN LP PROBLEM.
MAXIMIZE
OBJECTIVE = OPTIMALS
ROWS          500
COLUMNS     700
ELEMENTS     2600

SUBMARY FILE      9
MPS FILE         10
NEW BASIS FILE   11

SCALE           YES
ITERATIONS     1000
END

BEGIN ALAN HANNE'S ENERGY MODEL ETAMACRO
MAXIMIZE
OBJECTIVE = FUNOBJ
ROWS          500
COLUMNS     700
ELEMENTS     2600

SUBMARY FILE      9
MPS FILE         10
OLD BASIS FILE   11
NEW BASIS FILE   12

NONLINEAR VARIABLES  60
SUPERBASICS LIMIT   40

SCALE           YES
ITERATIONS     2000
*
* NOTE -- AFTER THIS SPECS FILE THERE ARE 3 CARDS OF DATA,
* TO BE READ ON THE FIRST ENTRY TO SUBROUTINE FUNOBJ.
END
1.160  1.446  1.717  2.039  2.364  2.740  3.101  3.508
3.873  4.276  4.721  5.213  5.755  6.354  7.016  7.746
10.000  0.200  0.400  0.3330  0.000

```

Linear Least Squares

Data-fitting can give rise to a *constrained linear least-squares* problem of the form

$$\text{minimize } \|Xz - y\|_2 \quad \text{subject to } Az \geq b, \quad l \leq z \leq u.$$

This problem may be solved with MINOS as it stands, by coding subroutine FUNOBJ to compute the objective function $F(z) = \frac{1}{2} \|Xz - y\|_2^2$ and its gradient $g(z) = X^T(Xz - y)$. If X is a sparse matrix, it may be more convenient to express the problem in the form

$$\text{minimize } F(r) = \frac{1}{2} r^T r \quad \text{subject to } \begin{pmatrix} I & X \\ & A \end{pmatrix} \begin{pmatrix} r \\ z \end{pmatrix} = \begin{pmatrix} y \\ b \end{pmatrix}, \quad r \text{ free}, \quad l \leq z \leq u.$$

Notes on the least-squares problem

1. As usual, the constraints in $Az \geq b$ may include all types of inequality.
2. $r = y - Xz$ is the residual vector and $r^T r$ is the sum of squares.
3. The objective function is easily programmed as $F(r) = \frac{1}{2} r^T r$ and $g(r) = r$.
4. More stable methods are known for the least-squares problem. If there are no constraints at all, several codes are available for minimizing $\|Xz - y\|_2$ when X is either dense or sparse. When there are equality constraints only ($Az = b$), we know of one specialized method that can treat X and A as sparse matrices (Björck and Duff, 1980). For the more general case with inequalities and bounds, MINOS is one of very few systems that could attempt to solve problems in which X and A are sparse. However, if n (the dimension of x) is very large, MINOS will not be efficient unless almost n constraints and bounds are active at the solution.
5. If it is expected that most of the elements of x will be away from their bounds, it will be worthwhile to specify MULTIPLE PRICE 10 (say). This will allow up to 10 variables at a time to be added to the set currently being optimized, instead of the usual 1.

The Discrete ℓ_1 Problem

An apparently similar data-fitting problem is

$$\text{minimize } \|Xz - y\|_1 \quad \text{subject to } Az \geq b$$

where $\|r\|_1 \equiv \sum |r_i|$. However, this problem is best solved by means of the following purely linear program:

$$\begin{aligned} & \text{maximize}_{\lambda, \mu} \quad y^T \lambda + b^T \mu \\ & \text{subject to} \quad X^T \lambda + A^T \mu = 0, \quad -1 \leq \lambda_i \leq 1, \quad \mu \geq 0. \end{aligned}$$

Notes on the ℓ_1 problem

1. The solution x is recovered as the dual variables, i.e., the Lagrange multipliers associated with the general constraints.
2. The optimal value of $\|Xz - y\|_1$ is the sum of the absolute values of the reduced costs associated with λ . (It is also the maximal value of $y^T \lambda + b^T \mu$.)
3. If a particular row in $Az \geq b$ is required to be an equality constraint, the corresponding component of μ should be a free variable.
4. It does not appear simple to include the bounds $l \leq x \leq u$ except as part of $Az \geq b$. If there are many finite bounds, it may be best to solve the original problem directly as a linear program, thus:

$$\begin{aligned} & \text{minimize}_{r, s} \quad e^T r + e^T s \\ & \text{subject to} \quad \begin{pmatrix} I & A \\ -I & X \end{pmatrix} \begin{pmatrix} r \\ s \end{pmatrix} \geq \begin{pmatrix} b \\ y \end{pmatrix}, \quad r, s \geq 0, \quad l \leq x \leq u, \end{aligned}$$

where $e^T = (1 \ 1 \ \dots \ 1)$.

8.4 Nonlinearly Constrained Optimization

Two example problems are described here to illustrate the subroutines and data required to specify a problem with nonlinear constraints. The first example is small, dense and highly nonlinear; it shows how the Jacobian matrix may be handled most simply (as a dense matrix) when there are very few nonlinear constraints or variables. The second example has both linear and nonlinear constraints, and illustrates most of the features that will be present in large-scale applications where it is essential to treat the Jacobian as a sparse matrix.

Problem MHW4D (Wright (1976), example 4, starting point D)

$$\text{minimize } (x_1 - 1)^2 + (x_1 - x_2)^2 + (x_2 - x_3)^3 + (x_3 - x_4)^4 + (x_4 - x_5)^4$$

$$\text{subject to } x_1 + x_2^2 + x_3^3 = 3\sqrt{2} + 2,$$

$$x_2 - x_3^2 + x_4 = 2\sqrt{2} - 2,$$

$$x_1 x_5 = 2.$$

Starting point: $x_0 = (-1, 2, 1, -2, -2)$

Notes for problem MHW4D

1. The function subroutines include code for a second problem (Wright, 1976, example 9). The parameter `NPROB` is used to branch to the appropriate calculation.
2. In subroutine `FUNOBJ`, `F` is the value of the objective function $F(x)$ and `G` contains the corresponding 5 partial derivatives.
3. In subroutine `FUNCON`, `F` is an array containing the vector of constraint functions $f(x)$, and `G` holds the Jacobian matrix; thus, the i -th row of `G` contains the partial derivatives for the i -th constraint. In this example the Jacobian is best treated as a dense matrix, so `G` is a two-dimensional array. Note that several elements of `G` are zero; they do not need to be explicitly set.
4. Subroutine `FUNCON` will be called before subroutine `FUNOBJ`. The parameter `NSTATE` is used to print a message on the very first entry to `FUNCON`. This is just a matter of good practice, since it is often convenient to compile `MINOS` and the function routines into an executable code file, and one can easily forget which particular function routines were used.
5. The `SPECS` file shown contains keywords that should in general be specified for small, dense problems (i.e., ones whose default values would not be ideal).
6. The `COLUMNS` section of the `MPS` file contains only the names of the variables, since they are all "nonlinear", and because there are no linear constraints.
7. The `BOUNDS` section specifies only the initial point. Uniform bounds on the variables are given in the `SPECS` file.
8. Since `FX` indicators are used for the `INITIAL` bounds, the `SUPERBASICS LIMIT` needs to be at least 5 in this case, plus 1 for elbow room during the optimization.
9. This example has several local minima, and the performance of `MINOS` is very dependent on the initial point x_0 . See Wright (1976) or Murtagh and Saunders (1982) for computational details.

Problem MHW4D; computation of the objective function

```

SUBROUTINE FUNOBJ( MODE,N,X,F,G,NSTATE,NPROB,Z,NCORE )
IMPLICIT REAL*8(A-H,O-Z)
DOUBLE PRECISION X(N),G(N),Z(NCORE)

C
C      MM 4
C
      IF (NPROB .NE. 4) GO TO 500
      T1 = X(1) - 1.0
      T2 = X(1) - X(2)
      T3 = X(2) - X(3)
      T4 = X(3) - X(4)
      T5 = X(4) - X(5)

C
      F = T1**2 + T2**2 + T3**2 + T4**2 + T5**2
      G(1) = 2.0*(T1 + T2)
      G(2) = -2.0*T2 + 3.0*T3**2
      G(3) = -3.0*T3**2 + 4.0*T4**3
      G(4) = -4.0*T4**3 + 4.0*T5**3
      G(5) = -4.0*T5**3
      RETURN

C
C      MM 9
C
500 T1 = DSIN(X(5) - X(3))
      T2 = DCOS(X(5) - X(3))
      F = 10.0*X(1)*X(4) + X(1)**3 + X(2) - 6.0*X(2)**2 + X(3)
      + 9.0*T1 + X(2)**3 + X(4)**2 + X(5)**4
      G(1) = 10.0*X(4) + 3.0*X(1)**2 + X(2)
      G(2) = X(1)**3 - 12.0*X(2)*X(3)
      + 3.0*X(2)**2 + X(4)**2 + X(5)**4
      G(3) = -6.0*X(2)**2 - 9.0*T2
      G(4) = 10.0*X(1) + 2.0*X(2)**3 + X(4) + X(5)**4
      G(5) = 9.0*T2 + 4.0*X(2)**3 + X(4)**2 + X(5)**3
      RETURN

C
C      END OF FUNOBJ FOR MM4AND9
      END

```

Problem MHW4D; computation of the constraint functions

```

SUBROUTINE FUNCON  MODE,N,N,NJAC,X,F,G,NSTATE,NPROB,Z,INCORE )
  IMPLICIT          REAL*(A-H,O-Z)
  DOUBLE PRECISION X(N),F(N),G(N,N),Z(INCORE)

C
C  ION 4
C
  IF (NSTATE .EQ. 1) WRITE(6, 1000) NPROB
  IF (NPROB .NE. 4) GO TO 500
  F(1)  = X(1) + X(2)**2 + X(3)**3
  G(1,1) = 1.0
  G(1,2) = 2.0*X(2)
  G(1,3) = 3.0*X(3)**2

C
  F(2)  = X(2) - X(3)**2 + X(4)
  G(2,2) = 1.0
  G(2,3) = -2.0*X(3)
  G(2,4) = 1.0

C
  F(3)  = X(1)*X(5)
  G(3,1) = X(5)
  G(3,5) = X(1)
  RETURN

C
C  ION 9
C
500 F(1)  = X(1)**2 + X(2)**2 + X(3)**2 + X(4)**2 + X(5)**2
  G(1,1) = 2.0*X(1)
  G(1,2) = 2.0*X(2)
  G(1,3) = 2.0*X(3)
  G(1,4) = 2.0*X(4)
  G(1,5) = 2.0*X(5)

C
  F(2)  = X(1)**2*X(3) + X(4)*X(5)
  G(2,1) = 2.0*X(1)*X(3)
  G(2,3) = X(1)**2
  G(2,4) = X(5)
  G(2,5) = X(4)

C
  F(3)  = X(2)**2*X(4) + 10.0*X(1)*X(5)
  G(3,1) = 10.0*X(5)
  G(3,2) = 2.0*X(2)*X(4)
  G(3,4) = X(2)**2
  G(3,5) = 10.0*X(1)
  RETURN

C
1000 FORMAT(/ 36H THIS IS PROBLEM F9MAMD9.  NPROB =, I3)
C
  END OF FUNCON FOR F9MAMD9
  END

```

Problem MHW4D; the SPECS file

```

BEGIN MHW 4
  PROBLEM NUMBER      4
  NONLINEAR CONSTRAINTS 3
  NONLINEAR VARIABLES 5
  JACOBIAN            DENSE
  UPPER BOUND         5.0
  LOWER BOUND         -5.0

  SUMMARY FILE        9
  ITERATIONS          100
  MAJOR ITERATIONS    15
  MINOR ITERATIONS    10
  PENALTY PARAMETER   1.0

  SUPERBASICS LIMIT   6
  PRINT LEVEL (JFLXB) 101
  VERIFY LEVEL        0
END MHW 4

```

Problem MHW4D; the MPS file

```

NAME          MHW 4D
ROWS
  E  CON1
  E  CON2
  E  CON3
COLUMNS
  X1
  X2
  X3
  X4
  X5
RHS
  RHS  CON1      6.24263
  RHS  CON2      0.02042
  RHS  CON3       2.0
BOUNDS
  FX INITIAL  X1      -1.0
  FX INITIAL  X2       2.0
  FX INITIAL  X3       1.0
  FX INITIAL  X4      -2.0
  FX INITIAL  X5      -2.0
ENDATA

```

Problem MANNE (Manne, 1979)

$$\begin{aligned} & \text{maximise} && \sum_{t=1}^T \beta_t \log C_t \\ & \text{subject to} && \alpha_t K_t^b \geq C_t + I_t, & 1 \leq t \leq T, && \text{(nonlinear constraints)} \\ & && K_{t+1} \leq K_t + I_t, & 1 \leq t < T, && \text{(linear constraints)} \\ & && \rho K_T \leq I_T, & && \end{aligned}$$

with various ranges and bounds.

The variables here are K_t , C_t and I_t , representing capital, consumption and investment during T time periods. The first T constraints are nonlinear because the variables K_t are raised to the power $b = 0.25$. The problem is described more fully in Murtagh and Saunders (1982), where results are given for the case $T = 100$.

The main program and subroutines shown on the following pages are part of the file **HEAD1** on the MINOS distribution tape (see sections 7.1 and 7.4). The SPECS data and MPS data are contained in the file **MANNE DATA**; they apply to the case $T = 10$.

Notes for problem MANNE

1. For efficiency, the Jacobian variables K_t are made the first T components of x , followed by the objective variables C_t . Since the objective does not involve K_t , subroutine **FUNOBJ** must set the first T components of the objective gradient to zero. The parameter **N** will have the value $2T$. Verification of the objective gradients may as well start at variable $T + 1$.
2. For subroutine **FUNCON**, **N** will be T . The Jacobian matrix is particularly simple in this example; in fact $J(x)$ has only one nonzero element per column (i.e., it is diagonal). The parameter **NJAC** will therefore be T also. It is used only to dimension the array **G**.
3. **NSTATE** enables **B**, **AT** and **BT** to be initialized on the first entry to **FUNCON**, for subsequent use in both of the function subroutines. (Remember that the first call to **FUNCON** occurs before the first call to **FUNOBJ**.) The name chosen for the labeled **COMMON** block holding these quantities must be different from the other **COMMON** names used by MINOS, as listed in section 7.3.
4. **NSTATE** is also used to produce some output on the final call to **FUNCON**.
5. The **COMMON** block **M1FILE** is one of those used by MINOS; see section 1.6. For test purposes we also use **COMMON** block **M0DIFF** to access the variable **LDERIV**.
6. The SPECS file uses keywords that you should become familiar with before running large problems. Other values will be appropriate for other applications.
7. The MPS file specifies a sparse $T \times T$ Jacobian in the top left corner of the constraint matrix. An arbitrary value of 0.1 has been used for the nonzero variable coefficients. A zero or blank numeric field would be equally good.

Problem MANNE; main program and calculation of the objective function

```

C      THIS IS THE DEFAULT MAIN PROGRAM FOR MINOS.
C      IT SHOULD PROVIDE AS MUCH WORKSPACE AS SEEMS APPROPRIATE.
C
C      DOUBLE PRECISION  Z(10000)
C      DATA             NMCORE/10000/
C
C      CALL MINDS1( Z,NMCORE )
C      STOP
C
C      END OF MAIN
C      END

SUBROUTINE FUNOBJ( MODE,N,X,F,G,NSTATE,NPROB,Z,NMCORE )
IMPLICIT  REAL*8(A-H,O-Z)
DOUBLE PRECISION  X(N),G(N),Z(NMCORE)
C
C      COMMON  /MODIFF/ DIFINT(2),GOURTY,LDERIV,LVLDIP
C      COMMON  /MANNE / B,AT(100),BT(100)
C      LOGICAL  GKNOMN
C      -----
C      THIS IS THE DEFAULT VERSION OF FUNOBJ FOR MINOS.
C      IT BELONGS TO THE NONLINEAR TEST PROBLEM  MANNE,
C      WHICH WILL SPECIFY  PROBLEM NUMBER  1111
C      IN ORDER TO IDENTIFY ITSELF.
C
C      FOR TEST PURPOSES, WE LOOK AT  DERIVATIVE LEVEL
C      AND SOMETIMES PRETEND THAT WE DONT KNOW THE FIRST
C      THREE ELEMENTS OF THE GRADIENT.
C      -----
C
C      IF (NPROB .NE. 1111) GO TO 900
C      ZERO  = 0.0
C      GKNOMN = LDERIV .EQ. 1 .OR.  LDERIV .EQ. 3
C      NT    = N/2
C      F     = ZERO
C
C      DO 50 J = 1, NT
C          XCON = X(NT+J)
C          F     = F + BT(J)*DLOG(XCON)
C          G(J) = ZERO
C          IF (GKNOMN .OR.  J .GT. 3) G(NT+J) = BT(J)/XCON
C 50  CONTINUE
C      RETURN
C
C
C      IT LOOKS LIKE SOME OTHER FUNOBJ IS NEEDED.
C
C 900  WRITE(IPRINT, 9000)
C      IF (ISUPN .GT. 0) WRITE(ISUPN, 9000)
C      MODE = -1
C      RETURN
C
C 9000  FORMAT( / ' XXX SUBROUTINE FUNOBJ HAS NOT BEEN LOADED.' )
C      END OF FUNOBJ FOR MANNE
C      END

```

Problem MANNE; calculation of the constraint functions

```

SUBROUTINE FUNCON (MODE,N,N,NJAC,X,F,G,NSTATE,NPROB,Z,NICORE )
IMPLICIT REAL*(8A-M,O-Z)
DOUBLE PRECISION X(N),F(N),G(NJAC),Z(NICORE)
C
C      COMMON /MIFILE/ IREAD,IWRITE,ISURN
C      COMMON /MDDIFF/ DIFINT(2),SDURNY,LDERIV,LVLDIF
C      COMMON /MANNE / B,AT(100),BT(100)
C      LOGICAL      GNDMM
C-----
C      THIS IS THE DEFAULT VERSION OF FUNCON FOR MINOS.
C      IT BELONGS TO THE NONLINEAR TEST PROBLEM  MANNE,
C      WHICH WILL SPECIFY PROBLEM NUMBER 1111
C      IN ORDER TO IDENTIFY ITSELF.
C
C      FOR TEST PURPOSES, WE LOOK AT DERIVATIVE LEVEL
C      AND SOMETIMES PRETEND THAT WE DONT KNOW THE FIRST
C      THREE ELEMENTS OF THE GRADIENT.
C-----
C
C      IF (NPROB .NE. 1111) GO TO 900
C      GNDMM = LDERIV .GE. 2
C      NT = N
C      IF (NSTATE .NE. 1) GO TO 100
C
C      FIRST ENTRY
C-----
C      ONE = 1.0
C      GRON = 0.03
C      BETA = 0.95
C      XK0 = 3.0
C      XC0 = 0.95
C      XI0 = 0.05
C      B = 0.25
C      WRITE(IWRITE, 1000) B
C
C      A = (XC0 + XI0) / XK0**B
C      GFAC = (ONE + GRON)**(ONE - B)
C      AT(1) = A*GFAC
C      BT(1) = BETA
C      DO 10 J = 2, NT
C         AT(J) = AT(J-1)*GFAC
C         BT(J) = BT(J-1)*BETA
C 10 CONTINUE
C      BT(NT) = BT(NT)/(ONE - BETA)
C
C      NORMAL ENTRY
C-----
C 100 DO 150 J = 1, NT
C      XKAP = X(J)
C      FJ = AT(J) * XKAP**B
C      F(J) = FJ
C      IF (GNDMM .OR. J .GT. 3) G(J) = B*FJ / XKAP
C 150 CONTINUE
C      IF (NSTATE .LT. 2) RETURN
C
C      FINAL ENTRY
C-----
C      WRITE(IWRITE, 2000) (F(J), J = 1, NT)
C      RETURN
C
C
C      IT LOOKS LIKE SOME OTHER FUNCON IS NEEDED.
C
C 900 WRITE(IWRITE, 9000)
C      IF (ISURN .GT. 0) WRITE(ISURN, 9000)
C      MODE = -1
C      RETURN
C
C 1000 FORMAT(// ' THIS IS PROBLEM MANNE.  B =', F8.3)
C 2000 FORMAT(// ' FINAL NONLINEAR FUNCTION VALUES' / (F12.5))
C 9000 FORMAT(// ' XXX SUBROUTINE FUNCON HAS NOT BEEN LOADED.')
C
C      END OF FUNCON FOR MANNE
C
C      END

```

Problem MANNE; the SPECS file

```
BEGIN MANNE10
MAXIMIZE
ROWS          100
COLUMNS      100
ELEMENTS      100
UPPER BOUND   100.0
OBJECTIVE =   FUNOBJ

NONLINEAR CONSTRAINTS  10
NONLINEAR JACOBIAN VARS  10
NONLINEAR OBJECTIV VARS  20

SUMMARY FILE          9
SUMMARY FREQUENCY    1
NEW BASIS FILE       11

PROBLEM NUMBER       1111
JACOBIAN             SPARSE
MAJOR ITERATIONS     8
MINOR ITERATIONS     20
PENALTY PARAMETER    0.1

HESSIAN DIMENSION    10
DERIVATIVE LEVEL     0
VERIFY GRADIENTS

ITERATIONS           50
PRINT LEVEL (JFLXB) 00101

CYCLE LIMIT          1
CYCLE PRINT          2
END MANNE10
```

Problem MANNE; the MPS file

NAME	MANNE10			
ROWS				
G MON001				
G MON002				
G MON003				
G MON004				
G MON005				
G MON006				
G MON007				
G MON008				
G MON009				
G MON010				
L CAP002				
L CAP003				
L CAP004				
L CAP005				
L CAP006				
L CAP007				
L CAP008				
L CAP009				
L CAP010				
L TERMINV				
COLUMNS				
KAP001	MON001	.1	CAP001	1.0
KAP001	CAP002	-1.0		
KAP002	MON002	.1	CAP002	1.0
KAP002	CAP003	-1.0		
KAP003	MON003	.1	CAP003	1.0
KAP003	CAP004	-1.0		
KAP004	MON004	.1	CAP004	1.0
KAP004	CAP005	-1.0		
KAP005	MON005	.1	CAP005	1.0
KAP005	CAP006	-1.0		
KAP006	MON006	.1	CAP006	1.0
KAP006	CAP007	-1.0		
KAP007	MON007	.1	CAP007	1.0
KAP007	CAP008	-1.0		
KAP008	MON008	.1	CAP008	1.0
KAP008	CAP009	-1.0		
KAP009	MON009	.1	CAP009	1.0
KAP009	CAP010	-1.0		
KAP010	MON010	.1	CAP010	1.0
KAP010	TERMINV	.03		
CON001	MON001	-1.0		
CON002	MON002	-1.0		
CON003	MON003	-1.0		
CON004	MON004	-1.0		
CON005	MON005	-1.0		
CON006	MON006	-1.0		
CON007	MON007	-1.0		
CON008	MON008	-1.0		
CON009	MON009	-1.0		
CON010	MON010	-1.0		
INV001	MON001	-1.0	CAP002	-1.0
INV002	MON002	-1.0	CAP003	-1.0
INV003	MON003	-1.0	CAP004	-1.0
INV004	MON004	-1.0	CAP005	-1.0
INV005	MON005	-1.0	CAP006	-1.0
INV006	MON006	-1.0	CAP007	-1.0
INV007	MON007	-1.0	CAP008	-1.0
INV008	MON008	-1.0	CAP009	-1.0
INV009	MON009	-1.0	CAP010	-1.0
INV010	MON010	-1.0	CAP011	-1.0
INV010	TERMINV	-1.0		

Problem MANNE; the MPS file, continued

```

RHS
*
* THE RHS IS ZERO
*
RANGES
  RANGE1  NON010  10.0          TERKDW  20.0
BOUNDS
FX BOUND1  KAP001  3.05
LO BOUND1  KAP002  3.05
LO BOUND1  KAP003  3.05
LO BOUND1  KAP004  3.05
LO BOUND1  KAP005  3.05
LO BOUND1  KAP006  3.05
LO BOUND1  KAP007  3.05
LO BOUND1  KAP008  3.05
LO BOUND1  KAP009  3.05
LO BOUND1  KAP010  3.05
LO BOUND1  CON001  .95
LO BOUND1  CON002  .95
LO BOUND1  CON003  .95
LO BOUND1  CON004  .95
LO BOUND1  CON005  .95
LO BOUND1  CON006  .95
LO BOUND1  CON007  .95
LO BOUND1  CON008  .95
LO BOUND1  CON009  .95
LO BOUND1  CON010  .95
LO BOUND1  INV001  .05
LO BOUND1  INV002  .05
LO BOUND1  INV003  .05
LO BOUND1  INV004  .05
LO BOUND1  INV005  .05
LO BOUND1  INV006  .05
LO BOUND1  INV007  .05
LO BOUND1  INV008  .05
LO BOUND1  INV009  .05
LO BOUND1  INV010  .05
UP BOUND1  INV008  .112
UP BOUND1  INV009  .114
UP BOUND1  INV010  .116
FX INITIAL KAP002  3.1
FX INITIAL KAP003  3.2
FX INITIAL KAP004  3.3
FX INITIAL KAP005  3.4
FX INITIAL KAP006  3.5
FX INITIAL KAP007  3.6
FX INITIAL KAP008  3.7
FX INITIAL KAP009  3.8
FX INITIAL KAP010  3.9
ENDATA

```

Problem MANNE; output from MINOS

MINOS --- VERSION 5.0 DEC 1980

SPEC FILE

```

212. BEGIN PROBLEM
213. MAKEFILE
214. ROWS 100
215. COLUMNS 100
216. ELEMENTS 100
217. UPPER BOUND 100.0
218. OBJECTIVE = FLOORJ
219.
220. NONLINEAR CONSTRAINTS 10
221. NONLINEAR JACOBIAN VARS 10
222. NONLINEAR OBJECTIVE VARS 0
223.
224. SUMMARY FILE 9
225. SUMMARY FREQUENCY 1
226. NEW BASIS FILE 11
227.
228. PROBLEM NUMBER 1111
229. JACOBIAN SPARSE
230. MAJOR ITERATIONS 0
231. MINOR ITERATIONS 20
232. PENALTY PARAMETER 0.1
233.
234. HESSEAN DIMENSION 10
235. DERIVATIVE LEVEL 0
236. VERIFY GRADIENTS
237.
238. ITERATIONS 20
239. PRINT LEVEL (I,PLM) 00101
240.
241. CYCLE LEVEL 1
242. CYCLE PRINT 2
243. END PROBLEM

```

PARAMETERS

```

-----
MPS INPUT DATA.
ROW LEVEL..... 100 LIST LEVEL..... 0 LOWER BOUND DEFAULT.... 0.0
COLUMN LEVEL..... 100 ERROR MESSAGE LEVEL.... 10 UPPER BOUND DEFAULT.... 1.00E+02
ELEMENTS LEVEL (COREPS) 100 PRINTER ELEMENTS..... 0 A.J. TOLERANCE..... 1.00E-10

FILES.
MPS FILE (INPUT FILE).. 0 OLD BASIS FILE (MMP).. 0 (CARD READER)..... 5
SOLUTION FILE..... 0 NEW BASIS FILE (MNP).. 11 (PRINTER)..... 6
INHERIT FILE..... 0 BACKUP BASIS FILE..... 0 (SCRATCH FILE)..... 0
PLAN FILE..... 0 LOAD FILE..... 0 DUMP FILE..... 0

FREQUENCIES.
LOG FREQUENCY..... 1 CHECK NEW BASIS..... 20 SAVE NEW BASIS MMP.... 100
SUMMARY FREQUENCY..... 1 FACTORIZE BASIS..... 00 CYCLE LEVEL..... 1

LP PARAMETERS.
ITERATIONS LEVEL..... 20 FEASIBILITY TOLERANCE.. 1.00E-06 PARTIAL PRICE FACTOR... 1
CHAIN OPTION..... 1 OPTIMALITY TOLERANCE... 1.00E-06 MULTIPLE PRICE..... 1
HEURST ON OBJECTIVE.... 0.0 FEVY TOLERANCE..... 3.0E-11 SCALE TOLERANCE..... 0.00

NONLINEAR PROBLEMS.
NONLINEAR CONSTRAINTS.. 10 HESSEAN DIMENSION..... 10 FUNCTION PRECISION.... 3.00E-13
NONLINEAR JACOBIAN VARS 10 SUPERBASIS LEVEL..... 10 DIFFERENCE INTERVAL... 3.00E-07
NONLINEAR OBJECTIVE VARS 20 TRUNCATED CG METHOD... 1 CENTRAL DIFFC INTERVAL 0.0E+00
PROBLEM NUMBER..... 1111 LINESEARCH TOLERANCE... 0.10000 DERIVATIVE LEVEL..... 0
UNBOUNDED OBJECTIVE VALUE 1.00E+20 SUBSPACE TOLERANCE.... 0.00000 VERIFY LEVEL..... 3
UNBOUNDED STEP SIZE... 1.00E+10

AUGMENTED LAGRANGIAN.
LAGRANGIAN..... SPARSE MAJOR ITERATIONS LEVEL. 0 RADIUS OF CONVERGENCE.. 1.00E-02
LAGRANGIAN..... YES MINOR ITERATIONS LEVEL. 20 NEW TOLERANCE..... 1.00E-05
PENALTY PARAMETER..... 1.00E-01 COMPLETION..... PART PRINT LEVEL..(I,PLM).... 101
DAMPING PARAMETER..... 0.00E+00

MISCELLANEOUS.
LU FACTOR TOLERANCE.... 10.00 MEMSPACE (USER)..... 0 WORDS LEVEL..... 0
LU UPDATE TOLERANCE.... 10.00 MEMSPACE (TOTAL)..... 20000 LINESEARCH WORDS AFTER. 000000

REASONABLE MEMSPACE LEVELS ARE 0 ... 4000 ... 20000 WORDS
ACTUAL MEMSPACE LEVELS ARE 0 ... 20000 ... 20000 WORDS

```

Problem MANNE; output from MINOS, continued

NPS FILE

```

-----
1 NAME MANNE10
2 ROWS
23 COLUMNS
XXXX WARNING - NO LINEAR OBJECTIVE SELECTED
XXXX NON-EXISTENT ROW SPECIFIED -- CAP001 -- ENTRY IGNORED IN LINE 24
XXXX NON-EXISTENT ROW SPECIFIED -- CAP011 -- ENTRY IGNORED IN LINE 63
65 RHS
66 0
67 0 THE RHS IS ZERO
68 0
69 RANGES
XXXX WARNING - THE RHS IS ZERO
71 BOUNDS
114 BDATA

XXXX TOTAL NO. OF ERRORS IN NPS FILE 2
    
```

NAMES SELECTED

```

-----
OBJECTIVE FUNOBJ (MAX) 0
RHS RHS 0
RANGES RANGE1 2
BOUNDS BOUND1 33
    
```

MATRIX STATISTICS

```

-----
TOTAL NORMAL FREE FIXED BOUNDED
ROWS 20 10 0 0 2
COLUMNS 30 0 0 1 29

NO. OF MATRIX ELEMENTS 59 DENSITY 9.033
NO. OF REJECTED COEFFS 0 RIJTOT 1.000000-10
BIGGEST AND SMALLEST COEFFS 1.000000+00 3.000000-02 (EXCLUDING OBJ AND RHS)

LENGTH OF ROW-NAME HASH TABLE 211
COLLISIONS DURING TABLE LOOKUP 0

NO. OF JACOBIAN ENTRIES SPECIFIED 10

NO. OF INITIAL BOUNDS PROCESSED 9
NO. OF SUPERBASICS SPECIFIED 9

NONZEROS ALLOWED FOR IN LU FACTORS 16090
    
```

INITIAL BASIS

```

-----
THIS IS PROBLEM NAME. 0 = 0.250

*** FUNCION SETS 7 OUT OF 10 CONSTRAINT GRADIENTS.

CRASH OPTION 1
FREE ROWS 0 FREE COLS 0 PASS2 (E ROWS) 0 PASS3 20 REMAINDER 0
    
```

ITERATIONS

```

-----
START OF MAJOR ITH 1 PENALTY PARAMETER = 1.000-01
MAXIMUM CONSTRAINT VIOLATION = 0.0 I = 0.0 NORMALIZED:

FACTORIZATION 1 DECOMPOSITION 0 INFEAS 1 OBJECTIVE 0.0
NONLINEAR 10 L1 CHECKS 0 ELEM 30 DENSITY 7.00
COMPRESSIONS 0 ME 0 LENJ 30 INCREASE 0.0
LMAX 0.0 BMAX 0.0 LMIN 1.00+00 GROWTH 0.0
ITH 0 -- INFEASIBLE. J1 = 1.000000000-03
    
```

```

ITH PH PP NOPY DJ,RS *90S -90S -0S STEP PIVOT L UNCP NIWF SINF OBJECTIVE HEBJ HEBH HEB HEBH H-CORON CONV
1 4 1 0 0.0 0 10 30 1.10+00 -3.00-02 0 30 0 1 1.00000000-03 0 4 0 0 0.0 TTTT

*** FUNOBJ SETS 17 OUT OF 20 OBJECTIVE GRADIENTS.

ITH 1 -- FEASIBLE SUBPROBLEM. TRUE OBJ = 2.669097200+00 ABLAS OBJ = 2.669097200+00
    
```

Problem MANNE; output from MINOS, continued

VERIFICATION OF CONSTRAINT GRADIENTS RETURNED BY SUBROUTINE FUNGRJ.

THE JACOBIAN SEEMS TO BE OK.

XXX THE LARGEST DISCREPANCY WAS 6.30E-10 IN CONSTRAINT 4

COLUMN	X(J)	GR(J)	ELEMENT NO.	ROW	JACOBIAN VALUE	DIFFERENCE APPROX
4	3.3000000E+00	2.30E-00	4	4	0.0770020E-02	0.0770121E-02 OK
5	3.4000000E+00	2.41E-00	5	5	0.0790031E-02	0.0790140E-02 OK
6	3.5000000E+00	2.46E-00	6	6	0.0791570E-02	0.0791640E-02 OK
7	3.6000000E+00	2.52E-00	7	7	0.0804711E-02	0.0804801E-02 OK
8	3.7000000E+00	2.57E-00	8	8	0.0822040E-02	0.0822042E-02 OK
9	3.8000000E+00	2.63E-00	9	9	0.0844003E-02	0.0844031E-02 OK
10	3.8666667E+00	2.67E-00	10	10	0.0870990E-02	0.0870770E-02 OK

7 JACOBIAN ELEMENTS IN COLS 1 THRU 10 SEEM TO BE OK.

XXX THE LARGEST RELATIVE ERROR WAS 2.10E-00 IN ROW 4, COLUMN 4

VERIFICATION OF OBJECTIVE GRADIENTS RETURNED BY SUBROUTINE FUNOBJ.

THE OBJECTIVE GRADIENTS SEEM TO BE OK.

GRADIENT PROJECTED IN THE DIRECTION 5.00107611131E-01 6.09136647040E-01
DIFFERENCE APPROXIMATION 5.00107640140E-01 6.09136270040E-01

J	X(J)	GR(J)	GR(J)	DIFFERENCE APPROX
10	1.01907667E+00	3.04E-00	7.9029000E-01	7.9029091E-01 OK
15	1.05273374E+00	3.12E-00	7.3000000E-01	7.3000000E-01 OK
16	1.06714620E+00	3.20E-00	6.7610047E-01	6.7610040E-01 OK
17	1.12236300E+00	3.37E-00	6.2221707E-01	6.2221790E-01 OK
18	1.18030600E+00	3.40E-00	5.7270021E-01	5.7270000E-01 OK
19	1.22047373E+00	3.61E-00	5.1303444E-01	5.1303430E-01 OK
20	1.21390220E+00	0.00E-00	0.0000000E+00	0.0000000E+00 OK

17 OBJECTIVE GRADIENTS OUT OF 1 THRU 20 SEEM TO BE OK.

XXX THE LARGEST RELATIVE ERROR WAS 0.00E-00 IN COLUMN 20

HESSIAN RESET TO 1.

2 4 1 0 2.0E-02 0 0 0 0.7E-01 0.0 0 0 31 0 0 2.04002794E+00 30 23 0 1 0 2.0E+00 1177

BIGGEST OBJ = 5.104E-01 (VARIABLE 30) MINN NO = 0.490E-02 MINN P2 = 7.637E+00

END OF MAJOR ITH 1 - OPTIMAL DISCREPANCY AT MINOR ITH 2 - TOTAL ITHS = 2

START OF MAJOR ITH 2 PENALTY PARAMETER = 1.00E-01

MAXIMUM CHANGE IN JACOBIAN VALUE = 3.300E-02 (= 1.000E-02 NORMALIZED)
MAXIMUM CHANGE IN MULTIPLIER = 0.004E+00 (= 1.000E+00 NORMALIZED)
MAXIMUM CONSTRAINT VIOLATION = 0.170E-05 (= 1.000E-06 NORMALIZED)

MULTIPLIER ESTIMATES

0.000770E-01	0.100177E-01	0.007100E-01	7.000007E-01	7.3021071E-01
0.7631530E-01	0.022000E-01	0.007070E-01	5.1003151E-01	0.004204E+00

FACTORIZE 2 CONJUG 0 SYMMETRIC 2 IMPRES 0 OBJECTIVE 2.04002794E+00
 HESSIAN 11 LINALG 0 SLACKS 0 SLEW 31 DENSITY 7.75
 COMPRESSION 0 HESST 0.0 LEVL 0 LEVS 31 MESSAGE 0.0
 LAMB 0.0 BVAL 1.0E+00 WVAL 0.0 UPEN 3.0E-02 GRNTH 0.0
 ITH 2 -- FEASIBLE SOLUTION. TRUE OBJ = 2.040730097E+00 AUBLAS OBJ = 2.040730097E+00

ITH	NO	PP	NEPT	OBJ.NO	*END	-END	STEP	PIVOT	L	U	REP	NONP	CONV	OBJECTIVE	HESSJ	HESS	HESS	HESS	U-COMB	CONV
3	0	0	-1	1.7E-02	0	0	11	1.0E-01	1.0E+00	0	31	0	0	2.0400000E+00	00	23	7	1	1	2.0E+00 1177
0	0	0	-1	0.4E-02	0	0	0	0.1E-01	0.0	0	32	0	0	2.6700000E+00	07	00	7	1	0	2.0E+00 1177

BIGGEST OBJ = -1.100E-02 (VARIABLE 11) MINN NO = 0.400E-02 MINN P2 = 7.630E+00

END OF MAJOR ITH 2 - OPTIMAL DISCREPANCY AT MINOR ITH 2 - TOTAL ITHS = 4

Problem MANNE; output from MINOS, continued

 START OF MAJOR ITN 3 PENALTY PARAMETER = 1.00E-01
 MAXIMUM CHANGE IN JACOBIAN VARS = 1.6791E-02 (= 1.5997E-03 NORMALIZED)
 MAXIMUM CHANGE IN MULTIPLIERS = 1.4094E-02 (= 3.0400E-03 NORMALIZED)
 MAXIMUM CONSTRAINT VIOLATION = 2.7670E-06 (= 3.0370E-07 NORMALIZED)
 MULTIPLIER ESTIMATES
 1.016002E+00 0.200011E-01 0.610460E-01 7.000000E-01 7.2093361E-01
 6.700000E-01 0.190007E-01 5.670000E-01 5.223636E-01 0.004329E+00
 FULL COMPLETION REQUESTED AS PRIN MIN.
 PENALTY PARAMETER DECREASED TO 0.0
 FACTORIZE 3 DEMAND 0 ITERATION 4 INFLEAS 0 OBJECTIVE 2.67000000E+00
 NONLINEAR 11 LINEAR 0 SLACKS 0 ELEND 33 DENSITY 0.25
 COMPRESSION 0 MERIT 0.0 LMAX 0 LEWD 33 INCREASE 0.0
 LMAX 0.0 SPAN 1.00E+00 LMAX 0.0 URIN 3.00E-02 GROWTH 0.0
 ITN 0 -- FEASIBLE SUBPROBLEM. TRUE OBJ = 2.67000000E+00 AUNLAD OBJ = 2.67000000E+00
 ITN FN FP NEXT BJ,RS *SOS -SOS -SS STEP PIVOT L U NCP NDF SDF,OBJECTIVE NBJ NEN NED NWD N-COMN COW
 3 4 0 -1 4.10E-03 0 0 0 0.70E-01 0.0 0 33 0 0 2.67000360E+00 00 02 7 1 0 3.20E+00 TTYT
 TOLB REDUCED TO 0.100E-04 LVLTL = 1
 6 4 1 0 2.70E-03 0 0 0 1.00E+00 0.0 0 33 0 0 2.67000360E+00 04 07 7 1 0 3.20E+00 TTYF
 7 4 1 0 1.40E-03 0 0 0 1.00E+00 0.0 0 33 0 0 2.67000360E+00 09 02 7 1 0 3.20E+00 TTYF
 8 4 1 0 1.40E-03 0 0 0 2.20E+00 0.0 0 33 0 0 2.67000640E+00 76 09 7 1 0 3.20E+00 TTYF
 9 4 1 0 2.00E-04 0 0 0 1.20E+00 0.0 0 33 0 0 2.67000760E+00 02 70 7 1 0 3.20E+00 TTYT
 TOLB REDUCED TO 2.00E-05 LVLTL = 1
 10 4 1 0 0.40E-04 0 0 0 1.20E+00 0.0 0 33 0 0 2.67000760E+00 00 02 7 1 0 3.20E+00 TTYT
 TOLB REDUCED TO 7.00E-05 LVLTL = 2
 11 4 1 0 5.10E-05 0 0 0 1.00E+00 0.0 0 33 0 0 2.67000760E+00 04 07 7 1 0 3.20E+00 TTYT
 WORST BJ = -1.06E-02 (VARIABLE 11) NERN NS = 5.10E-02 NERN PI = 7.60E+00
 END OF MAJOR ITN 3 - OPTIMAL SUBPROBLEM AT MINOR ITN 7 - TOTAL ITNS = 11

 START OF MAJOR ITN 4 PENALTY PARAMETER = 0.0
 MAXIMUM CHANGE IN JACOBIAN VARS = 1.5251E-02 (= 1.4440E-03 NORMALIZED)
 MAXIMUM CHANGE IN MULTIPLIERS = 5.7251E-03 (= 1.3150E-03 NORMALIZED)
 MAXIMUM CONSTRAINT VIOLATION = 2.0170E-06 (= 2.2160E-07 NORMALIZED)
 MULTIPLIER ESTIMATES
 1.016002E+00 0.319319E-01 0.590301E-01 7.921642E-01 7.302000E-01
 6.700000E-01 0.201000E-01 5.713000E-01 5.260000E-01 0.004329E+00
 FACTORIZE 4 DEMAND 0 ITERATION 11 INFLEAS 0 OBJECTIVE 2.67000760E+00
 NONLINEAR 11 LINEAR 9 SLACKS 0 ELEND 33 DENSITY 0.25
 COMPRESSION 0 MERIT 0.0 LMAX 0 LEWD 33 INCREASE 0.0
 LMAX 0.0 SPAN 1.00E+00 LMAX 0.0 URIN 3.00E-02 GROWTH 0.0
 ITN 11 -- FEASIBLE SUBPROBLEM. TRUE OBJ = 2.67000760E+00 AUNLAD OBJ = 2.67000760E+00
 ITN FN FP NEXT BJ,RS *SOS -SOS -SS STEP PIVOT L U NCP NDF SDF,OBJECTIVE NBJ NEN NED NWD N-COMN COW
 12 4 0 -1 2.40E-03 0 0 0 1.00E+00 0.0 0 33 0 0 2.67000760E+00 103 06 7 1 0 3.20E+00 TTYT
 WORST BJ = -1.00E-02 (VARIABLE 11) NERN NS = 2.41E-02 NERN PI = 7.60E+00
 END OF MAJOR ITN 4 - OPTIMAL SUBPROBLEM AT MINOR ITN 1 - TOTAL ITNS = 12

 START OF MAJOR ITN 5 PENALTY PARAMETER = 0.0
 MAXIMUM CHANGE IN JACOBIAN VARS = 0.0114E-02 (= 0.7000E-07 NORMALIZED)
 MAXIMUM CHANGE IN MULTIPLIERS = 0.0000E-07 (= 3.1000E-07 NORMALIZED)
 MAXIMUM CONSTRAINT VIOLATION = 1.0200E-12 (= 1.0770E-10 NORMALIZED)
 MULTIPLIER ESTIMATES
 1.016002E+00 0.319300E-01 0.590301E-01 7.921647E-01 7.300000E-01
 6.700000E-01 0.201000E-01 5.713000E-01 5.260000E-01 0.004329E+00

Problem MANNE; output from MINOS, continued

EXIT -- OPTIMAL SOLUTION FOUND

NO. OF ITERATIONS	12	OBJECTIVE VALUE	2.6700765700E+00
NO. OF MAIN ITERATIONS	5	LINEAR OBJECTIVE	0.0
PENALTY PARAMETER	0.0	NONLINEAR OBJECTIVE	2.6700765700E+00
NO. OF X	0.100E+00	NO. OF P1	7.00E+00
NO. OF SUPERBASICS	7	NO. OF REDUCED GRADIENT	0.00E+00
NO. OF BASIC NONLINEARS	11	NO. OF / NO. OF P1	3.17E+00
NO. OF CALLS TO PUNISH	105	NO. OF CALLS TO PUNISH	95
CALLS WITH MESSAGE (P, NUMBER 0)	50	CALLS WITH MESSAGE (P, NUMBER 0)	40
CALLS FOR FORWARD DIFFERENTIATION	40	CALLS FOR FORWARD DIFFERENTIATION	40
CALLS FOR CENTRAL DIFFERENTIATION	0	CALLS FOR CENTRAL DIFFERENTIATION	0

BASIS MAP SAVED ON FILE 11 ITH = 12

PROBLEM NAME MANNE10 OBJECTIVE VALUE 2.6700765700E+00
 STATUS OPTIMAL FOUND ITERATION 12 SUPERBASICS 7

OBJECTIVE FUNCTION (NAME)
 NAME
 RANGES
 URANGES

SECTION 1 - ROWS

NUMBER	...ROW...	STATE	...ACTIVITY...	...BLACK ACTIVITY...	...LOWER LIMIT...	...UPPER LIMIT...	...DUAL ACTIVITY...	...I
31	ROW01	LL	0.0	0.0	0.0	NONE	-1.01044	1
32	ROW02	LL	0.0	0.0	0.0	NONE	-0.93193	2
33	ROW03	LL	0.0	0.0	0.0	NONE	-0.85926	3
34	ROW04	LL	0.0	0.0	0.0	NONE	-0.79217	4
35	ROW05	LL	0.0	0.0	0.0	NONE	-0.72921	5
36	ROW06	LL	0.0	0.0	0.0	NONE	-0.67299	6
37	ROW07	LL	0.0	0.0	0.0	NONE	-0.62015	7
38	ROW08	LL	0.0	0.0	0.0	NONE	-0.57136	8
39	ROW09	LL	0.0	0.0	0.0	NONE	-0.52625	9
40	ROW10	LL	0.0	0.0	0.0	10.00000	-9.06433	10
41	CAP01	UL	0.0	0.0	NONE	0.0	1.01044	11
42	CAP02	UL	0.0	0.0	NONE	0.0	0.93193	12
43	CAP03	UL	0.0	0.0	NONE	0.0	0.85926	13
44	CAP04	UL	0.0	0.0	NONE	0.0	0.79217	14
45	CAP05	UL	0.0	0.0	NONE	0.0	0.72921	15
46	CAP06	UL	0.0	0.0	NONE	0.0	0.67299	16
47	CAP07	UL	0.0	0.0	NONE	0.0	0.62015	17
48	CAP08	UL	0.0	0.0	NONE	0.0	0.57136	18
49	CAP09	UL	0.0	0.0	NONE	0.0	0.52625	19
50	TERMIN	UL	0.0	0.0	-20.00000	0.0	10.73211	20

SECTION 2 - COLUMNS

NUMBER	...COLUMN...	STATE	...ACTIVITY...	...OBJ GRADIENT...	...LOWER LIMIT...	...UPPER LIMIT...	...REDUCED GRADIENT...	...J
1	RAP001	BO	3.95000	0.0	3.95000	3.95000	1.09560	21
2	RAP002	BO	3.12000	0.0	3.05000	100.00000	0.00000	22
3	RAP003	BO	3.21000	0.0	3.05000	100.00000	-0.00000	23
4	RAP004	BO	3.30000	0.0	3.05000	100.00000	0.00000	24
5	RAP005	BO	3.39000	0.0	3.05000	100.00000	-0.00000	25
6	RAP006	BO	3.48000	0.0	3.05000	100.00000	0.00000	26
7	RAP007	BO	3.57000	0.0	3.05000	100.00000	-0.00000	27
8	RAP008	BO	3.66000	0.0	3.05000	100.00000	-0.00000	28
9	RAP009	BO	3.75000	0.0	3.05000	100.00000	0.00000	29
10	RAP010	BO	3.84000	0.0	3.05000	100.00000	0.00000	30
11	CON01	LL	0.00000	1.00000	0.05000	100.00000	-0.01044	31
12	CON02	LL	0.00000	0.93193	0.05000	100.00000	0.0	32
13	CON03	LL	0.00000	0.85926	0.05000	100.00000	0.0	33
14	CON04	LL	0.00000	0.79217	0.05000	100.00000	0.0	34
15	CON05	LL	0.00000	0.72921	0.05000	100.00000	0.0	35
16	CON06	LL	0.00000	0.67299	0.05000	100.00000	0.0	36
17	CON07	LL	0.00000	0.62015	0.05000	100.00000	0.0	37
18	CON08	LL	0.00000	0.57136	0.05000	100.00000	0.0	38
19	CON09	LL	0.00000	0.52625	0.05000	100.00000	0.0	39
20	CON10	LL	0.00000	9.06433	0.05000	100.00000	0.0	40
21	INV01	BO	0.07668	0.0	0.05000	100.00000	0.0	41
22	INV02	BO	0.08770	0.0	0.05000	100.00000	0.0	42
23	INV03	BO	0.09937	0.0	0.05000	100.00000	0.0	43
24	INV04	BO	0.11182	0.0	0.05000	100.00000	0.0	44
25	INV05	BO	0.12500	0.0	0.05000	100.00000	0.0	45
26	INV06	BO	0.13889	0.0	0.05000	100.00000	0.0	46
27	INV07	BO	0.15333	0.0	0.05000	100.00000	0.0	47
28	INV08	BO	0.16833	0.0	0.05000	0.11200	0.0	48
29	INV09	BO	0.18389	0.0	0.05000	0.11600	0.0	49
30	INV10	UL	0.11000	0.0	0.05000	0.11600	0.06770	50

PUNISH CALLED WITH MESSAGE = 0

FINAL NONLINEAR FUNCTION VALUES
 1.09560 1.09560 1.09730 1.11040 1.12833
 1.14610 1.16570 1.18530 1.20470 1.22490

PUNISH CALLED WITH MESSAGE = 0

END

8.5 Use of Subroutine MATMOD

The following example illustrates the construction of a sequence of problems, based on the Diet problem of section 8.1. It assumes that the following cards have been added to the SPECS file:

```

CYCLE LIMIT          3
CYCLE PRINT          3
CYCLE TOLERANCE     2.0
PHANTOM COLUMNS    1 (or more)
PHANTOM ELEMENTS    3 (or more)

```

1. Solution of the original problem constitutes cycle 1.
2. After cycle 1, MATMOD will be called twice with NCYCLE = 2 and 3 respectively, denoting the beginning of cycles 2 and 3. The value of N will include the normal columns and the phantom columns; in this case, $N = 6 + 1 = 7$. Likewise, NE includes normal and phantom elements; in this case, $NE = 24 + 3 = 27$.
3. For cycle 2, we alter the cost coefficient on the variable called CHICKEN. This happens to be the second variable, but for illustrative purposes we use the MINOS subroutine M3NAME to search the list of column names to find the appropriate index. In this case, M3NAME will return the value JCHICK = 2.
4. Similarly, we use M3NAME to search the list of row names to find the index for the objective row, whose name is known to be COST. In this case, M3NAME will return the value JCOST = 11. Since rows are stored after the N columns, this means that the objective is row number $JCOST - N = 4$. (As it happens, this value is already available in the COMMON variable IOBJ.)
5. This example assumes that CHICKEN already had a nonzero cost coefficient, since it is not possible to increase the number of entries in existing columns. If the cost coefficient was previously zero, it would have to be entered as such in the MPS file, and the SPECS file would have to set AIJ TOLERANCE = 0.0 to prevent zero coefficients from being rejected.
6. For cycle 3, we generate one new column by calling upon the MINOS subroutine MATCOL. The PHANTOM COLUMNS and PHANTOM ELEMENTS keywords must define sufficient storage for this new column. (The estimates defined by the normal COLUMNS and ELEMENTS keywords must also allow for the phantom columns and elements.)
7. For illustrative purposes, we make use of the specified CYCLE TOLERANCE and the value of X(1) in the current solution, to decide whether to proceed with cycle 3.
8. After the call to MATCOL, the COMMON variable JNEW points to the new column. It allows us to set a finite upper bound on the associated variable. If there had been insufficient storage, or if COL(*) contained no significant elements, MATERR would have been increased from 0 to 1. Usually, this means that the sequence of cycles should be terminated (by setting FINISH = .TRUE.).

```

SUBROUTINE METHOD0( NCYCLE, NPROB, FINISH,
*           M, N, NB, NE, NKA, NS, NSCL,
*           A, NA, KA, BL, BU,
*           ASCALE, NS, ID1, ID2,
*           X, PI, Z, NMCORE )
C
C   IMPLICIT      REAL*8(A-N,O-Z)
C   INTEGER*2     M(NAME), NS(NB)
C   INTEGER       KA(NKA), ID1(NB), ID2(NB)
C   DOUBLE PRECISION A(NE), ASCALE(NSCL), BL(NB), BU(NB)
C   DOUBLE PRECISION X(NB), PI(N), Z(NMCORE)
C   LOGICAL       FINISH
C
C   MINSO COMMON BLOCKS (TO BE USED BUT NOT ALTERED).
C
C   COMMON /MIFILE/ IREAD, IPRINT, ISUPP
C   COMMON /MSLOBJ/ SINP, NTOBJ, MINIMZ, NINP, IOBJ
C   COMMON /CYCLOV/ CNVTOL, JNEM, MATERR, MAXCY, NEPRINT, NPHANT, NPRINT
C
C   LOCAL STORAGE.
C
C   DOUBLE PRECISION COL(10), ZTOL
C   INTEGER          CHICK1, CHICK2, COST1, COST2
C   DATA            CHICK1, CHICK2 /'CHIC', 'KEN' /
C   DATA            COST1, COST2 /'COST', ' ' /
C-----
C   THIS IS AN EXAMPLE OF A USER-WRITTEN SUBROUTINE METHOD0,
C   WHICH DEFINES A SEQUENCE OF PROBLEMS BY PERFORMING INTERNAL
C   MODIFICATIONS TO THE DATA FOR THE DIET PROBLEM.
C
C   METHOD0 IS CALLED AT THE BEGINNING OF EACH CYCLE EXCEPT THE FIRST.
C   NCYCLE WILL TAKE THE VALUES 2, 3, ... UP TO THE CYCLE LIMIT.
C-----
C   IF (NCYCLE .GT. 2) GO TO 300
C
C-----
C   CYCLE 2. ALTER THE COST ON CHICKEN.
C-----
C
C   USE THE MINSO SUBROUTINE MNAME TO FIND THE COLUMN INDEX
C   FOR THE VARIABLE NAMED CHICKEN. COLUMN NAMES ARE CONTAINED
C   IN THE FIRST N LOCATIONS OF ID1 AND ID2.
C
C   CERTAIN QUANTITIES MUST BE INITIALIZED BEFORE THE CALL.
C   THE FIRST THREE SUPPRESS ERROR MESSAGES. THE NEXT THREE
C   DEFINE THE RANGE OF NAMES TO BE SEARCHED AND WHERE TO START.
C
C   NCARD = 0
C   NOTFND = 0
C   MAXNSB = 0
C   J1 = 1
C   J2 = N
C   JMARK = J1
C   CALL MNAME( NB, ID1, ID2, CHICK1, CHICK2,
*           NCARD, NOTFND, MAXNSB, J1, J2, JMARK, JCHICK )
C   IF (JCHICK .EQ. 0) GO TO 900
C

```

```

C     NOW FIND THE INDEX OF THE OBJECTIVE ROW, WHICH IS NAMED COST.
C     ROW NAMES ARE STORED IN THE LAST N LOCATIONS OF ID1 AND ID2.
C
      J1      = N + 1
      J2      = NB
      JMARK   = J1
      CALL KNAME( NB, ID1, ID2, COST1, COST2,
*             NCARD, NOTFND, MAXISS, J1, J2, JMARK, JCOST )
      IF (JCOST .EQ. 0) GO TO 900

C     THE ROW NUMBER IS NOW JCOST - N. IN FACT, THIS VALUE COULD HAVE
C     BEEN OBTAINED DIRECTLY FROM THE COMMON VARIABLE IOBJ.
C
      ICOST   = JCOST - N
      IF (ICOST .NE. IOBJ) GO TO 900

C     NOW WE DIP INTO THE MATRIX DATA STRUCTURE TO FIND WHERE THE
C     COST COEFFICIENT IS IN THE MATRIX COLUMN ASSOCIATED WITH CHICKEN.
C
      K1      = KA(JCHICK)
      K2      = KA(JCHICK + 1) - 1
      DO 220 K = K1, K2
*         IF (NA(K) .EQ. ICOST) GO TO 250
220 CONTINUE
      GO TO 900

C     WE FOUND IT. NOW SUPPOSE CHICKEN IS SELLING AT A BARGAIN RATE.
C
250 OLDC    = A(K)
      A(K)   = 10.0
      IF (ISLPM .GT. 0) WRITE(ISLPM, 2000) OLDC, A(K)
      RETURN

C     -----
C     CYCLE 3. GENERATE A NEW COLUMN.
C     -----
C     FOR ILLUSTRATIVE PURPOSES WE SET UP THE NEW PROBLEM ONLY IF
C     THE SOLUTION TO THE CURRENT PROBLEM CONTAINS MORE OATMEAL THAN
C     THE SPECIFIED CYCLE TOLERANCE. WE HAPPEN TO KNOW THAT OATMEAL
C     IS THE FIRST VARIABLE, X(1).
C     -----
300 IF (NCYCLE .GT. 3) GO TO 900
      IF (ISLPM .GT. 0) WRITE(ISLPM, 3000) X(1)
      IF (X(1) .LE. CNTOL) GO TO 900
      COL(1) = 500.0
      COL(2) = 20.0
      COL(3) = 0.0
      COL(4) = 5.0
      ZTOL   = 1.0E-6
      CALL MATCOL( N, M, NB, NE, NKA,
*             A, NA, KA, BL, BU, COL, ZTOL )

C     THE COMMON VARIABLE MATERR IS INITIALIZED EARLIER TO ZERO.
C     MATCOL WILL INCREMENT IT IN THE EVENT OF ERRORS.
C     MATCOL ALSO INCREMENTS JNEW TO POINT TO THE NEW COLUMN.
C     WE USE JNEW TO GIVE THE ASSOCIATED VARIABLE AN UPPER BOUND.
C
      IF (MATERR .GT. 0) GO TO 900
      SANJNEW = 2.0
      RETURN

C     -----
C     TERMINATE CYCLES UNDER VARIOUS CONDITIONS.
C     -----
900 FINISH = .TRUE.
      RETURN

C
2000 FORMAT( / ' *** COST OF CHICKEN CHANGED FROM', F8.2,
*          ' TO', F8.2)
3000 FORMAT( / ' *** CURRENT AMOUNT OF OATMEAL IS', F8.2)
C     END OF MATMOD
      END

```

8.6 Things to Remember

Use the following space to record the fruits of your experience. They may be useful reminders the next time you come to run MINOS. (We suggest you use a pencil.)

I
I
I
I

REFERENCES

- Bartels, R. H. (1971). A stabilization of the simplex method, *Num. Math.* **16**, pp. 414-434.
- Bartels, R. H. and Golub, G. H. (1969). The simplex method of linear programming using the *LU* decomposition, *Comm. ACM* **12**, pp. 266-268.
- Björck, Å. and Duff, I. S. (1980). A direct method for the solution of sparse linear least squares problems, *Linear Algebra and its Applics.* **34**, pp. 43-67.
- Bracken, J. and McCormick, G. P. (1968). *Selected Applications of Nonlinear Programming*, John Wiley and Sons, New York and Toronto.
- Chvátal, V. (1983). *Linear Programming*, W. H. Freeman and Company, New York and San Francisco.
- Dantsig, G. B. (1963). *Linear Programming and Extensions*, Princeton University Press, Princeton, New Jersey.
- Davidon, W. C. (1959). Variable metric methods for minimization, A. E. C. Res. and Develop. Report ANL-5990, Argonne National Laboratory, Argonne, Illinois.
- Gill, P. E., Murray, W. and Wright, M. H. (1981). *Practical Optimization*, Academic Press, London.
- Gill, P. E., Murray, W., Saunders, M. A. and Wright, M. H. (1979). Two step-length algorithms for numerical optimization, Report SOL 79-25, Department of Operations Research, Stanford University.
- Gill, P. E., Murray, W., Saunders, M. A. and Wright, M. H. (1984). LUSOL: A package for updating a sparse *LU* factorisation (to appear).
- Himmelblau, D. M. (1972). *Applied Nonlinear Programming*, McGraw-Hill.
- Lawson, C. L., Hanson, R. J., Kincaid, D. R. and Krogh, F. T. (1979). Basic Linear Algebra Subprograms for Fortran usage, *ACM Trans. Math. Software* **5**, pp. 308-323 and (Algorithm) 324-325.
- Manne, A. S. (1977). ETA-MACRO: A Model of Energy-Economy Interactions, in C. J. Hitch (ed.), *Modeling Energy-Economy Interactions*, Resources for the Future, Washington, D.C. Also appears as pp. 205-233 in R. Pindyck (ed.), *Advances in the Economics of Energy and Resources*, Vol. 2: *The Production and Pricing of Energy Resources*, JAI Press, Inc., Greenwich, Connecticut, 1979.
- Manne, A. S. (1979). Private communication.
- Murtagh, B. A. and Saunders, M. A. (1978). Large-scale linearly constrained optimization, *Math. Prog.* **14**, pp. 41-72.
- Murtagh, B. A. and Saunders, M. A. (1982). A projected Lagrangian algorithm and its implementation for sparse nonlinear constraints, *Math. Prog. Study* **16**, *Algorithms for Constrained Minimization of Smooth Nonlinear Functions*, pp. 84-117.
- Preckel, P. V. (1980). Modules for use with MINOS/AUGMENTED in solving sequences of mathematical programs, Report SOL 80-15, Department of Operations Research, Stanford University.

- Reid, J. K. (1976). Fortran subroutines for handling sparse linear programming bases, Report R8269, Atomic Energy Research Establishment, Harwell, England.
- Reid, J. K. (1982). A sparsity-exploiting variant of the Bartels-Golub decomposition for linear programming bases, *Math. Prog.* 24, pp. 55-69.
- Robinson, S. M. (1972). A quadratically convergent algorithm for general nonlinear programming problems, *Math. Prog.* 3, pp. 145-156.
- Rosen, J. B. and Kreuser, J. (1972). A gradient projection algorithm for nonlinear constraints, in *Numerical Methods for Non-Linear Optimization* (F. A. Lootsma, ed.), pp. 297-300, Academic Press, London and New York.
- Rosenbrock, H. H. (1960). An automatic method for finding the greatest or least value of a function, *Computer J.* 3, pp. 175-184.
- Saunders, M. A. (1976). A fast, stable implementation of the simplex method using Bartels-Golub updating, in *Sparse Matrix Computations* (J. R. Bunch and D. J. Rose, eds.), pp. 213-226, Academic Press, New York.
- Wolfe, P. (1962). The reduced-gradient method, unpublished manuscript, RAND Corporation.
- Wright, M. H. (1976). Numerical methods for nonlinearly constrained optimization, Ph. D. thesis, Stanford University.

INDEX

- A, in printed solution, 70, 72
 Accuracy, for satisfying linear constraints, 26, 67
 for satisfying nonlinear constraints, 35
 for solving linearized subproblems, 22
 of computed functions, 27, 66-67
 of linesearch procedure, 28-29
 AIJ TOLERANCE, 21
 Alternative optimum, 70
 Augmented Lagrangian, 3-4, 59
- B, Basis matrix, 2-3, 34
 BACKUP BASIS FILE, 21, 49-51
 Bartels, R. H., ii, 2
 Basic variables, 2
 BASIS files, 49-56
 Basis map, 49-51, 68-69
 Basis matrix, B, 2-3, 34
 Bounds, 1-5, 46-48
 specification of default values, 29, 38
 BMAX, in basis factorization statistics, 62
 BOUNDS section of MPS file, 46-48
 BOUNDS keyword, specifying name of bound set, 21
 -BS, in iteration log, 58
- CALCFG, subroutine, i
 CALCON, subroutine, i
 CENTRAL DIFFERENCE INTERVAL, 22
 CHECK FREQUENCY, 22
 COEFFICIENTS, 22
 Cold start, see CRASH procedure
 Column ordering, implicit, 31, 44
 Column variables, 1, 71
 COLUMNS section, of MPS file, 31, 43-44
 of printed solution, 71-72
 COLUMNS, estimate of number of variables, 22
 Comment cards, in MPS file, 41-48
 in SPECS file, 17-18
 COMMON blocks, 7, 15-16, 63, 78, 79
 reserved, 78
 Compatibility with MINOS 4.0, 51
 COMPLETION options, 22
 Composite objective technique, 40
 COMPRSSNS, in basis factorization statistics, 61
 Conjugate-gradient method, i
 Constant Jacobian elements, 12, 44
 CONV, in iteration log, 60
 Convergence, likelihood of, 4, 23-24, 30
 rate of, 3, 27, 34
 tolerances, see FEASIBILITY TOLERANCE,
 OPTIMALITY TOLERANCE and
 ROW TOLERANCE;
 also see CYCLE TOLERANCE
 CRASH procedure, for selecting initial basis,
 22-23, 47
 CRASH options, 22-23, 47
 Cycle facilities (for sequences of problems), 8,
 13-15, 23, 58, 109-111
 CYCLE options, see cycle facilities
 Cycling (endless iterations), 65
- D, in printed solution, 70, 72
 Damped Newton method, 23
 DAMPING PARAMETER, 23-24
 Dantsig, G. B., i, ii, 1
 Data, input sequence, 7
 Davidon, W. C., i, 2
 DEBUG LEVEL, 24
 Default values for SPECS file keywords, 18-20
 Degenerate variable, 70
 DEMAND, in basis factorization statistics, 61
 Dense Jacobian matrix, 44, 94, 96
 DENSITY, in basis factorization statistics, 61
 DERIVATIVE LEVEL, 9-12, 24-25
 DIFFERENCE INTERVAL, 25
 Difference approximation to derivatives,
 see missing gradients
 DJ, in iteration log, 58, 60
 Dual simplex method, i
 Dual variables, 10, 32, 64, 70, 71, 72
 DUMP file, 25, 53-54
- ELEMENTS, estimate of nonzeros in A, 25
 ELEM, in basis factorization statistics, 61
 EMERGENCY VERIFY LEVEL, see VERIFY options
 End-of-File condition when reading SPECS file,
 63, 81
 ENDRUN message, 63
 Equality constraints, 42
 Error checks, on computed gradients, 36-37,
 38-39, 66
 on satisfying $Ax + s = 0$, 22, 67
 Error messages, 34, 63-69
 during input of MPS file, 26
 ETAMACRO, test problem, 75, 84, 92
 Example problems, 85-108
 Exit conditions, 63-69
- F, parameter of FUNOBJ, 10, 16
 F(*), parameter of FUNCON, 11, 12
 F(x), see nonlinear objective function
 f(x), see nonlinear constraint functions
 Factorization of basis matrix, 26, 29, 33, 58-59,
 61-62
 FACTORIZATION FREQUENCY, 26
 FACTORIZE, in basis factorization statistics, 61
 FEASIBILITY TOLERANCE, 26, 47, 64
 Feasible points, definition, 3
 evaluation of functions at, 3, 26, 47
 Files, 6-7, 80, 82, 85
 Formulation of problems, 5, 6
 Fortran source files for MINOS, 75-81
 Fortran 66 versus Fortran 77, 76
 Free rows, 42
 Free variables, 46
 Full completion (accurate solution of subproblems),
 22
 FUNCON, subroutine, 7, 8
 consistency with MPS file, 44
 examples, 96, 100
 specification, 11-12
 FUNCTION PRECISION, 27, 67
 FUNOBJ, subroutine, 7, 8
 consistency with MPS file, 44

- examples, 90, 95, 99
- specification, 9-10

- G(*), parameter of FUNOBJ, 10
- G(*), parameter of FUNCON, 11-12, 44
- Gill, P. E., ii, 2, 3
- Global optimum, 5, 64
- Golub, G. H., ii, 2
- GROWTH, in basis factorization statistics, 62

- Header cards in MPS file, 41
- HESSIAN DIMENSION, 27, 37
- Hessian matrix, 3
- HMOD, in iteration log, 59
- H-CONDN, in iteration log, 60
- HS(*), state vector, 14, 50-51, 69

- I, in printed solution, 71, 72
- INCREASE, in basis factorization statistics, 62
- Inequality constraints, 42
- INFEAS, in basis factorization statistics, 61
- Infeasibilities, 26, 40
- Infeasible problems, 26, 64-65
- Infeasible subproblems, 64-65
- Infinite bounds, 46
- Initial point, x_0 , 3, 4, 5, 23, 47-48
- INITIAL bounds set in MPS file, 47-48
- Input to MINOS, 7
 - examples of, 85-103
- INSERT file, 27, 52-53, 54
- installing MINOS, 75-81, 85
- Integer programming, 1
- Internal modifications to problem, see cycle facilities
- Invert procedure, see factorization of basis matrix
- Iteration log, 29, 57-60
 - example, 105-106
- ITERATIONS LIMIT, 29
- ITN, in iteration log, 57

- Jacobian matrix, $J(x)$, definition, 3
 - computation of, 11-12
 - constant coefficients, 12, 44
 - position within constraint matrix A , 4, 44
 - printing, 34
 - sparsity pattern, 12, 44
- JACOBIAN option (DENSE or SPARSE), 28, 44

- Keywords in SPECS file, 17
 - checklist and default values, 18-20
 - definitions, 21-40
- Kreuser, J., i

- ℓ_1 problem, 93
- λ_k , see Lagrange multipliers
- L, in iteration log, 58
- LA05 basis-handling package, ii
- Lagrange multipliers, λ_k , i, 4, 13, 14, 71
 - printing, 34
 - initial estimate, λ_0 , 4
- Lagrangian, 4
- LAGRANGIAN option (YES or NO), 4, 28
- Least squares, linear, 92-93
- LENL, in basis factorization statistics, 61
- LENU, in basis factorization statistics, 61
- LINEAR, in basis factorization statistics, 61
- Linear approximation to nonlinear constraints, see linearized constraints
- Linear constraints, 1-5, 15
- Linear programming, 1, 9
 - example, 86-87
 - test problem, see ETAMACRO
- Linearized constraints, 4, 70
- Linearly constrained optimisation, 2-3
 - examples, 90-93
- Line search, 3
 - accuracy of, 29
 - failure of, 66-67
- LINESEARCH DEBUG, 28
- LINESEARCH TOLERANCE, 28-29
- Linesearch procedures, ii, 28-29, 38
- Linking subroutines to MINOS, 66
- LIST LIMIT, for printing MPS file, 29
- LMAX, in basis factorization statistics, 62
- LOAD file, 29, 53-54
- LOG FREQUENCY, 29, 34
- Local optimum, 5, 64
- Logical variables (slacks), 1
- Lower bounds, see bounds
- LOWER BOUND (default lower bound on all variables), 29
 - LU factorization of basis matrix, i-ii, 2, 3, 61, 68
 - see factorization of basis matrix
 - LU FACTOR TOLERANCE, 30, 62
 - LU UPDATE TOLERANCE, 30
 - LUSOL basis-handling package, i-ii, 2

 - $m = m_1 + m_2$ (number of nonlinear and linear constraints), 1, 6
 - m_1 (number of nonlinear constraints), 1, 6, 16
 - m_2 (number of linear constraints), 1, 6, 16
 - Machine-dependent subroutines, 75, 79-81
 - Machine precision, ϵ , 18, 81
 - Main program, 79, 82
 - Major iteration, 4
 - MAJOR ITERATIONS limit, 30
 - Manne, A. S., ii, 83, 84
 - MANNE, test problem, 75, 76, 80, 83, 98-106
 - Markowitz, ordering for sparse LU factorization, ii, 2, 61
 - MATCOL, subroutine, 14, 23
 - specification, 15
 - Mathematical programming systems, i, 34, 41, 48, 52-54
 - MATMOD, subroutine, 7, 8, 23, 82
 - example, 109-111

- specification, 13-14
- Matrix coefficients, ignoring small values, 21, 109
number of, 25
- Matrix data structure, 15
- Minor iteration, 2
- MINOR ITERATIONS limit, 30
- MINOS, acronym, ii
- MERIT, in basis factorization statistics, 61
- MHW4D, example problem, 94-97
- Missing gradients, 1, 9, 24-25
- MODE, parameter of FUNOBJ and FUNCON, 9-10, 11, 12, 66
- MPS file, 6, 7, 30, 41-48, 68
examples, 67, 69, 91, 97, 102-103
restrictions and extensions, 48
- MULTIPLE PRICE option, 31
- Murray, W., B., 2, 3
- Murtagh, B. A., 2, 3
- $n = n_1 + n_2$ (number of nonlinear and linear variables, excluding slacks), 1, 6
- $n_1 = \max\{n'_1, n''_1\}$ (number of nonlinear variables, x), 1, 6, 16, 37
- n'_1 (number of nonlinear objective variables), 31
- n''_1 (number of nonlinear Jacobian variables), 31
- n_2 (number of linear variables, y), 1
- N , matrix associated with nonbasic variables, 2
- N , in printed solution, 71, 72
- NAME card in MPS file, 41
- NCON, in iteration log, 59
- NCP, in iteration log, 59
- NINF, in iteration log, 59
- NJAC, parameter of FUNCON, 11, 12, 16
- NEW BASIS file, 21, 31, 49-51
- NOBJ, in iteration log, 59
- Noisy functions, i, 27, 66-67
- Nonbasic variables, 2
- Nonlinear constraint functions, $f(x)$, 1, 3-4, 7, 11-12
printing, 34
- Nonlinear constraints, 1, 3-4, 5
- Nonlinear equations, 23-24
- Nonlinear Jacobian variables, 31, 44
- Nonlinear objective function, $F(x)$, 1, 2-3, 7, 9-10
- Nonlinear objective variables, 31, 44
- Nonlinear variables, 1, 4, 44
printing, 34
- NONLINEAR, in basis factorization statistics, 61
- NONLINEAR CONSTRAINTS and VARIABLES, 31
- Nonlinearly constrained optimization, 3-4
examples, 94-106
- NOPT, in iteration log, 59
- NPROB, parameter of FUNOBJ, FUNCON and MATMOD, 10
- NSB, in iteration log, 59
- NSTATE, parameter of FUNOBJ and FUNCON, 10
- NWCORE, parameter of FUNOBJ, FUNCON and MATMOD, 10, 40, 79
- Objective function ($F(x) + c^T x + d^T y$), 1
- Objective row in MPS file (defining $c^T x + d^T y$), 42
- OBJECTIVE, in basis factorization statistics, 61
- OBJECTIVE, in iteration log, 59
- OBJECTIVE keyword, specifying name of linear objective, 32
- OLD BASIS file, 21, 32, 49-51
- Optimal solutions, local and global, 5, 63-64
- OPTIMALITY TOLERANCE, 32, 64, 67, 71
- Ordering of constraints and variables, 31, 42, 44
- Output from MINOS, 57-74,
see also LOG FREQUENCY, PRINT LEVEL, SUMMARY FREQUENCY
- P^4 ordering for sparse LU factorization, i
- Parameters, ii, 7
- Parametric algorithms, i
- Partial completion, 22
- Partial pricing, 33, 57-58
- Penalty parameter, ρ , 4, 33, 35
- PENALTY PARAMETER, 4, 33
- PH (Phase), in iteration log, 57-58
- PHANTOM COLUMNS and ELEMENTS, 8, 15, 23
- Piece-wise smooth functions, i, 93
- PILOT energy-economic model, ii
- PIVOT, in iteration log, 58
- PIVOT TOLERANCE, 34, 58, 67
- PP, in iteration log, 57
- Preckel, P. V., ii
- PRICE operation, 57
- Primal simplex method, see simplex method
- PRINT file, 6-7, 36
- PRINT LEVEL options, 34
- Problem forms solved by MINOS, 1
- Problem formulation, 5-6
- PROBLEM NUMBER, 10, 13, 34
- PUNCH file, 35, 52, 54
- Quadratic programming, ii
example, 90-91
- Quasi-Newton method, i, 2, 3, 6, 27, 59-60
- R , triangular matrix for approximation to reduced Hessian, 3, 6, 27, 59-60
- RADIUS OF CONVERGENCE, 35
- Ranges on general constraints, 1, 45-46
- RANGES section of MPS file, 45-46
- RANGES keyword, specifying name of range set, 35
- Ranging procedures, i
- READ file, 6-7
- Record length of files, 6-7
- Reduced gradient (vector), 3, 32, 37, 58, 72
- Reduced-gradient algorithm, 2, 4, 58-60
- Reduced Hessian (matrix), 13, 59-60
- Reid, J. K., i, ii, 2
- Restarting previous runs, 49, 55-58, 71
- Restrictions, in MPS format, 48
on problem characteristics, 5-6
- Rewinding files, 7
- RG, in iteration log, 59
- RHS section of MPS file, 45
- RHS keyword, specifying name of right-hand side, 35

- Right-hand side, 1, 45
 Robinson, S. M., i, 3
 Rosen, J. B., i
 ROW CHECK, message in PRINT file,
 see CHECK FREQUENCY, 23
 ROW TOLERANCE, 22, 26, 35
 ROWS section, of MPS file, 42-43
 of printed solution, 70-71
 ROWS, estimate of number of general constraints,
 35
- s*, vector of slack variables, see slack variables
s, number of superbasic variables, 2, 5
S, matrix associated with superbasic variables, 2
 Saunders, M. A., i, 2, 3
 SAVE FREQUENCY, 21, 36
 Saving basis files, 21, 36, 65
 +SBS, -SBS, in iteration log, 58
 SCALE options, 36
 Scaling of data and variables, 5, 35-36
 SCRATCH file, 6-7
 Search direction, 3
 Sensitivity analysis, i
 Separable functions, 5
 Sequence of problems, 7, 8, 13-15
 Simplex method, 1-2, 57
 SINF, in iteration log, 58
 Singular basis, 62, 68
 Singularities in nonlinear functions, 5, 26, 38
 Slack variables, 1, 15, 36, 70-71
 SLACKS, in basis factorization statistics, 61
 Smooth functions, 1, 5
 Solution output, 70-72
 example, 108
 SOLUTION file, 6-7, 36, 72
 SOLUTION options, 36-37
 Source files (MINOS Fortran code), 75-81
 Sparse Jacobian matrix, 4, 44
 Sparse constraint matrix, 4, 15
 SPECS file, 6-8, 17-40
 checklist and default values, 18-20
 examples, 86, 88, 91, 92, 97, 101
 format, 17-18
 keywords, 21-40
 Spikes, i
 Standard form for problems, 1
 START and STOP gradient verification, 37
 State vector, HS(*), 14, 50-51, 88
 STEP, in iteration log, 58
 Storage allocation and/or requirements,
 see workspace
 Structural variables, 1
 Subproblem, definition, 4
 Subroutine hierarchy, 83
 Subroutine names, reserved, 77-78
 Subroutines, required from user, 7, 80
 SUBSPACE TOLERANCE, 37, 60
 SUMMARY file, 6-7, 36, 73-74
 SUMMARY FREQUENCY, 38
 Superbasic variables, 2, 6, 13, 38
 SUPERBASICS LIMIT, 27, 36
 Suppression of output, 34, 38
- SUPPRESS PARAMETERS option, 38
 System information, 6-8, 15-16, 63, 75-82
- Test problems, 75, 76, 83-84, 85-92, 94-108
 TOO MANY ITERATIONS, exit condition, 65
 Transformation of variables, 5
- U, in iteration log, 58
 UMAX, in basis factorization statistics, 62
 UMIN, in basis factorization statistics, 62
 Unbounded problems, 36, 65
 Unconstrained optimization, example, 88-89
 Upper bounds, see bounds
 UPPER BOUND (default upper bound on all variables),
 38
- VERIFY options for checking gradients, 38
- Warm start, 49-56
 WATFIV compiler, iii, 76
 WEAPON, test problem, 75, 83
 WEIGHT ON LINEAR OBJECTIVE, 40
 Wolfe, P., i, 2
 Workspace (storage requirements), 5-8, 10, 40, 58,
 66, 69, 79, 80
 WORKSPACE parameters in SPECS file, 40, 68
 Wright, M. H., ii, 2, 3, 94
 Wylbur text editor, iii
- z*, nonlinear variables, 1, 4
*z*₀, see initial point
*z*_h, 4
 printing, 34
- y*, linear variables, 1
- Z*, null-space operator, 3
Z, workspace array, see workspace

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER SOL-83-20	2. GOVT ACCESSION NO. AL-A138522	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) MINOS 5.0 USER'S GUIDE		5. TYPE OF REPORT & PERIOD COVERED Technical Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Bruce A. MURTAGH and Michael A. SAUNDERS		8. CONTRACT OR GRANT NUMBER(s) N00014-75-C-0267 DAAG29-81-K-0156
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Operations Research - SOL Stanford University Stanford, CA 94305		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR-047-143
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research - Dept. of the Navy 800 N. Quincy Street Arlington, VA 22217		12. REPORT DATE December 1983
		13. NUMBER OF PAGES 118
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		16a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public release and sale; its distribution is unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) AUGMENTED LAGRANGIAN NONLINEAR CONSTRAINTS REDUCED-GRADIENT METHOD FORTRAN CODE NONLINEAR PROGRAMMING SIMPLEX METHOD LARGE-SCALE OPTIMIZATION OPTIMIZATION SPARSE MATRIX LINEAR CONSTRAINTS PROJECTED LAGRANGIAN METHOD LINEAR PROGRAMMING QUASI-NEWTON METHOD		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) SEE ATTACHED		

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 68 IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SOL 83-20: MINOS 5.0 USER'S GUIDE, by Bruce A. Murtagh and Michael A. Saunders

→ MINOS is a large-scale optimization system, for the solution of sparse linear and nonlinear programs. The objective function and constraints may be linear or nonlinear, or a mixture of both. The nonlinear functions must be smooth.

Stable numerical methods are employed throughout. Features include a new basis package (for maintaining sparse LU factors of the basis matrix), automatic scaling of linear constraints, and automatic estimation of some or all gradients. Upper and lower bounds on the variables are handled efficiently. File formats for constraint and basis data are compatible with the industry MPS format.

The source code is suitable for machines with a Fortran 66 or 77 compiler and at least 500K bytes of storage.