

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

PROFESSIONAL PAPER 402 / March 1984

2

AD-A141 240

A PARAMETRIC ANALYSIS OF DUELS

Henry L. Herz

DTIC FILE COPY

DTIC
ELECTE
MAY 21 1984
S D
D



CENTER FOR NAVAL ANALYSES

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

84 · 05 21 051

A PARAMETRIC ANALYSIS OF DUELS

Henry L. Herz

| | |
|--------------------|-------------------------------------|
| Accession For | |
| NTIS GRA&I | <input checked="" type="checkbox"/> |
| DTIC TAB | <input type="checkbox"/> |
| Unannounced | <input type="checkbox"/> |
| Justification | |
| By _____ | |
| Distribution/ | |
| Availability Codes | |
| Dist | Avail and/or Special |
| A/1 | |



Air Warfare Department

CENTER FOR NAVAL ANALYSES

2000 North Beauregard Street, Alexandria, Virginia 22311

INTRODUCTION

The type of game of timing analyzed here is known as a discrete, "noisy" duel. Through the use of "decomposition," such games can be defined recursively (i.e., in terms of successively simpler games). The principle of decomposition is well suited to implementation on a computer. Such a program (listed in the appendix) was developed on a VAX 11/780 computer in BASIC. This program permits parametric analysis by providing nearly instantaneous solutions to discrete, noisy duels.

THE GAME

The discrete, noisy duels considered here can be thought of as a naval engagement between two ships armed with surface-to-surface missiles (SSMs). Each player (ship) begins the game (engagement) with a certain number of bullets (SSM salvos). The distance between the ships is decreased by a set amount until one or both of the ships has been hit by the other's SSMs, or the intership separation has been reduced to zero. Before each decrement in intership separation, both players have the choice of firing one SSM salvo or waiting. The players select their option (shoot or wait) secretly, and then announce their selections simultaneously. The probability of hitting an opponent's ship decreases monotonically with range, and the probability of hit equals 1 at a range of 0. Hence, each player wishes to delay firing as long as possible to increase his chances for success, but not so long as to allow his

opponent to effectively precede him. An optimal strategy provides the proper balance between effectiveness and vulnerability.

The value of the game (payoff) is +1 if player 1 (arbitrarily designated) hits player 2 and is -1 if player 2 hits player 1. The value of the game is 0 if both players hit their opponent (on the same turn) or both players fail to hit their opponent. Because the probability of hit equals 1 at an intership separation of 0, if at some point one player has exhausted his SSMS, the other player can simply hold his fire until the separation decreases to 0, guaranteeing a hit against his opponent. This is possible because it is a "noisy" duel, i.e., each player knows when his opponent has fired.

RATIONALE

The duels described above, while not prohibitively complex problems, are sufficiently time-consuming to make manual attempts at parametric analysis virtually impossible. However, the development of a computer program that can solve very large duels in seconds (i.e., duels involving 10 salvos per player and 20 distance decrements) readily allows such analysis. In fact, a fortunate side benefit of the decomposition algorithm is that not only is the value of the specified duel determined, but also the value of every duel with parameters

(salvos for player 1, salvos for player 2, and initial separation) less than those of the specified duel. The result is a vast reduction in completion time.

OUTLINE

The remainder of this paper is divided into four main sections: Method, Results, Discussion, and Conclusions. The Method section outlines the procedure for solving discrete, noisy duels via decomposition, as well as the implementation of this process within a computer program. The Results section lists the topics that were investigated using the previously discussed methods and graphically displays the results of the parametric analyses. The Discussion section analyzes the results and proposes explanations of unexpected or counterintuitive results. The Conclusions section summarizes the findings of this investigation.

METHOD

This section outlines the method for solving discrete, noisy duels, as well as how such an algorithm is implemented within a computer program. The notation $V(K,J;I)$ refers to the value of the game to player 1 (which is the negative of the value of the game to player 2) when player 1 has K salvos remaining, player 2 has J salvos remaining, and the players are separated by a distance of I units (where I , J , and K are all non-negative integers). $P_1(I)$ and $P_2(I)$ are the probabilities of hitting one's opponent at a separation of I for players 1 and 2, respectively. The expression "value of the game" refers to the payoff to player 1 when both players follow their optimal strategies.

SOLUTION VIA DECOMPOSITION

Decomposition of a duel into simpler duels (i.e., duels with smaller parameter values) is made easier by the fact that before each decrement in separation, each player has only two options, shoot or wait. Thus, the game $V(K,J;I)$ decomposes into the following game:

| | | Player 2 | |
|----------|-------|--|---|
| | | Shoot | Wait |
| Player 1 | Shoot | A. $P_1(I) \cdot [1 - P_2(I)] \cdot (+1) + P_2(I) \cdot [1 - P_1(I)] \cdot (-1) + [1 - P_1(I)] \cdot [1 - P_2(I)] \cdot V(K-1, J-1; I-1)$ | B. $P_1(I) \cdot (+1) + [1 - P_1(I)] \cdot V(K-1, J; I-1)$ |
| | Wait | C. $P_2(I) \cdot (-1) + [1 - P_2(I)] \cdot V(K, J-1; I-1)$ | D. $V(K, J; I-1)$ |

The expected values listed above come directly from the probabilities of various events occurring. Since both players have two options (shoot or wait), there are four possible joint outcomes (represented by the four boxes above). The expected values derive from the following reasoning:

Box A. Player 1 shoots, player 2 shoots

The first term in this box refers to the outcome that player 1's shot hits and player 2's shot misses (times resulting game value of +1). The second term in this box refers to the outcome that player 1's shot misses and player 2's shot hits (times resulting game value of -1). The third term in this box refers to the outcome of both players' shots missing (times the value of the resulting game, which is simply a duel starting with one less salvo for each player and with a smaller initial separation). There is no term corresponding to the outcome that both salvos hit, since the resulting game value would be 0.

Box B. Player 1 shoots, player 2 waits

The first term in this box refers to the outcome that player 1's shot hits (times resulting game value of +1). The second term refers to the outcome that player 1's shot misses (times the value of the resulting game, which is simply a duel starting

with one less salvo for player 1 and with a smaller initial separation).

Box C. Player 1 waits, player 2 shoots

The terms in this box are analogous to those in box B, with the exception that the resulting game value of a successful salvo is -1 and the game resulting from a miss has player 2 starting with one less salvo rather than player 1.

Box D. Player 1 waits, player 2 waits

Since both players choose to wait, the resulting game is identical, except that the initial separation is reduced by one.

This process continues until all of the "resulting" duels have zero as one or more of their parameters (i.e., I, J, or K). Such duels are trivial, as shown below:

Example 1. $K=0$ and $J>0$

Since player 1 has no more salvos, but player 2 does, the latter can hold his fire until separation (I) becomes zero, guaranteeing a game value of -1 (i.e., $V(0,J;I) = -1$).

Example 2. $J=0$ and $K>0$

This is the opposite of the previous example (i.e.,
 $(V(K,0;I) = +1)$).

Example 3. $I=0$ ($J>0$ and $K>0$)

Since the separation is 0 and both players have salvos remaining, both will hit their opponent, resulting in a game value of 0 (i.e., $V(K,J;0) = 0$).

Example 4. $J>I+1$

These parameters correspond to a player having more salvos than can be used at the rate of one per decrement (note that players can shoot at $I=0$, hence the $+1$ term). This duel has the same value as $V(K,I+1;I)$.

Example 5. $K>I+1$

This is analogous to Example 4, but for the other player. This duel has the same value as $V(I+1,J;I)$.

Note also that certain games that are impossible in terms of the original game cannot be treated as trivial and ignored. For example, if

the initial problem is to find $V(1,5;2)$, it is obvious, by means of Example 4, that this is equal to $V(1,3;2)$. Even though the game $(1,3;2)$ is impossible in terms of $(1,5;2)$, i.e., player 2 could not have fired two salvos before the game even began, it still must be solved as an intermediate step in the solution of the original game.

Because solutions to the trivial games listed above are known, some of the "matrices" (boxes A through D, which collectively represent the value of a particular duel) can be filled in. That is, values have been determined for every term in the expression (the $P_1(I)$, $P_2(I)$, and $V(K,J;I)$ terms). Letting a , b , c , and d represent the numeric value of the newly filled-in terms within boxes A, B, C, and D for a particular matrix this duel becomes what is called a two-by-two, zero-sum matrix game of the form:

| | | Player 2 | |
|----------|-------|----------|------|
| | | Shoot | Wait |
| Player 1 | Shoot | a | b |
| | Wait | c | d |

The following discussion, based on Guillermo Owen, Game Theory, New York: Academic Press, 1982, is included for the sake of completeness. There are two possibilities for such a game: either the optimal solution occurs for an equilibrium pair of pure strategies (i.e., shoot or wait) or it occurs for a pair of mixed strategies (probability distributions across all players' choices). If an equilibrium pair of strategies exists, then the value of the game will be the number in the box that is defined by that equilibrium pair. Such a pair exists when one (or more) of the numbers a , b , c , or d is both the minimum number in its row and the maximum number in its column. The basis for this is the Minimax Theorem. Because player 1 is trying to maximize the value of the game, and player 2 is trying to minimize the value of the game, such an equilibrium pair of strategies (also known as a saddle point) will be optimal for both players. This is true because neither player, even with knowledge of the other player's choice, will have any incentive to change his strategy.

For example, if $a = .5$, $b = .7$, $c = 0$, and $d = -.4$, then it is obvious that the value of the game equals a ($.5$), because the optimal strategy for both players is to shoot. Observe that neither player, knowing his opponent will shoot, can improve his payoff by changing his strategy.

If no equilibrium pair of strategies exists (e.g., if c were $.6$ rather than 0 in the previous example), then a solution would be

obtained by using mixed strategies. A mixed strategy associates a probability with each choice (pure strategy) facing a player. These probabilities must be non-negative and sum to 1. For example, a mixed strategy for player 1 might be: shoot with probability .5 and wait with probability .5. A mixed strategy for player 2 might be: shoot with probability .25 and wait with probability .75. Using game theory, optimal mixed strategies can be calculated. These prevent a player from being outguessed by his opponent through the (proper) randomization of strategy selection. Determination of optimal mixed strategies is discussed here only because it is a means for determining the value of a game (we are not concerned with strategies). The value of a game can be derived from the optimal mixed strategy for either player. Such a process is outlined below.

Given the matrix game just discussed, let x_1 and x_2 be the probabilities that player 1 chooses to shoot and wait, respectively. Let y_1 and y_2 be the analogous probabilities for player 2. If we denote the game matrix as M , and mixed strategy vectors as x and y for players 1 and 2, respectively, then the value of the game = xMy . The optimal value of the game $v^* = x^*My^*$, where x^* and y^* are the optimal mixed strategy vectors for players 1 and 2.

To determine the optimal value of the game, solve the maxi-min problem of player 1, namely:

$$v^* = \text{Max} \left\{ \text{Min} \left\{ xMy \right\} \right\} .$$

$$x_1 + x_2 = 1 \quad y_1 + y_2 = 1$$

$$x_1, x_2 > 0 \quad y_1, y_2 > 0$$

Carrying out the matrix multiplication, this becomes:

$$v^* = \text{Max} \left\{ \text{Min} \left\{ ax_1y_1 + bx_1y_2 + cx_2y_1 + dx_2y_2 \right\} \right\} .$$

$$x_1 + x_2 = 1 \quad y_1 + y_2 = 1$$

$$x_1, x_2 > 0 \quad y_1, y_2 > 0$$

Note that for a fixed value of x , the expanded xMy is linear in terms of y . This means that the min of $(ax_1y_1 + bx_1y_2 + cx_2y_1 + dx_2y_2)$ will occur at a vertex (that is, either $y_1=0$ and $y_2=1$ or $y_1=1$ and $y_2=0$), though this does not mean that player 2's optimal strategy occurs at a vertex. Thus, the expression can be rewritten as:

$$v^* = \text{Max} \left\{ \text{Min} \left\{ (bx_1 + dx_2), (ax_1 + cx_2) \right\} \right\} .$$

$$x_1 + x_2 = 1$$


$$x_1, x_2 > 0$$

Since $x_1 + x_2 = 1$, $1-x_1$ can be substituted for x_2 above, yielding:

$$v^* = \text{Max} \left\{ \text{Min} \left\{ (b-d)x_1 + d, (a-c)x_1 + c \right\} \right\} .$$

$$0 < x_1 < 1$$

The two inner terms, $(b-d)x_1+d$ and $(a-c)x_1+c$, are both linear in terms of x_1 . Also, since no equilibrium pair of strategies was found, the two terms will intersect within the interval $[0,1]$. The solution to the problem occurs at this intersection, i.e., where $(b-d)x_1+d = (a-c)x_1+c$. This can be seen graphically below:



To find x_1^* , set the two lines equal to each other and solve:

$$(b-d)x_1^* + d = (a-c)x_1^* + c$$

$$(b-d-a+c)x_1^* = c - d$$

$$x_1^* = (c-d)/(b-d-a+c)$$

To find v^* , simply plug in x_1^* into either of the equations for the lines plotted above, i.e., substitute the equation for x_1^* into $(b-d)x_1^* + d$:

$$\begin{aligned}(b-d) [(c-d)/(b-d-a+c)] + d &= \\ [(b-d)(c-d) + d(b-d-a+c)]/(b-d-a+c) &= \\ [bc - bd - dc + d^2 + db - d^2 - da + dc]/(b-d-a+c) &= \\ (bc - ad)/(b-d-a+c) &= v^*\end{aligned}$$

To summarize, if there is a payoff (either a, b, c, or d) which is the minimum of its row and the maximum of its column, then the value of the game is that payoff. If no payoff meets this criterion, there is no equilibrium pair of pure strategies and the value of the game (which results from the use of mixed strategies) equals $(bc - ad)/(b-d-a+c)$.


Although this technique of decomposing the original game into a sequence of games with smaller parameters is straightforward, even obvious, it was not seen in the literature.

IMPLEMENTATION

Implementation of this scheme requires a computer with enough memory to store four arrays totaling slightly over 40 kilobytes. The computer should also be capable of executing, in a reasonable amount of

time, the large number of commands required (on the order of $11(D+1) + 21(D+1)(N1+1)(N2+1)$, where D = initial separation, $N1$ = salvos for player 1, and $N2$ = salvos for player 2). For example, to find $V(10,10;20)$, the program executes over 53,000 commands, and this does not include I/O operations. The computer on which the program was run, a Digital Equipment Corporation VAX 11/780, provided nearly instant turnaround, and could handle problems of even larger parameters.

Program execution is a five-step process, summarized by the flow diagram below:



^aThe matrix, as you will recall, had four boxes, each filled with an expression of the general form $t_1 + t_2 [V(t_3, t_4; t_5)]$. Since box D has no terms corresponding to t_1 and t_2 , an entire matrix (which represents the decomposition of a particular duel) can be stored in an array of length 18 (i.e., $4 \times 5 - 2$).

The program's structure follows the principles of dynamic programming or recursion. First, the duel to be solved is decomposed into duels (matrices) of decreasing complexity, which are themselves decomposed. This continues until all duels with parameters less than those of the original duel have been so defined. Then, working backwards using the initial conditions supplied by the trivial games, increasingly more complex matrices can be filled in with actual values and solved. This continues until the original duel is solved. Because the loop indices increase in the second phase of this algorithm, the process of filling in the values of matrices will occur only after the component duels have already been solved. The program code is in BASIC and is listed in the appendix.

RESULTS

The following table lists eight cases that were felt to be of sufficient interest to warrant investigation. Immediately after this table are the actual results, consisting of plots of the values of the games as a function of some of the games' parameters. The Probability of hit (P_h) function listed for each player, called P1 and P2, is the probability of hit as a function of the intership separation, "D", previously denoted as "I". N1 and N2 denote the initial number of salvos for player 1 and player 2 respectively.

TABLE 1
PARAMETERS OF THE EIGHT CASES

| Case number | Salvos, player 1 | Salvos, player 2 | P_h for player 1 ^a | P_h for player 2 | P_h plotted for both players |
|-------------|------------------|------------------|---------------------------------|--------------------|--------------------------------|
| 1 | 2 | 1 | $1-.05D$ | $1-.05D$ | |
| | 4 | 2 | | | |
| | 6 | 3 | | | |
| | 8 | 4 | | | |
| | 10 | 5 | | | |

Comment: Game value is plotted as a function of initial separation and salvos.

| | | | | | |
|---|---|---|----------|----------|--|
| 2 | 2 | 1 | $1-.05D$ | $1-.05D$ | |
| | 4 | 3 | | | |
| | 6 | 5 | | | |
| | 8 | 7 | | | |


Comment: Game value is plotted as a function of initial separation and salvos.

| | | | | | |
|---|---|---|------------|----------|--|
| 3 | 5 | 5 | $1.1-.05D$ | $1-.05D$ | |
| | | | $1.2-.05D$ | $1-.05D$ | |
| | | | $1.3-.05D$ | $1-.05D$ | |

Comment: Game value is plotted as a function of initial separation and P_h for player 1.


| <u>Case number</u> | <u>Salvos, player 1</u> | <u>Salvos, player 2</u> | <u>P_h for player 1^a</u> | <u>P_h for player 2</u> | <u>P_h plotted for both players</u> |
|--------------------|-------------------------|-------------------------|--|--------------------------------------|--|
|--------------------|-------------------------|-------------------------|--|--------------------------------------|--|

| | | | | | |
|---|---|---|----------------------------------|----------------------------|--|
| 4 | 5 | 5 | 1.2-.06D 1.4-.07D 2.0-.10D | 1-.05D 1-.05D 1-.05D | |
|---|---|---|----------------------------------|----------------------------|--|




Comment: Game value is plotted as a function of initial separation and P_h for player 1.

| | | | | | |
|---|-----------------------|------------------------|----------|--------|--|
| 5 | 1 2 3 4 5 | 2 4 6 8 10 | 2.0-.10D | 1-.05D | |
|---|-----------------------|------------------------|----------|--------|--|




Comment: Game value is plotted as a function of initial separation and salvos.


| | | | | | |
|---|--------|--------|-----------|--------|--|
| 6 | 1 9 | 1 9 | 1.5-.075D | 1-.05D | |
|---|--------|--------|-----------|--------|--|




Comment: Game value is plotted as a function of initial separation and salvos.


| <u>Case number</u> | <u>Salvos, player 1</u> | <u>Salvos, player 2</u> | <u>P_h for player 1^a</u> | <u>P_h for player 2</u> | <u>P_h plotted for both players</u> |
|--------------------|-------------------------|-------------------------|--|--------------------------------------|--|
|--------------------|-------------------------|-------------------------|--|--------------------------------------|--|

| | | | | | |
|---|---|---|---|---|---|
| 7 | 6 | 3 | $1 - \sqrt{.05D}$ $1 - .05D$ $1 - (.05D)^2$ | $1 - \sqrt{.05D}$ $1 - .05D$ $1 - (.05D)^2$ |  |
|---|---|---|---|---|---|



Comment: Game value is plotted as a function of initial separation and P_h for both players.

| | | | | | |
|---|----|---|------------|------------|---|
| 8 | 1 | 5 | $1 - .05D$ | $1 - .05D$ |  |
| | 2 | | | | |
| | 3 | | | | |
| | 4 | | | | |
| | 5 | | | | |
| | 6 | | | | |
| | 7 | | | | |
| | 8 | | | | |
| | 9 | | | | |
| | 10 | | | | |



Comment: Game value is plotted as a function of player 1's salvos and initial separation.

a Probability of hit functions are actually equal to the minimum of $\{1, P_1\}$, i.e., they will never exceed 1.




FIG. 1: TWICE THE SALVOS, EQUAL P_h , VARYING SALVO SIZE




FIG. 2. ONE EXTRA SALVO, EQUAL P_h , VARYING SALVO SIZE




FIG. 3: EQUAL SALVOS, CONSTANTLY LARGER P_h , VARYING DIFFERENCE




FIG. 4: EQUAL SALVOS, PROPORTIONALLY LARGER P_h , VARYING PROPORTION




FIG. 5: HALF THE SALVOS, TWICE THE P_h , VARYING SALVO SIZE




FIG. 6: EQUAL SALVOS, PROPORTIONALLY LARGER P_h , VARYING SALVO SIZE




FIG. 7: TWICE THE SALVOS, EQUAL P_h , VARYING P_h FUNCTION




FIG. 8: FIXED SALVOS FOR PLAYER 2, EQUAL P_h , VARYING SALVOS FOR PLAYER 1

DISCUSSION

This section discusses the results of the parametric analyses. Each of the eight cases is considered in terms of intuitive appeal. Attempts to explain unexpected results will also be made. Because the value of a game is zero regardless of initial separation when both players have the same P_h functions and the same number of salvos, the cases discussed here explore some asymmetrical properties of duels.

Note that the significance of any findings should not be reduced by the contention that discrete duels are not realistic. The value of a discrete duel appears to rapidly approach the value of the equivalent continuous duel as the number of discrete distance gradations increases. Table 2 compares the value of discrete duels of increasing "granularity" with those of the three corresponding continuous duels.

Thus it appears that if the discrete game has 20 or more gradations, its value will be very close to that of the continuous version. The imprecise term "very close" is used intentionally because the rate at which the value of discrete and continuous games converge is influenced by the choice of P_h functions. Specifically, games where the difference in P_h functions is small converge faster than games with disparate P_h functions. Because only very special continuous games have

been solved, this conclusion is significant in that it suggests a computer program can "solve" such problems by substituting a close approximation to the original problem that can be solved.

TABLE 2
VALUES OF DISCRETE VERSUS CONTINUOUS DUELS

| Discrete gradations | Duel parameters ^a | | |
|--|--|---|--|
| | <u>N1=1</u> <u>N2=1</u> <u>P1=1-D</u> <u>P2=1-D²</u> | <u>N1=1</u> <u>N2=1</u> <u>P1=1-D</u> <u>P2=1-2D</u> | <u>N1=3</u> <u>N2=2</u> <u>P1=1-D</u> <u>P2=1-D</u> |
| 2 | -.250 | .000 | .000 |
| 5 | -.240 | .200 | .200 |
| 8 | -.250 | .250 | .211 |
| 11 | -.248 | .273 | .192 |
| 14 | -.245 | .286 | .215 |
| 17 | -.242 | .294 | .206 |
| 20 | -.240 | .300 | .200 |
| Value of corresponding continuous duel | -.240 | .333 | .200 |

^awhere N1=salvos, player 1
 N2=salvos, player 2
 P1=probability of hit function, player 1
 P2=probability of hit function, player 2
 D=inter-ship separation
 and the values of the continuous duels are calculated using formulas from Melvin Dresher, Games of Strategy--Theory and Applications, Englewood Cliffs, New Jersey: Prentice Hall Inc., 1961.

The following discussion of the eight cases is based on the graphs shown in figures 1 through 8 in the preceding section.

Case 1:

The main point of the graph in figure 1 is to demonstrate that when the ratio of player salvos remains constant, increasing the number of salvos decreases the value of the game to the favored player. This behavior is not intuitive unless the extreme case of player 1 having 40 salvos and player 2 having 20 salvos is considered. In such an engagement, both players can fire at every opportunity and the value of the game will be zero even though player 1 has many more salvos than player 2. Based on this "end point," we might infer that the value of this game decreases as the magnitude of salvos increases because the players are gradually approaching a point where the extra salvos of player 1 will never be used.

This trend (not firing beyond some separation) is also reflected, in a different way, by the "flattening out" of the curves. Such a phenomenon is the result of a change in the players' optimal strategies. In particular, for the case of $N_1=2$ and $N_2=1$, both players' optimal strategy is to fire for any initial separation of 12 or less. At an initial separation of 13, there is no equilibrium pair of pure strategies, and the players use mixed strategies. At initial

separations greater than 13, both players' optimal strategy is to hold their fire ("wait") until their separation equals 13. Thus, the value of the game levels off, but not at its maximum value (see below).

Given $N_1=2$, $N_2=1$, $P_1=P_2=1-.05D$:

| <u>Initial separation</u> | <u>Optimal strategy (for first stage of duel)</u> | <u>Value of game</u> |
|---------------------------|---|----------------------|
| 1 | Both players fire | .0025 |
| 2 | Both players fire | .01 |
| : | Both players fire | : |
| : | Both players fire | : |
| 10 | Both players fire | .25 |
| 11 | Both players fire | .3025 |
| 12 | Both players fire | .36 |
| 13 | Players use mixed strategies | .35547 |
| 14 | Both players wait | .35547 |
| : | Both players wait | .35547 |
| : | Both players wait | .35547 |
| 20 | Both players wait | .35547 |

Case 2:



Figure 2 shows the advantage of having one more salvo than your opponent. As expected, the value of the additional salvo approaches zero as the number of salvos increases. This is not a surprise, since the "importance" of each salvo increases when there are fewer of them. Said another way, the favored player's optimal strategy will direct him to use his extra salvo at a range shorter than it would be used in an engagement where both players have more salvos available. This results in a higher probability of hit for that additional salvo and, therefore, a higher value of the game.

Case 3:

Figure 3 demonstrates the effect of adding a constant to one player's probability of hit function. The effect is roughly equivalent to adding that constant to the value of the game. Also, the fact that the value of a game increases as the initial separation increases follows intuition in the following way. Whenever one player has an advantage over another player (either in salvos or P_h), increasing the initial separation will improve (or, in the worst case, not affect) the value of the game, because it is providing the favored player with a greater number of alternatives for exploiting his advantage. However, an unexpected trend occurs: the value of the game is linear for small initial separations. This can be explained in terms of the P_h functions. Because player 1's P_h function equals that of player 2's plus some constant, there will be an interval over which player 1's P_h function will exceed 1 (i.e., set equal to 1). Thus, for this interval, $P_1(D)$ will be constant (1), but $P_2(D)$ will be decreasing linearly, hence the linear increase in game value. No explanation for the divergence of the curves (as initial separation increases), however, is readily apparent.

Case 4:


Case 4 (figure 4) demonstrates the effect on the value of the game when one player has a proportionally larger P_h than the other. The value of the game initially increases linearly, as in case 3 (and for the same reason). The point at which the curves change slope is simply the point where the P_h function for player 1 finally becomes less than 1. The unexpected decrease in the value of the game beyond this point is due simply to the shape of the P_h functions (see below). Notice that player 1's advantage (i.e., the difference of the curves, plotted to the left) is 0 at a separation of 0, increases to a maximum at the separation where player 1's P_h first drops below 1, and then decreases to 0 at separation of 20. Hence, the value of the game decreases after some point because player 1's advantage linearly decreases to zero.



Case 5:

This case, shown in figure 5, presents an interesting question. Is it preferable to have twice as many salvos, but half the P_h , or the reverse? The value of the game decreases after a certain point, but this trend is explained in the previous case. As in case 1, the ratio of player salvos was kept at two, but the number of salvos was varied. For all curves, the value of the game is positive over the entire range of initial separations. This will not always be true when P_1 exceeds P_2 . For example, if $P_1 > P_2$ but $N_2 \gg N_1$, the value of the game could conceivably be negative. The fact that the value of the game increases for engagements with more salvos (i.e., is to the advantage of the player with fewer salvos) is in keeping with the trend demonstrated in case 1.

Note that even as simple a term as "twice the accuracy" is difficult to define mathematically because of the upper bound of 1 that exists for probabilities. There are two straightforward ways of defining P_h functions so that one will have twice the probability of hit at any distance, but both have drawbacks. The two methods are illustrated in the plots below. The first method's drawback is that P_2 is discontinuous at $D=0$, i.e., the value of P_2 jumps from .5 to 1 as intership separation goes from "near-zero" to zero. The second method, while continuous, has the drawback that once P_1 reaches a value of 1, it levels off.



Method 2 was used in this analysis, although the computer program is capable of handling either type of P_h function.

Case 6:

Figure 6 shows the effect on the value of a game (where both players have the same number of salvos) of increasing the number of salvos for both players. Such an increase does improve the value of the game for the player with the better P_h function. This follows intuition in a manner analogous to the trend discussed in case 3. That is, by providing the favored player with more options, we will increase the value of the game. The increase is not particularly large in this example, but it exists nonetheless.

Case 7:

Figure 7 shows the effect of degrading both players' P_h functions. Specifically, when both players have identical P_h functions, and one player has an advantage in salvos, the favored player prefers the P_h function that is less "deadly", i.e., that has the smallest P_h associated with each separation. This preference runs counter to the intuitive trend exhibited in cases 3 and 6 (providing an improvement to both players helps the favored player). No rationale for this situation is obvious.

Case 8:

This case, shown in figure 8, differs from the others by plotting salvos for player 1 on the abscissa, rather than initial separation. These curves, along with the results from case 1, support the hypothesis that the value of a game where the players have identical P_h functions is directly proportional to the ratio of their salvos. The curves cross the x-axis where player 1 has five salvos because it is at this point that both players have the same number of salvos (and the same P_h function) and hence a game value of zero.

CONCLUSIONS

The conclusions drawn from these parametric analyses can be grouped into three main areas:

- o Discrete versus continuous games
- o The use of intuition in predicting game values
- o Twice the salvos versus twice the accuracy.

As discussed previously, the development of a program that solves discrete duels, combined with the tendency of discrete duel values to approach those of continuous duels, has important ramifications. Previously only certain continuous duels could be solved. Now many continuous duels can be "solved" by substituting the analogous discrete duel with many small distance gradations.

The second main conclusion that can be drawn from this work is that intuition should not be used for predicting the value of a game based on its parameters. Usually general trends in the value of games can be surmised, but this is not universally true, as shown by case 7. Also, the point at which a game's value changes sign, derivative, sign of second derivative, and so on, cannot be intuited.

The final conclusion has important implications for U.S. weapons appropriations. By proving that it is better (i.e., the value of the game is higher) to have half the salvos with twice the accuracy rather than the reverse, this paper supports established U.S. weapon appropriations policy, which is to buy fewer (more expensive) weapons with greater effectiveness rather than many weapons with lesser capability as the Soviet Union does in general. Note that this is true for ratios other than two (for example, having two-thirds the number of salvos at three-halves the accuracy is better than the reverse).

```

10  I PROGRAM SOLVE          BY HENRY HERZ          1 DEC 83
20  I
30  I THIS PROGRAM SOLVES GAMES OF TIMING (DISCRETE, NOISY,
40  I TWO-PLAYER DUELS OF UP TO 10 SHOTS FOR
50  I EACH PLAYER AND UP TO 20 INTER-PLAYER DISTANCES.
60  I
70  I NOTE: ALL ARRAYS ARE OPTION BASE 0.
75  I     % SYMBOL FOLLOWING VARIABLE NAMES SIGNIFIES INTEGER.
80  I
90  DIM T(10,10,20,18)      I TABLEAUS STORING DECOMPOSED DUELS
94  DIM V(10,10,20)        I VALUE OF DUEL (K,J;I)
99  DIM FLAG%(10,10,20)    I 1 IF DUEL (K,J;I) HAS BEEN SOLVED
100 DIM P1(20),P2(20)      I PROBABILITY OF HIT AT SEPARATION I
110 I
120 I PROMPT USER FOR PARAMETERS WHICH DEFINE THE DUEL
200 INPUT "ENTER INITIAL SEPARATION OF SHIPS",IS%
210 INPUT "ENTER # OF SALVOES FOR PLAYERS I AND II",N1%,N2%
220 PRINT "ENTER PK FUNCTION OF FORM: AD^2+BD+C"
230 INPUT " FOR PLAYER I: ",A1,B1,C1
240 INPUT " FOR PLAYER II: ",A2,B2,C2
250 I
255 I CALCULATE P1 AND P2 FOR EVERY INTER-SHIP SEPARATION
260 FOR I%=0% TO IS%
270   P1(I%)=A1*I%^2 + B1*I% + C1
274   IF P1(I%)>1 THEN P1(I%)=1
278   IF P1(I%)<0 THEN P1(I%)=0
290   P2(I%)=A2*I%^2 + B2*I% + C2
284   IF P2(I%)>1 THEN P2(I%)=1
288   IF P2(I%)<0 THEN P2(I%)=0
290 NEXT I%
300 I
304 I LOOP ON EVERY (DECREASING) COMBINATION OF N1, N2 AND SEPARATION.
308 I IF DUEL IS TRIVIAL, SOLVE IT. IF NOT, STORE DECOMPOSED DUEL IN
309 I ARRAY T (TABLEAU), WHICH WILL BE SOLVED LATER.
310 FOR I%=IS% TO 0% STEP -1%
320   FOR J%=N2% TO 0% STEP -1%
330     FOR K%=N1% TO 0% STEP -1%
340       IF (J%=0%) OR (K%=0%) OR (J%>I%+1) OR (K%>I%+1) OR (I%=0%)
           THEN GOSUB Trivial
           GOTO NextI
       END IF
     NEXT K%
   NEXT J%
 NEXT I%
390 I
400 I STORE THE DECOMPOSED DUEL AS THE 18 COMPONENTS OF A TABLEAU
410 T(K%,J%,I%,1%)=P1(I%)*(1%-P2(I%))-P2(I%)*(1%-P1(I%))
420 T(K%,J%,I%,2%)=(1%-P1(I%))*(1%-P2(I%))
430 T(K%,J%,I%,3%)=K%-I%
440 T(K%,J%,I%,4%)=J%-I%
450 T(K%,J%,I%,5%)=I%-I%
460 T(K%,J%,I%,6%)=P1(I%)
470 T(K%,J%,I%,7%)=1%-P1(I%)
480 T(K%,J%,I%,8%)=K%-I%
490 T(K%,J%,I%,9%)=J%
500 T(K%,J%,I%,10%)=I%-I%
510 T(K%,J%,I%,11%)=-P2(I%)
520 T(K%,J%,I%,12%)=1%-P2(I%)
530 T(K%,J%,I%,13%)=K%
540 T(K%,J%,I%,14%)=J%-I%
550 T(K%,J%,I%,15%)=I%-I%
560 T(K%,J%,I%,16%)=K%
570 T(K%,J%,I%,17%)=J%
580 T(K%,J%,I%,18%)=I%-I%

```

```

590 Next1:NEXT K%
600 NEXT J%
610 NEXT I%
620 !
625 ! LOOP ON EACH (INCREASING) COMBINATION OF N1, N2 AND SEPARATION.
627 ! IF DUEL HAS BEEN SOLVED, SKIP TO NEXT ONE. IF NOT, CALCULATE
628 ! THE VALUES WITHIN THE FOUR "BOXES" OF THE TABLEAU, AND SOLVE.
630 FOR K%=0% TO N1%
640 FOR J%=0% TO N2%
650 FOR I%=0% TO IS%
660 IF FLAG$(K%,J%,I%)=1% THEN GOTO Next2
670 !
680 A=V(T(K%,J%,I%,3%),T(K%,J%,I%,4%),T(K%,J%,I%,5%)) &
* T(K%,J%,I%,2%) + T(K%,J%,I%,1%)
700 B=V(T(K%,J%,I%,8%),T(K%,J%,I%,9%),T(K%,J%,I%,10%)) &
* T(K%,J%,I%,7%) + T(K%,J%,I%,6%)
720 C=V(T(K%,J%,I%,13%),T(K%,J%,I%,14%),T(K%,J%,I%,15%)) &
* T(K%,J%,I%,12%) + T(K%,J%,I%,11%)
740 D=V(T(K%,J%,I%,16%),T(K%,J%,I%,17%),T(K%,J%,I%,18%))
750 GOSUB Game
760 Next2:NEXT I%
770 NEXT J%
780 NEXT K%
785 !
790 ! PRINT OUT THE VALUE OF THE DUEL AND ALL "LESSER" DUELS
792 PRINT
794 PRINT
796 PRINT
798 PRINT
800 PRINT "SOLUTIONS TO DUELS WITH:"
810 PRINT
815 PRINT " PK FCN, PLAYER I =":A1:"D^2 +":B1:"D +":C1
920 PRINT " PK FCN, PLATER II=":A2:"D^2 +":B2:"D +":C2
942 PRINT
843 PRINT "INITIAL INITIAL INITIAL GAME"
844 PRINT "SALVOES, I SALVOES, II SEPARATION VALUE"
845 PRINT "-----"
846 FOR K%=N1% TO 1% STEP -1%
948 FOR J%=N2% TO 1% STEP -1%
850 FOR I%=IS% TO 1% STEP -1%
855 PRINT " :K%:" " :J%:" " :I%:" " :V(K%,J%,I%)
860 NEXT I%
861 NEXT J%
862 NEXT K%
965 GOTO 1500 ! END
866 !-----
870 Trivial: ! THIS SUB SOLVES "TRIVIAL" GAMES
880 !
882 ! IF NEITHER PLAYER HAS ANY SALVOES REMAINING, VALUE = 0.
885 IF (J%=0%) AND (K%=0%)
THEN V(K%,J%,I%)=0
FLAG$(K%,J%,I%)=1%
RETURN
END IF
887 !
889 ! IF PLAYER 2 HAS NO SALVOES LEFT, BUT PLAYER 1 DOES, VALUE = 1.
890 IF J%=0%
THEN V(K%,J%,I%)=1
FLAG$(K%,J%,I%)=1%
RETURN
END IF

```

```

900 |
910 | IF PLAYER 1 HAS NO SALVOES LEFT, BUT PLAYER 2 DOES, VALUE = -1.
930 IF KZ=0Z
    THEN V(KZ,JZ,IZ)=-1
        FLAGZ(KZ,JZ,IZ)=1Z
    RETURN
    END IF
940 |
950 | IF SEPARATION IS 0, AND BOTH PLAYERS HAVE SALVOES LEFT, VALUE=0.
1010 IF (IZ=0Z)
    THEN V(KZ,JZ,IZ)=0
        FLAGZ(KZ,JZ,IZ)=1Z
    RETURN
    END IF
1020 |
1030 | IF EITHER OR BOTH PLAYERS HAS MORE SALVOES THAN CAN POSSIBLY
1040 | BE FIRED IN THE REMAINING OPPORTUNITIES, REDUCE THE NUMBER
1050 | OF SALVOES TO THE NUMBER OF REMAINING OPPORTUNITIES.
1090 IF (JZ>IZ+1Z) OR (KZ>IZ+1Z)
    THEN KKZ=KZ
        |
        | SET KKZ = MIN ( I+1 , K )
        IF (IZ+1Z<KKZ) THEN KKZ=IZ+1Z
        END IF
        JJZ=JZ
        |
        | SET JJZ = MIN ( I+1 , J )
        IF (IZ+1Z<JJZ) THEN JJZ=IZ+1Z
        END IF
        T(KZ,JZ,IZ,16Z)=KKZ
        T(KZ,JZ,IZ,17Z)=JJZ
        T(KZ,JZ,IZ,18Z)=IZ
        |
        | SET FLAG TO SHOW THAT ALTHOUGH SIMPLIFIED, THE DUEL
        | HAS NOT YET BEEN SOLVED AND REQUIRES SPECIAL HANDLING.
        FLAGZ(KZ,JZ,IZ)=2Z
    END IF
1100 RETURN
1260 |-----
1270 Game: | THIS SUB SOLVES A 2X2 MATRIX GAME
1280 |
1281 | IF GAME WAS SIMPLIFIED, BUT NOT SOLVED, USE THIS SPECIAL CODE.
1293 IF FLAGZ(KZ,JZ,IZ)=2Z
    THEN V(KZ,JZ,IZ)=0
        FLAGZ(KZ,JZ,IZ)=1Z
    RETURN
    END IF
1284 |
1286 | DETERMINE IF GAME HAS A PURE STRATEGY EQUILIBRIUM PAIR
1288 EP=9999
1290 IF (A<=B) AND (A>=C) THEN EP=A
1300 IF (B<=A) AND (B>=D) THEN EP=B
1310 IF (C<=D) AND (C>=A) THEN EP=C
1320 IF (D<=C) AND (D>=B) THEN EP=D
1330 IF EP<9999
    THEN V(KZ,JZ,IZ)=EP
        ELSE V(KZ,JZ,IZ)=(A+D-B+C)/(A+D-B-C)
    END IF
1420 FLAGZ(KZ,JZ,IZ)=1Z
1430 RETURN
1440 |-----
1500 END

```

CNA PROFESSIONAL PAPERS - 1978 TO PRESENT*

- PP 211
Mizrahi, Maurice M., "On Approximating the Circular Coverage Function," 14 pp., Feb 1978, AD A054 429
- PP 212
Mengel, Marc, "On Singular Characteristi: Initial Value Problems with Unique Solution," 20 pp., Jun 1978, AD A058 535
- PP 213
Mengel, Marc, "Fluctuations in Systems with Multiple Steady States. Application to Lanchester Equations," 12 pp., Feb 78 (Presented at the First Annual Workshop on the Information Linkage Between Applied Mathematics and Industry, Naval PG School, Feb 23-25, 1978), AD A071 472
- PP 214
Weinland, Robert G., "A Somewhat Different View of The Optimal Naval Posture," 37 pp., Jun 1978 (Presented at the 1976 Convention of the American Political Science Association (APSA/IUS Panel on "Changing Strategic Requirements and Military Posture"), Chicago, Ill., September 2, 1976), AD A056 228
- PP 215
Colle, Russell C., "Comments on: Principles of Information Retrieval by Manfred Kochen," 10 pp., Mar 78 (Published as a Letter to the Editor, Journal of Documentation, Vol. 31, No. 4, pages 298-301), December 1975), AD A054 426
- PP 216
Colle, Russell C., "Lotka's Frequency Distribution of Scientific Productivity," 18 pp., Feb 1978 (Published in the Journal of the American Society for Information Science, Vol. 28, No. 6, pp. 366-370, November 1977), AD A054 423
- PP 217
Colle, Russell C., "Bibliometric Studies of Scientific Productivity," 17 pp., Mar 78 (Presented at the Annual meeting of the American Society for Information Science held in San Francisco, California, October 1976), AD A054 442
- PP 218 - Classified
- PP 219
Huntzinger, R. LaVar, "Market Analysis with Rational Expectations: Theory and Estimation," 60 pp., Apr 78, AD A054 422
- PP 220
Maurer, Donald E., "Diagonalization by Group Matrices," 28 pp., Apr 78, AD A054 443
- PP 221
Weinland, Robert G., "Superpower Naval Diplomacy in the October 1973 Arab-Israeli War," 76 pp., Jun 1978 (Published in Seapower in the Mediterranean: Political Utility and Military Constraints, The Washington Papers No. 61, Beverly Hills and London: Sage Publications, 1979) AD A055 564
- PP 222
Mizrahi, Maurice M., "Correspondence Rules and Path Integrals," 30 pp., Jun 1978 (Invited paper presented at the CNRS meeting on "Mathematical Problems in Feynman's Path Integrals," Marseille, France, May 22-26, 1978) (Published in Springer Verlag Lecture Notes in Physics, 106, (1979), 234-253) AD A055 536
- PP 223
Mengel, Marc, "Stochastic Mechanics of Moleculeon Molecule Reactions," 21 pp., Jun 1978, AD A056 227
- PP 224
Menger, Marc, "Aggregation, Bifurcation, and Extinction in Exploited Animal Populations," 48 pp., Mar 1978, AD A058 536
"Portions of this work were started at the Institute of Applied Mathematics and Statistics, University of British Columbia, Vancouver, B.C., Canada
- PP 225
Mengel, Marc, "Oscillations, Fluctuations, and the Hopf Bifurcation," 43 pp., Jun 1978, AD A058 537
"Portions of this work were completed at the Institute of Applied Mathematics and Statistics, University of British Columbia, Vancouver, Canada.
- PP 226
Ralston, J. M. and J. W. Mann, "Temperature and Current Dependence of Degradation in Red-Emitting GaP LEDs," 34 pp., Jun 1978 (Published in Journal of Applied Physics, 50, 3630, May 1979) AD A058 538
"Bell Telephone Laboratories, Inc.
- PP 227
Mengel, Marc, "Uniform Treatment of Fluctuations at Critical Points," 50 pp., May 1978, AD A058 539
- PP 228
Mengel, Marc, "Relaxation at Critical Points: Deterministic and Stochastic Theory," 54 pp., Jun 1978, AD A058 540
- PP 229
Mengel, Marc, "Diffusion Theory of Reaction Rates. I: Formulation and Einstein-Smoluchowski Approximation," 50 pp., Jan 1978, AD A058 541
- PP 230
Mengel, Marc, "Diffusion Theory of Reaction Rates. II Ornstein-Uhlenbeck Approximation," 34 pp., Feb 1978, AD A058 542
- PP 231
Wilson, Desmond P., Jr., "Naval Projection Forces: The Case for a Responsive MAF," Aug 1978, AD A054 543
- PP 232
Jacobson, Louis, "Can Policy Changes Be Made Acceptable to Labor?" Aug 1978 (Submitted for publication in Industrial and Labor Relations Review), AD A061 528

*CNA Professional Papers with an AD number may be obtained from the National Technical Information Service, U.S. Department of Commerce, Springfield, Virginia 22151. Other papers are available from the Management Information Office, Center for Naval Analysis, 2000 North Beauregard Street, Alexandria, Virginia 22311. An Index of Selected Publications is also available on request. The index includes a Listing of Professional Papers; with abstracts; issued from 1969 to June 1981.

- PP 233
Jacobson, Louis, "An Alternative Explanation of the Cyclical Pattern of Quits," 23 pp., Sep 1978
- PP 234 - Revised
Jondrow, James and Levy, Robert A., "Does Federal Expenditure Displace State and Local Expenditures: The Case of Construction Grants," 25 pp., Oct 1979, AD A061 529
- PP 235
Mizrahi, Maurice M., "The Semiclassical Expansion of the Anharmonic-Oscillator Propagator," 41 pp., Oct 1978 (Published in Journal of Mathematical Physics 20 (1979) pp. 844-855), AD A061 538
- PP 237
Maurer, Donald, "A Matrix Criterion for Normal Integral Bases," 10 pp., Jan 1979 (Published in the Illinois Journal of Mathematics, Vol. 22 (1978), pp. 672-681)
- PP 238
Utgoff, Kathleen Glassen, "Unemployment Insurance and the Employment Rate," 20 pp., Oct 1978 (Presented at the Conference on Economic Indicators and Performance: The Current Dilemma Facing Government and Business Leaders, presented by Indiana University Graduate School of Business). AD A061 527
- PP 239
Trost, R. P. and Warner, J. T., "The Effects of Military Occupational Training on Civilian Earnings: An Income Selectivity Approach," 38 pp., Nov 1979, AD A077 831
- PP 240
Powers, Bruce, "Goals of the Center for Naval Analyses," 13 pp., Dec 1978, AD A063 759
- PP 241
Mangel, Marc, "Fluctuations at Chemical Instabilities," 24 pp., Dec 1978 (Published in Journal of Chemical Physics, Vol. 69, No. 8, Oct 15, 1978). AD A063 787
- PP 242
Simpson, William R., "The Analysis of Dynamically Interactive Systems (Air Combat by the Numbers)," 160 pp., Dec 1978, AD A063 760
- PP 243
Simpson, William R., "A Probabilistic Formulation of Murphy Dynamics as Applied to the Analysis of Operational Research Problems," 18 pp., Dec 1978, AD A063 761
- PP 244
Sherman, Allan and Horowitz, Stanley A., "Maintenance Costs of Complex Equipment," 20 pp., Dec 1978 (Published by The American Society of Naval Engineers, Naval Engineers Journal, Vol. 91, No. 6, Dec 1979) AD A071 473
- PP 245
Simpson, William R., "The Accelerometer Methods of Obtaining Aircraft Performance from Flight Test Data (Dynamic Performance Testing)," 403 pp., Jun 1979, AD A075 226
- PP 246
Brethling, Frank, "Layoffs and Unemployment Insurance," 35 pp., Feb 1979 (Presented at the NBER Conference on "Low Income Labor Markets," Chicago, Jun 1978), AD A096 629
- PP 248
Thomas, James A., Jr., "The Transport Properties of Dilute Gases in Applied Fields," 183 pp., Mar 1979, AD A096 464
- PP 249
Glasser, Kenneth S., "A Secretary Problem with a Random Number of Choices," 23 pp., Mar 1979
- PP 250
Mangel, Marc, "Modeling Fluctuations in Macroscopic Systems," 26 pp., Jun 1979
- PP 251
Trost, Robert P., "The Estimation and Interpretation of Several Selectivity Models," 37 pp., Jun 1979, AD A075 941
- PP 252
Nunn, Walter R., "Position Finding with Prior Knowledge of Covariance Parameters," 5 pp., Jun 1979 (Published in IEEE Transactions on Aerospace & Electronic Systems, Vol. AES-15, No. 3, Mar 1979)
- PP 253
Glasser, Kenneth S., "The d-Choice Secretary Problem," 32 pp., Jun 1979, AD A075 225
- PP 254
Mangel, Marc and Quenbeck, David B., "Integration of a Bivariate Normal Over an Offset Circle," 14 pp., Jun 1979, AD A096 471
- PP 255 - Classified, AD 8051 441L
- PP 256
Maurer, Donald E., "Using Personnel Distribution Models," 27 pp., Feb 1980, AD A082 218
- PP 257
Thaler, R., "Discounting and Fiscal Constraints: Why Discounting is Always Right," 10 pp., Aug 1979, AD A075 224
- PP 258
Mangel, Marc S. and Thomas, James A., Jr., "Analytical Methods in Search Theory," 86 pp., Nov 1979, AD A077 832
- PP 259
Glass, David V.; Hsu, In-Ching; Nunn, Walter R., and Parin, David A., "A Class of Commutative Markov Matrices," 17 pp., Nov 1979, AD A077 833
- PP 260
Mangel, Marc S. and Cope, Devia K., "Detection Rate and Susp Width in Visual Search," 14 pp., Nov 1979, AD A077 834
- PP 261
Vila, Carlos L.; Zvijac, David J. and Ross, John, "Frenck-Condon Theory of Chemical Dynamics. VI. Angular Distributions of Reaction Products," 14 pp., Nov 1979 (Reprinted from Journal Chemical Phys. 70(12), 15 Jun 1979), AD A076 287
- PP 262
Peterson, Charles C., "Third World Military Elites in Soviet Perspective," 50 pp., Nov 1979, AD A077 835
- PP 263
Robinson, Kathy L., "Using Commercial Tankers and Container-ships for Navy Underway Replenishment," 25 pp., Nov 1979, AD A077 836

- PP 264
Weinland, Robert G., "The U.S. Navy in the Pacific: Past, Present, and Glimpses of the Future," 31 pp., Nov 1979 (Delivered at the International Symposium on the Sea, sponsored by the International Institute for Strategic Studies, The Brookings Institution and the Yomiuri Shimbun, Tokyo, 16-20 Oct 1978) AD A066 837
- PP 265
Weinland, Robert G., "War and Peace in the North: Some Political Implications of the Changing Military Situation in Northern Europe," 18 pp., Nov 1979 (Prepared for presentation to the Conference of the Nordic Balance in Perspective: The Changing Military and Political Situation," Center for Strategic and International Studies, Georgetown University, Jun 15-16, 1978) AD A077 838
- PP 266
Utgoff, Kathy Ciessen, and Brechling, Frank, "Taxes and Inflation," 25 pp., Nov 1979, AD A081 194
- PP 267
Trost, Robert P., and Vogel, Robert C., "The Response of State Government Receipts to Economic Fluctuations and the Allocation of Counter-Cyclical Revenue Sharing Grants," 12 pp., Dec 1979 (Reprinted from the Review of Economics and Statistics, Vol. LXI, No. 3, August 1979)
- PP 268
Thomson, James S., "Seaport Dependence and Inter-State Cooperation: The Case of Sub-Saharan Africa," 141 pp., Jan 1980, AD A081 193
- PP 269
Weiss, Kenneth G., "The Soviet Involvement in the Ogaden War," 42 pp., Jan 1980 (Presented at the Southern Conference on Slavic Studies in October, 1979), AD A082 219
- PP 270
Rasmek, Richard, "Soviet Policy in the Horn of Africa: The Decision to Intervene," 52 pp., Jan 1980 (To be published in "The Soviet Union in the Third World: Success or Failure," ed. by Robert M. Donaldson, Westview Press, Boulder, Co., Summer 1980), AD A081 193
- PP 271
McConnell, James, "Soviet and American Strategic Doctrines: One More Time," 43 pp., Jan 1980, AD A081 192
- PP 272
Weiss, Kenneth G., "The Azores in Diplomacy and Strategy, 1940-1945," 46 pp., Mar 1980, AD A085 094
- PP 273
Nakada, Michael K., "Labor Supply of Wives with Husbands Employed Either Full Time or Part Time," 39 pp., Mar 1980, AD A082 220
- PP 274
Nunn, Walter R., "A Result in the Theory of Spiral Search," 9 pp., Mar 1980
- PP 275
Goldberg, Lawrence, "Recruiters Advertising and Navy Enlistments," 34 pp., Mar 1980, AD A082 221
- PP 276
Goldberg, Lawrence, "Delaying an Overhaul and Ship's Equipment," 40 pp., May 1980, AD A085 095
- PP 277
Mangal, Marc, "Small Fluctuations in Systems with Multiple Limit Cycles," 19 pp., Mar 1980 (Published in SIAM J. Appl. Math., Vol. 38, No. 1, Feb 1980) AD A086 229
- PP 278
Mizrahi, Maurice, "A Targeting Problem: Exact vs. Expected-Value Approaches," 23 pp., Apr 1980, AD A085 096
- PP 279
Walt, Stephen M., "Causal Inferences and the Use of Force: A Critique of Force Without War," 50 pp., May 1980, AD A085 097
- PP 280
Goldberg, Lawrence, "Estimation of the Effects of A Ship's Steaming on the Failure Rate of Its Equipment: An Application of Econometric Analysis," 25 pp., Apr 1980, AD A085 098
- PP 281
Mizrahi, Maurice M., "Comment on 'Discretization Problems of Functional Integrals in Phase Space'," 2 pp., May 1980, published in "Physical Review D", Vol. 22 (1980), AD A094 994
- PP 283
Dismukes, Bradford, "Expected Demand for the U.S. Navy to Serve as An Instrument of U.S. Foreign Policy: Thinking About Political and Military Environmental Factors," 30 pp., Apr 1980, AD A085 099
- PP 284
J. Kellison,^{*} W. Mann, and U. Sumita,^{**} "The Laguerre Transform," 119 pp., May 1980, AD A085 100
^{*}The Graduate School of Management, University of Rochester and the Center for Naval Analyses
^{**}The Graduate School of Management, University of Rochester
- PP 285
Rasmek, Richard B., "Superpower Security Interests in the Indian Ocean Area," 26 pp., Jun 1980, AD A087 113
- PP 286
Mizrahi, Maurice M., "On the WKB Approximation to the Propagator for Arbitrary Hamiltonians," 25 pp., Aug 1980 (Published in Journal of Math. Phys., 22(1) Jan 1981), AD A091 307
- PP 287
Cope, Davis, "Limit Cycle Solutions of Reaction-Diffusion Equations," 35 pp., Jun 1980, AD A087 114
- PP 288
Golman, Walter, "Don't Let Your Slides Flip You: A Painless Guide to Visuals That Really Aid," 28 pp., (revised Aug 1982), AD A092 732
- PP 289
Robinson, Jack, "Adequate Classification Guidance - A Solution and a Problem," 7 pp., Aug 1980, AD A091 212
- PP 290
Watson, Gregory M., "Evaluation of Computer Software in an Operational Environment," 17 pp., Aug 1980, AD A091 213
- PP 291
Meddala, G. S.,^{*} and Trost, R. P., "Some Extensions of the Markov Process Model," 17 pp., Oct 1980, AD A091 946
^{*}University of Florida

- PP 292
Thomas, James A., Jr., "The Transport Properties of Binary Gas Mixtures in Applied Magnetic Fields," 10 pp., Sep 1980 (Published in Journal of Chemical Physics 72(10), 15 May 1980)
- PP 293
Thomas, James A., Jr., "Evaluation of Kinetic Theory Collision Integrals Using the Generalized Phase Shift Approach," 12 pp., Sep 1980 (Printed in Journal of Chemical Physics 72(10), 15 May 1980)
- PP 294
Roberts, Stephen S., "French Naval Policy Outside of Europe," 30 pp., Sep 1980 (Presented at the Conference of the Section on Military Studies, International Studies Association, Kiawah Island, S.C.), AD A091 306
- PP 295
Roberts, Stephen S., "An Indicator of Informal Empire: Patterns of U.S. Navy Cruising on Overseas Stations, 1869-1897," 40 pp., Sep 1980 (Presented at Fourth Naval History Symposium, US Naval Academy, 26 Oct 1979), AD A091 316
- PP 296
Dismukes, Bradford, and Peterson, Charles C., "Maritime Factors Affecting Iberian Security," (Factores Maritimos que Afectan la Seguridad Iberica) 14 pp., Oct 1980, AD A092 733
- PP 297 - Classified
- PP 298
Mizrahi, Maurice M., "A Markov Approach to Large Missile Attacks," 31 pp., Jan 1981, AD A096,159
- PP 299
Jondrow, James M., and Levy, Robert A., "Wage Leadership in Construction," 19 pp., Jan 1981, AD A094 797
- PP 300
Jondrow, James, and Schmidt, Peter, "On the Estimation of Technical Inefficiency in the Stochastic Frontier Production Function Model," 11 pp., Jan 1981, AD A096 160
*Michigan State University
- PP 301
Jondrow, James M.; Levy, Robert A.; and Hughes, Claire, "Technical Change and Employment in Steel, Autos, Aluminum, and Iron Ore," 17 pp., Mar 1981, AD A099 394
- PP 302
Jondrow, James M., and Levy, Robert A., "The Effect of Imports on Employment Under Rational Expectations," 19 pp., Apr 1981, AD A099 392
- PP 303
Thomson, James, "The Rarest Commodity in the Coming Resource Wars," 3 pp., Aug 1981 (Published in the Washington Star, 13 Apr 1981), AD A104 221
- PP 304
Duffy, Michael K.; Greenwood, Michael J.; and McDowell, John M., "A Cross-Sectional Model of Annual Interregional Migration and Employment Growth: Intertemporal Evidence of Structural Change, 1958-1975," 31 pp., Apr 1981, AD A099 393
*University of Colorado
**Arizona State University
- PP 305
Nunn, Laura M., "An Introduction to the Literature of Search Theory," 32 pp., Jun 1981, AD A100 420
- PP 306
Anger, Thomas E., "What Good Are Warfare Models?" 7 pp., May 1981, AD A100 421
- PP 307
Thomson, James, "Dependence, Risk, and Vulnerability," 43 pp., Jun 1981, AD A102 698
- PP 308
Mizrahi, M.M., "Correspondence Rules and Path Integrals, 17 pp., Jul 1981, (Published in "Nuovo Cimento B", Vol. 61, 1981), AD A102 699
- PP 309
Weinland, Robert G., "An (The?) Explanation of the Soviet Invasion of Afghanistan," 44 pp., May 1981, AD A100 422
- PP 310
Stanford, Janette M., and Wu, Tai Te, "A Predictive Method for Determining Possible Three-dimensional Foldings of Immunoglobulin Backbones Around Antibody Combining Sites," 19 pp., Jun 1981 (Published in J. Theor. Biol., 1981), 88, AD A100 423
*Northwestern University
- PP 311
Boves, Marianne, Brechling, Frank P. R.; and Utgoff, Kathleen P. Classen, "An Evaluation of UI Funds," 13 pp., May 1981 (Published in National Commission on Unemployment Compensation's "Unemployment Compensation: Studies and Research," Volume 2, Jul 1980), AD A100 424
- PP 312
Jondrow, James; Boves, Marianne; and Levy, Robert, "The Optimum Speed Limit," 23 pp., Jul 1983 (Revised), AD A100 425
- PP 313
Roberts, Stephen S., "The U.S. Navy in the 1980s," 36 pp., Jul 1981, AD A102 696
- PP 314
John, Christopher; Horowitz, Stanley A.; and Lockman, Robert F., "Examining the Draft Debate," 20 pp., Jul 1981, AD A106 192
- PP 315
Buck, Ralph V. (Capt., USN), "Le Catastrophe by any other name...", 4 pp., Jul 1981, AD A102 697
- PP 316
Roberts, Stephen S., "Western European and NATO Navies, 1980," 20 pp., Aug 1981, AD A104 223
- PP 317
Roberts, Stephen S., "Superpower Naval Crisis Management in the Mediterranean," 35 pp., Aug 1981, AD A104 222
- PP 318
Vego, Milan M., "Yugoslavia and the Soviet Policy of Force in the Mediterranean Since 1961," 187 pp., Aug 1981


- PP 319
Smith, Michael W., "Anti-air Warfare Defense of Ships at Sea," 46 pp., Sep 1981 (This talk was delivered at the Naval Warfare System and Technology Conference of the American Institute of Aeronautics and Astronautics in Washington on 12 Dec 1980; in Boston on 20 Jan 1981; and in Los Angeles on 12 Jun 1981.), AD A106 191
- PP 320
Trost, R. P.; Lurie, Phillip; and Berger, Edward, "A Note on Estimating Continuous Time Decision Models," 15 pp., Sep 1981, AD A106 193
- PP 321
Duffy, Michael K., and Ladman, Jerry R., "The Simultaneous Determination of Income and Employment in United States--Mexico Border Region Economies," 34 pp., Sep 1981, AD A106 540
*Associate Professor of Economics, Arizona State University
- PP 322
Werner, John T., "Issues in Navy Manpower Research and Policy: An Economist's Perspective," 66 pp., Dec 1981, AD A110 221
- PP 323
Bosse, Frederick M., "Generation of Correlated Log-Normal Sequences for the Simulation of Clutter Echoes," 33 pp., Dec 1981
- PP 324
Horowitz, Stanley A., "Quantifying Seapower Readiness," 6 pp., Dec 1981 (Published in Defense Management Journal, Vol. 18, No. 2), AD A110 220
- PP 326
Roberts, Stephen S., "Western European and NATO Navies, 1981," 27 pp., Jul 1982, AD A118 703
- PP 327
Hanson, Colin (Capt., USN), and Graham, David R., "Estimation and Analysis of Navy Shipbuilding Program Disruption Costs," 12 pp., Mar 1980, AD A112 514
- PP 328
Wainland, Robert G., "Northern Waters: Their Strategic Significance," 27 pp., Dec 1980, AD A112 509
- PP 329
Mangal, Marc, "Applied Mathematicians And Naval Operators," 40 pp., Mar 1982 (Revised), AD A116 598
- PP 330
Lockman, Robert F., "Alternative Approaches to Attrition Management," 30 pp., Jan 1982, AD A112 510
- PP 331
Roberts, Stephen S., "The Turkish Straits and the Soviet Navy in the Mediterranean," 15 pp., Mar 1982 (Published in Navy International)
- PP 332
John, Christopher, "The RDF and Amphibious Warfare," 36 pp., Mar 1982, AD A113 592
- PP 333
Lee, Lung-Fel,* and Trost, Robert P., "Estimation of Some Limited Dependent Variable Models with Application to Housing Demand," 26 pp., Jan 1982. (Published in Journal of Econometrics 8 (1978), AD A 112 536
*University of Minnesota
- PP 334
Kenny, Lawrence W.;* Lee, Lung-Fel;** Maddala, G. S.;* and Trost R. P., "Returns to College Education: An Investigation of Self-Selection Bias Based on the Project Talent Data," 15 pp., Jan 1982. (Published in International Economic Review, Vol. 20, No. 3, Oct 1979), AD A112 480
*University of Florida
**University of Minnesota
- PP 335
Lee, Lung-Fel;* Maddala, G. S.;** and Trost, R.P., "Asymptotic Covariance Matrices of Two-Stage Probit and Two-Stage Tobit Methods for Simultaneous Equations Models with Selectivity," 13 pp., Jan 1982. (Published in Econometrica, Vol. 48, No. 2, Mar 1980), AD A112 483
*University of Minnesota
**University of Florida
- PP 336
O'Neill, Thomas, "Mobility Fuels for the Navy," 13 pp., Jan 1982. (Accepted for publication in Naval Institute Proceedings), AD A112 511
- PP 337
Werner, John T., and Goldberg, Matthew S., "The Influence of Non-Pecuniary Factors on Labor Supply: The Case of Navy Enlistment Personnel," 23 pp., Dec 1981, AD A113 094
- PP 339
Wilson, Desmond P., "The Persian Gulf and the National Interest," 11 pp., Feb 1982, AD A112 505
- PP 340
Lurie, Phillip; Trost, R. P.; and Berger, Edward, "A Method for Analyzing Multiple Spell Duration Data," 34 pp., Feb 1982, AD A112 504
- PP 341
Trost, Robert P., and Vogel, Robert C., "Prediction with Pooled Cross-Section and Time-Series Data: Two Case Studies," 6 pp., Feb 1982, AD A112 503
*Southern Illinois University
- PP 342
Lee, Lung-Fel;* Maddala, G. S.;** and Trost, R. P., "Testing for Structural Change by D-Methods in Switching Simultaneous Equations Models," 5 pp., Feb 1982, AD A112 482
*University of Minnesota
**University of Florida
- PP 343
Goldberg, Matthew S., "Projecting the Navy Enlisted Force Level," 9 pp., Feb 1982, AD A112 484
- PP 344
Fletcher, Jean, W., "Navy Quality of Life and Reenlistment," 13 pp., Nov 1981, AD A113 095

- PP 345
Utgoff, Kathy, and Thaler, Dick, "The Economics of Multi Year Contracting," 47 pp., Mar 1982. (Presented at the 1982 Annual Meeting of the Public Choice Society, San Antonio, Texas, 5-7 Mar 1982), AD A114 732
*Cornell University
- PP 346
Roetker, Bernard, "Selective Service and the All-Volunteer Force," 23 pp., Mar 1982, AD A113 096
- PP 347
McConnell, James, M., "A Possible Counterforce Role for the Typhoon," 24 pp., Mar 1982, AD A116 601
- PP 348
Jondrow, James, and Trost, Robert, "An Empirical Study of Production Inefficiency in the Presence of Errors-in-The-Variables," 14 pp., Feb 1982, AD A113 591
- PP 349
Breckenridge, W. H., and Malmn, O. Kim, "Collisional Intramultiplet Relaxation of Cd(S₅p_{0,1,2}) by Alkane Hydrocarbons," 7 pp., Jul 1981, (Published in Journal of Chemical Physics, 76(4), 15 Feb 1982), AD A113 093
*University of Utah, Dept. of Chemistry
- PP 350
Levin, Marc, "A Method for Increasing the Firepower of Virginia Class Cruisers," 10 pp., Apr 1982. (To be published in U.S. Naval Institute Proceedings), AD A116 602
- PP 351
Coutre, S. E.; Stanford, J. M.; Hovis, J. G.; Stevens, P. W.; and Wu, T. T., "Possible Three-Dimensional Backbone Folding Around Antibody Combining Site of immunoglobulin MOPC 167," 18 pp., Apr 1982 (Published in Journal of Theoretical Biology)
*Northwestern University, Depts. of Biochemistry & Molecular Biology and Engineering Sciences & Applied Mathematics
- PP 352
Barfoot, C. Bernard, "Aggregation of Conditional Absorbing Markov Chains," 7 pp., Jun 1982 (Presented to the Sixth European Meeting on Cybernetics and Systems Research, held at the University of Vienna, Apr 1982), AD A116 603
- PP 353
Barfoot, C. Bernard, "Some Mathematical Methods for Modeling the Performance of a Distributed Data Base System," 18 pp., Jun 1982. (Presented to the International Working Conference on Model Realism, held at Bad Honnek, West Germany, Apr 1982), AD A116 604
- PP 354
Hall, John V., "Why the Short-War Scenario is Wrong for Naval Planning," 6 pp., Jun 1982., AD A118 702
- PP 356
Cylke, Steven; Goldberg, Matthew S.; Hogan, Paul; and Mairs, Lee; "Estimation of the Personal Discount Rate: Evidence from Military Reenlistment Decisions," 19 pp., Apr 1982, AD A122 419
- PP 357
Goldberg, Matthew S., "Discrimination, Nepotism, and Long-Run Wage Differentials," 13 pp., Sep 1982 (Published in Quarterly Journal of Economics, May 1982)
- PP 358
Akst, George, "Evaluating Tactical Command And Control Systems--A Three-Tiered Approach," 12 pp., Sep 1982, AD 122 478
- PP 359
Quester, Aline; Fletcher, Jean; and Marcus, Alan; "Veteran Status as a Screening Device: Comment," 26 pp., Aug 1982, AD A123 658
- PP 361
Quanbeck, David B., "Methods for Generating Aircraft Trajectories," 31 pp., Sep 1982, AD A122 386
- PP 362
Horowitz, Stanley A., "Is the Military Budget Out of Balance?," 10 pp., Sep 1982, AD A122 368
- PP 363
Marcus, A. J., "Personnel Substitution and Navy Aviation Readiness," 35 pp., Oct 1982, AD A122 420
- PP 364
Quester, Aline, and Nakada, Michael, "The Military's Monopsony Power," 29 pp., Oct 1982, AD A123 657
- PP 365
Greer, William L., and Bartholomew, James C., (Cdr.USN), "Psychological Aspects of Mine Warfare," 15 pp., Oct 1982 AD A128 244
- PP 366
Spruill, Nancy L., and Gastwirth, Joseph L., "On the Estimation of the Correlation Coefficient From Grouped Data," 9 pp., Oct 1982, (Published in the Journal of the American Statistical Association, Sep 1982, Vol. 77, No. 379, Theory and Methods Section), AD A122 382
*George Washington University, Dept. of Statistics
- PP 367
Peterson, Charles C., "Soviet Tactics for Warfare at Sea (Two Decades of Upheaval)," 57 pp., Nov 1982
- PP 368
Weinland, Robert G., "The Evolution of Soviet Requirements for Naval Forces--Solving the Problems of the Early 1960s," 41 pp., Dec 1982, AD A123 655
- PP 369
Quester, Aline, and Lockman, Robert, "The All-Volunteer Force: A Positive Perspective," 29 pp., Nov 1982, AD A128 279
- PP 370
Roetker, Bernard D., "Human Resource Models: An Overview," 17 pp., Nov 1982, AD A123 656
- PP 372
Hurley, William J., "An Overview of Acoustic Analysis," 46 pp., Jan 1983, AD A128 316
- PP 373
Jacobson, Louis, "Research to Quantify the Effect of Permanent Change of Station Moves on Wives' Wages and Labor Supply," 35 pp., Jan 1983, AD A128 300
- PP 374
Clay-Mendez, Deborah, and Galis, Ellen, "Balancing Accession and Retention: The Disaggregate Model," 27 pp., Aug 1982

- PP 375
Feldman, Paul, "Privatizing Airports in Washington, D.C.," 17 pp., Feb. 1983, AD A128 236
- PP 376
Weiss, Kenneth G., "Power Grows Out of the Barrel of a Gunboat: The U.S. in Sino-Soviet Crises," 136 pp., Dec 1982
- PP 377
Anger, Thomas E., "The Outlook for Military Operations Research," 14 pp., Apr 1983
- PP 379
Jondrow, James M.; Chase, David E.; and Gamble, Christopher L., "The Price Differential Between Domestic and Imported Steel," 17 pp., May 1983
- PP 380
Ballis, Ellen, "Balancing Accession and Retention: Cost and Productivity Tradeoffs," 38 pp., Mar 1983
- PP 381
Reeves, John M. L., "CNA's Conceptual Design and Cost Models for High-Speed Surface Craft," 23 pp., Apr 1983, AD A128 245
- PP 382
Levy, Robert A., and Jondrow, James M., "The Adjustment of Employment to Technical Change in the Steel and Auto Industries," 40 pp., May 1983
- PP 383 (Revised)
Thomas, James A., Jr, and Mangel, Marc, "Properties of Quick Look Passive Localization," 39 pp., Jul 1983
- PP 384
Goldberg, Matthew S., and Hager, Michael F., "A Comparison of the Prophet and ACOL Force Projection Models," 35 pp., Jun 1981
- PP 385
Angier, Bruce; Driscoll, Kurt; and Gregory, David, "Manpower Requirements Derivation for the Navy Comprehensive Compensation and Supply Study," 22 pp., Sep 1982
- PP 386
Angier, Bruce N.; Driscoll, Kurt A.; and Carpenter, Kathy A., "Construction of 'Training Cost Per Graduate' for the Navy Comprehensive Compensation and Supply Study," 67 pp., Nov 1982
- PP 387
Ballis, Ellen, and Clay-Mendez, Deborah, "Balancing Accession and Retention: The Aggregate Model," 20 pp., Jul 1982
- PP 388
Clay-Mendez, Deborah, "Models of Accession and Retention," 11 pp., Oct 1982
- PP 389
Clay-Mendez, Deborah, "A Minimum Recruiting Cost Function for Male High School Graduates," 31 pp., Jan 1982
- PP 390
Clay-Mendez, Deborah, "Documentation for the Recruiting Cost Estimates Utilized in the Navy Comprehensive Compensation and Supply Study," 30 pp., Sep 1982
- PP 391
Goldberg, Larry, "Summary of Navy Enlisted Supply Study," 11 pp., Jul 1981
- PP 392
Warner, John T., and Simon, Bruce, "An Empirical Analysis of Pay and Navy Enlisted Retention in the AVF: Preliminary Results," 51 pp., Dec 1979
- PP 394
McGibney, Donald; Comerini, Ugo; Roberts, Arthur; and Winston, Roland, "Development of an Underwater High Sensitivity Cherenkov Detector: See Urchin," 20 pp., Aug 1983
- PP 396
Jondrow, James M.; Brechling, Frank; and Marcus, Alan; "Older Workers in the Market for Part-Time Employment," 34 pp., Aug 1983
- PP 398
Levy, Robert A.; Bowes, Marianne; and Jondrow, James M.; "Technical Change and Employment in the Steel, Auto, Aluminum, Coal, and Iron Ore Industries," 25 pp., Sep 1983
- PP 399
Roberts, Stephen, "Western European and NATO Navies," 23 pp., Nov 1982
- PP 400
Laird, Robbin F., "French Nuclear Forces in the 1980s and 1990s," 37 pp., Aug 1983
- PP 401
Maloney, Arthur P., "The Berlin-Baghdad Railway as a Cause of World War I," 27 pp., Jan 1984
- PP 402
Herz, Henry L., "A Parametric Analysis of Duels," 41 pp., Mar 1984
- PP 405
Peterson, Charles C., "Aircraft Carriers in Soviet Naval Theory From 1960 to the Falklands War," 20 pp., Jan 1984
- PP 406
Bowes, Marianne, "Profit-Maximizing vs. Optimal Behavior in a Spatial Setting: Summary and Extensions," 10 pp., Jan 1984
- PP 407
Laird, Robbin F., "The French Strategic Dilemma," 41 pp., Mar 1984
- PP 408
Marcus, Alan, and Quester, Aline, "Measuring the Productivity of First Term Navy Enlistees," 30 pp., Apr 1984

END

FILMED



DINIC