

MICROCOPY

CHART

AD-A167 606

(5)

NUSC Technical Report 7369
6 March 1986

Comparisons of 76 Hz Vertical Electric and Horizontal Magnetic Field Strengths Received in Connecticut

Peter R. Bannister
Submarine Electromagnetic Systems Department

DTIC
ELECTE
MAY 13 1986
S D
D



Naval Underwater Systems Center
Newport, Rhode Island / New London, Connecticut

NOT A COPY

Approved for public release; distribution unlimited.

Preface

This report was prepared under NUSC Project No. A59007, "ELF Propagation RDT&E" (U), Principal Investigator, P. R. Bannister (Code 3411), Navy Program Element No. 11401N and Project No. XD792, Space and Naval Warfare Systems Command (SPAWARSYSCOM), Capt. R. Koontz (Code PDW 110-3), Program Manager ELF Communications.

The Technical Reviewer for this report was Anthony D. Cafaro, (Code 3411).

Reviewed and Approved: 6 March 1986

David F. Dence

**D. F. Dence
Head, Submarine Electromagnetic
Systems Department**

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS			
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release; distribution unlimited.			
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE						
4. PERFORMING ORGANIZATION REPORT NUMBER(S) TR 7369			5. MONITORING ORGANIZATION REPORT NUMBER(S)			
6a. NAME OF PERFORMING ORGANIZATION Naval Underwater Systems Center		6b. OFFICE SYMBOL (If applicable)		7a. NAME OF MONITORING ORGANIZATION		
6c. ADDRESS (City, State, and ZIP Code) New London Laboratory New London, Connecticut 06320			7b. ADDRESS (City, State, and ZIP Code)			
8a. NAME OF FUNDING / SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code)			10. SOURCE OF FUNDING NUMBERS			
			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) COMPARISONS OF 76 HZ VERTICAL ELECTRIC AND HORIZONTAL MAGNETIC FIELD STRENGTHS RECEIVED IN CONNECTICUT						
12. PERSONAL AUTHOR(S) Peter R. Bannister						
13a. TYPE OF REPORT		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year, Month, Day) 1986/3/6		15. PAGE COUNT
16. SUPPLEMENTARY NOTATION						
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Normal and Disturbed Propagation Conditions, ELF Propagation Measurements Horizontal Magnetic and Vertical Electric Fields			
FIELD	GROUP	SUB-GROUP				
19. ABSTRACT (Continue on reverse if necessary and identify by block number) The results of 60 days of selected whip antenna measurements taken during the 5-month period of November 1977 to March 1978 are discussed in this report. The main result is that the Connecticut vertical electric field strength behavior is usually very similar to the transverse-horizontal magnetic field strength behavior (in both amplitude and relative phase) during both normal and disturbed propagation conditions.						
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS				21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL Peter R. Bannister			22b. TELEPHONE (Include Area Code) (203) 440-4885		22c. OFFICE SYMBOL	

TABLE OF CONTENTS

	<u>Page</u>
LIST OF ILLUSTRATIONS.	ii
LIST OF TABLES	iv
LIST OF ABBREVIATIONS.	v
INTRODUCTION	1
VERTICAL WHIP ANTENNA.	1
NOVEMBER 1977 - MARCH 1978 CONNECTICUT WHIP MEASUREMENTS.	3
DAILY PLOTS OF WHIP VERSUS LOOP FIELD STRENGTH	4
CONCLUSION	4
REFERENCES	27
APPENDIX A - Connecticut Daily Data, November 1977	A-1
APPENDIX B - Connecticut Daily Data, December 1977	B-1
APPENDIX C - Connecticut Daily Data, January 1978	C-1
APPENDIX D - Connecticut Daily Data, February 1978	D-1
APPENDIX E - Connecticut Daily Data, March 1978	E-1

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



LIST OF ILLUSTRATIONS

Figure		Page
1	Sample Comparison of Measured Whip and Equivalent Loop Field Strengths	16
2	Comparison of Whip and Loop Field Strengths, 1 November 1977 ($\psi = 291$ deg)	17
3	Comparison of Whip and Loop Field Strengths, 2 November 1977 ($\psi = 291$ deg)	18
4	Comparison of Whip and Loop Field Strengths, 9 November 1977 ($\psi = 291$ deg)	19
5	Comparison of Whip and Loop Field Strengths, 21/22 December 1977 ($\psi = 291$ deg)	20
6	Comparison of Whip and Loop Field Strengths, 29/30 December 1977 ($\psi = 291$ deg)	21
7	Comparison of Whip and Loop Field Strengths, 5/6 March 1978 ($\psi = 291$ deg)	22
8	Comparison of Whip and Loop Field Strengths, 6/7 March 1978 ($\psi = 291$ deg)	23
9	Comparison of Whip and Loop Field Strengths, 7/8 March 1978 ($\psi = 201$ deg)	24
10	Comparison of Whip and Loop Field Strengths, 8/9 March 1978 ($\psi = 201$ deg)	25
11	Comparison of Whip and Loop Field Strengths, 9/10 March 1978 ($\psi = 201$ deg)	26
12	Comparison of Whip and Loop Field Strengths, 10/11 March 1978 ($\psi = 201$ deg)	27
13	Comparison of Whip and Loop Field Strengths, 11/12 March 1978 ($\psi = 201$ deg)	28
14	Comparison of Whip and Loop Field Strengths, 13/14 March 1978 ($\psi = 201$ deg)	29
15	Comparison of Whip and Loop Field Strengths, 13/14 March 1978 ($\psi = 201$ deg)	30
16	Comparison of Whip and Loop Field Strengths, 14/15 March 1978 ($\psi = 201$ deg)	31
17	Comparison of Whip and Loop Field Strengths, 15/16 March 1978 ($\psi = 201$ deg)	32
18	Comparison of Whip and Loop Field Strengths, 16/17 March 1978 ($\psi = 201$ deg)	33
A-1	Connecticut Whip Field Strength Versus GMT, 1 and 2 November 1977 ($\psi = 291$ deg)	34
A-2	Connecticut Whip Field Strength Versus GMT, 3 and 4/5 November 1977 ($\psi = 291$ deg)	35
A-3	Connecticut Whip Field Strength Versus GMT, 5/6 and 6/7 November 1977 ($\psi = 291$ deg)	36
A-4	Connecticut Whip Field Strength Versus GMT, 7/8 and 8/9 November 1977 ($\psi = 291$ deg)	37
B-1	Connecticut Whip Field Strength Versus GMT, 21/22 and 22/23 December 1977 ($\psi = 291$ deg)	38
B-2	Connecticut Whip Field Strength Versus GMT, 23/24, 24/25, and 26 December 1977 ($\psi = 291$)	39
B-3	Connecticut Whip Field Strength Versus GMT, 26/27 and 27/28 December 1977 ($\psi = 291$ deg)	40

LIST OF ILLUSTRATIONS (Cont'd)

TR 7369

Figure		Page
B-4	Connecticut Whip Field Strength Versus GMT, 28/29, 29/30, and 30/31 December 1977 ($\psi = 291$ deg) . .	41
C-1	Connecticut Whip Field Strength Versus GMT, 3/4, 4/5, and 5/6 January 1978 ($\psi = 291$ deg)	42
C-2	Connecticut Whip Field Strength Versus GMT, 7, 9/10, and 10/11 January 1978 ($\psi = 291$ deg)	43
C-3	Connecticut Whip Field Strength Versus GMT, 11/12, 12/13, and 15/16 January 1978 ($\psi = 291$ deg) . . .	44
C-4	Connecticut Whip Field Strength Versus GMT, 16/17, 18/19, and 19/20 January 1978 ($\psi = 291$ deg) . . .	45
C-5	Connecticut Whip Field Strength Versus GMT, 21, 22, and 23 January 1978 ($\psi = 291$ deg)	46
D-1	Connecticut Whip Field Strength Versus GMT, 1 and 2 February 1978 ($\psi = 291$ deg)	47
D-2	Connecticut Whip Field Strength Versus GMT, 2/3 and 4/5 February 1978 ($\psi = 291$ deg)	48
D-3	Connecticut Whip Field Strength Versus GMT, 5/6 and 9/10 February 1978 ($\psi = 291$ deg)	49
D-4	Connecticut Whip Field Strength Versus GMT, 10/11 and 11/12 February 1978 ($\psi = 291$ deg)	50
D-5	Connecticut Whip Field Strength Versus GMT, 13 and 14/15 February 1978 ($\psi = 291$ deg)	51
E-1	Connecticut Whip Field Strength Versus GMT, 1 and 2 March 1978 ($\psi = 291$ deg)	52
E-2	Connecticut Whip Field Strength Versus GMT, 3 and 4 March 1978 ($\psi = 291$ deg)	53
E-3	Connecticut Whip Field Strength Versus GMT, 5 and 6 March 1978 ($\psi = 291$ deg)	54
E-4	Connecticut Whip Field Strength Versus GMT, 7 ($\psi = 291$ deg) and 8 ($\psi = 201$ deg) March 1978	55
E-5	Connecticut Whip Field Strength Versus GMT, 9 and 10 March 1978 ($\psi = 201$ deg)	56
E-6	Connecticut Whip Field Strength Versus GMT, 11 and 12 March 1978 ($\psi = 201$ deg)	57
E-7	Connecticut Whip Field Strength Versus GMT, 13 and 14 March 1978 ($\psi = 201$ deg)	58
E-8	Connecticut Whip Field Strength Versus GMT, 15 and 16 March 1978 ($\psi = 201$ deg)	59
E-9	Connecticut Whip Field Strength Versus GMT, 17 March 1978 ($\psi = 201$ deg)	60

LIST OF TABLES

Table		Page
1	1977-78 Connecticut Whip Average Field Strengths	24
2	Comparison of Whip and Loop Average Field Strengths	25
3	Comparison of Whip and Loop Average Field Strengths During Minimum Nighttime Field Strength Period (0500-0800 GMT) .	26
A-1	November 1977 Connecticut Whip Daily Field Strength Averages ($\psi = 291$ deg)	A-3
B-1	December 1977 Connecticut Whip Daily Field Strength Averages ($\psi = 291$ deg)	B-3
C-1	January 1978 Connecticut Whip Daily Field Strength Averages ($\psi = 291$ deg)	C-3
D-1	February 1978 Connecticut Whip Daily Field Strength Averages ($\psi = 291$ deg)	D-3
E-1	March 1978 Connecticut Whip Daily Field Strength Averages . .	E-3

LIST OF ABBREVIATIONS

ELF	Extremely Low Frequency
EW	East-West
GMT	Greenwich Mean Time
NUSC	Naval Underwater Systems Center
SNR	Signal-to-Noise Ratio
SRTP	Sunrise Transition Period
SSTP	Sunset Transition Period
STIU	Signal Timing and Interface Unit
WTF	Wisconsin Test Facility

COMPARISONS OF 76 HZ VERTICAL ELECTRIC AND HORIZONTAL
MAGNETIC FIELD STRENGTHS RECEIVED IN CONNECTICUT

INTRODUCTION

Since June 1970, we have made extremely low frequency (ELF) measurements of the transverse-horizontal magnetic field strength (H_H) received in Connecticut.¹⁻¹⁵ On several occasions, we have also measured the vertical electric field strength (E_V). The AN/BSR-1 ELF receivers are located at the Naval Underwater Systems Center (NUSC), at New London, CT. The whip receiving antenna is also located at NUSC, while the loop receiving antenna is located at Fishers Island, NY (about 10 km from New London). The receiver and loop antenna are connected by means of a microwave link from Fishers Island to New London.

The AN/BSR-1 receiver is composed of an AN/UYK-20 minicomputer, a signal timing and interface unit (STIU), a rubidium frequency time standard, two magnetic tape recorders, and a preamplifier.

The transmission source for these far field (1.6 Mm range) measurements is the U.S. Navy's ELF Wisconsin Test Facility (WTF), located in the Chequamegon National Forest in North Central Wisconsin, about 8 km south of the village of Clam Lake. The WTF consists of two 22.5 km antennas; one antenna is located approximately in the north-south (NS) direction and one is located approximately in the east-west (EW) direction. Each antenna is grounded at both ends. At 76 Hz, the electrical axis of the NS antenna is 14 degrees east of north, while the electrical axis of the EW antenna is 114 degrees east of north. The WTF array can be steered electrically toward any particular location and its radiated power is approximately 1 W.

In this report we will discuss the results of selected whip measurements taken during the 5-month period of November 1977 to March 1978. We will also compare them (in both amplitude and relative phase) with simultaneous loop measurements during both normal and disturbed propagation conditions.

VERTICAL WHIP ANTENNA

The vertical whip antenna can be used at ELF to measure the vertical electric field strength component (E_V) produced by the WTF antenna array. It consists of an elevated conductor in the form of a long thin vertical cylinder mounted on an insulating base above a ground plane. In practice, a physical length of 1 to 2 m is quite sufficient to deliver an atmospheric noise voltage at the preamplifier that is large compared with the self-noise of the preamplifier. However, the antenna capacitance is typically only a few tens of picofarads and so, at ELF, the antenna input reactance can be hundreds of megohms. A preamplifier with a very high input impedance is therefore needed.

Absolute calibration of magnetic field sensors for ELF is generally much easier than absolute calibration of electric field sensors. By building single coils, or coil systems, one can calculate magnetic fields from current measurements, knowledge of the source configuration, and distance to the sensor. Precise calibration of the whip antenna requires care, first in

establishing an accurately known incident field to illuminate the antenna and second in measuring the capacitances of the equivalent circuit. Clayton et al.¹⁶ describe a procedure using two vertical whip antennas, one to transmit and the other to receive, and a special capacitance measuring procedure. They were able to measure the antenna parameters with an accuracy of plus or minus one percent. (For further information on the use and calibration of loop and whip antennas at ELF, see Burrows¹⁷ and Polk¹⁸.)

In calm, dry weather, the whip antenna is a reliable and simple antenna. However, if the base insulator of the antenna gets wet or dirty, the resulting electrical leakage path to ground places a shunt of unknown and varying impedance across the antenna. This can cause marked changes in the sensitivity of the antenna. In addition, the impact of particles of snow or ice on the electrode of the antenna can cause a "precipitation static" noise voltage to appear across the antenna terminals. This is because the antenna is electrically charged, by the steady naturally occurring electrical bias field, to a potential different from that of the hydrometers. Therefore, each time one of them makes contact with the antenna electrode, a transfer of charge takes place, causing a transient in the antenna voltage. Also, if the wind blows, the resulting vibration in the antenna causes an irregular variation with time of the antenna capacitance. This capacitance change, together with the more-or-less constant charge induced on the electrode by the fair weather field, results in a corresponding change in the antenna voltage. Since the fair weather field is about 100 V/m¹⁹ and can be much bigger when thunderstorm activity threatens, the resulting noise voltage due to changing capacitance can be larger than the atmospheric noise voltage.¹⁷

This "parameter noise," together with the precipitation noise and leakage across the base insulator, seriously detracts from the utility of the whip antenna. However, accurate field strength measurements can still be made if sufficient care is taken in calibration and maintenance, and the whip use is restricted to fairly calm, dry weather.

For measurement distances greater than 0.85 Mm at 76 Hz²⁰, the E_v and H_ϕ fields produced by the WTF antenna array are related by

$$\frac{E_v}{H_\phi} \approx 120\pi (c/v), \quad (1)$$

where c is the velocity of light and v is the earth-ionosphere waveguide phase velocity.

The average 75 Hz band phase velocity ratio (c/v) inferred from propagation measurements taken over various paths from 1966 to 1982 was ~ 1.25 during the day and ~ 1.09 at night.²¹ Therefore, on the average

$$20 \log E_v \approx 20 \log H_\phi + 53.5 \text{ dB} \quad (2)$$

during the day,

$$20 \log E_v = 20 \log H_\phi + 52.9 \text{ dB} \quad (3)$$

during the transition periods, and

$$20 \log E_v = 20 \log H_\phi + 52.3 \text{ dB} \quad (4)$$

at night.

Figure 1 is a sample comparison of the measured whip and equivalent loop field strengths. Here we see that because the average ratio of E_v to H_ϕ is 1.2 dB greater (53.5 - 52.3) during the day than at night, the equivalent loop daily peak-to-trough variation will be less than measured on the whip.

NOVEMBER 1977 - MARCH 1978 CONNECTICUT WHIP MEASUREMENTS

During this time period, reliable field strength data were obtained on 60 days at the Connecticut site. The daily plots of signal strength (both amplitude and relative phase) versus Greenwich Mean Time (GMT) (in 30-minute increments) are presented in Appendices A (November), B (December), C (January), D (February), and E (March). The Connecticut whip daily field strength averages are presented in Tables A-1 (November), B-1 (December), C-1 (January), D-1 (February), and E-1 (March). The data are separated into four time periods, which are representative of nighttime, sunrise transition period (SRTP), daytime, and sunset transition period (SSTP) propagation conditions. From 8 to 17 March, the WTF antenna array phasing angle (ψ) was 201 degrees. During the rest of the whip measurement period, ψ was 291 degrees. (The Connecticut field strengths for $\psi = 291$ degrees should be 1 dB higher than those for $\psi = 201$ degrees). Throughout the 1977-78 measurement period, the WTF transmitting frequency was 76 ± 4 Hz.

Presented in Table 1 are the 1977-78 whip average monthly field strengths while a comparison of the measured and equivalent loop field strengths are presented in Table 2. (All data are normalized to a WTF antenna current of 300 A, and an array phasing angle of 291 degrees.) Referring to Table 2, we see that during pure daytime and nighttime propagation conditions, the average field strengths measured on the whip (i.e., equivalent loop) and loop antennas are almost identical (in both amplitude and relative phase). On the other hand, the SRTP whip field strengths are consistently higher (by about 0.5 dB) than the SRTP loop field strengths.

Both the whip and loop average night-to-day relative phase variation ($\Delta\phi$) was 22.5 degrees. This corresponds to an average difference in the night-to-day relative phase velocity ratio ($\Delta(c/v)$) of 0.15, i.e., if the daytime value of c/v was 1.25, then the nighttime value would equal 1.10.

DAILY PLOTS OF WHIP VERSUS LOOP FIELD STRENGTH

By comparing the daily plots of whip (Appendices A through E) and loop^{8,13,15} field strengths versus GMT, we see that the Connecticut vertical electric field strength behavior is usually very similar to the transverse-horizontal magnetic field strength behavior (in both amplitude and relative phase) during both normal and disturbed propagation conditions. (Some specific examples will be presented in this section.)

On several occasions, we have also measured the radial-horizontal magnetic field strength (H_ρ) produced by the WTF. During normal propagation conditions, the Connecticut H_ρ amplitude behavior is usually similar to the H_ϕ amplitude behavior, while the H_ρ night-to-day relative phase variation ($\Delta\phi$) is usually greater than the H_ϕ $\Delta\phi$ variation. During disturbed propagation conditions, the H_ρ and H_ϕ daily plots (versus GMT) are usually dissimilar (in both amplitude and relative phase).²²

Presented in Figure 2 through 18 are some specific comparisons of daily plots of E_v and H_ϕ field strengths during various propagation conditions. For each 30-minute sample plotted, the post-detection signal-to-noise ratio (SNR) measured on both the whip and loop antennas was greater than 20 dB. From these plots, we see that the Connecticut E_v and H_ϕ behavior is usually very similar (in both amplitude and relative phase).

For the 2-year period of August 1976 to September 1978, H_ϕ amplitude peak-to-trough variations of 5 dB, or greater, were observed 25 percent of the time. The most frequent nighttime fading occurred during the late winter/early spring (January through April) and late summer/early fall (August through October) periods. The least frequent nighttime fading occurred during June and November.¹⁵

Amplitude peak-to-trough variations of 5 dB, or greater, occurred during 11 of the 24 H_ϕ measurement days during March 1978. In particular, they occurred during 8 days in a row (11 through 18 March).¹³ Referring to Figures 13 through 18, we see that similar behavior was observed in the vertical electric field measurements.

Presented in Table 3 is a comparison of the 12 to 17 March 1978 whip and loop average field strengths during the minimum nighttime field strength period of 0500 to 0800 GMT. From this table, we see that for this 6-day disturbed propagation period, the average minimum nighttime field strengths measured on the whip and loop are identical (-148.5 dBA/m).

CONCLUSION

In this report, we have presented the results of 60 days of selected whip antenna measurements taken during the 5-month period of November 1977 to March 1978. We have shown that the Connecticut vertical electric field strength behavior is usually very similar to the transverse-horizontal magnetic field strength behavior (in both amplitude and relative phase) during both normal and disturbed propagation conditions.

During pure daytime and nighttime propagation conditions, the 1977-78 average field strengths measured on the whip (i.e., equivalent loop) and loop antennas are almost identical. On the other hand, the SRTP whip field strengths are consistently higher (by about 0.5 dB) than the SRTP loop field strengths.

Both the whip and loop average night-to-day relative phase variation ($\Delta\phi$) was 22.5 degrees. This corresponds to an average difference in the night-to-day relative velocity ratio ($\Delta(c/v)$) of 0.15 (i.e., if the daytime value of c/v was 1.25, then the nighttime value would equal 1.10).




Figure 1. Sample Comparison of Measured Whip and Equivalent Loop Field Strengths




Figure 2. Comparison of Whip and Loop Field Strengths, 1 November 1977 ($\psi = 291$ deg)




Figure 3. Comparison of Whip and Loop Field Strengths, 2 November 1977 ($\psi = 291$ deg)




Figure 4. Comparison of Whip and Loop Field Strengths, 9 November 1977 ($\psi = 291$ deg)




Figure 5. Comparison of Whip and Loop Field Strengths, 21/22 December 1977 ($\psi = 291$ deg)




Figure 6. Comparison of Whip and Loop Field Strengths, 29/30 December 1977 ($\psi = 291$ deg)




Figure 7. Comparison of whip and Loop Field Strengths, 5/6 March 1978 ($\psi = 291$ deg)




Figure 8. Comparison of Whip and Loop Field Strengths, 6/7 March 1978 ($\psi = 291$ deg)




Figure 9. Comparison of Whip and Loop Field Strengths, 7/8 March 1978 ($\psi = 201$ deg)




Figure 10. Comparison of Whip and Loop Field Strengths, 8/9 March 1978 ($\psi = 201$ deg)




Figure 11. Comparison of Whip and Loop Field Strengths, 9/10 March 1978 ($\psi = 201$ deg)




Figure 12. Comparison of Whip and Loop Field Strengths, 10/11 March 1978 ($\psi = 201$ deg)




Figure 13. Comparison of Whip and Loop Field Strengths, 11/12 March 1978 ($\Psi = 201$ deg)




Figure 14. Comparison of Whip and Loop Field Strengths, 13/14 March 1978 ($\psi = 201$ deg)




Figure 15. Comparison of Whip and Loop Field Strengths, 13/14 March 1978 ($\psi = 201$ deg)




Figure 16. Comparison of Whip and Loop Field Strengths, 14/15 March 1978 ($\psi = 201$ deg)




Figure 17. Comparison of Whip and Loop Field Strengths, 15/16 March 1978 ($\psi = 201$ deg)




Figure 18. Comparison of whip and Loop Field Strengths, 16/17 March 1978 ($\psi = 201$ deg)

Table 1. 1977-78 Conn. whip Average Field Strengths*

Date	SSTP E_v (dBV/m)	Night E_v (dBV/m)	SRTP E_v (dBV/m)	Day E_v (dBV/m)	Approx. $\Delta\theta$ (deg)
November 1977	-90.7	-92.7	-90.6	-89.8	28.0
December 1977	-92.0	-93.6	-91.5	-90.1	25.0
January 1978	-90.8	-92.6	-91.0	-89.9	20.0
February 1978	-91.0	-92.7	-90.8	-89.7	16.7
March 1-7, 1978	-91.1	-92.9	-90.8	-89.8	19.2
March 8-17, 1978	-91.3	-93.5	-91.0	-89.9	26.5
1977-78 Average	-91.1	-93.0	-90.9	-89.8	22.5

* All data normalized to $I = 300A$ and $\psi = 291$ deg

Table 2. Comparison of Whip and Loop Average Field Strengths*

Date	Field Strength Component	SSTP H_{ϕ} (dBA/m)	Night H_{ϕ} (dBA/m)	SRTP H_{ϕ} (dBA/m)	Day H_{ϕ} (dBA/m)	Approx. $\Delta\phi$ (deg)
November 1977	Equiv. H_{ϕ}	-143.6	-145.0	-143.5	-143.3	28.0
	Meas. H_{ϕ}	-143.7	-145.2	-144.1	-143.4	24.5
December 1977	Equiv. H_{ϕ}	-144.9	-145.9	-144.4	-143.6	25.0
	Meas. H_{ϕ}	-144.3	-145.8	-144.8	-143.7	24.0
January 1978	Equiv. H_{ϕ}	-143.8	-145.1	-144.0	-143.4	20.0
	Meas. H_{ϕ}	-----	-----	-----	-----	-----
February 1978	Equiv. H_{ϕ}	-144.1	-145.4	-143.9	-143.2	16.7
	Meas. H_{ϕ}	-143.9	-145.5	-144.3	-143.0	17.5
March 1-7, 1978	Equiv. H_{ϕ}	-144.1	-145.4	-143.8	-143.3	19.2
	Meas. H_{ϕ}	-144.3	-145.7	-144.7	-143.3	19.3
March 8-17, 1978	Equiv. H_{ϕ}	-144.1	-145.6	-143.8	-143.4	26.5
	Meas. H_{ϕ}	-144.6	-145.8	-144.4	-143.5	26.4
1977-78 Average	Equiv. H_{ϕ}	-144.1	-145.4	-143.9	-143.3	22.5
	Meas. H_{ϕ}	-144.1	-145.6	-144.4	-143.3	22.5

* All data normalized to $I = 300A$ and $\psi = 291$ deg.

Table 3. Comparison of Whip and Loop Average Field Strengths During Minimum Nighttime Field Strength Period (0500-0800 GMT).*

Date	Meas. E_y (dBV/m)	Equiv. H_{ϕ} (dBA/m)	Meas. H_{ϕ} (dBA/m)
3/12/78	-95.5	-147.8	-148.0
3/13	-96.7	-149.0	-148.8
3/14	-96.4	-148.7	-148.6
3/15	-96.9	-149.2	-148.8
3/16	-95.2	-147.5	-147.9
3/17	-96.8	-149.1	-148.9
Average	-96.2	-148.5	-148.5

* $\psi = 201$ deg

REFERENCES

1. P. R. Bannister, F. J. Williams, J. R. Katan, and R. F. Ingram, Results of ELF Far-field Measurements Made in Connecticut, June 1970 - May 1973, NUSC Technical Report 4617, Naval Underwater Systems Center, New London, CT, 17 October 1973.
2. P. R. Bannister and F. J. Williams, ELF Field Strength Measurements Made in Connecticut from September 1973 through January 1974, NUSC Technical Report 4791, Naval Underwater Systems Center, New London, CT, 6 May 1974.
3. P. R. Bannister and F. J. Williams, ELF Field Strength Measurements Made in Connecticut During 1974, NUSC Technical Report 4927, Naval Underwater Systems Center, New London, CT, 1 October 1975.
4. P. R. Bannister and F. J. Williams, ELF Field Strength Measurements Made in Connecticut During 1975, NUSC Technical Report 5695, Naval Underwater Systems Center, New London, CT, 15 August 1977.
5. P. R. Bannister, ELF Field Strength Measurements Made in Connecticut During 1976, NUSC Technical Report 5853, Naval Underwater Systems Center, New London, CT, 11 September 1978.
6. P. R. Bannister, et al., Extremely Low Frequency (ELF) Propagation, NUSC Scientific and Engineering Studies, Naval Underwater Systems Center, New London, CT, February 1980, 550 pp.
7. P. R. Bannister, ELF PVS Field Strength Measurements, January 1977, NUSC Technical Report 6879, Naval Underwater Systems Center, New London, CT, 1 March 1983.
8. P. R. Bannister, ELF PVS Field Strength Measurements, March 1977, NUSC Technical Report 6769, Naval Underwater Systems Center, New London, CT, February 1983.
9. P. R. Bannister, ELF PVS Field Strength Measurements, April 1977, NUSC Technical Report 6771, Naval Underwater Systems Center, New London, CT, February 1983.
10. P. R. Bannister, ELF PVS Field Strength Measurements, October 1977, NUSC Technical Report 6773, Naval Underwater Systems Center, New London, CT, February 1983.
11. P. R. Bannister, ELF PVS Field Strength Measurements, January/February 1978, NUSC Technical Report 6775, Naval Underwater Systems Center, New London, CT, 3 February 1983.
12. P. R. Bannister, Connecticut ELF Field Strength Measurements, May to July 1977, NUSC Technical Report 6887, Naval Underwater Systems Center, New London, CT, 11 January 1984.
13. P. R. Bannister, Connecticut ELF Field Strength Measurements, March to May 1978, NUSC Technical Report 7079, Naval Underwater Systems Center, New London, CT, 11 January 1984.

14. P. R. Bannister, "Summary of ELF Propagation Validation System Field Strength Measurements, 1976 to 1978," IEEE Journal of Oceanic Engineering, Vol. OE-9, No. 3, 1984, pp. 189-195.
15. P. R. Bannister, Connecticut ELF Field Strength Measurements, August to December 1977, and July to September 1978, NUSC Technical Report 7357, Naval Underwater Systems Center, New London, CT, (to be published).
16. M. Clayton, C. Polk, H. Etzold, and W. Cooper, Absolute Calibration of Antennas at Extremely Low Frequencies, Report EE4041/2, University of Rhode Island, Kingston, RI (NTIS AD-737286), 1972.
17. M. L. Burrows, ELF Communication Antennas, Peter Peregrinus, Ltd, Stevenage, England, 1978.
18. C. Polk, "Measurement of ELF Field Strength," IEEE Transactions on Antennas and Propagation, Vol. AP-28, No. 2, 1980, pp. 140-146.
19. A. D. Watt, VLF Radio Engineering, Pergamon Press, NY, 1967.
20. P. R. Bannister and F. J. Williams, "Results of the August 1972 Wisconsin Test Facility Effective Earth Conductivity Measurements," Journal of Geophysical Research, Vol. 79, No. 5, 1974, pp. 725-732.
21. P. R. Bannister, "The Determination of Representative Ionospheric Conductivity Parameters for ELF Propagation in the Earth-Ionosphere Waveguide," (to be published in Radio Science).
22. P. R. Bannister, Comparisons of 76 Hz Transverse and Radial Magnetic Field Strength Components Received in Connecticut, NUSC Technical Report _____, Naval Underwater Systems Center, New London, CT, (to be published).

APPENDIX A

CONNECTICUT DAILY DATA, NOVEMBER 1977

Daily plots of Connecticut whip field strength averages and whip field strength averages versus GMT for November 1977 are given in Table A-1 and Figures A-1 through A-4, respectively.

Table A-1. November 1977 Conn. Whip Daily Field Strength Averages
 ($\psi = 291$ deg)

Date	SSTP E_V (dBV/m)	Ni ght E_V (dBV/m)	SRTP E_V (dBV/m)	Day E_V (dBV/m)	Approx. $\Delta\phi$ (deg)
11/1	-----	-91.0	-89.8	-89.7	21.5
11/2	-----	-93.0	-90.4	-89.5	21.5
11/3	-----	-92.2	-90.7	-90.4	23.0
11/4-11/5	-91.9	-92.9	-91.6	-90.5	29.0
11/5-11/6	-90.5	-92.9	-90.9	-89.6	31.0
11/6-11/7	-89.8	-93.0	-90.7	-89.3	36.5
11/8	-----	-93.2	-90.3	-89.5	27.0
11/9	-----	-94.0	-91.1	-90.0	33.5
Average	-90.7	-92.7	-90.6	-89.8	28.0




Figure A-1. Connecticut Whip Field Strength Versus GMT, 1 and 2 November 1977 ($\psi = 291$ deg)




Figure A-2. Connecticut Whip Field Strength Versus GMT, 3 and 4/5 November 1977 ($\psi = 291$ deg)




Figure A-3. Connecticut Whip Field Strength Versus GMT, 5/6 and 6/7 November 1977 ($\psi = 291$ deg)




Figure A-4. Connecticut Whip Field Strength Versus GMT, 7/8 and 8/9 November 1977 ($\psi = 291$ deg)

APPENDIX B

CONNECTICUT DAILY DATA, DECEMBER 1977

Daily plots of Connecticut whip field strength averages and whip field strength averages versus GMT for December 1977 are given in Table B-1 and Figures B-1 through B-4, respectively.

Table B-1. December 1977 Conn. Whip Daily Field Strength Averages
 ($\psi = 291$ deg)

Date	SSTP E_V (dBV/m)	Night E_V (dBV/m)	S RTP E_V (dBV/m)	Day E_V (dBV/m)	Approx. $\Delta\phi$ (deg)
12/22	-92.7	-93.7	-90.8	-89.5	34.5
12/23	-91.8	-93.9	-91.6	-90.2	27.0
12/24	-92.0	-94.3	-91.9	-90.2	24.0
12/25-12/26	-92.2	-94.2	-91.6	-90.3	27.5
12/27	-92.0	-93.8	-91.6	-90.7	17.0
12/28	-92.1	-93.3	-91.6	-90.6	18.5
12/29	-91.6	-92.7	-92.0	-89.7	19.5
12/30	-91.8	-93.2	-91.5	-90.2	26.0
12/31	-91.9	-93.5	-----	-89.9	31.0
Average	-92.0	-93.6	-91.5	-90.1	25.0




Figure B-1. Connecticut Whip Field Strength Versus GMT, 21/22 and 22/23 December 1977 ($\psi = 291$ deg)




Figure B-2. Connecticut Whip Field Strength Versus GMT, 23/24, 24/25, and 26 December 1977 ($\psi = 291$)




Figure B-3. Connecticut Whip Field Strength Versus GMT, 26/27 and 27/28 December 1977 ($\psi = 291$ deg)




Figure B-4. Connecticut Whip Field Strength Versus GMT, 28/29, 29/30, and 30/31 December 1977 ($\psi = 291$ deg)

APPENDIX C

CONNECTICUT DAILY DATA, JANUARY 1978

Daily plots of Connecticut whip field strength averages and whip field strength averages versus GMT for January 1978 are given in Table C-1 and Figures C-1 through C-5, respectively.

Table C-1. January 1978 Conn. Whip Daily Field Strength Averages
($\psi = 291$ deg)

Date	SSTP E_V (dBV/m)	Night E_V (dBV/m)	SRTP E_V (dBV/m)	Day E_V (dBV/m)	Approx. $\Delta\phi$ (deg)
1/4	-91.2	-93.3	-91.0	-89.9	17.5
1/5	-90.5	-93.2	-91.4	-90.5	14.0
1/6	-91.4	-92.6	-91.2	-89.7	11.0
1/7	-----	-92.2	-90.9	-89.9	12.5
1/8	-90.4	-92.1 (5)	-----	-----	-----
1/10	-91.5 (3)	-92.5	-89.9	-90.5	17.0
1/11	-90.0	-92.0	-91.0	-89.5	17.5
1/12	-90.6	-92.1	-90.8	-90.0	20.5
1/13	-90.9	-92.8	-91.5	-90.7	20.0
1/16	-90.3	-92.6	-90.7	-88.7	28.0
1/17	-91.0	-93.0	-91.3	-89.1	27.5
1/19	-91.5	-92.9	-91.5	-89.8	28.0
1/20	-91.4	-92.6 (10)	-----	-----	-----
1/21	-----	-92.3	-91.3	-90.0	21.0
1/22	-90.6	-93.0	-91.2	-90.2	23.5
1/23	-90.8	-92.7	-90.8	-90.3	24.5
Average	-90.8	-92.6	-91.0	-89.9	20.0




Figure C-1. Connecticut Whip Field Strength Versus GMT, 3/4, 4/5, and 5/6 January 1978 ($\psi = 291$ deg)




Figure C-2. Connecticut Whip Field Strength Versus GMT, 7, 9/10, and 10/11 January 1978 ($\Psi = 291$ deg)




Figure C-3. Connecticut Whip Field Strength Versus GMT, 11/12, 12/13, and 15/16 January 1978 ($\psi = 291$ deg)




Figure C-4. Connecticut Whip Field Strength Versus GMT, 16/17, 18/19, and 19/20 January 1978 ($\psi = 291$ deg)




Figure C-5. Connecticut Whip Field Strength Versus GMT, 21, 22, and 23 January 1978 ($\psi = 291$ deg)

APPENDIX D

CONNECTICUT DAILY DATA, FEBRUARY 1978

Daily plots of Connecticut whip field strength averages and whip field strength averages versus GMT for February 1978 are given in Table D-1 and Figures D-1 through D-5, respectively.

Table D-1. February 1978 Conn. Whip Daily Field Strength Averages
 ($\psi = 291$ deg)

Date	SSTP E_V (dBV/m)	Night E_V (dBV/m)	SRTP E_V (dBV/m)	Day E_V (dBV/m)	$\Delta\phi$ (deg)
2/1	-----	-92.9	-91.0	-89.8	16.5
2/2	-90.9	-92.3	-90.2	-89.6	13.8
2/3	-90.6	-92.5	-90.6	-89.5	14.5
2/5	-90.3	-93.0	-90.8	-89.4	18.0
2/6	-90.5	-92.3	-91.4	-90.2	14.8
2/10	-91.3	-92.4	-90.8	-89.8	15.0
2/11	-91.4	-92.6	-90.9	-89.3	20.4
2/12	-91.4	-93.1	-90.9	-90.1	20.2
2/13	-----	-92.9	-90.8	-90.2	14.8
2/15	-92.1	-93.6	-90.5	-89.6	18.7
Average	-91.0	-92.7	-90.8	-89.7	16.7




Figure D-1. Connecticut Whip Field Strength Versus GMT, 1 and 2 February 1978 ($\Psi = 291$ deg)




Figure D-2. Connecticut Whip Field Strength Versus GMT, 2/3 and 4/5 February 1978 ($\psi = 291$ deg)




Figure D-3. Connecticut Whip Field Strength Versus GMT, 5/6 and 9/10 February 1978 ($\psi = 291$ deg)




Figure D-4. Connecticut Whip Field Strength Versus GMT, 10/11 and 11/12 February 1978 ($\psi = 291$ deg)




Figure D-5. Connecticut Whip Field Strength Versus GMT, 13 and 14/15 February 1978 ($\psi = 291$ deg)

APPENDIX E

CONNECTICUT DAILY DATA, MARCH 1978

Daily plots of Connecticut whip field strength averages and whip field strength averages versus GMT for March 1978 are given in Table E-1 and Figures E-1 through E-9, respectively.

Table E-1. March 1978 Connecticut Whip Daily Field Strength Averages

Date	ψ (deg)	SSTP E_V (dBV/m)	Night E_V (dBV/m)	SRTP E_V (dBV/m)	Day E_V (dBV/m)	Relative Phase (deg)
3/1	291	-90.2	-91.6	-90.5	-89.6	18.3
3/2	291	-92.3	-93.2	-91.4	-89.9	16.3
3/3	291	-91.1	-93.3	-90.4	-89.9	16.6
3/4	291	-----	-93.8	-91.4	-90.0	18.2
3/5	291	-91.5	-92.6	-90.7	-89.9	22.3
3/6	291	-90.9	-92.9	-90.7	-89.7	21.1
3/7	291	-91.1	-93.0	-90.9	-89.9	21.7
3/1-3/7 Average	291	-91.1	-92.9	-90.8	-89.8	19.2
3/8	201	-92.4	-93.2	-91.8	-90.5	30.2
3/9	201	-92.2	-94.1	-92.0	-90.9	22.1
3/10	201	-92.2	-93.6	-92.2	-90.9	30.9
3/11	201	-92.4	-93.6	-92.2	-91.0	20.1
3/12	201	-91.9	-94.3	-92.7	-91.5	20.0
3/13	201	-92.7	-95.5	-92.5	-90.8	28.6
3/14	201	-91.6	-94.8	-91.2	-91.1	26.8
3/15	201	-----	-95.8	-91.7	-90.9	29.6
3/16	201	-92.7	-94.2	-91.8	-91.0	29.3
3/17	201	-----	-95.9	-91.9	-----	27.2
3/8-3/17 Average	201	-92.3	-94.5	-92.0	-90.9	26.5




Figure E-1. Connecticut Whip Field Strength Versus GMT, 1 and 2 March 1978 ($\Psi = 291$ deg)




Figure E-2. Connecticut Whip Field Strength Versus GMT, 3 and 4 March 1978 ($\psi = 291$ deg)




Figure E-3. Connecticut Whip Field Strength Versus GMT, 5 and 6 March 1978 ($\psi = 291$ deg)




Figure E-4. Connecticut Whip Field Strength Versus GMT, 7 ($\psi = 291$ deg) and 8 ($\psi = 201$ deg) March 1978




Figure E-5. Connecticut Whip Field Strength Versus GMT, 9 and 10 March 1978 ($\Psi = 201$ deg)




Figure E-6. Connecticut Whip Field Strength Versus GMT, 11 and 12 March 1978 ($\psi = 201$ deg)




Figure E-7. Connecticut whip Field Strength Versus GMT, 13 and 14 March 1978 ($\psi = 201$ deg)




Figure E-8. Connecticut whip Field Strength Versus GMT, 15 and 16 March 1978 ($\psi = 201$ deg)




Figure E-9. Connecticut Whip Field Strength Versus GMT, 17 March 1978 ($\psi = 201$ deg)

INITIAL DISTRIBUTION LIST

Addressee	No. of Copies
DARPA	3
DTIC	15
ONR (Code 425GG (J. Heacock), 42810 (R. G. Joiner)	2
ASN (T. P. Quinn (for C ³), H. Hull (Rm SE 779)	2
NRL (Library, Dr. J. R. Davis (Code 7550), Dr. Frank Kelly)	3
NOSC (Library, R. A. Pappart, D. G. Morfitt, J. A. Ferguson, J. Bickel, F. P. Snyder, C. F. Ramstedt, P. Jansen, K. Grauer, W. Hart)	10
NAVELECSYSCOM (PME 110-11 (Dr. G. Brunhart), PME 110-X1 (Dr. Bodo Kruger), PME 110)	3
NAVAL SURFACE WEAPONS CENTER, WHITE OAK LAB. (J. J. Holmes, P. Wessel, K. Bishop, R. Brown, J. Cunningham, B. DeSavage, Library)	7
DWTNSRDC ANNA (W. Andahazy, F. E. Baker, P. Field, D. Everstine, B. Hood, D. Nixon)	6
NAVPGSCOL, MONTEREY (O. Heinz, P. Moose, A. Ochadlik, M. Thomas, W. M. Tolles, Library)	6
NCSC (K. R. Allen, R. H. Clark, M. J. Wynn, M. Cooper, E. Moritz, Library)	5
DIRECTOR, DEFENSE NUCLEAR AGENCY, RAAE, DDST, RAEV	3
R&D Associates, P. O. Box 9695, Marina del Rey, CA 90291 (C. Greifinger, P. Greifinger)	2
Pacific-Sierra Research Corp., 12340 Santa Monica Blvd. Los Angeles, CA 90025 (E. C. Field)	1
Johns Hopkins University, Applied Physics Laboratory, Laurel, MD 20810 (L. Hart, J. Giannini, H. Ko, I. Sugai)	4
University of California, Scripps Institute of Oceanography (C. S. Cox (Code A-030), H. G. Booker, J. Filloux, P. Young)	5
Lockheed Palo Alto Research Laboratory (W. Imhof, J. B. Reagan, E. E. Gaines, R. C. Gunton, R. E. Meyerott)	5
University of Texas, Geomagnetism and Electrical Geoscience Laboratory (F. X. Bostick, Jr.)	1
COMMANDER, AIR FORCE GEOPHYSICS LABORATORY (J. Aarons)	1
COMMANDER ROME AIR DEVELOPMENT CENTER (J.P. Turtle, J. E. Rasmussen, W. I. Klemetti, P. A. Kossey, E. F. Altschuler)	5
Applied Science Associates, Inc., (Dr. Gary S. Brown) 105 E. Chatham St., Apex, NC 27502	1
Computer Sciences Corp., Falls Church, VA 22046 (D. Blumberg, Senator R. Mellenberg, R. Heppe, F. L. Eisenbarth)	4
MIT Lincoln Labs. (M. L. Burrows, D. P. White, D. K. Willim, S. L. Bernstein, I. Richer)	5

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No of copies
Electromagnetic Sciences Lab. SRI International, Menlo Park, CA 94015 (Dr. David M. Bubenik)	1
Communications Research Centre (Dr. John S. Belrose) P.O. Box 11490, Station "H" Shirley Bay, Ottawa, Onstario, Canada K2H8S2	1
Dr. Joseph P. deBettencourt, 18 Sterling St., West Newton, MA 02165	1
Dr. Marty Abromavage, IITRE, Div. E., 10W 35th St., Chicago, IL 60616	1
NØRE, Division for Electronics (Dr. Trygve Larson) P. O. Box 25, Kjeller, Norway	1
Belden Corp., Technical Research Center Mr. Douglas O'Brien Geneva, Illinois	1
University of Pennsylvania (Dr. Ralph Showers) Moore School of Elec. Eng., Philadelphia, PA 19174	1
University of Houston, Director, Dept. of Elec. Eng. (Prog. Liang C. Shen)	1
The University of Connecticut, Physics Dept., (Prof. O. R. Gilliam) Storrs, CT 06268	1
Dr. David J. Thomson, Defence Research Establishment Pacific, F.M.O., Victoria, B.C., Canada	1
Dr. Robert Hansen, Box 215, Tarzana, CA 91356	1
The University of Kansas, Remote Sensing Laboratory (Prof. R. K. Moore) Center for Research, Inc., Lawrence, Kansas	1
OT/ITS U.S. Dept. of Commerce (Dr. David A. Hill), Boulder, CO	1
Office of Telecommunications, Inst. for Telecommunications Services (Dr. Douglas D. Crombie, Director), Boulder, CO	1
University of Colorado, Dept. of Electrical Eng. (Prof. David C. Chang)	1
Dr. K. P. Spies, ITS/NTIA, U.S. Dept. of Commerce	1
The University of Connecticut, Dept. of Electrical Eng. & Computer Sci., Storrs, CT (Prof. Clarence Schultz, Prof. Mahmond A. Melehy)	2
Dr. Richard G. Geyer, 670 S.Estes St., Lakewood, CO	1
University of California, Lawrence Livermore Lab., (E. K. Miller, R. J. King)	3
Kings College, Radiophysics Group (Prof. D. Llanwyn-Jones) Strand, London WC2R 2LS, England	1
Instituto di Electtrotechnica, Facotta di Ingegneria (Prof. Giorgio Tacconi) Viale Combiasso 6, 16145 Genova, Italy	1
Universite des Sciences de Lille (Prof. R. Gabillard), B. P. 36-59650 Villeneuve D'Ascq, Lille, France	1
Arthur D. Little, Inc., (Dr. A. G. Emslie, Dr. R. L. Lagace, R&D Div., Acorn Park, Cambridge, MA 02140	2

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No of copies
University of Colorado, Dept. of Electrical Eng. (Prof. S. W. Maley)	1
University of Washington, EE Dept. (Prof. A. Ishimaru) Seattle	1
Dr. Svante Westland, Kiruna Geofysiska Institute, S981 01 Kiruna 1, Sweden	1
Dr. Harry C. Koons, The Aerospace Corp. P.O. Box 92957, Los Angeles, CA 90009	1
Dr. Albert Essmann, Hoogewinkel 46, 23 Kiel 1, West Germany	1
Glenn S. Smith, School of Elec. Eng. Georgia Tech. Atlanta, GA	1
Dr. T. Lee, CIRES, Campus Box 449, University of Colorado	1
Dr. Jack Williams, RCA Camden, Mail Stop 1-2, Camden, NJ 08102	1
Mr. Arnie Farstad, 390 S. 69th St., Boulder, CO 80303	1
NATO SACLANT ASW CENTER (Library)	1
USGS, Branch of Electromagnetism and Geomagnetism (Dr. James Towle) Denver, CO	1
NOAA, Pacific Maine Environ. Lab. (Dr. Jim Larsen)	1
University of Texas at Dallas, Geosciences Div. (Dr. Mark Landisman)	1
University of Wisconsin, Lewis G. Weeks Hall, Dept. of Geology and Geophysics (Dr. C. S. Clay)	1
Argonne National Laboratory, Bldg. 12 (Dr. Tony Vallentino)	1
IITRE, Div. E, Chicago (Dr. Marty Abromavage)	1
The University of Manitoba, Elec. Eng. Dept. (Prof. A. Mohsen)	1
Mr. Jerry Pucillo, Analytical Systems, Engineering Corp., Newport, RI 02840	1
Dr. Misac N. Nabighian, Newmont Exploration Ltd., Tuscon, AZ	1
Dr. Fred Raab, Green Mountain Radio Research Co., 50 Vermont Ave., Winooski, VT 05404	1
Dr. Louis H. Rorden, President, Develco, Inc., 404 Tasman Dr., Sunnyvale, CA 94086	1
Dr. Eivind Trane, NDRE, P.O. Box 25, 2007 Kjeller, Norway	1
RCA David Sarnoff Research Center (K. Powers, J. Zennel, H. Staras)	4
University of Illinois, Aeronomy Laboratory (Prof. C. F. Sechrist)	1
Dr. Cullen M. Crain, Rand Corp., Santa Monica, CA	1
Radioastronomisches Institute der Universitat Bonn (Dr. H. Volland), 5300 Bonn-Endenich, Auf dem Higel 71, West Germany	1
Dr. John P. Wikswo, Jr., P.O. Box 120062 Acklen Station, Nashville, TN	1

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No of copies
Mr. Lars Brock-Nannestad, DDRB Osterbrogades Kaserne, 2100 Copenhagen O, Denmark	1
Institut de Physique du Globe (Dr. Edonard Selzer) 11 Quai St., Bernard, Tour 24 Paris Ve, France	1
Elektrophysikalisches Institut (Dr. Herbvert Konig) Technische Hochschule, Arcisstrasse 21, 8 Munich 2, West Germany	1
Raytheon Company (Dr. Mario Grossi) Portsmouth, RI	1
NISC, Code OOW (Mr. M. A. Koontz) Washington, DC	1
Polytechnic Institute of Brooklyn (Prof. Leo Felsen)	1
NOAA/ERL (Dr. Earl E. Gossard) R45X7, Boulder, CO 80302	
Dr. George H. Hagn, SRI-Washington, Rosslyn Plaza, Arlington, VA	1
NOAA/ERL (Dr. C. Gordon Little) R45	1
Goddard Space Flight Ctr. (Dr. S. J. Durrani) Code 800.1	1
ITS, Office of Telecon (Dr. Ken Steele) Boulder, CO 80302	1
NTIA/ITS, U.S. Dept. of Commerce (Dr. A. D. Spaulding)	1
Stanford University, Elec. Eng. Dept. Dr. O. G. Villard, Jr.)	1
Dr. D. Middleton, 127 East 91st St., New York, NY 10028	1
University of California, Elec. Eng. & Computer Sci. Dept., Prof. K. K. Mei)	1
California Inst. of Technology, Jet Propulsion Lab., (Dr. Yahya Rahmat-Samii)	1
Mr. Larry Ball, U.S. Dept. of Energy NURE Project Office, P.O. Box 2567, Grand Junction, CO 81502	1
STATE DEPARTMENT ACDA MA-AT, Rm. 5499, Washington, DC 20451 (ADM T. Davies, R. Booth, N. Carrera)	3
GTE Sylvania, (R. Row, D. Boots, D. Esten) 189 Broad St., Needham, MA 02194	3
HARVARD UNIVERSITY, Gordon McKay Lab. (Prof. R. W. P. King, Prof. T. T. Wu)	2
University of Rhode Island, Dept. of Electrical Engineering (Prof. C. Polk)	1
University of Nebraska, Electrical Engineering Dept., (Prof. E. Bahar)	1
University of Toronto, EE Dept. (Prof. Keith Balmain)	1
NOAA/ERL (Dr. Donald E. Barrick)	1
University of Colorado, EE Dept. (Prof. Peter Beckmann)	1
Geophysical Observatory, Physics & Eng. Lab.DSIR Christchurch, New Zealand (Dr. Richard Barr)	1

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No of copies
General Electric Co., (C. Zierdt, A. Steinmayer) 3198 Chestnut St., Philadelphia, PA 19101	2
University of Arizona, Elec. Eng. Dept., Bldg. 20 (Prof. J. R. Wait) Tuscon, AZ 85721	1
U.S. NAVAL ACADEMY, Dept. of Applied Science (Dr. Frank K. Chi)	1
Stanford University, Radioscience Laboratory (Dr. Anthony Fraser-Smith) Durand Bldg. Rm. 205	1
Stanford University, Stanford Electronics Laboratory (Prof. Bob Helliwell)	1
Colorado School of Mines, Department of Geophysics (Prof. A. Kaufman)	1
Prof. George V. Keller, Chairman, Group Seven, Inc., Irongate II, Executive Plaza, 777 So. Wadsworth Blvd, Lakewood, CO 80226	1
MIT, Dept. of Earth/Planetary Sciences, Bldg. 54-314 (Prof. Gene Simmons)	1
Colorado School of Mines (Dr. C. Stoyer)	1
University of Victoria, (Prof. J. Weaver) Victoria, B.C. V8W 2Y2 Canada	1
Mr. Donald Clark, c/o Naval Security Group Command, 3801 Nebraska Ave., NW, Washington, DC 20390	1
Prof. R. L. Dube, 13 Fairview Rd., Wilbraham, MA 01095	1
U.S. Geological Survey, Rm. 1244 (Dr. Frank C. Frischknecht) Denver, CO 80225	1
Mr. Larry Ginsberg, Mitre Corp., 1820 Dolly Madison Bldg. McLean, VA 22102	1
Dr. Robert Morgan, Rt. 1, Box 187, Cedaredge, CO 81413	1
Mr. A. D. Watt, Rt 1, Box 183 1/2, Delaredge, CO 81413	1
Dr. E. L. Maxwell, Atmospheric Sciences Dept., Colorado State University, Fort Collins, CO	1
Mr. Al Morrison, Purvis Systems, 3530 Camino Del Rio North, Suite 200, San Diego, CA 92108	1
Raytheon Service Co. (Dr. M. Soyda) Mt. Laurel NJ 08054	1
MITRE M/S W761 (Dr. W. Foster) McLean, VA	1
Max-Planck- Institut fur Aeronomie (Prof. P. Stubbe) 3400 Katlenburg-Lindau 3 FRG	1
University of Otago, Physics Dept. (Prof. R. L. Dowden) Dunedin, New Zealand	1
University of Leicester, Physics Dept. (Prof. T. B. Jones) Leicester, England	1
Naval Weapons Center, China Lake, Code 3814 (Dr. R. J. Dinger)	1
Dr. Claudia D. Tesche, Lutech, Inc., P.O. Box 1263, Berkeley	1
National Aeronautical Est., National Research Council, Flight Research Lab., (Dr. C. D. Harwick) Ottawa, KIAOR6, Canada	1

INITIAL DISTRIBUTION LIST (Cont'd)

Addressee	No of copies
Colorado Research and Prediction Laboratory, Inc. (Dr. R. H. Doherty, Dr. J. R. Johler) Boulder, CO	2
Arizona State University, School of Engineering, Dept. of Electrical and Computer Engineering (Prof. Constantine A. Balanis), Tempe, AZ 85287	1
University of Massachusetts, Dept. of Electrical and Computer Engineering, (Prof. Robert E. McIntosh), Amherst, MA 01003	1
Cairo University, Faculty of Engineering Electronics & Comm. Dept., (Dr. Samir F. Mahmond) Giza, Egypt	1
Virginia Polytechnic Institute and State University, Dept. of Electrical Engineering, (R. Clark Robertson), Blacksburg, VA 24061	1
NISC 52, (B. Blackburn), 4301 Smithland Road, Washington, DC 20390	1
University of Michigan Radiation Laboratory, Dept. of Electrical and Computer Engineering (Prof. Dikpa Sengupta), 4072 East Engineering Bldg., Ann Arbor, MI 48109	1
U-157, Elec. Eng. and Computer Sci. Dept., (Prof. Rajeer Bansal), UCONN, Storrs, CT 06268	1
Helsinki University of Technology, Dept. of Electrical Engineering, (I.V. Lindell & E. Alanen), Otakaari 5A, SF-021150 Espoo, Finland	1

END

DTic

6-86