


AD-A175 038


COMPUTER-AIDED SYSTEM NEEDS FOR THE TECHNICAL DESIGN
SECTION OF THE BASE. (U) AIR FORCE INST OF TECH
WRIGHT-PATTERSON AFB OH SCHOOL OF SYST. J P MITNIK
SEP 86 AFIT/GEN/DEM/065-19 F/G 9/2

1/2

UNCLASSIFIED

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

(2)

AD-A175 038



COMPUTER-AIDED SYSTEM NEEDS
 FOR THE TECHNICAL DESIGN SECTION OF THE
 BASE LEVEL CIVIL ENGINEERING SQUADRON

THESIS

James P. Mitnik
 First Lieutenant, USAF

AFIT/GEM/DEM/86S-19

DISTRIBUTION STATEMENT A
 Approved for public release
 Distribution Unlimited

DTIC
 ELECTE
 DEC 13 1986
 B

DTIC FILE COPY

DEPARTMENT OF THE AIR FORCE
 AIR UNIVERSITY
AIR FORCE INSTITUTE OF TECHNOLOGY

Wright-Patterson Air Force Base, Ohio

86 12 15 081

AFIT/GEM/DEM/86 **S-19**

COMPUTER-AIDED SYSTEM NEEDS
FOR THE TECHNICAL DESIGN SECTION OF THE
BASE LEVEL CIVIL ENGINEERING SQUADRON

THESIS

James P. Mitnik
First Lieutenant, USAF

AFIT/GEM/DEM/86S-19

Approved for public release; distribution unlimited

S DTIC
ELECTE **D**
DEC 16 1986

B

The contents of the document are technically accurate, and no sensitive items, detrimental ideas, or deleterious information is contained therein. Furthermore, the views expressed in the document are those of the author and do not necessarily reflect the views of the School of Systems and Logistics, the Air University, the United States Air Force, or the Department of Defense.

Accession	
NTIS	✓
DTIC	
Unann	
Jan	
By	PER CALL JC
Dist	
Avail	
Dist	
A-1	



AFIT/GEM/DEM/86S-19

COMPUTER-AIDED SYSTEM NEEDS
FOR THE TECHNICAL DESIGN SECTION OF THE
BASE LEVEL CIVIL ENGINEERING SQUADRON

THESIS

Presented to the Faculty of the School of Systems and Logistics
of the Air Force Institute of Technology

Air University

In Partial Fulfillment of the
Requirements for the Degree of
Master of Science in Engineering Management

James P. Mitnik, B.S.

First Lieutenant, USAF

September 1986

Approved for public release; distribution unlimited

Acknowledgements

I wish to express my sincere appreciation to Captain Robert Hamel, advisor, who diligently directed his own thesis and then turned around as an AFIT instructor, and helped direct mine. His suggestions, talk and ability to calm me down helped this research immensely. Thanks also go to Lieutenant Colonel Alan E.M. Tucker, committee chairman, who persevered through this deleriousness even during his hospital stay. Thanks to Captain W. Mike Duncan, who helped with the technical aspects of this thesis.

Thanks also to Captain Steve Barlow, fellow GEMmate, who helped me decipher how the mechanical engineers responded to my open-ended questions, and likewise thanks to 1Lt Mark Tissi, GEM 87s/OTS S3-09, who helped me with the electrical engineers responses. Also, I'll thank Max, my great dane, who made sure I had regular breaks from my thesis work, to exercise him, and to Alex, kitty, whose ability to stay up late is remarkable.

My last two "thanks" go to my wife, Chris, who encouraged me through my second degree. It's your turn to go to school now! Finally, I'd like to thank GOD, for without him none of anything would have been possible. He is my smile and my laugh.

James P. Mitnik

Table of Contents

	Page
Acknowledgements.....	ii
List of Tables.....	vi
Abstract.....	viii
I. Introduction.....	1.1
Background.....	1.1
Organizational Background.....	1.6
Justification.....	1.9
Scope and Limitations.....	1.10
Assumptions.....	1.10
Research Objective.....	1.11
Research Questions.....	1.11
II. Literature Review.....	2.1
Introduction.....	2.1
Computer-Aided Design (CAD).....	2.1
Computer-Aided Drafting (CADr).....	2.5
Computer-Aided Analysis (CAA).....	2.5
Computer Modeling (CM).....	2.6
Civilian Computer-Aided Systems.....	2.10
Department of Defense Computer-Aided Systems.....	2.12
Selecting a Computer System.....	2.16
III. Methodology.....	3.1
Introduction.....	3.1
Justification of Approach.....	3.2
Population of Concern.....	3.3
Survey Instruments.....	3.4
Analysis.....	3.7

IV. Presentation of Data.....	4.1
Survey Results.....	4.1
Design Survey.....	4.3
Project Data Survey.....	4.13
Air Force Logistics Command (AFLC)	
Design Data.....	4.14
V. Analysis of Data.....	5.1
Introduction.....	5.1
Research Question One.....	5.1
Research Question Two.....	5.2
Design Analysis/Calculation.....	5.8
Research Question Three.....	5.9
Prior CAD Experience.....	5.15
CAD in the Design Section.....	5.16
Research Question Four.....	5.16
Specialties.....	5.16
Time in Design.....	5.19
Last Time in Design.....	5.20
Research Question Five.....	5.21
CAD Hardware Determination.....	5.23
Research Question Six.....	5.26
Research Question Seven.....	5.26
Research Question Eight.....	5.27
Research Question Nine.....	5.28
Research Question Ten.....	5.28
VI. Conclusions and Recommendations.....	6.1
Introduction.....	6.1
Conclusions.....	6.1
Current Design Practice.....	6.3
Training.....	6.4
Limitations.....	6.5
Recommendations.....	6.6
Further Research.....	6.6

Appendix A:	Design and Project Data Surveys.....	A.1
Appendix B:	Project Data Survey Mailing List/ Base Populations.....	B.1
Appendix C:	Data Files.....	C.1
Appendix D:	Analysis/Calculations by Specialties...	D.1
Appendix E:	Hardware and Software in Use at Base Technical Design Sections.....	E.1
Appendix F:	How Officers in the Design Section would Use a Computer-Aided Design System.....	F.1
Appendix G:	Selected Responses of Previous Computer Training.....	G.1
Appendix H:	Analysis of Variance (ANOVA) Analyses..	H.1
Appendix I:	Analysis of Variance (ANOVA).....	I.1
Appendix J:	Miscellaneous Survey Responses.....	J.1
Bibliography.....		BIB.1
Vita.....		K.1

List of Tables

Table	Page
4.1 Background Information Results.....	4.4
4.2 Training Results.....	4.6
4.3 Design Results.....	4.7
4.4 Existing Work Rating and Open-Ended Questions.....	4.11
4.5 Mean Values of Design Work for Three Base Sizes.....	4.13
4.6 Design Data from AFLC Bases.....	4.14
5.1 Rank Order of Questions by Current Designers by Time as a Designer.....	5.4
5.2 Rank Order of Questions by Time as a Designer.....	5.5
5.3 Rank Order of Questions by Current Designers by Specialty.....	5.6
5.4 Rank Order of Questions by Specialty.....	5.7
5.5 Architectural Analysis/Calculations.....	5.8
5.6 Civil Analysis/Calculations.....	5.8
5.7 Electrical Analysis/Calculations.....	5.9
5.8 Mechanical Analysis/Calculations.....	5.9
5.9 Rank Order of Training by Current Designers by Specialty.....	5.11
5.10 Rank Order of Training by Specialty.....	5.13

5.11 Rank Order of Training by Current Designer by Time as a Designer.....	5.14
5.12 Rank Order of Training by Time as a Designer.....	5.15
5.13 Prior CAD Experience.....	5.16
5.14 How Architects and Engineers would Use CAD...	5.22
5.15 CAD Workstation Needs.....	5.26
6.1 CAD Hardware and Software Needs.....	6.2
6.2 Number of Workstations.....	6.3

Abstract

The quantity of design, drafting, charts and maps required by todays Civil Engineering Squadron is increasing faster than the ability of civil engineering personnel to accomplish these tasks. One possible solution to this problem is the potential for computer-aided design and drafting (CADD) systems to increase productivity of our existing manpower and pay for themselves by decreasing expenditures for overtime and Architectural-Engineering (AE) contracts. This thesis determines by literature review and survey techniques to what extent officers in a base level technical design position would be able to design projects which are currently being designed by AE contract. Furthermore, this research determines the average size (designers, draftsmen, projects, dollars) of a base level technical design section. Finally, this research determines those software capabilities necessary in a CADD system for a base level design section, and determines how many CADD workstations would be needed by an average size Technical Design Section.

COMPUTER-AIDED SYSTEM NEEDS
FOR THE TECHNICAL DESIGN SECTION OF THE
BASE LEVEL CIVIL ENGINEERING SQUADRON

I. Introduction

Background

Air Force design programs have grown dramatically since the late 1970's. According to Captain Carl Clayton HQ AFESC/SI, in a report to the Air Force Computer Graphics Working Group:

The growing volume and technical complexity of our operations, maintenance and construction programs have caused an increasing backlog in our design, drafting and comprehensive planning functions. The sheer mass of design, engineering drawings, charts and maps required by today's civil engineering organizations is rapidly overtaking the ability of our people to produce them. [27:1]

One possible solution to this problem is the potential for Computer-Aided Design (CAD) systems to increase the productivity of our existing manpower and potentially pay for themselves by decreasing expenditures for overtime and Architectural-Engineering (AE) contracts.

Since Fall 1984, there has been an explosion of CAD technology, especially in micro-based CAD. Studies have documented the benefits of CAD. The question for civilian AE firms today is no longer whether to implement CAD or not, but which CAD system to choose and how to implement the system (163:23).

Two particular studies related directly to the economic benefits of CAD for the Base Civil Engineering Squadron are Captain Mike Roberts' thesis, Automated Drafting and Design for the Base Civil Engineer and Captain William Duncan's thesis, Computer-Aided Design Applications for the Base Civil Engineering Technical Design Section. Both theses verify the applicability to the design area by showing increased manhours via CAD productivity and increased quality of designs and drawings using CAD systems.

But, before the Engineering Branch of a Civil Engineering Squadron buys Computer-Aided Design and Drafting equipment, one needs to take a good look at the design process.

Design problems are not like scientific, mathematical, or logical problems, which generally require the proof

of an (a) hypothesis. They are not like puzzles of guessing games, which have a single correct answer. They are not like the problems of an artist or a composer, who works principally to satisfy self imposed goals and standards. Design problems often contain aspects of all these other types of problem, whilst remaining distinct. [145:99]

Two major steps make up the design process, as we know it today, the decision making stage and testing potential solutions to determine if they satisfy the requirements of the decision making stage (145:99). While a designer is performing design, he does not know if his solution will solve the client's requirements until he designs the building, and then checks the decision making stage (111:224). Therefore, the designer can not know what constitutes an adequate design until he designs it. The designer does not know all the new designs which can be derived from the present design; furthermore, trade-offs are hard to make. Further hindering the building design process, is the fact that the design belongs to two groups: that which is happening within the building (functional), and that which takes place outside (exterior context) (73:320). Now that we know the definition of design, we need to know the desired capabilities to satisfy the needs

of the Technical Design Section.

At this moment, there are many opinions of the type of hardware and software that should be purchased for the Civil Engineering Community, but no one has ever really considered the users of this type of system. The system should be tailored to the designers and draftsmen of the Technical Design Section.

Two major problems underlie the full utilization of CAD systems to improve productivity of base level Technical Design Sections and increase the quality of designs. First, what is the present level of technical ability of the personnel in base level Technical Design Sections, and secondly, what computer hardware and software would be appropriate to increase productivity/quality of design and drafting in the Technical Design Sections? Furthermore, if the personnel have the technical ability, one must look at appropriate hardware and software from a "total computer system" implementation point of view.

According to Keen and Morton in their book entitled Decision Support Systems: An Organizational Perspective,

several areas must be addressed to bring automated systems to an existing organization: 1) which alternatives offer the most improvement to the existing process; 2) how will the change be implemented; and 3) what happens if the system falls behind schedule or meets resistance (74:176). To deal with these possible problems, one must look at suspected problem areas in the initial planning stages. Furthermore, one needs to determine a plan for implementation of new automated systems which can serve also as a basis for designing the new automated system. There must be a "felt need" for the change, the user must play a part in the design and implementation, and the person who designs the system must be knowledgeable of the area he is designing for (74:205). Specifically, Keen and Morton see the following as part of the implementation phase of an incoming computer:

1. A felt need.
 - a. The implementor must make sure that the problem to be worked on is visible and seen as relevant.
 - b. The implementor must make sure that the client has a motive and commitment for action.
2. Definition of goals in operational terms.
 - a. Determine the criteria for success.
 - b. Determine the priorities and trade-offs.
 - c. Determine "key indicators" which can be used to measure progress and accomplishment.

3. A contract for change. This involves a "deal" between designer and client that establishes:
 - a. "Trust" which is built on a personal, professional, or political basis.
 - b. Mutual understanding.
 - c. Mutual respect for each other's style, investment and needs.
 - d. Realistic, mutual expectations.
4. Diagnosis and resolution of resistance to change.

This involves:

 - **a. Including all users, as well as the client, in implementation. (Designers often ignore the secondary users, groups who are indirectly affected by the system, such as the people responsible for collecting certain input data)
5. Initial allocation of resources and responsibilities. This involves:
 - a. Meaningful user involvement.
 - b. The development of a team. [74:203]

**Client and users would be designers and draftsmen in the Technical Design Section, while users from the other sections of the engineering branch and quite possibly the planning section from the operations branch, would be secondary users.

Organizational Background

According to Major General Clifton D. Wright, former Director of Engineering and Services, the new Civil Engineering mission statement is to, "Provide the necessary assets and skilled personnel to prepare and sustain global

installations as stable platforms for the projection of aerospace power in peace and war" (66).

Furthermore, according to Air Force Regulation 85-10, Operation and Maintenance of Real Property, the primary mission of civil engineering activities is to acquire, construct, maintain and operate real property facilities, and provide related management, engineering and other support work and services (36:2).

The complex nature of the Civil Engineering responsibility requires several branches within the base level squadrons. These sections include Administrative, Military Family Housing, Financial Management, Fire Protection, Industrial Engineering, Operations, Readiness, and Engineering and Environmental Planning. Four sections comprise the Engineering and Environmental Planning Branch. These sections are: Construction Management, Environmental and Contract Planning, Real Property, and Technical Design.

The Technical Design Section has a variety of responsibilities. According to Air Force Regulation (AFR) 85-10, the Technical Design Section:

- prepares, coordinates and designs projects, including plans, specifications and cost estimates, for all work to be done by contract.
- develops architectural and engineering reports, including, but not limited to, economic and engineering justifications
- prepares Architect-Engineer (AE) statements of work and participates in the selection of AE services.
- provides architectural and engineering advice and assistance.
- prepares design criteria for projects to be designed by other agencies.
- performs corrosion surveys and utility leak surveys.
- prepares architectural and engineering drawings, miscellaneous charts, forms, maps, area surveys, and collects data to be incorporated in location maps, records and systems.
- prepares and maintains record drawings.
- provides professional engineering guidance for improvement and application of energy systems.
- prepares economic analysis based on present worth techniques to determine a benefit/cost ratio for energy conservation projects.
- prepares and maintains the utility brochure. Reviews utility invoices and determines utility sales rates.
- reviews and develops the technical provisions of utility contracts and assists the procurement officer in negotiating utility contracts [06:23].

According to D.F. Sheldon, in his article entitled The Present State of the Art of Computer-Aided Draughting and Design, "the tasks which can be accomplished using CAD, include: design, analysis, synthesis, perform calculations, draughting, detail and assembly drawing, drawing updating and filing, cataloguing, parts listing" (127:173). "For a

CAD system of the mini-supercomputer type, productivity gains from 2:1 to 4:1 can be achieved after a four to six month learning programme" (127:173). Productivity, in this instance, is measured by the amount of working drawings produced.

Justification

There are two major justifications for this thesis. First, Civil Engineers at the Air Staff level have shown interest in this topic. They were concerned enough about this problem to submit a thesis topic suggestion form to AFIT/LS for a study of this type.

The second reason stems from the attainment of the Work Information Management System (WIMS) by the Air Force Civil Engineering community. The WIMS is designed to provide data processing and function as a management information system for the Civil Engineering community detached from the initial WIMS acquisition due to lack of funds (92:23). Currently the Air Force Computer Graphics Working Group (AFCGWG) has been set up to determine what type of Computer-Aided Design and Drafting system capabilities are

needed by base level Civil Engineering Squadrons (155). This thesis will provide information to determine the hardware and software needs of designers and draftsmen in the Technical Design Section of a base level Civil Engineering Squadron.

Scope and Limitations

There were two limitations to this research:

1. Only the Computer-Aided Design and Drafting needs of the Technical Design Section at a base level Civil Engineering Squadron were analyzed.
2. Only military members who have worked or are working in design are surveyed.

Assumptions

1. Military members who have accomplished technical design know what tools they need to do design.
2. Civil Engineering is experiencing a loss of productivity/ quality of designs due to non-automation of their Technical Design Section.

3. Techniques and equipment of civilian and Department of Defense (DOD) design agencies can be assimilated by the Air Force Civil Engineering community.

4. CAD complements the way the Technical Design Section accomplishes design.

Research Objective

Given the present level of technical ability of Architects and Engineers in a Base Civil Engineering Technical Design Section, what Computer-Aided Design and Drafting hardware and software would be appropriate to increase the quantity and quality of designs.

Research Questions

1. To what extent do Civil Engineering Technical Design Sections have the expertise to accomplish designs currently being accomplished by civilian Architectural-Engineering firms?

2. What are the current design activities of Architects and Engineers at base level Civil Engineering?

3. What training (design, CAD, etc.) do Architects and

Engineers in a Civil Engineering Technical Design have?

4. In what areas could Air Force designers use help while accomplishing design?

5. How would Architects and Engineers use CAD?

6. What is the average size of a typical Civil Engineering Technical Design Section?

7. What is the scope (dollars, projects, number of drawings, hours) of design at a typical base level design section?

8. What is the scope (dollars projects, number of drawings, hours) of AE design at a typical base level design section?

9. What CAD systems are currently utilized by DOD organizations?

10. What CAD systems are currently utilized by civilian Architectural-Engineering firms?

II. Literature Review

Introduction

Computer systems to help in the formulation of building designs have passed through many stages during the past 15 years. First generation computer systems performed two dimensional drafting functions. Second generation systems had the capability to manage a database. Third generation systems first performed 3D models. Fourth generation systems include surface and solid modeling. Finally, the Fifth generation computer system is attempting to integrate the first four generations, as well as introduce "artificial intelligence" into these systems (129:11).

Before one can determine the best computer-aided system for design and drafting, one must know what the various computer aided systems have to offer.

Computer-Aided Design (CAD)

The objective of CAD is to improve both the quality of service and product. CAD allows the designer to perform

quality control of a design by allowing more time to look at "what if" situations (154:496-497). A CAD system must have the capabilities to handle the following characteristics:

- (1.) No well-defined solution - many alternatives should be explored.
- (2.) Assessment of benefits (are) difficult objectively.
- (3.) Essentially 3D. Geometric model supporting both graphics and other applications.
- (4.) Group or individual use by professional designers.
- (5.) Both regular and intermittent use patterns.
- (6.) Requires manipulation of large quantities of attribute data for analyses. [151:209]

CAD is not concerned with productivity, since productivity of a computer system does not create a new product or increase the quality of an existing product (ie. building). CAD uses the computer to generate new ideas, not merely increase the speed of design drafting. Furthermore, design itself is concerned with both analysis of individual parts of a building and the synthesis of these respective parts into a unified whole (144:19).

CAD must break the design problem into a program to analyze the problem which the design solution must solve. Alternative solutions must be generated and basic decisions

must be made at the outset of the design (35:35). To accomplish this, information must be taken in and the data sorted into subsets so some sort of "intelligence" can help to make basic decisions.

This "intelligence" can be derived from "expert systems", which is a branch of artificial intelligence. Expert systems can place knowledge of a particular field into a computer program, which can help the designer simulate some degree of human reasoning and judgement (97:67). This reasoning would be in the form of specific "facts, general laws, rules for applying laws, rules to handle conflicts, (and) rules of thumb" (145:341).

Computer-Aided Drafting (CADr)

According to Skidmore, Owings and Merrill, one of the top 20 Architectural-Engineering firms in the United States, "computer-aided drafting addresses the wrong problem. Why would you spend \$100,000 to make the least expensive draftsman in the firm more productive?" (41:142) The idea behind computer-aided design is to improve quality and control of design, not the accuracy of drawings. (41:142)

Furthermore, some vendors misrepresent productivity gained by using computer-aided drafting. Many design firms take over a year to equal the productivity level of manual drafting techniques. After the initial year, many firms do lower the overall percentage of time they spend on working drawings from 40% to 10% - 15%. But even though computer-aided drafting helps productivity in the long-run, it is doubtful whether it produced significant economy in comparison to the initial cash outlay (78:153).

From a conceptual point of view, computer-aided drafting is no more than a new drawing medium. Instead of having a pencil and paper, you have a stylus/cursor and digitizing tablet. The computer-aided drafting system lacks the ability to make a two dimensional image into any significant three dimensional output automatically, which can be evaluated. Even the abilities of the two dimensional system are limited; for instance, it is generally possible only to scale an object up or down or to stretch it in a particular direction. Such operations seem impressive at first, but are in fact only seldom useful because there is

no selective control over which features of an object could be scaled (157:160). But, regardless of all this criticism of a computer-aided drafting system, this system is still the most utilized by design firms (157:160).

Computer-Aided Analysis (CAA)

Computer analysis programs prepared by software companies help visualize structural loading effects on buildings, as well as help the designer see how energy flows within buildings. Analysis programs can analyze building compliance with energy, handicap, and fire codes. These computer analysis programs only supplement the manual design process. Analysis programs, as we know them today, are only automated versions of manually accepted procedures. Since these programs are only extensions of existing manual methods, these analysis programs cannot take dynamic and time-dependent variables into account (78:149).

Finally, the computer analysis program contains many one-of-a-kind programs. One program designs floorplans and allocates spaces. Other computer programs help the architect or engineer compute costs, write specifications.

schedule projects, and handle information (78:155).

Computer Modeling (CM)

Computer modeling goes beyond interactive (user-friendly) computer systems by actually aiding in the design process. In computer modeling, computer programs can be written to completely describe a building. By holding all elements constant, except one, the designer can optimize the results of different alternatives

a parametric model, that is, one on which adjustments can be affected by changing just one number or a relationship...An intelligent computer model of a structure is not just a three-dimensional drawing, but a representation of the essential elements and internal relationships of a system that allows relevant manipulations and "what if" explorations to be performed easily. [157:159]

The ability to analyze results of a specific design is the objective of Computer-Aided Design/Computer-Aided Manufacturing (CAD/CAM). CAD/CAM is the predecessor to all CAD systems for building design. According to Arthur Llwyn, from an article in the journal Computer-Aided Design, the intent of CAD/CAM is to introduce new possibilities using typical data. CAD/CAM can create

realistic scenarios and test them by simulation using stored information. After testing, changes can be made rapidly to weed out problems (84:172).

Specifically, according to Dr. Christos Tountes of Columbia University, computer models which are written in procedural languages (FORTRAN, PASCAL) make full use of a computer's capabilities. With this type of system, models can be built in the preliminary design stage to test alternatives. When these models yield satisfactory results, the information can be output in any format required: elevations, perspectives, plans. If upon further study, you find the preliminary design will not work, you can go back and change a parameter (in the computer program) and all drawings will be redrawn with changes (157:160).

The Architectural-Engineering firm at the forefront of computer-modeling is Skidmore, Owings and Merrill (SOM). SOM employs a group of architects and engineers, trained in computer programming, who write all their own computer-modeling programs. SOM's computer system "Workbench" ties together all aspects of the design process: sketching, design development, presentation, and contract

drawings. SOM familiarizes their employees with the computer, because SOM believes it to be a powerful tool in the design process. All the information collected and optimized to design the building then become a permanent record for that building. With this knowledge, future owners and users will be better able to repair and maintain the building (41:145).

A similar appraisal of computer modeling is expressed by John Lansdown, a well known computer-designer "...because detailed appraisal without the aid of computers is such a difficult and time-consuming process, it is rarely done in the very early design stages when formative decisions are being made and its results would be the most beneficial" (78:148). Models are predictive; whereas, plans and elevations are descriptive. Models permit the designer to continuously know the effect of a design on cost and performance. Not only does computer-modeling improve the designers ability to solve problems by checking solutions against one another, but it also improves other aspects of the design environment. One improvement resulting from the

use of computer-modeling is a better working relationship between members of the design team. A great deal of time is lost while designs are passed between the members of a design team. Design members do not have to share the same office, since all information can be transported via computer modem. Using modeling, all members know what the design looks like at every moment (78:149).

Another improvement, is the ability to check a preliminary design against predetermined criteria which was set at the beginning of the design process. This enables the computer-model to distinguish between objective and subjective criteria; therefore, necessary value judgements become increasingly visible (78:149).

Beyond all the modeling and estimating abilities of the computer-modeling technique, the system is less expensive than an interactive (ie, "user-friendly") system. The reason it is less expensive is a parametric system does not need the hardware or software of a "user-friendly" system to produce computer-models. But, when architects and engineers realize that computer-models provide the greatest flexibility in optimizing design alternatives, the term

"user-friendly" may be redefined (157:160).

Civilian Computer-Aided Systems

One possible way to determine what computer-aided design (CAD) systems may be responsive to the needs of an organization is to look at other firms and what they are accomplishing with computer-aided systems. This section will tell of individual experiences of firms, by firm.

Bobrow/Thomas and Associates (BTA), is a 100 person firm which specializes in health care, institutional and high technology in the US and abroad. BTA utilizes GDS Software with three dimensional (3D) capabilities. BTA utilizes their CAD system for schematic design, design development, and final working drawings. BTA believes the following increases are realized: productivity, accuracy, clarity, design alternatives, revisions, 3D study alternatives, standardization, and the ability to hold drawings for future remodeling (104:28).

Bohm-NBBJ is a national Architectural-Engineering firm using the Sigma III CADD system. Bohm uses their

computer-aided design system for drafting, 3D modelling, space planning. They feel their system is especially useful for planwork, and creating larger scale enlargements from existing drawings (104:37).

The Everett I. Brown Company is a national full service Architectural and Engineering (AE) firm with a staff of over 400 people. EI Brown uses an Intergraph computer system in every design discipline area, architecture, civil/structural engineering, electrical engineering, and mechanical engineering. EI Brown works a great deal in the military design area, recently completing 54 standard designs for the Army Corps of Engineers (COE) (112:566). EI Brown utilizes the CAD system to increase building alternatives, analysis, drafting material take-offs, and cost estimating (104:65).

The Callison Partnership is a national architectural company with 120 professionals on staff. Callison uses four Calcomp workstations linked to a central processor. All peripherals are Calcomp. Callison uses the computer system for scheduling projects, design studies, and drafting (104:78).

The Carlson Group is a design-build firm. The Carlson Group uses Intergraph computer systems with a Hewlett-Packard 36" Pen Plotter; Engineering Production Drawing Package (EPDP); Architectural Modelling; Plant Design, piping, structural, and equipment modelling. The Carlson Group uses their computer system for drafting, and schematic design drawings. Most importantly, the Carlson structural section uses the CAD system to generate repetitive engineering plans. These plans, in the past, took about a week to design and draft, but now these designs take less than one day to complete (104:119).

Department of Defense Computer-Aided Systems

The Army Corps of Engineers uses a mainframe computer to run analysis programs. Some COE offices have a mainframe computer on the premises, while other offices utilize modems to patch into these mainframes from remote sites. Some of the analysis programs, with their specific design specializations, are: architectural (SEARCH- Systematic Evaluation of Architectural Criteria); civil (EARTHWORK);

structural (STRU DL- Structural Design Loads); mechanical (BLAST- Building Loads Analysis and Systems Thermodynamics); electrical (LIGHTING); quantities (TAKEOFF) (135:434).

Furthermore, the Corps of Engineers (COE) uses computer-aided systems for both layout and documentation with the intent of getting the designer to design on the computer-aided system, instead of designing on paper and then placing the design onto the system (64).

The specific system the COE uses was designed in-house, it is called the Computer-Aided Engineering and Architectural Design System (CAEADS) and it is currently being used at all COE offices. Currently, the COE at their Construction Engineering Research Laboratory (CERL), Champaign, Illinois, in conjunction with EI Brown Architectural-Engineering firm, is attempting to design a true CAD system, which will serve as a design system to be utilized with the "AutoCAD" drafting system. The special innovation of this CAD system will be its manipulation by a hand-held mouse similar to the type used by an Apple computer. This ability will allow the designer to use stretching "rubber-banded" lines to sketch more freely, thus

allowing the designer to "brain-storm" (13).

The Naval Facilities Command (NAVFAC) uses Computervision mini-based computers at all NAVFAC installations. This computer system provides the backbone of the Navy's Graphics Design System (GDS). NAVFAC uses this system to design in house and to check civilian AE work (22:495).

The Coast Guard does not have any computer-aided systems, however it is writing contracts with the provision that AE's use CAD. When the time comes to computerize, the Coast Guard feels, it will be in a position to utilize this computerized information provided by the AE's (22:495).

The Air Force has many types of computers at work in many different locations. The Integrated Graphics System (IGS) is the Air Force's program to bring computers on board. The IGS is being developed by the Air Force Computer Graphics Working Group, which is headed by Mr. Phil Clark HQ USAF/LEEV (26).

The Air Force Logistics Command undertook a CAD Feasibility Study in 1985. It was determined during this

survey that a computer-aided design and drafting system was both feasible and justified at all AFLC Civil Engineering offices. Justifications included higher productivity rates and a centralized database, when utilizing a CAD system as a design, drafting, and data management source. This CAD system should be in place by December 1986 (137:5).

The largest project to date in the Air Force is the operation of 10 Intergraph work stations at the San Antonio Real Property Maintenance Agency (SARPMA) in an attempt to produce more in-house design and eliminate the use of civilian Architectural-Engineering firms. This system is entitled ADAM for Automated Drafting and Maintenance. The personnel at SARPMA feel they can reduce overtime and AE contract fees by 40% with the CAD system (27:1-4).

The Air Force Academy Civil Engineering Department uses AT&T micro-computers with AutoCAD software to teach both Community Planning and structural courses (156).

The Design Division Directorate of the Aeronautical Systems Division (ASD) has five Hewlett-Packard computers with VersaCAD drafting software. According to Lt. George Connor (a designer for the Directorate) the CAD system has

improved the quality of the drawings (looks, accuracy) and provided uniformity and standardization. The Design Directorate personnel now use many standard details which were created on the CAD system. The CAD system allows these details to be saved, and used many times over to accelerate design rates (33:51).

Finally, Air Force personnel at Chanute AFB and researchers from the University of Illinois are experimenting with down-loading large mini and mainframe computer files to micro-computers via a translator. Up to this time, large mainframe or mini computers were required to manipulate large format drawings. If this test is successful, then the Air Force could use micro-computers to manipulate drawings which were originally constructed on a larger computer system. This would be especially helpful at those bases where Comprehensive Plans are being accomplished, by contract, in a CAD medium (10).

Selecting a Computer System

Selecting a computer system must begin with a

feasibility study. According to Stanley Port in
Computer-Aided Design for Construction, this study should

aim to:

- Seek more background information on CAD.
- To identify applications which might benefit from the use of CAD methods.
- To consider the potential benefits to the organization.
- To determine the main options available.
- To draw up a list of those factors which will govern the choice of system - the selection criteria.
- To draw up a list of possible suppliers.
- To study individual systems.
- To plan for the introduction and management of the system. [109:95]

Within Stanley's feasibility study is the notion that one must know what factors to grade a system on. Some requirements may be:

- Supplier having knowledge of construction industry.
- System with construction industry 'feel'.
- Upgrade potential in hardware.
- Good drawing efficiency.
- Three-dimensional modelling.
- Supplier active in research and development.
- Supplier with good reputation and apparent stability.
- System able to cope with several large projects.
- Many systems already in use elsewhere.
- Existing users obviously satisfied with system.
- Good training facilities.
- Easy to use.
- Many facilities in system.
- Low cost. [109:95]

With this general overview obtained, one can then look at specific numbers of hardware (workstations) needed for the

particular design section involved.

To determine the number of hardware peripherals needed, one needs to determine the number of drawings produced per year. After determining the hours of design/drafting per drawing, one can reduce that amount by the increased productivity of a CAD system. The increased productivity for CAD is currently considered to be between 2:1 to 3:1 per drawing. After determining the computer-aided design and drafting hours per drawing, one can divide this number by the total drafting time per draftsmen available to determine the number of workstations needed (137:3.25).

III. Methodology

Introduction

In this chapter, the specific methods used to answer the research questions from Chapter 1 are discussed. The research objective was to determine the present level of technical ability of Architects and Engineers in a Base Civil Engineering Technical Design Section, and to determine what Computer-Aided Design and Drafting hardware and software would be appropriate to increase the quantity of designs. These research questions needed to be answered to answer the "total" research objective:

1. To what extent do Civil Engineering Technical Design Sections have the expertise to accomplish designs currently being completed by civilian Architectural-Engineering firms?
2. What are the current design activities of Architects and Engineers at base level Civil Engineering?
3. What training (design, CAD, etc.) do Architects and Engineers in a Civil Engineering Technical Design Section have?

4. In what areas could Air Force designers use help while accomplishing design?

5. How would Architects and Engineers use CAD?

6. What is the average size of a Civil Engineering Technical Design Section?

7. What is the scope (dollars, projects, number of drawings, hours) of design at a typical base level design section?

8. What is the scope (dollars, projects, number of drawings, hours) of AE design at a typical base level design section.

9. What CAD systems are currently utilized by DOD military organizations?

10. What CAD systems are currently utilized by civilian Architecture-Engineering firms?

Justification of Approach

This research was aimed at designers in the Base Civil Engineering Technical Design Section. Although Air Force Logistics Command had completed a study to determine Computer-Aided Design and Drafting hardware needs for its bases, the Civil Engineering community Computer-Aided Design (CAD) software and hardware needs have not been determined.

This led to the necessity of surveying the current and near-current designers to determine which design areas might be improved by using CAD.

It could be hypothesized that an examination of current CAD hardware and software of DOD design organizations and civilian AE firms should lead to a list of CAD hardware and software for Air Force Base Civil Engineering Technical Design Sections. This author believed that Air Force Civil Engineering Design is unique to warrant determination and validation of CAD hardware and software needs. Therefore, a questionnaire was used to determine CAD hardware and software needs of the Base Civil Engineering Technical Design Section

Population of Concern

The author chose to perform a census of Continental United States (CONUS) officers with the following duty Air Force Specialty Codes (AFSC) and suffixes: 5521 A, C, E, F, G, or 5525 A, C, E, F, G. The population was limited to Second Lieutenant up through Lieutenant Colonel to guarantee relative currency in the design area. Those individuals who had never performed design tasks would be excluded by initial questions on the survey.

This population was chosen to obtain current knowledge of design practices and procedures. The author believed that significant user input could be obtained since this survey population was the theoretical end user of any system it prescribed.

The census was limited to military personnel at CONUS installations. This was due, first, to unacceptable labor union delays in approving the survey for civilians. Second, overseas locations need to be reviewed differently due to unique requirements. Finally, this research dealt with attitudes and perceptions of the design process and problems and there was no reason to believe that civilian responses would be significantly different from military responses

Survey Instruments

Two survey questionnaires and a telephone survey were utilized to collect data to answer the research questions. The proposed surveys were pretested to insure accurateness and conciseness and provide an estimate of the time required to complete the surveys. Twenty-seven of the questionnaires were distributed to the 86S Graduate Engineering Management (GEM) section and three were distributed to the members of the advising team of this thesis. Pretest evaluation

identified several areas where changes were needed. These changes were incorporated into both surveys. The survey questionnaire was sent to the Personnel Survey Branch, Air Force Manpower and Personnel Center (AFMPC) on 29 April 1986 for approval. The approved questionnaire, with changes, was given USAF survey control number 85-65, expiring 31 July 1986. The first surveys were mailed to the CONUS survey population on 1 June 1986. The second survey was mailed to all Chiefs of Engineering and Environmental Planning in CONUS and asked for specific design information, not opinions. This survey was mailed out 24 June 1986, since the lack of response made the phone survey impossible.

The first survey questionnaire (Appendix A) consisted of five sections. Section I included background information (demographic) questions. This information was used to screen the population to make sure the respondents had worked as designers. Furthermore, this section provided information which could break out specific subpopulations which could be compared to each other to provide a better picture of the overall population. Finally, this section provided a transition for the respondent into the data collection parts of the survey.

Section two of the questionnaire contained two specific questions to determine numbers of military and civilian

designers and draftsmen in the Technical Design Section. This section helped answer research question 6. This data was used to determine CAD hardware needs based upon numbers of personnel who would utilize the equipment.

Section three dealt with questions of training and the capability of the designer to accomplish a design project satisfactorily. This section contributed information to answer research question 3.

Section four contained 27 questions which were concerned with how an individual wanted to design, problems encountered in the design process, and particular areas of design. This section contributed to research question two and four.

Section five analyzed the types of work the architect or engineer accomplished by way of a rank ordering of typical design tasks; furthermore, the section identified the amount of time spent accomplishing these tasks. Finally, this section asked three open-ended questions on types of analysis/calculations used in design, how this individual perceived the use of CAD in civil engineering design and if he had any experience with CAD. This section also helped answer research questions 2, 3, 4, and 5.

The second survey was used to determine the dollar amount and numbers of projects designed in-house and by AE

(Appendix A). Furthermore, this information was obtained while knowing the size of the base military and civilian populations to be able to separate these different subpopulations to determine if computer-aided hardware needs were different at various sized bases. This survey, which was posed to the Chief of the Engineering and Environmental Planning Branch, asked if the Technical Design Section was not doing projects because they did not have the expertise to design, or did the designers just not have the time. This information would be combined with the Air Force Logistics Command CAD survey information to determine the quantities of computer workstations required. This information helped answer research questions 1, 6, 7, and 8.

Questions 9 and 10 were answered in the literature review, except that some answers CAD utilization were brought out in section V of the first survey.

Analysis

Survey responses were coded and input into the AFIT ASC computer system. The Statistical Package for the Social Sciences (SPSS) was utilized to determine frequencies of responses and means using ANOVA, CROSSTABS, and FREQUENCY subprograms.

The ANOVA subprogram was used to show where differences in the means occurred among the groups (specialization, time as a designer, in/out of design, major command, first assignment) and also led to an affirmative or negative response to the question. The hypothesis tested for each subject area was the following

H_0 (null hypothesis) $u < 2.5$

H_a (alternate hypothesis) $u > 2.5$

at a significance level of .05. Those questions which were answered with a response of equal to or greater than 2.5 and were statistically significant were judged affirmative. Those answers less than 2.5 were negative responses. Answers statistically significant, were judged as negative responses, even though they may have been true.

The data was then compared by specialization, time worked as a designer, and last time as a designer to determine variances in responses. This information helped answer questions 2, 3, 4, and 5.

IV. Presentation of Data

Survey Results

This section presents the data collected during the design and project data surveys. 915 design surveys were sent out to CONUS officers and 497 surveys were returned, which makes the return rate approximately 54%. Of the 497 surveys returned, 306 of the officers had performed design in a base level design section, 16 were received after the cutoff date of 27 June 1986, 153 officers had never performed design, 7 surveys were not useable, and 15 surveys were returned without sufficient mailing addresses.

With this information, the survey population was lowered to 762 officers, since 153 officers had never performed design. Using the results of the survey, an average standard deviation of 1.01 was obtained for the survey questions. This information with the size of population (762) and the sample size (306) were placed in the appropriate equation to obtain the confidence level of the survey sample. The standard deviation was determined to

be 1.01, since this was the actual average standard deviation of all questions asked in the survey. The standard error was .045 which gives a confidence level of 95.5% certainty.

$$\text{standard error} = [s/(n-1)^{1/2}] \times [(N-n)/(N-1)]^{1/2}$$

s = standard deviation
N = size of population
n = size of sample

$$\begin{aligned} \text{standard error} &= [1.01/(306-1)^{1/2}] \\ &\quad \times [(762-306)/(762-1)]^{1/2} \\ &= .045 \end{aligned}$$

Of the 87 project data surveys sent to the Chief of the Engineering and Environmental Planning Branch at each base, only 30 were returned. With the sample size of only 30, the central limit theorem can be utilized to say that the results are representative of all CONUS bases.

Unfortunately, differences between large, medium, and small sample sizes can not be determined with any statistical certainty.

Design Survey

The frequency of demographic questions and means of scaled questions are presented in the following design survey format:

Table 4.1

Background Information Results

1. Have you ever worked in the Technical Design Section as a designer?

306 Yes 152 No

2. Are you a commissioned Air Force officer?

306 Yes 1 No

3. What is your current rank?

<u>87</u> Second Lieutenant	<u>114</u> Captain
<u>100</u> First Lieutenant	<u>3</u> Major

4. Years of commissioned service?

<u>7</u> Less than 6 months	<u>56</u> 3 to 4 years
<u>34</u> 6 months to 1 year	<u>39</u> Less than 6 years
<u>42</u> 1 to 2 years	<u>83</u> Greater than 6 years
<u>44</u> 2 to 3 years	

5. How long have you worked or did you work as a designer in the Technical Design Section?

<u>14</u> Less than 6 months	<u>49</u> 3 to 4 years
<u>82</u> 6 months to 1 year	<u>8</u> Less than 6 years
<u>85</u> 1 to 2 years	<u>2</u> Greater than 6 years
<u>65</u> 2 to 3 years	<u>0</u> Never worked as a designer

6. If you are not presently working as a designer, when was the last time you worked as a designer?

<u>48</u> Less than 6 months	<u>27</u> 3 to 4 years
<u>20</u> 6 months to 1 year	<u>20</u> Less than 6 years
<u>30</u> 1 to 2 years	<u>15</u> Greater than 6 years
<u>28</u> 2 to 3 years	<u>114</u> In Design

7. Is this your first assignment as a commissioned officer?

166 Yes 136 No

8. What Major Command do you work for?

<u>33</u> ATC	<u>7</u> SPACECMD
<u>0</u> AAC	<u>77</u> SAC
<u>30</u> AFLC	<u>67</u> TAC
<u>19</u> AFSC	<u>46</u> Other
<u>24</u> MAC	

9. What is your area of specialization?

<u>65</u> Architect	<u>0</u> Industrial Engineer
<u>120</u> Civil Engineer	<u>60</u> Mechanical Engineer
<u>49</u> Electrical Engineer	<u>11</u> Other

10. What is your present level of assignment?

<u>10</u> Air Staff Level	<u>216</u> Base Level
<u>43</u> Major Command Level	<u>34</u> Other

11. How many architects and engineers accomplish design in the Technical Design Section?

12. How many draftsmen accomplish drafting for the Technical Design Section?

The information from questions 11 and 12 was not used, because the data obtained would not be representative of design sections. For example, three officers from one base may have responded to the survey and each would have the same data for questions 11 and 12. This information, since not just one answer for the specific CONUS base was given, could be skewed—the total outcome either higher or lower than what the actual answer should be.

Table 4.2

Training Results				
STRONGLY DISAGREE	DISAGREE	UNDECIDED	AGREE	STRONGLY AGREE
—0—	—1—	—2—	—3—	—4—

13. I feel I've received proper on-the job training to accomplish my job.

1.712 (Note: This is the mean rating.)

14. The information/ knowledge I receive from attending APIT courses is an important source of information to accomplish design.

3.040* (Note: * significant at the .05 level.)

15. The information/ knowledge I receive from self-learning is an important source of information to accomplish design.

3.374*

16. The information/ knowledge I receive from senior civilian architects or engineers is an important source of information to accomplish design.

3.053*

17. The information/ knowledge I receive from my supervisor is an important source of information to accomplish design.

2.278

18. The information/ knowledge I receive from my peers is an important source of information to accomplish design.

2.944*

19. I feel capable of performing design.

3.079*

Table 4.3

Design Results				
STRONGLY DISAGREE	DISAGREE	UNDECIDED	AGREE	STRONGLY AGREE
0	1	2	3	4

20. My design projects are always adequately developed.

2.484 (Note: This is the mean rating.)

21. I look at adequate numbers of design alternatives to make the best design decisions.

2.611* (Note: * significant at the .05 level.)

22. I would like to look at more design alternatives in future design projects.

2.944*

23. I feel it essential to understand what my design looks like in three dimensions.

2.803*

24. I use three dimensional models in solving design problems.

1.418

25. I would like to use 3D models in my design analysis.

2.650*

26. I always rely on as-built drawings, as is. They are very reliable, and do not need to be verified.

0.325

STRONGLY DISAGREE DISAGREE UNDECIDED AGREE STRONGLY AGREE
—0— —1— —2— —3— —4—

27. I always go out and check as-built drawings against existing conditions before attempting a design.

3.379* (Note: This is the mean rating.)

28. I always send someone out to check as-built drawings against existing conditions before attempting a design.

1.636 (Note: * significant at the .05 level.)

29. I have a difficult time cross-checking all drawings and specifications.

2.086

30. I spend a great deal of time cross-checking drawings and specifications.

2.591

31. I would like more time to cross - check drawings and specifications.

2.651*

32. I generally do most of my own drafting.

1.425

33. I would like to do more drafting of contract drawings.

1.608

STRONGLY DISAGREE DISAGREE UNDECIDED AGREE STRONGLY AGREE
—0— —1— —2— —3— —4—

34. Most of my designs are cut and pasted from existing building design documents.

1.751 (Note: This is the mean rating.)

35. I would like to get away from having to cut and paste designs.

2.693* (Note: * significant at the .05 level.)

36. I always have plenty of time to accomplish design projects

0.889

37. If I had more time, I could produce a better design.

3.158*

38. I spend a great deal of time managing designs completed by an Architectural-Engineering firm.

2.467

39. I spend a great deal of time managing in-house design projects.

2.253

40. I complete many calculations while accomplishing design.

2.518

STRONGLY DISAGREE DISAGREE UNDECIDED AGREE STRONGLY AGREE
—0— —1— —2— —3— —4—

41. I have a difficult time cross-referencing all drawings.

1.818 (Note: This is the mean rating.)

42. I can rely upon all drawings accomplished by draftsmen being error free.

0.385

43. I spend a great deal of time determining the "concept" or approach to a specific design.

2.145

44. I spend a great deal of time checking codes which apply to my design.

2.195

45. I accomplish enough cost estimates to have a handle on construction costs at all times.

1.947

46. The Technical Design Section I work in manages design of projects satisfactorily.

2.139

47. I am satisfied with the technology available to accomplish design in my Technical Design Section.

1.314

Table 4.4

Existing Work Rating and Open-Ended Questions

	MOST TIME <—————> LEAST TIME							NEVER
Number	0	1	2	3	4	5	6	ACCOMPLISH
Ranking								
Letter	A	B	C	D	E	F	G	H
Response								

53. Specifications--1.973 (Note: This is the mean rating.)

51. Project Management (AE or in-house)--2.324

50. Design Analysis/Calculations--2.427

54. Working Drawings--2.433

52. Schematic Design (Initial layout of a design)--2.735

49. Cost Estimating--2.956

48. Code Checks--4.031

55. What percentage of your total weekly work time do you spend accomplishing the tasks above?

10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
0	1	2	3	4	5	6	7	8	9

5.229 or 62.29% of their time is spent on design.

56. What types of design analysis and/or calculations do you accomplish while designing?

(See Appendix D)

57. Are any of these analysis/calculations computer based?

33 Yes 234 No

58. If YES to question 57, what types of computer hardware/software do you use?

(See Appendix E)

59. In what ways do you believe a computer-aided design and drafting system could improve production and quality of designs of the Technical Design Section? How would you use this system? Please use the back of the sheet if you need more room.

(See Appendix F)

60. List any training or experience you have with computer aided design and drafting systems. Please use the back of the sheet, if you need more room.

(See Appendix G)

Project Data Survey

Mean values of personnel and dollar amounts obtained by the project data survey are contained in Table 4.5:

TABLE 4.5

Mean Values of Design Work for Three Base Sizes

Base Size/no.	Year	In-house Projects no./dollar	AE Design Projects no./dollar	Designer civ/mil	Drafting civ/mil
Small/4	1984	34/ 5.40	a. 6/2.83	5	4
			b. 1/0.69		
			c. 0/0.00		
Medium/18	1985	40/ 7.28	a. 9/3.24	7	5
			b. 1/0.22		
			c. 0/0.00		
Large/8	1984	111/18.38	a. 9/2.56	18	4
			b. 1/0.30		
			c. 0/0.00		
Mean/30	1985	67/11.37	a. 11/3.07	10	4
			b. 1/0.15		
			c. 0/0.00		
Small/4	1984	34/ 5.40	a. 25/5.26	5	4
			b. 6/1.77		
			c. 1/0.08		
Medium/18	1985	40/ 7.28	a. 28/6.62	7	5
			b. 6/1.74		
			c. 1/0.13		
Large/8	1984	111/18.38	a. 13/3.55	18	4
			b. 3/0.75		
			c. 1/0.03		
Mean/30	1985	77/13.44	a. 16/4.31	10	4
			b. 3/0.70		
			c. 1/0.04		

Small <4000 base population
 Medium 4000-8000 base population
 Large >8000 base population
 *Base population data from the May 1985 Air Force Magazine.
 a. Technical Design Section did not have the time/manpower.
 b. Technical Design Section did not have the expertise.
 c. Other reason for not designing in-house.

Air Force Logistics Command (AFLC) Design Data

The following data was compiled from the 1983 AFLC CAD Survey.

TABLE 4.6

Design Data from AFLC Bases

Base	Hours	In-House Drawings	AE Design Drawings	Designer civ/mil	Drafting civ/mil
Hill AFB		328	242	29	4 0 11
	a. 13,849				
	b. 5,985				
	c. 57,126				
McClellan AFB		1297	578	31	1 3 9
	a. 32,225				
	b. 26,000				
	c. 70,735				
Robins AFB		356	271	26	4 0 7
	a. 17,418				
	b. 17,964				
	c. 49,578				
Tinker AFB		618	268	22	3 0 10
	a. 9,501				
	b. 7,884				
	c. 42,935				
Wright-Patterson AFB		2875	325	47	8 1 9
	a. 30,239				
	b. 24,465				
	c. 74,256				
Average AFLC AFB		1095	337	31	4 1 9
	a. 20,646				
	b. 16,420				
	c. 58,926				

a. Drafting, b. Design, c. Other.

V. Analysis of Data

Introduction

In this section, analyses of the literature review and survey data are provided. The analyses are tailored to each research question.

Research Question One

TO WHAT EXTENT DO CIVIL ENGINEERING TECHNICAL DESIGN SECTIONS HAVE THE EXPERTISE TO ACCOMPLISH DESIGNS CURRENTLY BEING ACCOMPLISHED BY CIVILIAN ARCHITECTURAL-ENGINEERING FIRMS?

From the results of the survey given to the Chief of the Engineering and Environmental Planning Branch at each CONUS base, the average base designs approximately five million dollars worth of projects by AE. Of these figures for the last two years, 300 thousand dollars per year is spent because the design section does not have the expertise to accomplish the design.

Clearly, if the CONUS base design sections had the time they could design 4/5 of all design now accomplished by AE

firm. Most importantly, calculating the AE fee based on the usual 6% rate, each CONUS base could save 240 thousand dollars per year in AE fees.

Research Question Two

WHAT ARE THE CURRENT DESIGN ACTIVITIES OF ARCHITECTS AND ENGINEERS AT BASE LEVEL CIVIL ENGINEERING?

Current designers in base level design positions spend approximately 62% percent of their time accomplishing tasks which are directly related to the design process or construction of design complete projects.

Initially, the new designer (less than one year) spends most of his/her time accomplishing project management (Table 5.1), which may show a lack of introduction to the new work area. After the one year mark, designers spend most of their time concerned with specifications and working drawings. After the working drawings and specifications, in order of time spent, come analysis/calculations, project management, schematic design, cost estimating, and code checks. Project management begins to be a more predominant occupation between the 2 to 4 year period (Table 5.2).

Looking at differences in specializations, architects tend to be project managers, and use more of their time

developing cost estimates than the other three engineering disciplines (Table 5.3). Mechanical engineers and electrical engineers tend to produce many more calculations than either the architect or civil engineer (Table 5.4). There is no difference between those officers currently in design, and those who have previously accomplished design.

TABLE 5.1

Rank Order of Questions by Current Designers
by Time as a Designer

	6m-1y	1y-2y	Combined
%Time	66.56	60.00	63.24
Most	51 PM	54 WD	53 SP
	53 SP	53 SP	54 WD
	54 WD	50 DC	51 PM
	50 DC	51 PM	50 DC
	52 SD	52 SD	52 SD
	49 CE	49 CE	49 CE
Least	48 CC	48 CC	48 CC
Survey Questions			
48 CC-Code Checks			
49 CE-Cost Estimating			
50 DC-Design Analysis/Calculations			
51 PM-Project Management (AE or in house)			
52 SD-Schematic Design (Initial layout of a design)			
53 SP-Specifications			
54 WD-Working Drawings			

TABLE 5.2

Rank Order of Questions by Time as a Designer

	6m-1y	1y-2y	2y-3y	3y-4y
%Time	64.29	63.26	61.17	67.75
Most	51 PM	53 SP	51 PM*	54 WD
	53 SP	54 WD	53 SP*	51 PM
	54 WD	51 PM	54 WD	53 SP
	50 DC	50 DC	50 DC	50 DC
	52 SD	52 SD	52 SD	52 SD
	49 CE	49 CE	49 CE	49 CE
Least	48 CC	48 CC	48 CC	48 CC
Survey Questions				
48 CC-Code Checks				
49 CE Cost Estimating				
50 DC Design Analysis/Calculations				
51 PM-Project Management (AE or in-house)				
52 SD Schematic Design (Initial layout of a design)				
53 SP-Specifications				
54 WD-Working Drawings				
* tie				

TABLE 5.3

Rank Order of Questions by Current Designers by Specialty

	Arch	Civil	Combined
%Time	67.67	65.14	63.24
Most	51 PM	53 SP	53 SP
	54 WD	54 WD	54 WD
	53 SP	51 PM	51 PM
	52 SD	50 DC	50 DC
	49 CE	52 SD	52 SD
	50 DC	49 CE	49 CE
Least	48 CC	48 CC	48 CC
Survey Questions			
	48 CC-Code Checks		
	49 CE-Cost Estimating		
	50 DC-Design Analysis/Calculations		
	51 PM-Project Management (AE or in-house)		
	52 SD-Schematic Design (Initial layout of a design)		
	53 SP-Specifications		
	54 WD-Working Drawings		

TABLE 5.4

Rank Order of Questions by Specialty

	Arch	Civil	Elec	Mech
%Time	63.75	63.06	59.58	61.67
Most	51 PM	53 SP	50 DC	50 DC
	54 WD	54 WD	52 SD	51 PM
	53 SP	51 PM	53 SP	53 SP
	52 SD	50 DC	54 WD	54 WD
	49 CE	52 SD	51 PM	52 SD
	50 DC	49 CE	48 CC	49 CE
Least	48 CC	48 CC	49 CE	48 CC
Survey Questions				
48 CC-Code Checks				
49 CE-Cost Estimating				
50 DC-Design Analysis/Calculations				
51 PM-Project Management (AE or in-house)				
52 SD-Schematic Design (Initial layout of a design)				
53 SP-Specifications				
54 WD-Working Drawings				

Design Analysis/Calculations. After compiling all the analysis questions, these procedures were those most used by the designers. All areas with over ten responses are shown.

TABLE 5.5

Architectural Analysis/Calculations

1. Structural Analysis (foundation, beam, column) 37
2. Cost Estimating 24
3. Architectural layout (space, circulation, flow, functional, bubble diagrams, user needs) 20
4. Quantity take-offs 13
5. Square footages 12
6. Space allocation (utilization, requirements) 10
7. Cost analysis (alternatives) 10

TABLE 5.6

Civil Analysis/Calculations

1. Structural analysis (concrete, steel, wood) 30
2. Concrete design (foundation walls, footing) 27
3. Simple structural beams and columns 23
4. Pavement capacity
(analysis/design, flexible/rigid, sidewalks) 18

TABLE 5.7

Electrical Analysis/Calculations

1. Load Calculations (circuit, maximum KVA, power) 27
2. Lighting (levels, loads, alignment) 26
3. Wire/Conductor sizing 16
4. Short circuit analysis/fault current/
switch load analysis 11
5. Motor/generator sizing 11

TABLE 5.8

Mechanical Analysis/Calculations

1. Heating, ventilating and air conditioning (HVAC)
load estimating 44
2. HVAC duct sizing and design
(cfm, static pressure, velocity, friction loss) 26
3. Pipe sizing (plumbing, head, flowrate, pressure drop) 24
4. HVAC equipment selection 14

Research Question Three

WHAT TRAINING (DESIGN, CAD, ETC.) DO ARCHITECTS AND ENGINEERS IN CIVIL ENGINEERING TECHNICAL DESIGN HAVE?

As we look at the sub-groups of those officers in design versus those officers in a combined group of

designers and former designers, one finds that not all groups can be equally compared. For instance, when looking at specialties all four specialties (architect, civil, electrical and mechanical) are represented with more than 30 subjects. When looking at the design group, only architects and civil engineers can be looked at with any sort of significance, and even the architects do not have the requisite 30 samples to invoke the central limit theorem in every instance. So where findings look at mechanical and electrical engineers, these findings are from the entire population of officers who have accomplished design.

The first striking information from the two groups, is the fact that self-learning and senior civilian architects and engineers are in the one and two position, and for those officers who are currently doing design, the third and fourth places respectively are peer knowledge and AFIT (TABLE 5.9). Of those persons who have done design at one time, the list goes AFIT and then peer knowledge (TABLE 5.10). This may signify that there is a decrease in the importance of the AFIT role in training. None of the answers are significantly different from one another.

TABLE 5.9

Rank Order of Training by Current Designers by Specialty

	Arch	Civ	Combined
Most	15 SL	15 SL	15 SL
	16 SC	16 SC	16 SC
	18 PK	18 PK	18 PK
Least	-----	14 AF	14 AF
Survey Questions			
	14 AF-AFIT training		
	15 SL-Self-learning		
	16 SC Senior civilian architects or engineers		
	18 PK-Peer knowledge		
	* tie		
	-- inadequate survey population		

Of those officers from the total population, there is a split where the designers are gaining information. This split has the architects and civil engineers on one side, and the electrical and mechanical engineers on the other side. Architects and civil engineers gain more of their information from self-learning and senior civilians, while mechanical engineers and electrical engineers depend more on self-learning and AFIT. This trend may be attributable to the fact that mechanical and electrical engineers deal with technology that changes at a faster pace than the methods used by architects and civil engineers (Table 5.10).

TABLE 5.10

Rank Order of Training by Specialty

	Arch	Civil	Elec	Mech
Most	16 SC	15 SL	14 AF*	14 AF
	15 SL	16 SC	15 SL*	15 SL
	18 PK	18 PK	18 PK	18 PK
Least	14 AF	14 AF	16 SC	16 SC
Survey Questions				
	14 AF-AFIT Training			
	15 SL-Self-learning			
	16 SC-Senior civilian architects or engineers			
	18 PK-Peer knowledge			
	* tie			

When comparing the in-design group with the overall population, the only change is the fact that architects in design rely upon self-learning first, instead of senior civilians.

Looking at the two populations from length of time worked as a designer, AFIT rises as a learning device as the time worked as a designer increases, the importance of peer knowledge decreases, but self-learning is always the most important learning avenue. The only change seems to be in

the reliance upon senior civilians. The total group ranks senior civilians as second, up to year two, then this group declines to third place. In the group which looks at only designers, senior civilians start in the third position. This seems to portray a lessening of reliance upon senior civilians. This could also show the lessening of senior civilian influence, due to senior civilian retirements (Table 5.12)

TABLE 5.11

Rank Order of Training by Current Designer
by Time as a Designer

	6m-1y	1y-2y	Combined
Most	15 SL	15 SL	15 SL
	18 PK	14 AF	16 SC
	16 SC	16 SC	18 PK
Least	14 AF	18 PK	14 AF
Survey Questions			
	14 AFIT training (AF)		
	15 Self-learning (SL)		
	16 Senior civilian architects and engineers (SC)		
	18 Peer knowledge (PK)		
	* tie		

TABLE 5.12

Rank Order of Training by Time as a Designer

	6m-1y	1y-2y	2y-3y	3y-4y
Most	15 SL	15 SL	15 SL	15 SL
	16 SC	16 SC	14 AF	14 AF
	18 PK	14 AF	16 SC	16 SC
Least	14 AF	18 PK	18 PK	18 PK
Survey Questions				
	14 AFIT training (AF)			
	15 Self-learning (SL)			
	16 Senior civilian architects and engineers (SC)			
	18 Peer knowledge (PK)			
	* tie			

Prior CAD Experience. Leaving the area of how design personnel were trained on the job, we looked at the training designers received in college or work prior to coming into the Air Force (Appendix G). This open-ended question asked for previous experience in CAD and many of the respondents identified the fact that they have had at least an introductory course in CAD or computer-aided analysis (Table 5.13).

TABLE 5.13

Prior CAD Experience

1. Computer-Aided Design Experience 40
2. Computer-Aided Analysis Experience 19
3. Computer Language Experience 15
4. Computer-Aided Design Demonstrations 7

CAD in the Design Section. Forty officers, currently in a base level Technical Design Section, now use computers of some type (Appendix E). This shows that there is currently interest in computers in the design section. This fact will help many others desire computers, since there seems to be a "felt" need for computers.

Research Question Four

IN WHAT AREAS COULD AIR FORCE DESIGNERS USE HELP WHILE ACCOMPLISHING DESIGN?

Specialties. This part of the question is answered using information contained in Appendix H. The mechanical and electrical engineers were without sufficient number to check their answers by designers only; therefore, these answers were combined with those officers who were not

currently in a design position. The data allowed the examination of architects and civil engineers who were either in design, or by looking at a combined group of both those officers in design and those not in design. Comparing both the group of officers who are in design, and the combined group of designers and former designers, all officers feel they are capable of performing design. All designers believe that the technology available to perform design is not adequate. This seems to say that officers can perform design, but that designers wish to have better equipment to improve their designs.

When asked if their designs are adequately developed, and if they looked at enough design alternatives, only civil engineers currently in design said they looked at enough alternatives. All other groups, in design or not, said they did not look at enough alternatives. The strange thing, is that even the civil engineers agree that they need to look at more alternatives.

Architects and mechanical engineers believe it is essential to understand what a design looks like in three dimensions. In the case of the electrical engineers, they would not need the 3D, since they mostly deal with two dimensional schematic drawings, and for civil engineers, the possibility exists that many of these designers are dealing with pavements which would not need a three-dimensional

viewpoint. Not one of the groups significantly uses 3D. Architects in both groups and mechanical engineers in the combined group would use three dimensional design, if they had the opportunity.

All groups significantly responded that they, themselves, checked as-builts. Furthermore, the reason all the groups went out to look at the buildings was because everyone believed the as-builts to be in bad shape. Likewise, all groups respond that draftsmen make errors.

Of all the groups surveyed, only the combined group of all past/present designers would like to have more time cross-checking drawings and specifications. None of the groups have a difficult time cross-checking, and none of the groups spend a great deal of time cross-checking. None of the groups have a problem cross-referencing drawings alone. One thing here is the possibility that all groups may be having problems, since the answers are greater than 2.5, but the answers are not significant at the .05 level.

None of the respondent groups do much drafting, and none of the groups would like to do more

None of the groups use mostly cut and paste design, but the architects in both groups, and the civil engineers in the combined group would like to get away from cut and paste design. The other groups (electrical, mechanical) would not like to stop using cut and paste methods. This included the

combined civil engineer group. This may say that these groups wish to continue cutting and pasting, or they may not be doing it, and therefore would not have to get away from it.

None of the groups had enough time to do design, and they feel if they had more time, they could do a better design.

None of the groups spend a great deal of time managing either in-house or AE designs. On the other hand, all groups respond that design is not managed adequately in their respective design sections. This could lead one to believe that designers do not do management because they do not have the time.

None of the groups believe they complete many calculations.

None of the groups spend a great deal of time working on a concept for a project.

Electrical engineers in the combined group, are the only group which look at codes a great deal of time.

None of the groups do enough cost estimates.

Time in Design. The information to perform this analysis is contained in Appendix H. Current designers in the one to two year time period believe their projects are adequately developed and that they look at enough design alternative to make the correct design decision. All

groups, even the aforementioned, believe they should look at more alternatives.

Designers (current) in the 1-2 year period, do not believe it essential to know what a design looks like in three dimensions, and they wouldn't use a 3D system. The 6 month to 1 year group and overall combined group would use 3D if they had the chance. The 1-2 year group of current designers is less than 2.5, so they would not want to use 3D. The possibility seems to exist that civil engineers do not want to use 3D later, since they have not been doing design while looking at buildings in a 3D mode.

Only the 6 month - 1 year and 2-3 year combined group would like to get away from cutting and pasting. All other group answers are greater than 2.5, but are not significant. This answer may affirm that many designs are cut and pasted from existing projects.

The 3-4 year group of the combined group spends a significant amount of time managing AE design.

Last Time in Design. This analysis is performed using data stored in Appendix H. None of the groups look at adequate numbers of alternatives, and the one to two year group would not like to look at more alternatives.

Only those officers in design, and those out of design less than six months, feel it essential to know 3D.

Those designers, who have been out of design less than

six months, would like more time to check drawings and specifications. This may show that those just leaving design know that this is essential for good design.

Research Question Five

HOW WOULD ARCHITECTS AND ENGINEERS USE CAD?

A list of answers obtained from the design survey, follows in Table 5.14. All uses with over ten responses are shown:

TABLE 5.14

How Architects and Engineers would use CAD

1. Alternative/detailed design analysis 54
2. Calculations 53
3. Decrease drafting time 52
4. Update as-built (better) 47
5. Modify drawings quicker 43
6. Cut and paste repetitive jobs (detail) 37
7. Reduce design time (quality/direct usage) 31
8. 3D 30
9. Professional product (clean/standardized/QC) 30
10. Cost estimate (local information) 26
11. Specifications (standardized) 26
12. Reduce errors 21
13. Concept/schematic 16
14. Better design 15
15. CAD is not warranted for us 15
16. Find conflicts in design 14
17. Share information between designers 14
18. Intelligent/accessible (optimization) database 12
19. Reduce manning in drafting 10

Most of these uses (and why CAD is better) would be compatible to the way a Technical Design Section currently

performs design and drafting tasks. Not until you get to seventeen and eighteen, do you start to see concepts that really are different from current design practice, and depending upon cost may not be accessible today.

CAD Hardware Determination Utilizing the information obtained in the AFLC CAD Survey, and the information received in the Project Data Survey, helped determine the amount of hardware necessary for a Technical Design Section. The data obtained in the AFLC survey is not significant beyond AFLC bases, but will be used. Data collected in the Project Data survey, can only determine an average Air Force Base, so any derived calculations showing small, medium, and large base sizes are not significant.

The hours available per draftsman, per year in the AFLC calculations is 2080 hours. This number portrays a forty hour week for 52 weeks. This author believed that this number should be decreased to include time for training and other non-drafting time. The hours were therefore lowered to 1560 (75%). This seems to be a somewhat more accurate time because even the designers (military) only spend 62% of their time completing design tasks.

CAD productivity in the AFLC survey was determined to be between 2:1 and 3:1, so a figure of 2.8:1 was calculated (137:3.25).

$$\frac{\text{(Yearly Drafting Hours)}}{\text{(Total Drawings)}} = \left[\begin{array}{l} \text{Hours per} \\ \text{Drawing} \end{array} \right]$$

$$\frac{\text{(Hours per Drawing)}}{\text{(CAD Productivity)}} = \left[\begin{array}{l} \text{CAD Hours} \\ \text{per Drawing} \end{array} \right]$$

$$\frac{\left[\begin{array}{l} \text{Total} \\ \text{Drawings} \end{array} \right] \times \left[\begin{array}{l} \text{CAD Hours} \\ \text{per Drawing} \end{array} \right]}{\left[\begin{array}{l} \text{Drafting Hours per} \\ \text{Year per Draftsmen} \end{array} \right]} = \left[\begin{array}{l} \text{Number of CAD} \\ \text{Workstations Needed} \end{array} \right]$$

1. Using 2080 hours per year.

$$(20,646)/(1095) = 18.855 \text{ hr/drawing}$$

$$(18.855)/(2.8) = 6.734 \text{ CAD hr/drawing}$$

$$(1095 \times 6.734)/(2080) = 3.54 \text{ or approximately } 4 \text{ workstations.}$$

2. Using 1560 hours per year.

$$(1095 \times 6.734)/(1560) = 4.72 \text{ or approximately } 5 \text{ workstations.}$$

Although design is not measured by productivity of drawings, CAD workstation numbers for the designers could be determined in this same manner.

3. Using 1560 hours per year.

$$(16,420)/(1095) = 14.995 \text{ hr/drawing}$$

$$(14.995)/(2.8) = 5.356 \text{ CAD hr/drawing}$$

$$(1095 \times 5.356)/(1560) = 3.76 \text{ or approximately}$$

4 workstations.

4. Using 1290 (or 62%) hours per year.

$$(1095 \times 5.356)/(1290) = 4.54 \text{ or approximately}$$

5 workstations.

The number of workstations could also be looked upon as having the same proportion of designers to CAD versus draftsmen to CAD. Working on this proposition, there are two draftsmen to every CAD system. This would necessitate two designers per CAD also.

Using one CAD workstation per every two designers and draftsmen, would necessitate the following hardware need:

TABLE 5.15
CAD Workstation Needs

Base Size	Design	Drafting	Total
Small	5	3	8
Medium	6	4	10
Large	11	5	16
Average	7	4	11

Research Question Six

WHAT IS THE AVERAGE SIZE OF A TYPICAL CIVIL ENGINEERING
TECHNICAL DESIGN SECTION?

The average size Civil Engineering Technical Design
section has ten civilian designers, 4 military designers,
less than 1 civilian draftsman, and 6 military draftsmen.

Research Question Seven

WHAT IS THE SCOPE (DOLLARS, PROJECTS, NUMBER OF
DRAWINGS, HOURS) OF DESIGN AT A TYPICAL BASE LEVEL DESIGN
SECTION?

During the 1984/1985 time frame, where these statistics were taken, the average CONUS base spent between 11.4 million dollars (1984) and 13.4 million dollars (1985). From this, we shall say that 12.4 million dollars are spent on the average CONUS Air Force Base. Furthermore, for this cash outlay the air base received approximately 72 design projects.

As to drawings, the average large size base (which is not statistically significant) produces 1095 contract drawings per year. To accomplish this feat, costs (on average) 20,646 drafting hours, 16,420 design hours and 58,926 hours spent on administration and management.

Research Question Eight

WHAT IS THE SCOPE (DOLLARS, PROJECTS, NUMBER OF DRAWINGS, HOURS) OF AE DESIGN AT A TYPICAL BASE LEVEL DESIGN SECTION?

The average CONUS base spends five million dollars per year in AE designed projects. This dollar amount accomplishes 16-19 projects. While accomplishing these AE designed projects, approximately 557 contract drawings are drafted.

Research Question Nine

WHAT CAD SYSTEMS ARE CURRENTLY UTILIZED BY DOD
ORGANIZATIONS?

(See Literature Review)

Research Question Ten

WHAT CAD SYSTEMS ARE CURRENTLY UTILIZED BY CIVILIAN
ARCHITECTURAL-ENGINEERING FIRMS?

(See Literature Review)

VI. Conclusions and Recommendations

Introduction

This section of the thesis pulls together the many diverse research questions to answer the research objective:

GIVEN THE PRESENT LEVEL OF TECHNICAL ABILITY OF ARCHITECTS AND ENGINEERS IN A BASE CIVIL ENGINEERING TECHNICAL DESIGN SECTION, WHAT COMPUTER-AIDED DESIGN AND DRAFTING HARDWARE AND SOFTWARE WOULD BE APPROPRIATE TO INCREASE THE QUANTITY AND QUALITY OF DESIGNS?

Conclusions

The results of the project data survey sent to the Chief of the Engineering and Environmental Planning Branch at each CONUS base suggests that Civil Engineering designers are competent enough to design projects which are currently designed by civilian AE firms. From the data received in this survey, 4/5 of all AE design (4 million dollars/average CONUS base) could be completed by in-house designers, if these designers had the time. The savings to an average

CONUS Civil Engineering Squadron would be approximately 240 thousand dollars. This savings could easily pay for the Computer-Aided Design system to increase the quantity and quality of design currently conducted by AE firms, and design accomplished in-house (12 million dollars/average AFB).

Any computer-aided design system acquired for a Civil Engineering Technical Design Section should be a micro-computer with both design and drafting capabilities. This computer-aided system should have the following attributes (TABLE 6.1):

TABLE 6.1

CAD Hardware and Software Needs

1. Analysis programs
2. 3 Dimensional in nature
3. Bill of materials
4. Code compliance
5. Schematic design
6. Layer one drawing on top of another
7. Project management
8. Specifications

This computer-aided system should have the ability to store data for repetitive jobs (i.e. structural details), and have the ability to modify and save various drawings. Finally, all information should be accessible to all designers.

As far as CAD hardware is concerned, from analysis of the AFLC CAD survey, a 2:1 ratio of designers and draftsmen to computer workstation may be appropriate. The following workstation requirements were identified (TABLE 6.2):

TABLE 6.2
Number of Workstations

Base Size	Design	Drafting	Total
Small	5	3	8
Medium	6	4	10
Large	11	5	16
Average	7	4	11

Current Design Practice. Officers in a design capacity spend at least 62% of their time on design related tasks. Officers currently spend the majority of their time working with specifications and working drawings, while design analysis/calculations, schematic design, cost estimating,

code checks and project management take a back seat. Current design practice appears to center around the product (specifications and working drawings), not around analysis and synthesis to determine the optimal design.

This fact of non-optimization of design is shown by current and past designers wanting to abstain from cutting and pasting, and officers wanting to look at more alternative designs. Cut and pasting is great for details, but an entire design cannot be built on putting these details together.

If a standard, technical design organization is to be employed, both designers and draftsmen must have access to the computer-aided design and drafting systems. Draftsmen need to be trained, and as-builts need to be verified and condensed for a more permanent and more easily updated format. Many civilian and DOD design organizations have a variety of purposes for employing CAD in various configurations. These organizations can serve as models for a Civil Engineering Technical Design Section's use of CAD.


Training. Without the ability to train personnel on a CAD system, problems may arise. Thus, the survey looked at how Civil Engineering designers are trained to determine the best avenue of training. The average base level designer relies on the Air Force Institute of Technology School of

Civil Engineering (AFIT), peers, senior civilians, and himself to gain knowledge to accomplish design. Although many of the current officers have training in computer languages and CAD; a training avenue to teach CAD will be needed. Supervisors are not trainers, while peers, and senior civilians may not have any CAD background. Furthermore, self-learning is not an easy way to learn how to use a CAD system. Although any CAD system bought will have either on or off-site training by the manufacturer, CAD training beyond this will most likely fall squarely on the AFIT School of Civil Engineering.

Limitations

This thesis was based on feedback from the military members of the design section. Although this author feels that the civilian co-worker should not have very different attitudes towards CAD, civilian attitudes need to be verified to determine where they stand on this issue. The electrical and mechanical engineer cannot be broken out into an in-design group, and therefore, some data may not be representative of current design practice.

This research did not look at how the Technical Design Section interacts with the rest of the Civil Engineering



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

Squadron, for example, much drafting is accomplished for the Environmental and Contract Planning Section. Specifically, the influx of Computer-Aided Comprehensive Plans should have a large impact upon the shape of computer hardware which should be acquired for the Engineering and Environmental Planning Branch.

Recommendations

The list of current analysis/calculations should be used by the implementors of WIMS to acquire commercially available software for use on the Wang computer. The identified requirements of the design section should be used in sizing a CAD system for a Civil Engineering Squadron, and that requirements for hardware/software be used to decide upon the best computer-aided system for the Civil Engineering Squadron. This computer-aided system should not be only a drafting system, but also a design system to help design staffs.

Further Research

Further research should be performed to identify any special needs of civilian designers in Civil Engineering.

Likewise, further research in the hardware needs of the entire Civil Engineering Squadron should be accomplished. Other research could be accomplished to determine how a computer-aided system could be linked within a squadron to not only accomplish design and drafting, but also comprehensive planning, and all planning of projects for the shops. One could also determine procedures to update as-built drawings, and keep them current. Other research could focus on equipment to copy current as-builts. Another research topic could investigate the application of translators which transfer data from from mini- to micro-computers. Furthermore, how should a CAD system be used for Air Force Regional Civil Engineers, Army Corps of Engineers, and civilian Architectural-Engineers? Finally, one could determine the standards for AE computer use, to determine Air Force Civil Engineering's future CAD route, and how to remain compatible with AE computer systems with which we are doing business.

Appendix A: Design and Project Data Surveys

DESIGN SURVEY TO DETERMINE COMPUTER-AIDED DESIGN AND DRAFTING HARDWARE AND SOFTWARE NEEDS OF THE BASE CIVIL ENGINEERING TECHNICAL DESIGN SECTION

Instructions: Answer all items by filling in the appropriate spaces on the machine scored response form (AFIT Form 11D) provided. Select only one response to each item and cleanly erase any response you change. If for any item you do not find a response that fits your situation exactly, use the one that is closest to the way you feel. Please answer each item as honestly and frankly as possible.

Section I: BACKGROUND INFORMATION

1. Have you ever worked in the Technical Design Section as a designer?

A. Yes B. No

2. Are you a commissioned Air Force officer?

A. Yes B. No

IF YOU ANSWERED NO TO EITHER QUESTION 1 OR QUESTION 2, GO NO FURTHER. PLEASE RETURN THE SURVEY IN THE ENCLOSED ENVELOPE. THANK YOU!

3. What is your current rank?

A. Second Lieutenant	D. Major
B. First Lieutenant	E. Lieutenant Colonel
C. Captain	F. Other

4. Years of commissioned service?

- | | |
|-----------------------|-------------------------|
| A. Less than 6 months | E. 3 to 4 years |
| B. 6 months to 1 year | F. Less than 6 years |
| C. 1 to 2 years | G. Greater than 6 years |
| D. 2 to 3 years | |

5. How long have you worked or did you work as a designer in the Technical Design Section?

- | | |
|-----------------------|-------------------------------|
| A. Less than 6 months | E. 3 to 4 years |
| B. 6 months to 1 year | F. Less than 6 years |
| C. 1 to 2 years | G. Greater than 6 years |
| D. 2 to 3 years | H. Never worked as a designer |

6. If you are not presently working as a designer, when was the last time you worked as a designer?

- | | |
|-----------------------|-------------------------------|
| A. Less than 6 months | E. 3 to 4 years |
| B. 6 months to 1 year | F. Less than 6 years |
| C. 1 to 2 years | G. Greater than 6 years |
| D. 2 to 3 years | H. Never worked as a designer |

7. Is this your first assignment as a commissioned officer?

- A. Yes B. No

8. What Major Command do you work for?

- | | |
|---------|---------------------------|
| A. ATC | F. SPACECMD |
| B. AAC | G. SAC |
| C. AFLC | H. TAC |
| D. AFSC | I. Other (please specify) |
| E. MAC | |

9. What is your area of specialization?

- | | |
|------------------------|---------------------------|
| A. Architect | D. Industrial Engineer |
| B. Civil Engineer | E. Mechanical Engineer |
| C. Electrical Engineer | F. Other (please specify) |

10. What is your present level of assignment?

- | | |
|------------------------|---------------------------|
| A. Air Staff Level | C. Base Level |
| B. Major Command Level | D. Other (please specify) |

Section II: WORK STATION BACKGROUND Fill out this section only if you are currently working as a designer.

11. How many architects and engineers accomplish design in the Technical Design Section?

 Civilian Military

12. How many draftsmen accomplish drafting for the Technical Design Section?

 Civilian Military

Section III: TRAINING We are interested in your feelings about training in the Technical Design Section. Please use the following scale to answer items 13-19.

STRONGLY DISAGREE UNDECIDED AGREE STRONGLY
DISAGREE
—A— —B— —C— —D— —E—

13. I feel I've received proper on-the-job training to accomplish my job.

14. The information/ knowledge I receive from attending AFIT courses is an important source of information to accomplish design.

15. The information/ knowledge I receive from self-learning is an important source of information to accomplish design.

16. The information/ knowledge I receive from senior civilian architects or engineers is an important source of information to accomplish design.

17. The information/ knowledge I receive from my supervisor is an important source of information to accomplish design.

18. The information/ knowledge I receive from my peers is an important source of information to accomplish design.

19. I feel capable of performing design.

Section IV: DESIGN We are interested in your feelings about accomplishing design in the Technical Design Section of a Civil Engineering Squadron. Please use the following scale to answer items 20-47.

STRONGLY DISAGREE DISAGREE UNDECIDED AGREE STRONGLY AGREE
—A— —B— —C— —D— —E—

20. My design projects are always adequately developed.
21. I look at adequate numbers of design alternatives to make the best design decisions.
22. I would like to look at more design alternatives in future design projects.
23. I feel it essential to understand what my design looks like in three dimensions.
24. I use three dimensional models in solving design problems.
25. I would like to use 3D models in my design analysis.
26. I always rely on as-built drawings, as is. They are very reliable, and do not need to be verified.
27. I always go out and check as-built drawings against existing conditions before attempting a design.
28. I always send someone out to check as-built drawings against existing conditions before attempting a design.
29. I have a difficult time cross-checking all drawings and specifications.
30. I spend a great deal of time cross-checking drawings and specifications.
31. I would like more time to cross - check drawings and specifications.
32. I generally do most of my own drafting.

STRONGLY DISAGREE DISAGREE UNDECIDED AGREE STRONGLY AGREE
—A—————B—————C—————D—————E—

33. I would like to do more drafting of contract drawings.
34. Most of my designs are cut and pasted from existing building design documents.
35. I would like to get away from having to cut and paste designs.
36. I always have plenty of time to accomplish design projects
37. If I had more time, I could produce a better design.
38. I spend a great deal of time managing designs completed by an Architectural-Engineering firm.
39. I spend a great deal of time managing in-house design projects.
40. I complete many calculations while accomplishing design.
41. I have a difficult time cross-referencing all drawings.
42. I can rely upon all drawings accomplished by draftsmen being error free.
43. I spend a great deal of time determining the "concept" or approach to a specific design
44. I spend a great deal of time checking codes which apply to my design.
45. I accomplish enough cost estimates to have a handle on construction costs at all times.
46. The Technical Design Section I work in manages design of projects satisfactorily.
47. I am satisfied with the technology available to accomplish design in my Technical Design Section.

Section V: EXISTING WORK RATING In this section, we are interested in what tasks you perform most. Please rank order the 7 positions (items 48 - 54) on the machine scored response form using a scale from "A" to "G", where "A" is where you spend MOST OF YOUR TIME and "F" is where you spend the LEAST AMOUNT OF YOUR TIME Use "G", NEVER ACCOMPLISH, as many times as you want. To assist you with this, the following chart indicates a number ranking and the corresponding letter response.

	MOST TIME <-----> LEAST TIME						NEVER
Number	1	2	3	4	5	6	ACCOMPLISH
Ranking							
Letter	A	B	C	D	E	F	G
Response							

- 48. _____ Code Checks
- 49. _____ Cost Estimating
- 50. _____ Design Analysis/Calculations
- 51. _____ Project Management (AE or in-house)
- 52. _____ Schematic Design (Initial layout of a design)
- 53. _____ Specifications
- 54. _____ Working Drawings

55. What percentage of your total weekly work time do you spend accomplishing the tasks above?

10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
A	B	C	D	E	F	G	H	I	J

56. What types of design analysis and/or calculations do you accomplish while designing?

57. Are any of these analysis/calculations computer based?

- A. Yes
- B. No

58. If YES to question 57, what types of computer hardware/software do you use?

59. In what ways do you believe a computer-aided design and drafting system could improve production and quality of designs of the Technical Design Section? How would you use this system? Please use the back of the sheet if you need more room.

60. List any training or experience you have with computer - aided design and drafting systems. Please use the back of the sheet, if you need more room.

THANK YOU FOR YOUR PARTICIPATION IN THE SURVEY!

PROJECT DATA

1. Base Size 1 2 3

2. What is the total number of projects and their respective costs for the last two years for your base? DO NOT INCLUDE MILITARY CONSTRUCTION PROJECTS (MCP)!

1984: _____ PROJECTS, COSTING _____ DOLLARS

1985: _____ PROJECTS, COSTING _____ DOLLARS

3. What is the total number of projects and their respective costs for the last two years that were designed by an Architectural-Engineering firm for your base? Break these projects out by the reason why they were given to an Architectural-Engineering (AE) firm. DO NOT INCLUDE MILITARY CONSTRUCTION PROJECTS (MCP)!

Reasons for having an AE firm design a project are these:

- a. The Civil Engineering Technical Design Section did not have the time or manpower to complete the project.
- b. The Civil Engineering Technical Design Section did not have the expertise to design the project.
- c. Other reason for not designing in-house (PLEASE EXPLAIN).

1984: a. _____ PROJECTS, COSTING _____ DOLLARS.

b. _____ PROJECTS, COSTING _____ DOLLARS

c. _____ PROJECTS, COSTING _____ DOLLARS

1985: a. _____ PROJECTS, COSTING _____ DOLLARS.

b. _____ PROJECTS, COSTING _____ DOLLARS

c. _____ PROJECTS, COSTING _____ DOLLARS

4. How many architects and engineers accomplish design in the Technical Design Section?

___ Civilian ___ Military

5. How many draftsmen accomplish drafting for the Technical Design Section?

___ Civilian ___ Military

THANK YOU FOR PARTICIPATION IN THIS SURVEY!

Appendix B: Project Data Survey Mailing List/ Base Populations

Category 1 (small)

<u>Base</u>	<u>Population*</u>
Chief of Engineering and Environmental Planning 97 CES/DEE Blytheville AFB, Ark 72315	3,228
Chief of Engineering and Environmental Planning 14 CES/DEE Columbus AFB, Miss 39701	3,610
Chief of Engineering and Environmental Planning 23 CES/DEE England AFB, La 71311	3,709
Chief of Engineering and Environmental Planning 3480 CES/DEE Goodfellow AFB, Tex 76908	2,971
Chief of Engineering and Environmental Planning 305 CES/DEE Grissom AFB, Ind 46971	3,525
Chief of Engineering and Environmental Planning 47 CES/DEE Laughlin AFB, Tex 78843	3,910
Chief of Engineering and Environmental Planning 354 CES/DEE Myrtle Beach AFB, S Car 29579	3,905

Chief of Engineering 3,230
and Environmental Planning
64 CES/DEE
Reese AFB, Tex 79489

Chief of Engineering 3,383
and Environmental Planning
351 CES/DEE
Whiteman AFB, Mo 65305

*Combined military and civilian personnel assigned as
by Air Force Magazine, May 1985.

Base Populations
Category 2 (medium)

<u>Base</u>	<u>Population*</u>
Chief of Engineering and Environmental Planning 443 CES/DEE Altus AFB, Okla 73523	4,536
Chief of Engineering and Environmental Planning 1776 CES/DEE Andrews AFB, Mld 20331	7,912
Chief of Engineering and Environmental Planning 9 CES/DEE Beale AFB, Cal 95903	5,595
Chief of Engineering and Environmental Planning 67 CES/DEE Bergstrom AFB, Tex 78743	6,159
Chief of Engineering and Environmental Planning 1100 CES/DEE Bolling AFB, Wash DC 20332	4,534
Chief of Engineering and Environmental Planning 27 CES/DEE Cannon AFB, N Mex 88103	4,591
Chief of Engineering and Environmental Planning 7 CES/DEE Carswell AFB, Tex 76127	6,011
Chief of Engineering and Environmental Planning 93 CES/DEE Castle AFB, Cal 95342	5,489

Chief of Engineering and Environmental Planning 3345 CES/DEE Chanute AFB, Ill 61868	7,810
Chief of Engineering and Environmental Planning 836 CES/DEE Davis Monthan AFB, Az 85707	7,237
Chief of Engineering and Environmental Planning 436 CES/DEE Dover AFB, Del 19902	6,234
Chief of Engineering and Environmental Planning 96 CES/DEE Dyess AFB, Tex 79607	6,397
Chief of Engineering and Environmental Planning 44 CES/DEE Ellsworth AFB, S Dak 57706	7,233
Chief of Engineering and Environmental Planning 92 CES/DEE Fairchild AFB, Wash 99011	4,984
Chief of Engineering and Environmental Planning 90 CES/DEE F E Warren AFB, Wyo 82001	4,049
Chief of Engineering and Environmental Planning 331 CES/DEE George AFB, Cal 92394	6,461

Chief of Engineering and Environmental Planning 321 CES/DEE Grand Forks AFB, N Dak 53205	6,032
Chief of Engineering and Environmental Planning 3245 CES/DEE Hanscom AFB, Mass 01731	5,200
Chief of Engineering and Environmental Planning 833 CES/DEE Holloman AFB, N Mex 88330	7,738
Chief of Engineering and Environmental Planning 410 CES/DEE K I Sawyer AFB, Mich 49843	4,621
Chief of Engineering and Environmental Planning 42 CES/DEE Loring AFB, Mne 04751	4,479
Chief of Engineering and Environmental Planning 832 CES/DEE Luke AFB, Az 85039	7,420
Chief of Engineering and Environmental Planning 341 CES/DEE Walmstrom AFB, Mont 59402	4,425
Chief of Engineering and Environmental Planning 22 CES/DEE March AFB, Cal 92518	5,235

Chief of Engineering and Environmental Planning 323 CES/DEE Mather AFB, Cal 95655	6,350
Chief of Engineering and Environmental Planning 3800 CES/DEE Maxwell AFB, Ala 36112	4,878
Chief of Engineering and Environmental Planning 62 CES/DEE McChord AFB, Wash 98438	7,813
Chief of Engineering and Environmental Planning 384 CES/DEE McConnell AFB, Kan 67221	5,015
Chief of Engineering and Environmental Planning 438 CES/DEE McGuire AFB, NJ 03641	6,737
Chief of Engineering and Environmental Planning 91 CES/DEE Minot AFB, N Dak 58705	6,629
Chief of Engineering and Environmental Planning 347 CES/DEE Moody AFB, Ga 31699	4,034
Chief of Engineering and Environmental Planning 6550 CES/DEE Patrick AFB, Fla 32925	5,158

Chief of Engineering and Environmental Planning 509 CES/DEE Pease AFB, NH 03801	4,105
Chief of Engineering and Environmental Planning Stop 37 1001 CES/DEE Peterson AFB, Col 80914	5,306
Chief of Engineering and Environmental Planning 380 CES/DEE Plattsburgh AFB, NY 12903	4,700
Chief of Engineering and Environmental Planning 317 CES/DEE Pope AFB, N Car 28308	4,558
Chief of Engineering and Environmental Planning 4 CES/DEE Seymour Johnson AFB, N Car 27531	6,258
Chief of Engineering and Environmental Planning 363 CES/DEE Shaw AFB, S Car 29152	7,791
Chief of Engineering and Environmental Planning 325 CES/DEE Tyndall AFB, Fla 32403	6,350
Chief of Engineering and Environmental Planning 7625 CES/DEE USAF Academy, Col 80840	4,275

Chief of Engineering and Environmental Planning 4392 CES/DEE Vandenberg AFB, Cal 93437	6,570
Chief of Engineering and Environmental Planning 82 CES/DEE Williams AFB, Az 85224	4 500
Chief of Engineering and Environmental Planning 379 CES/DEE Wurtsmith AFB, Mich 48753	4,005

*Combined military and civilian personnel assigned as
by Air Force Magazine, May 1985.

Base Populations
Category 3 (large)

<u>Base</u>	<u>Population*</u>
Chief of Engineering and Environmental Planning 2 CES/DEE Barksdale AFB, La 71110	8,100
Chief of Engineering and Environmental Planning 437 CES/DEE Charleston AFB, S Car 29404	9,041
Chief of Engineering and Environmental Planning 6510 CES/DEE Edwards AFB, Cal 93523	10,152
Chief of Engineering and Environmental Planning 2849 CES/DEE Hill AFB, Utah 84056	20,700
Chief of Engineering and Environmental Planning 31 CES/DEE Homestead AFB, Fla 33039	12,690
Chief of Engineering and Environmental Planning 3380 CES/DEE Keesler AFB, Miss 39534	14,786
Chief of Engineering and Environmental Planning 1606 CES/DEE Kirtland AFB, N Mex 87117	19,360
Chief of Engineering and Environmental Planning 1 CES/DEE Langley AFB, Vir 23665	11,804

Chief of Engineering and Environmental Planning 314 CES/DEE Little Rock AFB, Ark 72099	8,300
Chief of Engineering and Environmental Planning 3415 CES/DEE Lowry AFB, Col 80230	14,394
Chief of Engineering and Environmental Planning 56 CES/DEE MacDill AFB, Fla 33608	8,792
Chief of Engineering and Environmental Planning 2852 CES/DEE McClellan AFB, Cal 95652	18,228
Chief of Engineering and Environmental Planning 554 CES/DEE Nellis AFB, Nev 89191	11,827
Chief of Engineering and Environmental Planning 63 CES/DEE Norton AFB, Cal 92409	8,304
Chief of Engineering and Environmental Planning 55 CES/DEE Offutt AFB, Neb 68113	15,276
Chief of Engineering and Environmental Planning 2853 CES/DEE Robins AFB, Ga 31098	20,043

Chief of Engineering and Environmental Planning 375 CES/DEE Scott AFB, Ill 62225	10,912
Chief of Engineering and Environmental Planning 3750 CES/DEE Sheppard AFB, Tex 76311	9,431
Chief of Engineering and Environmental Planning 2854 CES/DEE Tinker AFB, Okla 73145	25,181
Chief of Engineering and Environmental Planning 60 CES/DEE Travis AFB, Cal 94535	15,707
Chief of Engineering and Environmental Planning 2750 CES/DEE Wright-Patterson AFB, Ohio 45433	32,000

*Combined military and civilian personnel assigned as
by Air Force Magazine, May 1985.

Appendix C: Data Files

This appendix contains the data files used to perform the various analyses contained in this thesis. Blank spaces in data file A indicate that the respondent did not answer the question or that a fill-in-the-blank question was asked.

The following format applies to data acquired during the design survey:

Format Data File A: Design Survey

Column	Survey Question
1- 10	Demographic Questions
11- 12	Fill-in Questions
13- 19	Training Questions
20- 47	Design Questions
48- 54	Existing Work Rating Questions
55	Percentage of Time Spent on Design
56	Fill-in Question
57	Computer Based Design
58- 60	Fill-in Questions

The following format applies to data acquired in the
Project Data survey:

Format Data File B: Project Data Survey

Row	Survey Questions
1	Base Size/ 1984 Total Design Project,Dollar/ 1985 Total Design Project,Dollar
2	1984 AE Projects:A Project,Dollar/ B Project,Dollar/ C Project,Dollar
3	1985 AE Projects:A Project,Dollar/ B Project,Dollar/ C Project Dollar
4	Designer:Civilian,Military/ Draftsmen:Civilian,Military
	A. Technical Design Section did not have the time/manpower B. Technical Design Section did not have the expertise. C. Other reason for not designing in-house.

The following format applies to data derived from the
 1983 AFLC CAD survey:

Format Data File C: 1983 AFLC CAD Survey

Row	Column	Survey Questions
1-8	1	Base 1(Hill),2(McClellan),3(Robins), 4(Tinker),5(Wright-Patterson).
	3- 4	Date(year)
	5	1(in-house),2(AE)
	7- 9	Architectural Drawings(in-house)
	11-13	Architectural Drawings(AE)
	15-17	Civil Drawings(in-house)
	19-21	Civil Drawings(AE)
	23-25	Mechanical Drawings(in-house)
	27-29	Mechanical Drawings(AE)
	31-33	Electrical Drawings(in-house)
	35-37	Electrical Drawings(AE)
	39-41	Other Drawings(in-house)
	43-45	Other Drawings(AE)
9	12-13	Number of Civilian Designers
	20-21	Number of Military Designers
	28-29	Number of Civilian Draftsmen
	36-37	Number of Military Draftsmen
10	6- 9	Yearly Architectural Design Hours
	13-17	Yearly Civil Design Hours
	21-25	Yearly Electrical Design Hours
	29-33	Yearly Mechanical Design Hours
	37-41	Yearly Other Design Hours
11	6- 9	Yearly Architectural Drafting Hours
	13-17	Yearly Civil Drafting Hours
	21-25	Yearly Electrical Drafting Hours
	29-33	Yearly Mechanical Drafting Hours
	37-41	Yearly Other Drafting Hours
12	6- 9	Yearly Architectural Other Hours
	13-17	Yearly Civil Other Hours
	21-25	Yearly Electrical Other Hours
	29-33	Yearly Mechanical Other Hours
	37-41	Yearly Other Other Hours
13	6- 9	Yearly Architectural Admin. Hours
	13-17	Yearly Civil Admin. Hours
	21-25	Yearly Electrical Admin. Hours
	29-33	Yearly Mechanical Admin. Hours
	37-41	Yearly Other Admin. Hours

Data File A: Design Survey

0026341411 2334323332211041222113122111113311332456106 1
0026161300 113331433231313113131113111111331342563104 1
0026251311 233431334100043113003304333113333152042137 1
0014231841 3445554134434043233002304222211312114063246 1
00131 1212 3334433323424222332013431004103113053140207 1
0013100212 0334411334434042214301404404102404025034158 1
0002100602 2342133333203043033042304432112212164523105
00144 0702 0443334334414043134041104441004322053614205 1
00265 1502 1332214433333043022001304142013433122231114 1
0026441601 1333333333433131133110233133113333123324116
0015400002 23442344444240440444443404441403223164503127 1
0001100642 2443134414444041444243404334403412056303216 1
0001100642 123323323323031333131203333312313163205147 1
0014220442 1034311133303043332213233313312113151305424 1
00143 0602 234444 234422144022010422 23012233251025345
0026361801 1334023114314021334212304223103131153042154 0
0026361611 44332332123000421310022310241212021
00133 0742 4444334324414131334033314334214232354160323 1
00021 1712 1443134444313041133131404034103331113064256 1
00011 0702 3244144313414130111430131440000044064523108 1
0002200702 3334334334413044131441104331114313153624106 1
00021 0612 3344444333313033132131314333102333245205133 1
0026331803 3343224434444132122111203333203342062013547 0
0002280602 3343144334414040133440242343010142063452103 1
00022 0722 04433322144040404421434041134043000550413231
0013210712 1343144323113041133012413113103131163452105 1
0026641642 3413444314213041133002303223113013063210452 1
0013330712 1341143233412041333332313241314223161235405 1
00141 0612 1244444334213043444023404432301113155304127 1
00142 0712 32444434323314031112111113113113113342110536 1
0025331343 3444444233113133332121331133211333342013655 1
0001100712 1344043223431040332113313143313322024130657
00011 0022 3434043132301131133013204031101232243255016 1
0025411341 2333333332120423313123133333122221 4031 25 1
0002110012 3443343333313042132033313332132333315453026 1
00022 0042 0434133331444031113112113413111234032012105 0
0013380012 3344444443412040121111111331001013364512307 0
0026421712 1431124332112023233232314423211223333423114 0
00022 0642 3443334334433040132121313323113321155134206 1
00011 0612 1 34443334412243131012213 22133324434014156 1
0025140322 3234333123112040212212313112232223263450126 1
0001100712 1444431113313011333113314313313313111201244
00255 1642 4443334444424040044430034444004440000020004 1
0026431042 0341234433123040222100213313211130051013246 1
00011 0742 13230 3314312031131133304113102121164253016 1
0002280612 2134443323333144213333114423313144160514236 0
0036121612 2333333332212141132321313333212233152104314 1
0001180652 0311110033114033444333204413400011021346054 1
0026431242 1233331321311041333313413431333111165401236 1
00 1 0742 2433333112333030223033303323201213044121214 1
0003200752 3234332324413043134110203413122343152603146 1
00022 0052 1233344333324042132330303333212333052054317 0
0025221810 2333323233223113332111213132113313153140226 1
0026251711 3134333232300042333101304033102313254032115 1
0026431641 0444444341422040012004004444000033155012436 1
0013110412 133332233323033333113313323313311041502356 1
00142 0212 03422244434130403344402301234203410024133056 1
0026151751 13430331324340331420012131331114323215044361 1
0025451350 334333131333143133131213443124333351302445 0
0025431612 3444434333322141132111223433111333334215067
00263 1412 133323323311213313232311311112121152364015 1
0013201412 14431334313331411333113134331113331543 4015 1
0014310613 3444244344434143342021304314234343443062155
0014400642 34333321144130443231232044113133100
0001110642 3444334434413041333133304224303112053041267 1
0026260412 023333433333132122112223333112232131313045 1

0026351343 142113233311204333200223100321112016230145 1
00133 0402 3334233433313043132410413330101233142523004 1
00133 0702 3343334314413003133332304412313233163201456 1
0014400012 1333313213100033113003104131102121061542032 1
00143000222 1332233432112011323023202333211212242315403 1
00142 1022 343333332111031222001213133212313306125343 1
00143 0612 0333233333122111223013302442211120253405215 1
0000000642 02444443443103041222103334244313413313042558 0
0025231312 1423232113313041332113303312211211165423016 1
0026151823 0433333223213123323122313233313312055301247 0
00133 0622 1441134331332033343110213443202431156240313 1
0026251813 1433233233433033433333313233313332150412662 0
0013300022 13410431141110403331131113313013100 1
00254317223331333311331113313311331331311113151313111 1
00011 0612 1233330123311040444323404330402121161503243 1
00133 0402 0342133123303040 121404331131132154523104 1
00011 0642 2434133323312131232111213113311113155034127 1
0026361042 034 33003444404013300140443430 0101100000 1
00022 0012 0444034443213043144143434313003313023156407 1
00000 0042 0242132223414041443120123334223413103245136 1
0003020612 02331321331121323130034040012222122 1
0022000622 3444223023223011341312314233233321133362107 0
0026441402 334444444311204313311241311111123342533015 1
00144 0412 0044044444112140032113314431004343064503218 1
0013200612 3444334432333043333131201333312213263102458 1
0014120712 0231122113213131113133403133211132245243106 1
00144 0412 1443234223403040234411204434301311065041238 1
0014220712 1133331131311041313043111403012131041206365 1
00022 0042 1430033013303140314003140013331131154523010 0
00011 0012 3333032333113131332113432133311011164352015 1
0026401012 3334444444433131113111334433111114321101135 1
00022 0702 3233223233423041314430414333111133243301216 1
00133 0602 224432432344413123244222423204332133303217 1
0026341042 3333332324130334331113133133111121421101180 1
00132102122 10111142444040132211221113102323253215406 1
0026241810 03322222244042312231334043222222031123123 1
0024301342 1334332333323044133101313133313213324350163 1
0025331840 1411133114414131444233404333412111054305214 1
0025231812 34444421144140313131134134112112121 1
0015220242 1433233222212031333111304321311120065104327 0
00022 0242 34444443333313033223111313334211133352121016 1
0026151212 2233233443211041222112223223212232122132233 1
0026251313 1113331213113141131013331113313333143261055 1
0025421841 0442224444434040044341404314100114062045138 0
0002110742 10312333233130412231333133133133324 1
0026521612 34343343221110423413113031332021312624111105 1
00143 1622 1323133233323133333113332411122323140616231 1
0013130 42 3333333333333131123121213223111212024041436 1
0026361803 133321333341313111111111113133113133153432217 1
00011 0602 1343234114414133134240304042111321143105205 1
0026341313 1144333323213044223123313223202221165024314 1
0014130612 1341131113233042443133404323403312105123466 1
00144 0342 4434224433412041333132113423313312153504212 1
00020 0612 144443333223231332133333111303313122436113 1
00173 0622 2144444333311031223130233423102333245321005 0
0014400412 04332143342331433332122044014011100423045141 1
00011 0412 0443131113112041111111112311103401121605434 1
0014121722 3433123233112031333132314323113312112306455 1
0014210742 1330013322313033222111303313211111063204154 0
00031 02021 244444343413033133441313411103113055401237 1
0026361813 1041243331423111322332313332312220351406326 1
0036301800 4133334334413013133421233233112313132130232 0
0025331841 3434334333313041123100404134132322364103253 1
0026431820 1333133232121031111111121222111212322242225 1
0026251303 14344433 0404433410 40444 022222
00000 0712 1244414333233043113004403223211333100014227

0026111411 1344323324445053325015505421111142151222016 1
 0013210712 1331043323433041233323304332212131140523147 1
 00022 0712 314414443131303111323122333311232225453015 1
 0014220712 1431043233112031123123114323312122252154035 1
 0026351642 244333213332304133311330422331331 152105437 1
 00011 0722 033412444402040232002104001123203003062353 1
 0002020612 444443343133040131113331423113333415324068 1
 002514 612 3344332 3 1204 111 1 3 1130 0 6 1
 0014400602 1144234334434044134121404423113341162435013 1
 0025331703 3334234234334043324111314123213311053140425 1
 0002200712 044433313343404333111313021301123065241303 1
 0014400611 3341013313112041332001313332203112162345107 1
 0013300622 2343344234000140233021313134213443104152335 1
 0026441303 4444334331311440011103033404023344442402125 1
 0026361811 4441344440420043021000231333013332423221335 1
 00011 0202 1233323332303041331310204133313233044343117 1
 0025521813 1334332313303031233003313131203313354061325 1
 0026341813 0344434333313031111131303224103132065403126 1
 0026131811 1343334442212044332111214333113312132133233 0
 0014121813 0344043331000042333023004331113030153212027 1
 0026351843 1433223123323032434121401223323112152031244 1
 0026441823 3333233223222132323111313212223322254152305 1
 0026341823 3133333333331313233312132332123121
 0026151221 134333433331303333300330243120 31205345 1
 0026301202 3423123131113041333133104241311113042635014 1
 0014220212 3134333322130413334233132333113110 2345108 0
 0026351803 0233234132233031333321413013313201153041233 1
 0036341803 4444444334434032444100404404403131142103563 1
 0014221221 3444344314212131143400204124011444025063148 1
 0013100222 3434133343313041222421223143213323335241507 1
 0026141321 04444443440000303433404043313012041122312186
 00253 1622 2334343124312041442232403424404412106452317 1
 00022 0742 0342133324110032433113404433403323122303144 1
 00253 0702 3341433333314032434141303331101113154320137 1
 0025321712 133113333332203023222341422321333000 152340 1
 0013120012 1343232333414030124133414213211331013054267 1
 00000 0642 0244332231023040442002204231322304146234046 1
 0026361811 0334421213313031333112313133312112154223014 1
 0026331811 1333144332111041433113413413321231353601425 1
 00144 0642 33433344411004011111121121211141202345101 0
 0025231802 3333333333113131111311313313111233266201661 1
 0026131823 4443224334112041422121414004403412112064535 0
 00011 0402 34442331232220323321321044011012111515042381
 00011 0702 0 40031014414133314141404041013110053420357 1
 0002110712 0343042323423041433113414334313331054235018 1
 0036441820 1323324333232043123101401134102232021023436 1
 0026631702 2134133323413011133102313331203130262412017 1
 0026251212 1333324332213041323232423323401322114055327 0
 0026241811 3134313333102131131111131311111333354136206
 00144 1222 3444444333333033133121314413133421113131108 1
 0014141811 1 341322242130323333231333120220105355201
 0026441810 33422223234130332320233232311021123346061220
 00133 0802 0344004224434043144441404413001410052501438 1
 0026441001 3423314123424012334113303344313113232324215 1
 00153 1742 1331132223101031213213312312112211152304157 1
 0013201722 3333334113313040 4331204333123313235452016 1
 0026341803 123413313322303333311:323311311313334602166 1
 0014130012 1344133332203041331143432112111112225461036 1
 00022 0722 444332413400004022211104333211413305243015 1
 00142 1622 343333433200132433101213343323323355421032 1
 0014220612 13234431333330323321122132213123130
 00132 0622 0343133313112041233121204433131311141203566 0
 00022 0202 0333324223313031033331303113113221145102343 1
 0013220212 1443132114412031313131313423411010062310455 1
 00132 0212 134444133 413042332422423004112333032465107 1
 00140 0252 1234433213312041212113304313113113154201367 1

0026141311	1332232234313131333113213313313333122414213	1
00163 1222	13331311113333031113131204134313311013064258	1
00022 0612	1443333333212030332111304321211202354240315	1
00143 0702	1334433013333043123031403221112113123546104	1
0001100612	2233333132313041223310404334223233242233117	1
00252 1412	3434333333111031133111303313111313321123006	1
00011 0602	3343133333413111132342413331102031163504124	1
0015400612	0430033133314033124044404420103140062504311	1
00133 1052	1433201123311042113131104131101313353254015	1
00022 0022	0443333334111044334201304234113333354350123	0
00033 0442	10131323232223101220013231312110333154503215	1
0014400702	1333333332322132223333313433122333254306213	1
0026261712	1333333114424031334441414233212321112460356	1
00143 0202	1344134442444142333310404313213340052304215	1
0002200212	2344434332302031323410403133232202054263105	1
0026061813	0333232223313122323123323311211121164105326	1
0026	3 333 133331133133122 3323 32312	1
00011 0442	3344033324404042331211103113212101164160325	0
0013210402	3434014442334040033441131232104333354631206	1
0026451713	14322 3232311040333212322133303332233012554	1
0014220212	3244243013303042313414211142202112442 3501	1
002541 843	4441334443414040134101404414301330020001016	1
0002200202	3434324344413043223231213233102333150312467	1
00251 1212	3433333333333133323113322123212233343052136	0
0025321541	044002322 211042223002214202222212154231006	1
0014111622	32 4 4132221044213014404432211303163406122	1
0001100622	0401233234444142434124413433133311110201247	1
00133 0012	3441014134304140133004004443111112152345015	1
0014101222	2333333332122132433222313232313222125406313	0
0001100222	3444443332111041011210211013131333301021238	1
002643184	34443241231120413231134033242112011430 3124	1
0026231811	1443322333313132333122210431313212343502164	1
00141 1622	0332023113313033233212303332203221164503444	1
0026141843	1443333333403041132313232113113231254162306	1
0013220002	2233034333333042123321413233103332253460126	0
0014400602	3333334442324142233421214422213332031012105	1
0026531821	3423223223111011222011112322112212111202345	1
00251 1702	341133333314042133131113223112333352160345	1
0001100742	0341032133413041313101404031213103354125304	1
0006000752	0343231224303013344013423131132133152121117	1
0025421753	1433233213433022332002304223312340013052462	1
0026451 11	1343334333211122333131214313311312253433421	1
0026451642	3444333313112041111101113133111323145063125	1
00262 1511	123333333232313112211221313212233152105344	1
0026161611	3344343133313142133002313433113313165410323	1
0026161611	11430404033301041433141231003405127	1
00255 1621	3441034141100041041101314113013333434123216	1
0026251601	1442144441101040331310202021311132351402636	1
00255 1611	3343333223334142333131314333313233165401326	1
0013220712	1233221223412031443021413 1 12302020364157	1
0025501402	0333233443434001123231304443403402125104233	1
00144 0712	3344144331434041113100 043332043233 5241036	1
0014400752	14320231134030410344213044321011 2153402116	0
00022 0602	333333333333313313131313233113333155304214	1
00022 0712	123 023333302130133121213021112 11441143 5 1	1
00022 0722	3443234333211041133111203114112312235246105	1
0014210612	333333333323031223113313432212332221012247	1
00133 0002	1244441133413043344431214433313310163425018	1
0014121012	3133133213411041044000404223011140051161020	1
0013110022	2431313323100041442110214114411313332061455	1
00022 0012	2333313342403040134321414133113113241020008	1
00011 0642	1341333333414033333131304331314433031504255	1
0025241512	1144244441312043111000121003101133134232016	1
00000 0642	3131143223310043131112213333112213353201463	1
00144 0742	2431233323401131214212104433202341035612404	1
00011 0742	1243133335223131321111312313203112!	1

00144 0712	2344244443313043333121204443201211054523103 1
00011 0602	2244444324424311012410404412113324165203418 1
00011 0002	0242233234424132323431404332212320152405317 1
0024221623	1331133333111033333113304313313331123140456 1
00022 0642	0444444334404040343004404340424444351101216 0
00011 0012	3144443333211131221133123412212223265243105 1
0013300212	1233334333203312112413333033123323245136206 1
0002200702	323323333433132131231313333103323335201645 1
0026441701	1334321133302111333211311213213111341132114 1
00264 1522	014312433321212232300231333322122064422322 1
0013300002	3243134332401041134214404331101211325435017 1
00022 0412	0333133332333131133113314441113111164532015 1
00011 0002	0434043332434042344131304133302311053604127 1
0025241711	0114031133402044421133113041101042042251205 1
0025421641	3433333331313043111102103313113133151402353 0
0026361811	34321343132120122333212332331043322
00140 1822	3 34342333412040133113113413102313223401565
00022 0622	4442234343211041112101212113111334323065147 1
0025400602	3434334333444134331331324311101113154305218 1
0026431621	112413033321003332321223342142503164 1
0002200701	3233334114414031414412204411312133062310547 1
00133 0542	3443334333304043233011404133111213351043268 1
00011 0702	3243144443414041131144433413111333131402564 1
00252 1312	14444423333131323131112133333131133610254311
00011 0712	3444033312103130311101304340111013164513025 1
00011 0712	3433333113213041344111204431301012163504127 1
00022 0702	3233344342112011112111204442113133364325107 1
00002 0602	1244323342433043323142203411131133161502346 1
0013211313	133333312341304233213330431331232105341230711
0013110742	1444243334334044331312112213312233232251106 0
0014101622	0441332244222042233002313024113312154235011 1
0026461850	2333333113111031321011 1 233103103361052436 1
00130 1622	1233133123323131233221134122313212154360127 1
00122 0313	1244443333434131233111213013203321224061538 0
0014320841	2432123334314041131111231213112133033213447 1
0026351843	1443334013313043333003404334113133064012354 1
00022 0602	333333323312031122331313123121013364350213 1
0014140401	1244433114323123232431414432111223241203566 0
0025321513	3444314332413141033012303331101133052505126 1
00000 0742	34343333331213113311312322311233335316204551
0026331643	1333223233323043333112213233213312123155047 1
0002110412	333333312331113331311131331311213334141312601

Data File B: Project Data Survey

1	37	8986600	41	1322480
	8	7500000		
	9	7500000		
	8	3 0	4	
1	32	6000300	48	7800000
	17	3820000	3	675000
	21	4720000	4	900000
	5	4 0	5	
1	42	5500000	50	6800000
	6	300000		
	6	6 2	3	
1	23	1129600	20	1299700
	1	420900		
	2	3 1	3	
2	56	6853600	68	7000000
	6	552000	2	82000
	5	387300		
	4	4 0	5	
2	40	20700000	40	15800000
	24	8000000	2	2000000
	10	3200000	1	1200000
	6	4 1	7	
2	64	8000000	96	5700000
	11	4100000		
	16	3800000		
	4	5 0	7	
2	45	8745800	52	16169000
	13	2648900		
	12	5165000		
	8	4 1	7	
2	13	4500000	34	3900000
	11	2000000		
	9	4075000		
	3	3 1	7	
2	63	15500000	45	15900000
	14	4700000		
	11	3800000		
	5	5 0	8	
2	101	17100000	85	14800000
	12	6200000		
	8	4300000		
	7	6 3	9	
2	62	3693000	54	8411000
	5	5 0	8	
2	31	4000000	51	4445000
	14	1900000		
	21	3544700		
	6	4 0	4	
2	42	18000000	20	6100000
	5	8200000		
	3	1900000		
	7	3 1	5	
2	68	14100000	67	12300000
	10	1900000		
	9	2500000		
	13	2 2	10	
2	81	6900000	103	8200000
	5	4 2	7	
2	67	8739000	63	10197000
	3	848000		

4	13870000			
5	4 2 6			
2 27	52000000	42	98000000	
		1	26000000	
25	60000000			
12	3 1 5			
2 78	82200000	115	142100000	
12	2320000			
13	2480000			
4	13 0 8			
2 70	12582000	67	106360000	
2	2960000			
7	7 1 8			
2 45	154000000	46	15396500	
1	968200			
6	9947700			
3	6 0 9			
2 63	77500000	120	125000000	
20	30000000	3	7500000	
50	50000000	10	15000000	
24	6 3 2			
3 163	324430000	273	513140000	
20	45980000	16	53820000	6 653400
46	140750000	20	44420000	4 1040300
27	4 5 6			
3 107	224000000	100	190000000	
72	166000000			
48	140000000			
14	3 1 9			
3 46	89000000	51	112000000	
15	20000000			
17	10000000			
12	3 1 7			
3 50	158440000	49	13248702	
		22	64000000	
		20	62000000	
11	6 1 6			
3 94	168000000	92	253000000	
31	96000000	4	9000000	
36	151000000	3	10000000	
10	3 0 8			
3 259	227000000	263	249000000	
21	4310000			
31	14000000	1	20000000	
34	7 4 9			
3 51	128000000	29	95000000	
7	37000000			
3	30000000			
11	3 2 5			
3 121	151960000	161	246880000	
35	51110000	2	15000000	
43	53960000	3	23000000	
25	6 1 8			

Data File C: 1983 AFLC CAD Survey

1	801	91	12	63	5	80	12	23	2	3
	802	73		26		43		27		
	811	59	3	76	7	81	13	33	3	18
	812	71		25		53		25		
	821	86	18	64	10	81	13	28	3	20 30
	822	156		113		53		55		
	831	72	8	98	12	86	13	60	7	60 53
	832	109		112		66		43		
		6		2		0		5		
		2639		3100		2400		1500		4210
		2121		1600		1200		1000		64
		9800		16100		13040		7900		10286
2	801	500		25	15	90	10	100		438 50
	801									
	811	500		25	15	90	10	100		438 50
	812									
	821	500		18	20	60	10	100		450 50
	822									
	831	500		23	20	60	10	100		470 50
	832	433		20		83		36		6
		32		3		2		13		
		7000		4550		6700		3200		10775
		3500		2300		4500		8000		7700
		2188		2510		3776		1280		22085
		6032		5200		5824		6240		11024

3

821	42	48	63	20	42	11	49	8	26	30
822	85	22	42	9	85	5	65	4	70	14

	26		4		0		7			
	3742		2383		2401		1912		6980	
	6540		3815		3815		3270		524	
	16118		9202		9184		8018		7056	
4	801	36	18	61	18	48	18	24	18	63 191
	802	195		50		15		43		9
	811	79	18	114	18	48	18	52	18	81 268
	812	52		50		15		43		9
	821	39	18	99	18	32	18	79	18	85 283
	822	51		93		141		94		13
	831	26	18	43	18	64	18	42	18	71 258
	832	27		35		23		18		3
		21		3		0		10		
		1512		2608		1608		1248		2525
		1710		2738		1800		1436		200
		5098		13374		11152		9796		3515

5

821	540	420	250	180	420	300	415	300
	115		50		80		80	

	34		7		6		8	
	7338		8362		2995		3744	7800
	4310		4118		4493		3744	7800
	17472		18720		11232		11232	15600

Appendix D: Analysis/Calculations by Specialties

Architectural Analysis/Calculations

1. Structural Analysis (foundation, beam, column) 37
2. Cost Estimating 24
3. Architectural layout (space, circulation, flow, functional, bubble diagrams, user needs) 20
4. Quantity take-offs 13
5. Square footages 12
6. Space allocation (utilization, requirements) 10
7. Cost analysis (alternatives) 10
8. Energy conservation (heat retention) 7
9. Fire code (lifesafety, others) 6
10. Sketching (isometrics, axionometric, perspective) 6
11. Lighting loads (electrical levels, energy) 5
12. Material selection 5
13. Zonal cavity 4
14. Vapor barrier 4
15. Solar feasibility (penetration, passive) 3
16. Acoustic (noise) 2
17. Project management 2
18. AE fees 1
19. Economic Analysis 1
20. Specifications 1
21. Wind loads 1
22. Mechanical loads 1
23. Traffic (pedestrian flow) 1
24. Site analysis 1
25. Parking requirements 1

Civil Analysis/Calculations

1. Structural analysis (concrete, steel, wood) 30
2. Concrete design (foundation, walls, footing) 27
3. Simple structural beams and columns 23
4. Pavement capacity (analysis/design, flexible/rigid, sidewalks) 18
5. Steel design (connections) 9
6. Cost estimating 9
7. Pipe flow (open channels, fluid, pressure, pipe loss, velocity, headloss) 8
8. Rainfall/stormwater run-off (drainage) 8
9. Floor and roof load Analysis (loadbearing) 7
10. Wind load analysis 7
11. Soil capacity analysis (shear/compression) 6
12. Simple structural calculations (rafter, truss) 5
13. Wood design 4
14. Snow loads 4
15. Quantity take-off 4
16. Concrete/ steel codechecks 3
17. Sewer design 2
18. Fire code 1
19. Mechanical 1
20. Electrical 1
21. Grading/ earthwork calculations 1
22. Earth pressure on underground structures 1
23. Traffic load and frequency 1
24. Lifecycle 1
25. Energy 1
26. Feasibility 1
27. Engineering Economics 1

Electrical Analysis/Calculations

1. Load calculations (circuit, maximum KVA, power) 27
2. Lighting (levels, loads, alignment) 26
3. Wire/conductor sizing 16
4. Short circuit analysis/fault current/
switch load analysis 11
5. Motor/generator sizing 11
6. Voltage drops 9
7. National Electric Code checks 5
8. Power consumption (utility charge 5
9. Transformer balancing 4
10. Equipment sizing 4
11. Panel sizing 4
12. Cost Estimating 3
13. Transformer sizing 3
14. Current balancing 2
15. Fire alarm 2
16. Circuit breaker/ fuse sizing 2
17. Panel balancing 2
18. Capacitor sizing 1

Mechanical Analysis/Calculations

1. Heating, ventilating, and air conditioning (HVAC) load estimating 44
2. HVAC duct sizing and design (cfm, static pressure, velocity, friction loss) 26
3. Pipe sizing (plumbing, head, flowrate, pressure drop) 24
4. HVAC equipment selection 14
5. Cost estimating (analysis) 8
6. Energy conservation (u factor, infiltration, heat loss heat transfer) 8
7. Pump sizing 6
8. Energy consumption 6
9. Control system design 5
10. Fan sizing 3*
11. Coil selection (hot water, cold water) 3
12. Sprinkler system analysis 3
13. Life cycle cost analysis 2
14. Boiler sizing 2
15. Psychometric 2
16. Steam/hot water converter sizing 2
17. Ventilation 2
18. Humidification/dehumidification 2
19. Heat exchanger 1
20. Water vapor 1
21. Space utilization 1
22. Floor loads 1
23. Valve sizing 1
24. Water demand 1
25. Refrigerant line sizing 1
26. Thrust blocks for sewer lines 1
27. Domestic hot water sizing 1
28. Chiller sizing 1
29. Heat pump 1
30. Utilities 1
31. Fire suppression systems 1
32. Chemical compatibility 1

Appendix E: Hardware and Software in
Use at Base Technical Design Sections

We have a Textronix computer and CalComp plotter which produce drawings of previous inputs. In our application, a CAD is unrealistic because most of our projects are minor renovations to electrical configurations based on computer equipment relocations and installations. Minor halon reconfiguration may be required if area dimensions change. Used by draftsmen, not engineers.

We have a Zenith Z-100, but we (the engineers in design) are not allowed to use it. It currently is being used by the programmers in the DEEV branch.

Drafting section at our base uses Macintosh PC for graphics. Very helpful.

We presently have a 2-D CAD monotone screen (circa 1980). This system is slow compared to today's 3-D CAD, but we have found many uses for it (ie. built-up roof plans, pavement plans, symbols of aircraft, graphs, charts, etc.).

Our section currently has two Zenith 150's and are awaiting the design software to reduce the tedious number crunching.

VersaCAD CAD/CAM and self-generated programs.

My own software and hardware: ALLWET (Corps of Engineers program for waterlines/ hardy cross model); STRESS (structural analysis program); IBM PC XT.

Wang VS 100 computer with in-house developed software.

CALCSTATIS from IBM.

I write my own programs for ductwork and piping design/analysis on an Apple II+.

Apple II.

Apple III.

Z-100 microcomputer.

Zenith 100 with AutoCAD software and a Hewlett Packard printer.

Lotus 1-2-3

HP 41 CV (personally owned), and a Zenith 100 which requires personal programming, with few commercial programs being compatible.

Wang VS 100 with control, word processing, data entry, report and 2020 spreadsheet. Wang PC with Multiplan spreadsheet, word processing. Zenith 171 with Supercalc 3 spreadsheet.

Zenith 100 with Z-Basic.

Lighting level and Panelboard layouts.

Zenith Z-100 to figure out "U" factor and heat load. Both programs are commercially available. Life cycle costs are also calculated.

Self written BASIC program on the Zenith 100 computer.

Carrier E 20-2 heatload analysis.

IBM PC with AutoCAD. IBM PC AT with in-house developed software. IBM 4341 with in-house developed software. AMDAHL 8081 with in-house developed software.

IBM PC with Primavera software and a CalComp series 25 plotter

Z-100 with ASHRAE load calculation software by Elite.

Z-100 with BASIC programming

Hand-held programmable calculator.

I will soon be receiving some 'home brewed' programs for lighting design and voltage drop from a former co-worker for the Zenith 100.

TRACE program. I have a Fortran code that I have written, but I don't have a Fortran compiler.

Zenith 100.

Televideo XL portable computer (IBM compatible) with 10 Megabyte Hard Disk with STAAD-III FEA program.

Z-100 PC with Lotus 1-2-3.

USAF Wang with PDC solar and Air Force construction pricing guide.

Z-DOS and MS-DOS operating systems with in-house developed programs.

Use FORTRAN and public domain software.

PAVER for personal computer.

I've tried asking for funds to go to a CAD orientation course, but the usual reply of non sufficient funds deterred me from going. I worked on the Z-100 using PeachText Database and PeachCalc. Also, I've noticed most of the Z-100's on base are under-utilized. I have applied for an on base training of Lotus 1-2-3, and database 2 so I can use it before going overseas.

I use existing computer programs learned by self help.

No formal training, but I program to aid with calculations on the Zenith 100 in design.

I course direct and teach the architectural design course using CADD at the US Air Force Academy. We use AutoCAD and Zenith Z-248 microcomputers with a 20 megabyte hard disk.

Appendix F: How Officers in the Design Section would
Use a Computer-Aided Design System

1. Alternative/detailed design analysis 54*
 2. Calculations 53
 3. Decrease drafting time 52
 4. Update as-built (better) 47
 5. Modify drawings quicker 43
 6. Cut and paste repetitive jobs (detail) 37
 7. Reduce design time (quality/direct usage) 31
 8. 3D 30
 9. Professional product (clean/standardized/QC) 30
 10. Cost estimate (local info) 26
 11. Specifications (standardized) 26
 12. Reduce errors 21
 13. Concept/schematic 16
 14. Better design 15
 15. CAD is not warranted for us 15
 16. Find conflicts in design 14
 17. Share info between designers 14
 18. Intelligent/accessible (optimization) database 12
 19. Reduce manning in drafting 10
 20. Material options/products/references 9
 21. Codes 6
 22. Project management 6
 23. Generic designs (standardized) 6
 24. Cross-reference drawings and specs 5
- *Number of Responses.

Selected Responses of how Designers would use a CAD System

Please don't confuse drafting production with computer-aided design. They are apples and oranges and require two entirely different hardware make-ups. A CAD system would greatly improve the potential for accuracy of as-built drawings. This factor alone would greatly reduce the amount of headaches associated with designing additions and other retro fit projects. The drawings could also be projected in 3-D which would cut down on the need of additional site visits. The system could be used to test the functional response of the design. If a door is proposed that won't be able to swing open because of obstruction, the CAD system could alert the designer of such problems.

I believe they would eliminate 90% of drafting workload. Drafting could be accomplished by engineers. This would eliminate duplication of work and be more accurate. Details could be maintained in a file and used as needed. Programs could be generated to select lighting and protection devices ensuring adequate and coordinated facilities. Companies that manufacture products could supply programs that would cross index their products with other similar ones. This would give better selection and more extensive product information.

A CAD would be a time-saver in developing and designing projects. In addition, it would help centralize a designers work in front of him, thus allowing more flexibility in relating specs with drawings, codes, peer input; and seeing results right away without delay for drafting or cut and pasting. I'd use a 3-D CAD amongst all engineers so that each discipline (civil, arch, elect, mech) can work on the same plan and thus be aware of changes or problems immediately.

Also, due to the inexperience of draftsmen entering this field, it becomes even more of a timesaver.

Hydraulic design of fire protection system can be done in CAD for AF facilities.

In the field of HVAC, Load estimating takes most of my time. A DOE.2.1 software is available in the market (using IBM PC XT or AT) which can save the government and the DOD a big amount of construction/ design dollars.

In the controls design, the new ETL and AFR 88 15 criteria of single zone, and multizone prototype schematics developed by AFIT are very Greek to the AE that I have worked with. It seems sometimes, and most of the time that we are using some-things with the AE is not really very familiar with.

Suggest we initiate educating the civilian AE of our new 88-15/ETL controls system design standards.

Stress sending our technicians to Sheppards control trouble shooting course.

CAD would help make up time shortages in at least two areas

- 1) There is a lack of understanding amongst many AF designers in the "how to" of construction. Too much time is spent looking at floor plans and not enough on sections and details. The CAD will give us 3-dimensional visualization for investigation without taking the time that building models takes
- 2) The CAD would reduce the time it takes to update a project in its final stages, leaving more time for initial investigation and development.

To begin let me explain the way things are now. An engineer must draw his design to the point that it can be traced by the draftsmen. They are poorly trained and cannot understand design concepts like exactly what needs to be shown in a building section. They have a hard time understanding or visualizing drawings and as a result are happy to sit and trace all day, everyday.

A properly trained engineer could "design" on the computer so that once he's spent as much time on the computer, as he usually does getting a design ready to be traced, he would have a product which could be drawn by a plotter and could be signed and sent to contracting.

One of the most difficult times I have is analyzing existing structures with point and other loads to see if enough extra capacity exists to properly support additional equipment and/or change room use.

Canned programs can run out design specifications in a short while and would be more accurate than cut and paste of a similar project. A major problem at X AFB is lack of Engineering expertise. When I graduated from college and came to X AFB, I was the most experienced Civil Engineer. If I want to check calculations or talk over strategy I have to talk to myself. The Air Force has a very poor Engineering program which they could improve by encouraging engineers to become professional engineers (PE) and by hiring PE's.

All as-builts should be computer filed and updated with CAD/CAM system. Design software in all areas of expertise should be purchased. Every engineer should have a smart terminal and have recurring training at AFIT to remain current. Similarly, project management and cost estimating software should be used. This idea is resisted through the influence of entrenched supervisors who studied with slide rules and empirical data. Modems should be included for inter-base technical correspondence and reporting with majcom.

CADD works efficiently and cost effectively only with highly repetitive work such as electrical engineering sheets and basic details, symbols. 3-D is primarily a "toy" with not much real-time productivity achieved (nice to have).

Each individual base probably doesn't use CADD "enough" to pay for its own system. However sharing the database might work. Share from AFRCE mainframe to base workstations via telephone lines. and sharing database.

A potential system could be the one I had knowledge of during EWI (from training report).

I also continued observing the CADD testing in the MIS division. DMJM's philosophy was to test the vendor's equipment with their own management/operational procedures to determine the best product. The system that best met their needs was PRIME's Medusa System.

A brief summary of PRIME's features that come with the standard package includes:

- (1) 32 Bit Architecture
- (2) Local and remote networking
- (3) Multi-functional
- (4) Various languages compatible (i.e., Fortran, Cobol, Basic, Pascal, etc.)
- (5) Electronic mail
- (6) Word processing
- (7) 2-D graphics
- (8) User friendly menu
- (9) Third party software integration
- (10) Business graphics
- (11) Office's worldwide for customer support
- (12) Large data base

Highlighting some of these features:

A 32-bit microprocessor enables quick compilation of the data input. Most CAD systems still have 16-bit processors. Since users buy CAD for time-saving, money-saving abilities, it's extremely beneficial to have that two fold quickness. Immediate saving would be noted if the data was sent over communication lines to a remote site (less time), less network phone bill

This workstation has stand-alone capabilities with a large data base. Many users, each with their own station, locally or across country, could have access to the mainframe at the same time or work independently without the mainframe.

The workstation is comfortable and the equipment is set up for operational concerns. Eyestrain and human fatigue should be minimal with this system. The menu itself is user-friendly and training should be accomplished quickly.

Finally, PRIME has made a commitment, and is established firmly to support the CADD system on a worldwide basis. Many systems are bought by customers and then left to their own devices.

I suppose I would put more emphasis on computer-aided drafting systems than anything else. The unreliability of our "as-built" drawings is a major problem. This is not to say that our draftsmen are committing errors. Drawings which may have been created accurately become unreliable if there is no formal mechanism for updating them as the system changes. On some bases, updating drawings is not part of the "loop" for job orders/ work orders. It is felt that this task is beyond the capabilities of the existing drafting workforce. In many cases, this is indeed true. Detail Drawing of modifications are simply filed with the original system drawings, but not incorporated into the originals to create a total, up-to-date as-built. I hope that a computer aided drafting system would give us the ability to get and keep our house in order.

As for computer aided design, many of our electrical designs involve step-by-step procedures with numerous decision branches and many calculations. These design procedures are very adaptable to "number crunching" computer programs. I would use these types of programs extensively. They would be great time-savers, creating more time for pure thought processes, brainstorming, evaluation of more alternatives, etc. They would promote more thorough evaluations of more alternatives, resulting in greater safety, more economy, better design documentation, and a better overall system design.

(System) would provide opportunity to explore/consider design alternatives to make better design decisions. CAD could provide hard copy products of design options in a short period of time. These products could be used to brief supervisors and senior base officers on new ideas for enhancing overall base appearance and efficiency. Accuracy of drafting would dramatically increase. Modifications to designs in final drafting stages would be thorough. All cross referencing would be consistent. Probably most importantly, as-builts would be able to be placed on computer record and updates to as-builts would be 100% accurate and timely, thus enhancing their reliability in design/conceptual stages.

First of all, computer-aided design and drafting system produces fast and accurate products (drawings). The designs and drawings are consistent. Revisions of drawings could be done quickly and easily. In my office, there are more engineers and architects than drafting personnel. With increasing workloads and personnel turn-over, the drafting section on many occasions can not keep up. A computer-aided design and drafting system, in my opinion, certainly will alleviate this problem. Drafting personnel could produce drawings faster and engineers and architects could also help out by drafting and designing with the computer.

Come on, lets get with it. Private industry have been using computers for designs and drafting, for years. The Air Force had better use modern day technology, or else we'll be left behind in the dark ages.

We spend billions of dollars on weapons systems, but we couldn't even spend five to seven thousand dollars on a CAD system. All I could say is that pilot(s) might fly an expensive F-15, F-16, F-111 or whatever. But he will have to come back to live in a lousy MFH unit, or to work in an out-dated office building.

X CES has a CAD system. but only draftsmen use it. Engineers still sketch by hand. Also, most engineers in X CES do not use (by choice) the limited computer resources available to them. Giving more access by placing micros's on each engineer's desk and then making the people learn how to use them would help temendously.

I feel that CAD is the way of the future. Many AE firms are already using it and we (Air Force) should stay current with today's technology. I think production and quality would be improved, SIGNIFICANTLY! I would be very interested, as a designer. of learning CAD systems to that it could be applied to the Technical Design Section. I think this could be done through a 4 to 6 week course offered through the School of Civil Engineering, AFIT.

I have had NO training in computer-aided design or drafting I have read many articles about it, many of these articles pertaining to what the Army COE and also the Navy (NAVFAC) are doing in this area. It shows great potential! I think the Air Force should implement this program as soon as possible.

Technical Design Sections are fairly standard, thus it would provide an easily accessible catalog of sections to choose from and modify for each project. This would save time researching architectural standards books and other construction drawings. In addition, it would save time and materials in reproducing these drawings accurately.

Develop a master data base for record drawings, which would keep only the most current revisions and as-builts. Start with just floor plans and roof plans; that alone would be a great help, and may be enough in itself to sustain a small office. Engineers needing mechanical drawings could overlay on the plans, and be assured of currency and accuracy. A larger office would need, and be equipped to develop, a complete set of record drawings on disk for each facility. Also, overlays would be greatly simplified--there are always request to put, say, the water mains map over the electrical.

The engineer would be able to "draw" concepts directly into the computer rather than doing sketches on scraps of paper and relying on the draftsman to interpret the sketch. Also, the design would be able to change the design easily. The entire design could be done on the computer prior to being put down on paper eliminating much redrafting that tends to be done.

We could speed the design process. Better designs more efficiency and less errors. More visualization of total designs rather than just parts. Easier update of as-builts. Update as-builts so everything is exact and less time spent on change orders because of improper information on existing conditions. Besides this is what the world is coming to. The computer age is here and it's time the AF caught up. LET'S GO TO CAD SYSTEMS NOW. Everyone will benefit, especially the government and most importantly the budget!

A CAD/CAM type program would cut the amount of drafting, project layouts, and overall project time in half. Most of the design/project time is spent on reorganizing material (drawings, and specifications) from previous projects. Thus previous work could be readily available for this reorganization if stored properly in a CAD system program.

Many times design projects are held up due to lack of drafting support. In addition, time is usually spent proofing the "finished" drawings. CAD would be a step in the right direction in reducing back-ups due to drafting and checking drawings.

Word processing, cut and paste could easily be improved by having easy access to a computer with word processing capabilities. (Cut and paste is a valid/useful procedure, why re-invent the wheel?)

Simply provide us with more Zenith 100's (or equal, ha ha). We only have one available and its not even in our section. We are pretty bright people, if you provide the machines we will figure good ways to use them. A library system of programs that people come up with would be very helpful.

The engineer would not have to convey his ideas to drafting; therefore, his idea would not be lost. As an engineer I think we would get a better project/product with the engineer using CAD. You would also cut lag time in waiting for someone else to draft it.

As an ex-site developer, this would allow more time to verify as-builts for the engineer and the engineer's could review as-builts easier.

Improve drafting time-I wouldn't need to translate my ideas to a draftsman, I would just do it myself.

See different perspectives-drawings can be rotated with CAD, thus giving you a better view of the subject.

Bill-of-materials would be automatically printed, so better cost estimating.

Data base for costs would provide excellent reference.

Modifications to a design could be quicker and cheaper (not necessary to print hard copy before making modification to project under design).

More time could be spent on producing a more economical design so that change orders are not necessary. More time would be saved by CAD and specifications available to the engineer on a word processor.

Have more time to make a more detailed initial site investigation, solving a lot of problems that usually will come up at construction.

A CAD system will automate our efforts, reduce file space and improve the overall quality of our as-builts. Currently our as-builts are so unreliable that it is starting to greatly affect our design time. CAD again will automate this problem and give everyone who requires design/drawing changes the ability to make those changes on the spot and not wait until drafting has the time!

With a 3D view, various systems (ie. electrical, mechanical, structural) can all be aligned, revised as necessary to accomodate the others. Changing designs would be quick and a visible product (crt) could be viewed before the hardcopy is produced. If the Air Force is going to keep in line with current engineering proctices computer aided design is necessary to accomplish this We currently operate 5 years behind industry for similar types of work.

Would free engineers to concentrate on learning new concepts and coming up with new ideas, instead of getting bogged down in number crunching.

Would decrease turn around time in drafting.

Would cut down on "swagging" designs.

Increase production of working drawings.

Standardize some designs for common elements (eg. handicapped bathroom stalls, seismic provisions for control/expansion joints, etc.) and avoid "re-inventing" the wheel for each design.

Allow designers to spend more time in analysis and also refining specifications.

Results will be quality design with more alternatives considered and more stable/exacting specifications.

End result is satisfied client and fewer contract modifications.

System could contain a data base that includes a selection of products and materials in response to a situation input by the user. User then makes a selection based on maintenance and reliability factors (or other appropriate criteria).

Most designs involve some basic calculations. Most steps are repetitious; therefore, leading to computer programs. Also, single line drafting is very ineffective in most instances and CAD systems are very useful here. CAD systems are great for common details and tables for drawings.

Allows more expedient and uniform accomplishment of iterative processes and production, ie., details, use of symbols. Provides a standard format and appearance for contract documents. Allows for improved storage and retrieval of as-builts. Allows for ease of corrections, especially as-builts. Lends itself to presentation, especially 3D graphics. The transfer of information from schematic design to design development to contract documents is reduced; this allows more time to manage (that's the bottom line).

The greatest need is a computer based drafting service. All of our buildings have been repaired and altered so many times that the drawings are very out of date. The advent of self-help creates a situation where floor plans and office usage are in a constant state of flux. The current as-built drawings are unorganized and in very bad shape. The quality of drafting is poor due to our whole military section being Airmen with less than 1 year experience. A computer based planning system that cross referenced all affected functions would be helpful. Often time a project is started and the enormous research effort is required in order to assure other projects are not interfering takes 50% of your time.

A computer-aided design system would aid me in laying out different designs. If I could draw-up several different ideas on a computer, I could possibly present better solutions to design problems. With draftsmen, I spend several hours waiting for my drawings. I can't afford to waste additional time working on different design concepts. A CADD system would allow me the freedom to use different design alternatives. It could possibly allow me to get my design finished sooner since I would not have to wait for draftsmen to draw-up the ideas.

Productivity could be improved by making on-the-spot corrections without having to wait days or weeks for a draftsman to get to it. A lot of renovation is done and copies of existing floor plans and "checked" as-builts could be used. Quality would depend on the engineer, but the engineer would have more time to spend researching his work, if CAD systems can put more information at the designers fingertips and cut down on drafting time.

I feel we can eliminate/reduce 50% of our contract modifications (change orders) and utility cuts that are the result of not knowing what and where base utilities are on a project.

Building modifications can be designed faster and more accurately since we could use the original building layout as the basis of the design.

After learning to use the system, the engineers could save time. CAD for facilities engineers are great if: senior engineers take time to learn to use them, accurate "as-builts" are loaded into the system first, engineers and draftsmen use the same symbols and abbreviations on a consistent basis.

In my ten years as an Engineering officer, I have spent almost an equal amount of time in both design and construction. Many of the change orders encountered during construction are a direct result of errors in the construction plans (basic error in dimensions and sizing, errors in lack of adequate space for HVAC equipment and ductwork, electrical equipment and even structural members). This could be substantially reduced by a CAD system which could automatically check spatial relationships and coordinate locations of structural, mechanical and electrical systems.

Standardized details would simplify discrepancies between offices, as well as save dollars and time for production. Drafting quality would improve dramatically and resolve many of the proof reading errors commonly found on drawings drafted by inexperienced personnel.

With shortage of time, and lack of model development, a computer modeling system would enable designers to visualize 3D structure and massing relative to other facilities and vernacular.

I've used the MacIntosh system, it reduced design time in every circumstance. Also seen a CAD/CAM system. Fantastic. We would be quantum leaps ahead of where we are now. With that type of system, we could tie together all the engineers, draftsmen, cost estimating, etc. I am highly in favor of it!

Productivity and quality could be improved by permitting more alternate designs to be tested/reviewed. Time doesn't permit the development of alternatives or checking of design calculations. The design review process is usually cursory if done at all.

As an IG inspector now, I have found those bases with good review processes have lower "modification rates due to design errors". Most design sections have too few "experienced" engineers. The combination of filling the design section with young, inexperienced military and the large number of projects assigned to each engineer is proving fatal. Computers could greatly speed up calculations for experienced engineers and permit a better review of young engineer's work.

Since so much of AF work is spent on existing structures. CAD is extremely difficult since the initial database must be set up. CAD for calculations (ie. structural, mechanical, electrical) would be extremely helpful and time saving. Also. project management PC tools would also be extremely beneficial.

Once an "existing" database was set up through CAD for design, drafting would also be an efficient timesaving tool. The point to consider is the downtime to account for an engineers learning curve on the PC.

Initially, the best use for CADD would be in the record drawings section. They are charged with maintaining and updating all drawings. If these drawings were CADD based. it would allow engineers to cross reference drawings from separate projects to avoid replacing items that were recently replaced, designing a project based on drawings that are not up to-date and allow each discipline to overlay their drawings on a given project in an attempt to eliminate inconsistencies. In the design section, CADD for drafting may be more of a luxury, but design programs are a necessity.

Allow designer to see his design in a shorter amount of time, instead of waiting for drafting. Corrections can also be done ASAP. If a printer/plotter is available. a hard copy can be seen quicker than waiting for printing backlog in drafting. Better filing system could be used. easy access of all designs to all engineers. All engineers are not familiar with the way drawings and specs are currently filed. Almost always require a draftsman to look up drawings.

I would be able to update and/or change drawings without having to use the drafting section.

Initially there would be NO advantage (learning curve and turn-over).

Greatest advantage is the re-use of repetitive details (design), real-time calculations and cost estimates.

Make updating as-builts something the facility managers could do, as well as design section.

It would improve production and quality of designs greatly; however, keep in mind that draftsmen and engineers will need a minimum of 6 months to become literate on any CADD system and the nature of the military, what with PCS's, etc...may preclude using CADD systems Air Force wide.

Probably won't use: no time for training, do mostly management, very little design time in my future.

If all facilities were on computer, they could be easily updated and more reliance could be placed in as-built information. Confidence in this information would reduce cross-referencing time and would accelerate design time. My biggest headache is determining what is existing.

Could do my own drafting in an efficient manner. On the average, I think I'd get better support from a CAD system than from a draftsman/site developer.

I believe that design work could be accomplished much faster and easier with computer based specs, tech data and the possibility of storage through a CADD system. Our drafting system is a joke. Our engineers use the most outdated methods to design and estimate.

CAD is good for new construction and floor layouts. A lot of our work is maintenance and repair and individual details must be drawn. CAD would be very effective for new designs, elevations, etc. CAD is the wave of the future and is needed to keep AF CE in tune and competitive with private sector.

Neat, error free drawings would be great! I would like to try it out at AFIT and see if it is worthwhile to get here.

Cut manning requirements in the drafting section.
Save time on repetitious drawings.
Lessen dependency on AE firms.
Give engineers a new qualification.
Standardize base/AF/military design.

I think it would cut down drafting time greatly; therefore, more work can be completed faster. This is a must because of the large amount of back logged projects.

I feel that it would be a definite aid for developing the HVAC system. It would give us the same advantage that most AE firms have. We should be able to do more projects rather than contracting to AE's

We must keep up with technology. CAD is the way of the future. It would allow an engineer without a drafting background to produce his drawings.

My experince with computer aided design work is with AE design work. Product is only as good and as reliable as the design engineer.

Especially in the military and on a base. computers should be used extensively in design and could save so much time and effort, the problem is training (or teaching old dogs' new tricks) management to see it this way. Specifications and details could be stored easily as well as many other management items, etc.

Ease of calculations, for historical and future use, quick turnaround of reviews, save time and money (can design more projects), WAY TO GO!

Air Force engineers should be kept current with the latest computer technology.

A CADD system is a highly effective and efficient means of accomplishing a vast spectrum of design requirements if used properly. However, many of our engineers are of the "OLD SCHOOL" philosophy (ie. cut and paste people) and it may take a while to convince them of the positive aspects of CADD systems. I don't know if you can say that adopting a CADD system will make "draftsmen" obsolete, for you need both to work together and that's how I would use this type of system.

Tremendous benefit!

CAD is greatly needed! The base is overloaded with design after being on a closure list for 3 years. This would save time and overtime pay and hours for engineers and draftsmen.

Excellent tool! Would love to learn! It's essential to deep abreast with industry.

In non-engineering design sections, (ie planning), this system would allow more accurate drawing preparation and layout. Shops would have a more accurate set of drawings and could interface better with each other (ie electrical, steam, structural).

The CADD would be a definite asset to our office. Proper training of individuals to insure proper utilization would be a must. This system could be loaded to assist real property, technical design and drafting in researching and completing design.

Would be most helpful for the production and maintenance of drawings. I see little benefit for the designer unless he is trained to take advantage of three dimensional representations.

CADD has the potential to enhance the quality of design work. However, I feel the objective and purpose of CADD needs to be clearly defined or the productivity of the Technical Design Section could decrease.

Appendix G: Selected Responses of
Previous Computer Training

I have worked with and/or written several number crunching type interactive computer aided design programs. These programs involve short circuit studies, lighting design, and branch circuit design.

Two courses in college dealing with CAD

On computer-aided design, I have worked with BLAST, DOE-2, E20-2, TRANSYS, F-Chart, CALPAS 3, and other thermal energy programs regularly since 1980. I have used STRUDL for structural steel analysis, and numerous spreadsheet programs for balance sheet calculations. I have written/co-authored 3 software programs for energy analysis. I have also performed lighting design and analysis by computer aided design and performed statistical analysis with SAS, MINITAB, BMDP, and SPSS. Micro, Mini, and Mainframe computers were used for this analysis.

I have a lot of experience in computer modeling and graphics using mainframe computers.

Basic and Fortran.

All of my civil engineering courses my last 2 years in college used computers to solve design problems. Not all of these would be used enough in facilities engineering to be useful, but I think it would be prudent to accomplish the following using computers: truss analysis, column and beam design, pipe network analysis and cost estimating.

I have used several commercially available programs to aid in calculations.

Personal research on CAD systems. I would like to have my own IBM PC compatible system for business and analysis at work. Demonstrations and experimenting and observing AE firm's CAD systems.

4 computer classes and 2 CAD/CAM classes in college.

A few orientation/ sales type seminars.

CAD demonstration by vendor.

I have seen demonstrations of most major CADD vendors (IBM, Intergraph, Computervision, Synercom, AutoDesk, etc). I have briefly used Intergraph and AutoCAD. I've also seen demos of scanning and digitizing using WANG PC, and Datacopy scanner on IBM PC.

I've used design programs extensively in college on Digital VAX, Texas Instruments, and Apple computers. I have no experience with drafting systems.

I have taken a CAD seminar course from Iowa State University in which we worked on a CAD system.

I worked for 13 months with IBM/RTP in Raleigh, NC in the Facilities Engineering Department. All design work was done on IBM CADAM. My senior design project in mechanical engineering at North Carolina State University was completely designed and drawn on CAD.

Education at many architectural schools requires participation in CAD classes. I worked with CAD and solid modeling systems capable of providing basic engineering analysis.

college course work

I have used AutoCAD, STRESS, and ALLWET which are IBM XT based programs.

Literature and observation of demonstrations only.

No CAD, but I am knowledgeable of computer languages and logic.

I worked my summer internships at the Veteran's Administration Central Office in Washington, DC.

I have seen some CAD demonstrations - ON MY OWN TIME!

I have seen some demonstrations of Hewlett Packard CAD packages.

Introductory orientation of CAD at an American Society of Engineering Management meeting

Trade show presentations of CAD packages.

During my masters program, at the University of Texas, I used the universities design programs. I have also visited the Texas Highway Dept, which has a complete CADD system.

3 week short course at California Polytechnical Institute

I took a computer aided design and graphics course at the University of Connecticut for my Bachelors Degree. I worked with fluid Dynamics programs for my masters degree.

BASIC language course, and familiarization with CAD on a TERAk system.

Extensive college exposure.

SPICE/IGSPICE at the University of South Florida in Tampa.

CAD training during my studies for my BS in Civil Engineering

The only training I had was FORTRAN and a little programming in other college courses for design.

Seminars and computer hobby.

I used CAD a little while I was in Education with Industry Program.

1 graduate level course on CAD.

Clemson University (80-84) and Lifecycle engineering (84).

I have observed several demonstrations and used small computers to accomplish some energy calculations and design analysis in school.

While I was a senior in college, I took a 5 hour course which taught the use of software for performing foundation, beam, column, and geotechnical design.

Two college courses used Hewlett Packard plotters. I worked extensively (1-2 years) using and red line correcting CAD generated floor plans and working drawings for mobile homes.

I have had some experience with structural truss and frame building analysis on micro, mini, and mainframe computers.

I taught CAD in school and worked with Skidmore Owings and Merrill in Denver.

I have taken a CAD course and a course on using computers for solving and optimizing engineering problems.

I used computers as an undergraduate. They were time consuming, cumbersome, and the hardware was not dependable.

University of South Carolina School of Engineering.

IBM-Boeing Aircraft Company System/University of Idaho.

I have very little training in computer aided design, except for the computer programming required during my undergraduate schooling.

Air Force Academy: foundation design, concrete design, steel design, structural analysis, dynamic design.

Louisiana State University.

I've had a personal demonstration (1.25 hours) from a friend who works in a local Architectural firm. I think more Education with Industry (perhaps 3 months) would help officers be better designers.

I took a CAD class in graduate school.

I used computers extensively while obtaining my degree in Electrical Engineering. I've written several computer design programs in FORTRAN and PASCAL.

I have had several hours of college classes using both AHMADL mainframe and the Prime 2250 micro-computer, as well as several other personal computers and a Hewlett-Packard Drafting system.

CAD classes in college including interactive graphics load calculation on a personal computer.

College-One year course on a CAD system. Excellent course that gave great experience in it's use.

None on drafting, but I have college experience in design aid programs: pipeflow, highway design, structural analysis, etc.

1) One full semester of CADD at my university. This was not an "AutoCAD" but programs developed by faculty and students. Input modes by keyboard and digitizer allowed us to run floor plans, perspectives, object relocation, etc.

2) Reviewed Wang industries AutoCAD capabilities during a one day Wangfair.

2 courses in Mechanical Engineering design (out of 3 total design courses) which used CAD/CAM mainframe with digitizer and printer/plotter. Very effective in expediting design work and very easy to use!

In college, I used a CAD/CAM system. The projects were small because of lack of software available in the early 80's. I took a class in CAD/CAM and have taken other computer classes (FORTRAN 4 and M-77, BASIC, and some PASCAL).

1) College coursework. 2) Work at the Navy (Public Works) as a civilian Civil Engineering technician.

1) Structural aided design for the design of large beam and girder members (ie. strudl). 2) CAD-CAM/ Computer aided drafting and design using 3-D imagery and architectural menu selection for building layouts.

In school, Electrical Engineering requires a lot of numerical simulations, unfortunately, this is not the kind of stuff we usually use.

Courses in college: 1) Optimization simulation,
2) Fortran, 3) Computer Architecture, 4) Machine Language,
5) Assembly Language.

I had an eighteen week course with a 3 hour CAD lab in my last semester of college

I worked for 2 years with Boeing Aircraft Company as a structural analyst. We had state of the art computer equipment and the results speak for themselves- a highly successful corporation that makes a rather nice profit.

I have taken 2 classes on CAD in college about three years ago. With the advent of the personal computers, micro-computer and better computer software, mastering of computer-aided systems should only take weeks or even days.

I've used the MacIntosh system, it reduced design time in every circumstance. I have also seen a CAD/CAM system. Fantastic, we would be quantum leaps ahead of where we are now. With that type of system we could tie together all the engineers, draftsmen, cost estimating, etc. I am highly in favor of it.

I used a computer a CAD/CAM terminal extensively for two years in college and have not even had access to a computer since I've worked as a designer. All my training has been wasted because I have no equipment to use.

Appendix H: Analysis of Variance (ANOVA) Analyses

Mean Level of Question by Current Designers by Specialty

Question	Arch(a)	Civil(c)	Combined	Difference
13	-----	1.629	1.705	
14	-----	2.941*	3.000*	
15	3.667*	3.629*	3.549*	
16	3.100*	3.441*	3.134*	
17	2.300	2.371	2.195	
18	2.933*	3.086*	3.018*	
19	3.310*	3.114*	3.179*	
20	2.500	2.857*	2.620	
21	2.600	2.858*	2.646	
22	3.100*	2.912*	2.991*	
23	3.500*	2.629	2.903*	ac
24	1.700	1.314	1.345	
25	3.300*	2.800*	2.690	
26	0.400	0.571	0.407	
27	3.300*	3.400*	3.389*	----- population not large enough.
28	2.033	1.314	1.487	* significant at the .05 level.
29	-----	1.943	1.919	

Question	Arch(a)	Civil(c)	Combined	Difference
30	-----	2.629	2.607	
31	-----	2.686	2.652	
32	2.200	1.286	1.416	ac
33	2.800	1.486	1.796	ac
34	1.000	1.914	1.558	ac
35	2.967*	2.676	2.580	
36	0.600	0.971	0.779	
37	3.400*	3.171*	3.301*	
38	2.759	2.412	2.514	
39	2.400	2.314	2.292	
40	2.000	2.400	2.434	
41	1.167	1.714	1.628	
42	0.833	0.629	0.832	
43	2.100	2.171	2.195	
44	2.035	2.030	2.268	
45	2.300	1.676	1.920	
46	2.133	2.171	2.221	* significant at the .05 level.
47	1.000	1.400	1.301	

Mean Level of Question by Specialty

Question	Arch(a)	Civil(c)	Elec(e)	Mech(m)	Difference
13	1.936	1.556	1.854	1.750	
14	2.781*	2.914*	3.277*	3.383*	am,cm
15	3.446*	3.403*	3.277*	3.367*	
16	3.622*	3.136*	2.938*	2.741	
17	2.262	2.344	2.213	2.203	
18	2.846*	2.992*	3.021*	2.931*	
19	3.438*	2.916*	3.188*	3.050*	ca
20	2.615	2.525	2.326	2.517	
21	2.797	2.622	2.592	2.517	
22	3.047*	2.832*	3.000*	3.017*	
23	3.328*	2.740*	2.041	2.950*	ec,em,ea,ca
24	1.708	1.350	1.204	1.383	
25	3.215*	2.555	1.837	2.817*	ec,em,ea,ca
26	0.415	0.383	0.265	0.200	
27	3.185*	3.412*	3.306*	3.617*	
28	1.969	1.555	1.469	1.450	* significant at the .05 level.
29	1.688	2.160	2.312	2.217	

Question	Arch(a)	Civil(c)	Elec(e)	Mech(m)	Difference
30	2.609	2.529	2.625	2.617	
31	2.719	2.602	2.612	2.633	
32	2.215	1.275	1.204	1.083	ma, ea, ca
33	2.292	1.550	1.306	1.233	ma, ea, ca
34	1.234	2.008	1.653	1.850	am, ac
35	2.800*	2.761*	2.531	2.567	
36	0.831	1.033	0.878	0.750	
37	3.292*	3.042*	3.122*	3.183*	
38	2.703	2.427	2.204	2.467	
39	2.400	2.254	2.245	2.083	
40	2.172	2.425	2.776	2.867	ae, am
41	1.453	1.856	1.898	2.117	am
42	0.754	0.792	1.143	0.983	
43	2.200	2.117	2.271	2.068	
44	2.092	2.076	2.854*	2.017	me, ce, ae
45	2.255	1.941	1.688	1.767	
46	2.200	2.050	2.250	2.102	* significant at the .05 level.
47	1.308	1.353	1.479	1.083	

Mean Level of Question by Current Designers
by Time as a Designer

Question	6m-1y	1y-2y	Combined	Difference
13	1.742	1.647	1.703	
14	2.968*	3.176*	3.000*	
15	3.546*	3.559*	3.549*	
16	3.182*	3.152*	3.134*	
17	1.848	2.500	2.195	
18	3.219*	3.000*	3.018*	
19	3.030*	3.235*	3.179*	
20	2.485	2.882*	2.620	
21	2.394	2.882*	2.646	
22	3.152*	2.879*	2.991*	
23	3.091*	2.706	2.903*	ac
24	1.182	1.265	1.345	
25	2.970*	2.471	2.690	
26	0.575	0.235	0.407	
27	3.212*	3.411*	3.339*	
28	1.576	1.206	1.407	* significant at the .05 level.
29	2.091	1.912	1.920	

Question	6m-1y	1y-2y	Combined	Difference
30	2.667	2.471	2.607	
31	2.333	2.765	2.652	
32	1.455	1.471	1.416	ac
33	2.121	1.559	1.796	ac
34	1.667	1.441	1.558	ac
35	2.727	2.618	2.580	
36	0.727	0.706	0.779	
37	3.273*	3.235*	3.501*	
38	2.219	2.265	2.514	
39	2.182	2.206	2.292	
40	2.030	2.794	2.434	
41	1.667	1.647	1.628	
42	0.576	1.116	0.832	
43	2.030	2.206	2.195	
44	1.818	2.333	2.268	
45	1.738	1.939	1.920	
46	2.152	2.412	2.221	* significant at the .05 level.
47	1.030	1.735	1.501	

Mean Level of Question by Time as a Designer

Question	6m-1y	1y-2y	2y-3y	3y-4y	Difference
13	1.577	1.726	1.754	1.875	
14	3.038*	2.964*	3.015*	3.292*	
15	3.462*	3.306*	3.369*	3.396*	
16	3.062*	3.120*	2.922*	2.979*	
17	2.062	2.381	2.185	2.417	
18	3.050*	2.941*	2.877*	2.787*	
19	2.864*	3.047*	3.172*	3.458*	
20	2.402	2.518	2.308	2.735	
21	2.518	2.679	2.585	2.694	
22	3.085*	2.892*	2.984*	2.755	
23	2.802*	2.833*	2.876*	2.816*	
24	1.317	1.353	1.523	1.531	
25	2.728	2.659	2.662	2.470	
26	0.366	0.235	0.354	0.388	
27	3.407*	3.459*	3.292*	3.429*	
28	1.617	1.541	1.754	1.796	* significant at the .05 level.
29	2.284	2.107	2.141	1.755	

Question	6m-1y	1y-2y	2y-3y	3y-4y	Difference
30	2.667	2.488	2.672	2.429	
31	2.550	2.659	2.750	2.694	
32	1.390	1.694	1.354	1.347	
33	1.878	1.659	1.585	1.367	
34	1.815	1.619	1.646	1.776	
35	2.862*	2.588	2.769*	2.532	
36	0.793	0.835	0.969	0.857	
37	3.275*	3.047*	3.000*	3.271*	
38	2.325	2.369	2.375	3.082*	
39	2.135	2.214	2.339	2.286	
40	2.427	2.583	2.585	2.531	
41	1.914	1.795	1.846	1.714	
42	0.829	0.977	0.892	0.796	
43	2.099	2.059	2.188	2.102	
44	2.173	2.238	2.125	2.102	
45	1.778	2.083	1.923	2.083	
46	2.138	2.282	1.906	2.020	* significant at the .05 level.
47	1.175	1.377	1.339	1.224	

Mean Level of Question by Last Time as a Designer

Question	design	< 6m	1y-2y	Difference
13	1.705	1.708	1.600	
14	3.000*	3.062*	3.067*	
15	3.549*	3.333*	3.267*	
16	3.134*	3.042*	2.800	
17	2.195	2.292	1.867	
18	3.018*	2.875*	2.800	
19	3.179*	3.085*	2.900*	
20	2.623	2.480	2.333	
21	2.646	2.708	2.467	
22	2.991*	3.042*	2.793	
23	2.904*	2.917*	2.455	
24	1.360	1.583	1.267	
25	2.693	2.771	2.400	
26	0.407	0.271	0.200	
27	3.368*	3.333*	3.333*	
28	1.500	1.875	1.467	* significant at the .05 level.
29	1.929	2.085	2.000	

Question	design	< 6m	1y-2y	Difference
30	2.611	2.532	2.700	
31	2.655	2.938*	2.633	
32	1.412	1.833	1.400	
33	1.790	1.812	1.433	
34	1.570	1.812	2.000	
35	2.584*	2.750*	2.800*	
36	0.781	0.750	0.800	
37	3.298*	3.312*	3.267*	
38	2.519	2.625	2.276	
39	2.281	2.583	2.034	
40	2.430	2.417	2.500	
41	1.632	1.917	1.862	
42	0.832	1.000	0.867	
43	2.202	2.292	1.933	
44	2.274	2.375	1.967	
45	1.920	1.745	2.167	
46	2.223	2.512	1.933	* significant at the .05 level.
47	1.301	1.167	1.067	

Appendix I: Analysis of Variance (ANOVA)*

The analysis of variance (ANOVA) technique is a statistical process which is used to compare the means of populations with respect to one or more factors. The test is used to determine if one or more of the means is significantly different from the others when divided into groups by factor. (McKnight and Parker, 1983).

Similarly to the t-test, the ANOVA procedure establishes null and alternative hypotheses (Meek and Turner, 1983). For ANOVA the null hypothesis usually states that the means are all equal (Meek and Turner, 1983). This hypothesis is then tested at some significance level, usually .01 to .05, against the alternate hypothesis which says that at least one mean is significantly different from the others (McKnight and Parker, 1983). If the null hypothesis is rejected, the analyst can conclude that at least one of the means is different from the others. However, the reader should note that using a significance level of .01 to .05 means that there is some chance that there will be a Type I error (McKnight and Parker, 1983). A Type I error occurs if the null hypothesis is rejected when in fact it should not be (Meek and Turner, 1983).

The ANOVA technique may be used to evaluate the impact

of one or more independent variables (factors) on the dependent variable. The ANOVA subprogram in SPSS(X) package allows up to five simultaneous factors. In this research, however, the author was interested in only two (three) factors and their separate impacts on the means. As a result, the subprogram ONEWAY was used. ONEWAY is a standard ANOVA procedure which is run on only one factor. Hence, it was more appropriate than the ANOVA subprogram (Nie et al., 1975).

*This appendix is reprinted in its entire form from the masters thesis of 1Lt Mark A. Correll, 1984. All citations from the original appear at the end of the appendix.

Works Cited in Appendix I

McKnight Capt Richard D. and Capt Gregory P. Parker.
Development of an Organizational Effectiveness Model
for Base Level Civil Engineering Organizations. MS
thesis, LSSR 13-83. School of Systems and Logistics,
Air Force Institute of Technology (AU), Wright-
Patterson AFB OH, September 1983 (AD-A134 950)

Meek, Gary E. and Stephen T. Turner. Statistical Analysis
for Business Decisions (Second Edition). Boston:
Houghton Mifflin Co., 1983.

Nie et al. SPSS Statistical Package For the Social
Sciences. New York: McGraw-Hill, 1975.

Appendix J: Miscellaneous Survey Responses

Although I have not actively worked as a design engineer for 8 years. I have kept abreast of developments through self-study. I have long been an advocate of Cadd systems in the Air Force Civil Engineering community. The design fees we so freely pay to AE firms have financed hundreds of CADD systems in the private sector, yet we have none of our own.

The Air Force is 20 years behind the times. They still think Civil/Structural engineers are maintenance technicians.

Suggest we put emphasis in providing a CAD system for the design section in all Engineering Branches at all bases. Care should be taken in allocating the Z-248 bought by the Air Force. Only those bases with real requirements should be provided for. We do not want to overcapitalize/underutilize our taxpayers dollars.

I hope the Air Force can see its way out of the stone age some day.

Architectural design in the Air Force is years behind industry standards in many ways. Technical Development is also seriously lagging behind without the computer tool in the workplace. I suggest the Air Force consider bringing their technical resources in line with civilian firm capabilities to maintain competition and enhance retention.

Hopefully, it is very obvious how a CAD/CAM system would help design. Air Force design technology is years behind the average civilian firm

I'm strongly considering leaving the Air Force due to the very limited design time I get. You cannot get a P.E. with limited design time. We send too many projects to A/E firms, while we have engineers (Air Force mainly) sitting around.

I am currently removed from my design position to work in operations. I will be leaving the Air Force as soon as my commitment is up because of this decision to move me to operations.

I sure am getting tired of all these AFIT studies (4 in 3 months).

This is the 4th AFIT survey I've done in the last 3 months.

Comment: How about publishing the results in the Engineering/Services Quarterly, or at least, a synopsis of the thesis results?

Bibliography

1. Appleton, DJ. "A Practical Approach to Training in the Use of an Integrated Plant Modelling System," CADCAM in Education and Training, Proceedings of the CAD ED 82 Conference. edited by Paul Arthur. London: Kogan Page Ltd, 1984.
2. Annunziato, 2Lt Steve. Justification for a Computer-Aided Design System for the 305th Civil Engineering Squadron, Grissom AFB Indiana. SAC Report A82-03. HQ SAC, Offutt AFB NE, 29 July 1982.
3. "Autodesk Inc. Expands Training Center Locations," Buildings Design Journal, 4: 13 (February 1986).
4. Babbin, Robert. Automation in Architectural Practice. Masters of Architecture Thesis. University of Illinois, Champaign IL, 1983.
5. Badler, Norman I and Ingrid Carlbom. "The Computer Graphics Scene in the United States," Eurographics 84, edited by K. Bo and H.A. Tucker. New York: Elsevier Science Publishing Company, Inc, 1984.
6. Barr, Paul C. and others. CAD: Principles and Applications. Englewood Cliffs NJ: Prentice-Hall, Inc, 1985
7. Bellinghall, Leigh "The MicroCAD Explosion," Computer Graphics World, __: 23-28 (March 1986).
8. Bernstein, Corinne S. "Computers Aren't Infallible," Civil Engineering, 55: 44-45 (October 1985).
9. Bilden, Richard. "CADD: A Moving Target," Military Engineer, 76: 488-490 (November-December 1984).
10. Blevins, Roger. Material from HQ AFLC/DEP CAD File. HQ AFLC/DEP, Wright-Patterson AFB OH, December 1985.

11. Blevins, Roger. Personal Interview. HQ AFLC/DEP, Wright-Patterson AFB OH, December 1985.
12. Bloom, Gregory L. "Evaluating CADD Systems," Civil Engineering, 53: 30-33 (February 1983).
13. Bond, Laura S, Research Architect, Facility Systems Division. Personal Interview. Construction Engineering Research Laboratory, Champaign IL, March 1986.
14. Brazier, David. "Super Minis for Super CAD," Civil Engineering, 56: 54-55 (May 1986).
15. Bridges, AH. "Education and Training in Computer-Aided Building Design," CADCAM in Education and Training, Proceedings of the CAD ED 82 Conference, edited by Paul Arthur. London: Kogan Page Ltd, 1984.
16. Brown, Daniel C. "CAD adds services to firms' repertoires," Building Design and Construction, 25: 49 (March 1984).
17. Brown, Daniel C. "'Hybrid' CAD system saves firm \$150,000," Building Design and Construction, 25: 41 (January 1984).
18. Brown, Daniel C. "Small firm buys networked CAD," Building Design and Construction, 24: 33 (October 1983).
19. Brown, Daniel C. "Towards streamlining drawing production," Building Design and Construction, 24: 35 (September 1983).
20. Brown, Daniel C. "CAD: lower cost, higher technology," Building Design and Construction, 24: 89-91 (August 1983).
21. Bryan, Harvey. "Computers: Developing a micro practice," Progressive Architecture, 66: 55 (March 1985).
22. "CADD in the Services," Military Engineer, 76: 493-495 (November-December 1984).

23. "CADD Roundtable," Architectural Technology, 2: 50-52 (Spring 1984).
24. "CAD vendor lineup shifts," Engineering News Record, : 41 (April 1986).
25. Christopher, Abigail. "Artificial Intelligence and Computer Graphics," Computer Graphics World, : 11-20 (August 1985).
26. Clark, Philip, Head of the Air Force Computer Graphics Working Group. Personal Interview. USAF/LEEV, Washington DC, January 1986.
27. Clayton, Capt Carl, AF Computer Graphics Working Group Member. Telephone Interview. AFESC/SI, Tyndall AFB FL, December 1985
28. Collins, EB. "Using a Comprehensive Building Design System," Computer-Aided Design, 12: 262-264 (September 1980).
29. Computer-Aided Design Group. Identifying and Estimating the Benefits of Facility Management Systems. Seminar, Computer-Aided Design Group, Marina del Rey CA, 27 September 1985.
30. Computer-Aided Design Group. Selecting Computer Tools for Facility Management. Computer-Aided Design Group, Marina del Rey CA, 1985.
31. Computers in Architecture Committee of the American Institute of Architects. CAADFILE. American Institute of Architects, Washington DC, 1986.
32. "Computers: Tools to Transform Practice," Progressive Architecture, 66: 61 (June 1985).
33. Connor, Lt George H. "CADD in ASD," Military Engineer, 78: 51 (January-February 1986).

34. Connor, Lt George H, Structural Engineer for ASD. Personal Interview. ASD/DEEE, Wright-Patterson AFB OH, December 1985.
35. Davis, Charles F. III. "Computers: Their Real Advantage can be in Giving a Thorough Grasp of Design," Architectural Record, 172 35-39 (June 1984).
36. Department of the Air Force. Operation and Maintenance of Real Property. AFR85-10. Washington:HQ AFESC, 24 October 1975.
37. Department of the Army. Computer-Aided Drafting and Design for Corps Structural Engineers. Automation Technology Center, Vicksburg MS, October 1984 (AD-B092 080).
38. Department of the Army. Overview of Automated Drafting System Implementation. US Army Engineer District, St. Louis MO, March 1982.
39. Dill, John C. and Jon H. Pittman. "The single-user workstation-A new concept that promises to benefit the design profession," Architectural Record, 171: 27-31 (August 1983).
40. Dixon, John Morris. "The computer joins the firm," Progressive Architecture, 64: 7 (July 1983).
41. Doubilet, Susan. "The big picture," Progressive Architecture, 65: 140-145 (May 1984).
42. Doubilet, Susan and Thomas Fischer. "Intelligent Computers," Progressive Architecture, 67: 104-113 (June 1986).
43. "DP/Architecture," Architecture, 73: S3-S30 (August 1984)
44. "DP/Architecture '85," Architecture, 74: S3-S22 (August 1985).

45. Duncan, Capt William M. Computer-Aided Design Applications for the Base Civil Engineering Technical Design Section. MS thesis, LSSR 15-83. School of Systems and Logistics, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, September 1983 (AD-A134 392).
46. Dunning, Ann M. "Systems drafting in the small firm," Progressive Architecture, 65: 63 (April 1984).
47. Dupre, Lt Emile. "A/E Electronic Spreadsheets," Military Engineer, 78: 51 (January-February 1986).
48. Eberhard, John P. "Computer-Aided Manufacturing, Its Potential Impact on CADD," Military Engineer, 76: 498-500 (November-December 1984).
49. Ekeberg, Orjan and others. "Improving Computer Graphics Tools for Architects," Eurographics 84, edited by K. Bo and H.A. Tucker. New York:Elsevier Science Publishing Company, Inc., 1984.
50. Engineering and Services. Strategic Plan. HQ USAF, Washington DC, May 1983.
51. Fendrick, James, Computervision. Personal Interview. Worthington OH, January 1986.
52. Fenves, Steven J. and others. "Expert Systems: C.E. Potential," Civil Engineering, : 44-47 (October 1984).
53. Fischer, Thomas. "Advancing Knowledge," Progressive Architecture, 66: 159-160 (May 1985).
54. Fischer, Thomas. "The Schools," Progressive Architecture, 65: 154-158 (May 1984).
55. Fullenwider, Donald R. "Having to switch CAD systems is no laughing matter," Architectural Record, 173: 43 (March 1985).

56. Gardan, Yvon and Michael Lucas. Interactive Graphics in CAD. New York: UNIPUB, 1984
57. Garret, Michael F., PE. "Computer-Aided Drafting in Civil Engineering," Civil Engineering, 52: 72-78 (May 1982).
58. Gero, JS and AD Radford. "Post- Professional Education in Computers in Architcture at the University of Sydney," CADCAM in Education and Training, Proceedings of the CAD ED 82 Conference, edited by Paul Arthur. London: Kogan Page Ltd, 1984.
59. Gilbert, Major Russ, Thesis suggestor. Telephone Interview. USAF/LEEC, Washington DC, December 1985.
60. Ginovsky, John. "Little-Known Plan to Change Daily Life of Every Member," Air Force Times: 77 (May 1985).
61. Godfrey, K.A. Jr. "Expert Systems Enter the Marketplace," Civil Engineering, 56: 70-75 (May 1986).
62. Godfrey, K.A. Jr. "Data Base in Your City's Future?" Civil Engineering, 55: 66-69 (October 1985).
63. Golish, Mike. Materials received while touring the Construction Engineering Research Laboratory (CERL). CERL, Champaign IL, March 1986.
64. Golish, Mike, Research Architect. Personal Interview. Construction Engineering Research Laboratory, Champaign IL, March 1986.
65. "Government Agencies," Building Design and Construction, 25: 105 (December 1984).
66. Gretes, Frances C. "Computers: Need information? You can get a lot with on-line retrieval services," Architectural Record, 172: 43 (March 1984).

67. Grodzki Z and M Winiarski. "Development Study of a small specialized CAD system," Computer-Aided Design, 14: 275-278 (September 1982).
68. Herring, Kenneth S. and Vicki R. Harding. "Mainframe Software on Micros-Finally?" Civil Engineering, 56: 59-61 (May 1986).
69. Hope, Bob, AutoCAD Manager. Telephone Interview. Blue Chip Computer, Kettering OH, March 1986.
70. "IBM surpasses Intergraph in CAD/CAM market," Buildings Design Journal, 4: 12 (February 1986).
71. Jadrnicek, Rik. "Computer-Aided Design," Byte, _: 172-209 (January 1984).
72. Johnson, Robert H. "Capabilities of Solid Modeling," Computer Graphics World, _: 50-64 (November 1984).
73. Kalay, Yehuda E. "Redefining the Role of Computers in Architecture: from Drafting/Modelling Tools to Knowledge-Based Design Assistants," Computer-Aided Design, 17: 519-526 (September 1985).
74. Keen, Peter G W and Michael S Scott Morton. Decision Support Systems: An Organizational Perspective. Reading MA: Addison-Wesley Publishing Inc, 1978.
75. Kleiner, David E. "Engineering With Spreadsheets," Civil Engineering, 55: 55-57 (October 1985).
76. Kolesnikoff, Nicholai. "Computer Aided Design Breaks Through," Military Engineer, 76: 484-487 (November-December 1984).
77. Korte, George B. R. "CADD's Impact on A/E Firms," Military Engineer, 77: 578-581 (November-December 1985).
78. Lansdown, John and Tom Maver. "CAD in Architecture and Building," Computer-Aided Design, 16: 143-154 (3 May 1984).

79. Lefter, James and Thomas Bergin. "Structural Analysis by Spreadsheet," Civil Engineering, 56: 76-77 (May 1986).
80. Lenocker, Tracy. "Micro-CAD: Can It Pay for Itself?" Civil Engineering, 55: 46-47 (October 1985).
81. Lesniak, Zdzislaw K. and Heinz Schwarz. "Optimization of Building Systems," Computer-Aided Design, 14: 271-274 (September 1982).
82. Ligget, Robin S and William J Mitchell. "Interactive Graphic Floor Plan Layout Method," Computer-Aided Design, 13: 289-297 (September 1981).
83. Ligget, Robin S and William J Mitchell. "Optimal Space Planning in Practice," Computer-Aided Design, 13: 277-287 (September 1981).
84. Llewelyn, Arthur. "CAD/CAM Education and Training," Computer-Aided Design, 16: 148-154 (3 May 1984).
85. Marechal, Guy and Jan Matthys. "Computer Graphics Development in Europe," Eurographics 84, edited by K. Bo and H.A. Tucker. New York: Elsevier Science Publishing Company, Inc, 1984.
86. Markusz, Zsuzsanna. "Design in Logic," Computer-Aided Design, 14: 335-343 (November 1982).
87. Maver, TW. "Computers in design decision-making," Computer-Aided Design, 16: 4-5 (December 1984).
88. Maver, TW and R Schijf. "International Implementation of a CAAD Project in Schools of Architecture," CAD/CAM in Education and Training, Proceeding of the CAD ED 82 Conference, edited by Paul Arthur. London: Kogan Page Ltd, 1984.

89. Meade, Bradley. "Using CAD Effectively with Reprographics," Architectural Record, 171: 29-31 (September 1983).
90. MetCalfe, R and M E Preston. "CAD-The first Year," CADCAM in Education and Training, Proceedings of the CAD ED 82 Conference, edited by Paul Arthur. London: Kogan Page Ltd, 1984.
91. Michejda, Al. "Thoroughly Computerized," Building Design and Construction, 24: 122-129 (November 1983).
92. Miller, Jonathan P. and 1Lt Wendell A. Trivette. Identification of Desired Computer Capabilities for Management of an Air Force Base Level Civil Engineering Design Office. MS thesis, AFIT/GEM/LSM/85S-13. School of Systems and Logistics, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, September 1985.
93. Miller, Michael J. "Special Supplement: Using Computers in the Real World," Building Design and Construction, 24: (July 1983).
94. Miller, Michael J. "A/E Giant develops its own CAD system," Building Design and Construction. 24: 57 (June 1983).
95. Miller, Michael J. "Dispelling CAD myths," Building Design and Construction, 23: 100-102 (October 1982).
96. "More Design Experts Using PCs for Daily Tasks," Builders Design Journal, 4: 11 (January 1986).
97. Olson, Christopher. "Examining the Design Impact of Computers," Building Design and Construction, 27: 67 (March 1986).
98. Olson, Christopher. "Trends on Exhibit at A/E Systems '85," Building Design and Construction, 26: 51 (July 1985).

99. Olson, Christopher. "Complete Commitment makes the Difference," Building Design and Construction, 26: 48 (June 1985).
100. Olson, Christopher. "Owner establishes a prototype CADD design system," Building Design and Construction, 26: 55 (March 1985).
101. Olson, Christopher. "Adding graphic "punch" to CAD drawings," Building Design and Construction, 26: 37 (January 1985).
102. Olson, Christopher. "Implementing CADD into your office and Operations," Building Design and Construction, 26: 64-66 (January 1985).
103. Olson, Christopher. "CAD systems become more varied, versatile," Building Design and Construction, 25: 173-175 (May 1984).
104. Pioneers of CAD in Architecture, edited by Alfred M. Kemper. Pacifica CA: Hurland-Swenson Publishers, 1985.
105. Pittman, Jon H. and others. "Computers: size can mean efficiency," Architectural Record, 173: 31 (February 1985).
106. Pittman, Jon H. and others. "Computers: another view on desirable size," Architectural Record, 173: 33 (January 1985).
107. Pittman, Jon H. and John C. Dill. "Computers: the need for graphic standards," Architectural Record, 172: 23-27 (February 1984).
108. Pope, David. "Computer Graphics-Pregnant Pause in '85?" Computer Graphics World, : 39-42 (December 1985).
109. Port, Stanley. Computer-Aided Design for Construction. New York: Wiley-InterScience Publication, 1984.

110. Posthauer, Lewis. "Buying Big CAD on Small Budgets," Design Graphics World, : 28-29 (October 1985).
111. Preiss, K. "Future CAD Systems," Computer-Aided Design, 15: 223-227 (July 1983).
112. Prichard, Don E. "CAD-based Standard Designs," Military Engineer, 77: 566-569 (November-December 1985).
113. Prince, MR. "Introducing CAD into the Design Office," CADCAM in Education and Training, Proceedings of the CAD ED 82 Conference, edited by Paul Arthur. London: Kogan Page Ltd, 1984
114. Purcell, Lt Col Charles W. "Computer Graphics to Support USAF Engineering and Services Need." Report to the Air Force Computer Graphics Working Group. HQ USAF, Washington DC, November 1985.
115. Purcell, Patrick. "Computer Education in Architecture," Computer-Aided Design, 12: 239-251 (5 September 1980).
116. Putnam, Gregory B. "Computers: The cost of Automation," Progressive Architecture, 66: 66-68 (April 1985).
117. Race, S F. "Training requirements for architects: a view from an experienced user," CADCAM in Education and Training, Proceedings of the CAD ED 82 Conference, edited by Paul Arthur. London: Kogan Page Ltd, 1984.
118. Riddle, Christopher. "What I Learned on My Vacation." Architectural Technology. 4: 9 (January/February 1986).
119. Roberts, Capt Mike V. Automated Drafting and Design for the Base Civil Engineer. MS thesis, LSSR 88-81. School of Systems and Logistics, Air Force Institute of Technology (AU), Wright-Paterson AFB OH, September 1981 (AD-A111 386).
120. Robinson, Rita. "Putting CADD to Work," Civil Engineering, 55: 50-54 (October 1985).

121. Robinson, Rita. "Using CADD for Fun and Profit," Civil Engineering, : 30-32 (October 1984).
122. Rothenberg, Lt Col, Major General Wright's Executive Officer. Telephone Interview. AF/LEE, Washington DC, December 1986.
123. "Roundtable: Computer use in the small architectural firm," Architectural Record, 172: 39-53 (May 1984).
124. Sangakkara, Sunil R and others "Developments of CAD in civil engineering reviewed," Computer-Aided Design, 16: 141-146 (May 1984).
125. Schuster, Karolyn. "What some of the smaller offices are doing," Architectural Record, 172: 31-39 (October 1984).
126. Seefluth, Brenda H, Director of the Center for Computer Integrated Design and Manufacturing for the School of Engineering. Personal Interview. University of Dayton, Dayton OH, January 1986.
127. Sheldon, D.F. "The Present State of the Art on Computer-Aided Draughting and Design," IEE Proceedings, 130: 173-179 (1983).
128. Shostack, Christine. "A Case for Analytic Graphics," Computer Graphics World. : 65-68 (June 1984).
129. Sim, R M. "Recent developments in computer-aided design and engineering," Computer-Aided Design, 18: 11-15 (January 1986).
130. Smallowitz, Howard. "CAD Goes into Analysis," Civil Engineering, 56: 65-67 (May 1986).
131. Smallowitz, Howard. The High-Tech Civils," Civil Engineering, 55: 48-49 (October 1985).

132. Smith, Tracy, Manager of the ADAM system at SARPMA. Telephone Interview. ATC/DEV, San Antonio Real Property Maintenance Agency, San Antonio TX, December 1985.
133. "Special Supplement: Computers," Building Design and Construction, 26: 113-123 (May 1985).
134. Spillers, Capt. "Point Paper on Integrated Graphics System (IGS)." Report to the Air Force Computer Graphics Working Group. HQ AFESC/AD. Tyndall AFB FL, 1 May 1984.
135. Spoonamore, Janet H. "CAEADS and the Sacramento District," Military Engineer, 77: 430-431 (August 1985).
136. Stahl, Fred I and others "Expressing standards for computer-aided building design," Computer-Aided Design, 15: 329-334 (November 1983).
137. Stallsmith, Fernandez Architects, Inc. "Feasibility Study for Computer-Aided Design and Drafting System: Executive Summary," Report to HQ AFLC/DEEE. HQ AFLC, Wright-Patterson AFB OH, February 1984.
138. Stallsmith, Fernandez Architects, Inc. "Draft Feasibility Study for Computer-Aided Design and Drafting System: Hill AFB UT," Report to HQ AFLC/DEEE, HQ AFLC, Wright Patterson AFB OH, 9 September 1983.
139. Stallsmith, Fernandez Architects, Inc. "Draft Feasibility Study for Computer-Aided Design and Drafting System: McClellan AFB CA," Report to HQ AFLC/DEEE. HQ AFLC, Wright-Patterson AFB OH, 19 August 1983.
140. Stallsmith, Fernandez Architects, Inc. "Draft Feasibility Study for Computer-Aided Design and Drafting System: Robins AFB GA," Report to HQ AFLC/DEEE. HQ AFLC, Wright-Patterson AFB OH, 21 July 1983.

141. Stallsmith, Fernandez Architects, Inc. "Draft Feasibility Study for Computer-Aided Design and Drafting System: Tinker AFB OK," Report to HQ AFLC/DEEE. HQ AFLC, Wright-Patterson AFB OH, 28 October 1983.
142. Stallsmith, Fernandez Architects, Inc. "Draft Feasibility Study for Computer-Aided Design and Drafting System: Wright-Patterson AFB and Newark AFS," HQ AFLC/DEEE, HQ AFLC, Wright-Patterson AFB OH, 24 June 1983.
143. Stallsmith, Fernandez Architects, Inc. "Final Feasibility Study for Computer-Aided Design and Drafting System: HQ AFLC/DEEE," Report to HQ AFLC/DEEE. HQ AFLC, Wright-Patterson AFB OH, 15 February 1984.
144. Stoker, Douglas F. and Nicholas H. Weingarter. "Computers: CAD versus CAD," Architectural Record, 171: 19 (December 1983).
145. Swinson, Peter S G. "Prolog: A prelude to a new generation of CAAD," Computer-Aided Design, 15:335-343 (November 1983).
146. Swinson, Peter S G. "Logic Programming: A Computing Tool for the Architect of the Future," Computer-Aided Design, 14: 97-104 (March 1982).
147. Taraman, Dr. Khalil. CAD/CAM Meeting Today's Productivity Challenge. Dearborn, Michigan: Computer and Automated Systems Association of SME, 1980.
148. Telcholz, Eric. "Whither CADD?" Computer Graphics World, : 44 (December 1985).
149. Telcholz, Eric and others. "The Current State of PC CADD," Computer Graphics World, : 35-42 (August 1985).

150. Teresko, John "More seek the PC CAD solution," Industry Week, : 71 (4 April 1986).
151. Thompson, B G J. "Training and Learning during the introduction of an interactive computer-aided building design system into government design offices," CADCAM in Education and Training, Proceedings of the CAD ED 82 Conference, edited by Paul Arthur. London: Kogan Page Ltd, 1984.
152. Thomsen, Charles and Ronald Schappaugh. "Computers: Are personal computers ready for the big firms?" Architectural Record, 172: 37-41 (July 1984).
153. Thorton-Bryar, Ian C M. "A practical approach to workstation cost-justification," Computer-Aided Design 17: 125-129 (April 1985).
154. Tonnias, Elias C. "To CAD or Not To CAD," Military Engineer, 76: 496-498 (November-December 1984).
155. Topper, Lt Col Dennis. "Bullet Background Paper on CADD Survey." Report to the Air Force Computer Graphics Working Group. USAFA Colorado Springs CO, 2 December 1985.
156. Topper, Lt Col Dennis, USAFA Civil Engineering Instructor (CAD). Telephone Interview. USAFA/DFCE, Colorado Springs CO, December 1985.
157. Tountas, Christos. "Procedural Modeling in CAD," Progressive Architecture. 65: 159-160 (May 1984).
158. USAF San Antonio Real Property Maintenance Agency. Feasibility Study for Automated Drafting and Maintenance (ADAM) System Data Automation Requirement. HQ ATC, DCS/DE, San Antonio TX, 15 July 1982.
159. "Vendors View," Progressive Architecture, 65: 169-173 (1 May 1984).

160. Vietro, Philip Di. "Micro-CAD Systems: A Dream Come True?" Civil Engineering, 55: 52-55 (June 1985).
161. Wagner, Patrice M. "1984 in Review," Computer Graphics World, : 31-34 (December 1984).
162. Walter, P E. "The Computer as an Aid for the Architect," Computer Graphics in Management. edited by Elliot R Green and R D Parslow, New York: Gower Press, 1970.
163. Witte, Oliver R. "Affordable CAD: Architectural Technology, 4: 23-25 (January/February 1986).
164. Witte, Oliver R. "Affordable CAD: Winter Update," Architectural Technology, 3: 76-78 (Winter 1985).
165. Witte, Oliver R. "Affordable CAD," Architectural Technology, 2: 42-67 (Fall 1984).
166. Wright, Major General Clifton D, Former Director Engineering and Services. "A View from the Top." Address to AFIT GEM students. Air Force Institute of Technology (AU), Wright-Patterson AFB OH, 15 July 1985.
167. Zaidi, Mohsin A. "From Micro to Supermicro," Civil Engineering, 56: 74-75 (May 1986).

VITA

Lieutenant James P. Mitnik was born on 7 September 1957 at Fort Stewart, Georgia. He graduated from high school in Huron, Ohio, in 1975 and attended Bowling Green State University and Kent State University. He graduated from Kent State University with a Bachelor of Science Degree in Architecture in August 1982. Upon graduation, he applied and was accepted to the USAF Officers Training School. He graduated from Officers' Training School on 1 April 1983 and was commissioned a Second Lieutenant in the USAF. He served as a building designer, and contract programmer for the 82nd Civil Engineering Squadron (Williams AFB, AZ) from 28 April 1983 until entering the School of Systems and Logistics, Air Force Institute of Technology. in May 1985.

Permanent address: 546 Berlin Road
Huron, Ohio 44839

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS			
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.			
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE						
4. PERFORMING ORGANIZATION REPORT NUMBER(S) AFIT/GEM/DEM/86S-19			5. MONITORING ORGANIZATION REPORT NUMBER(S)			
6a. NAME OF PERFORMING ORGANIZATION School of Systems and Logistics		6b. OFFICE SYMBOL (If applicable) AFIT/LSG		7a. NAME OF MONITORING ORGANIZATION		
6c. ADDRESS (City, State and ZIP Code) Air Force Institute of Technology Wright-Patterson AFB, Ohio 45433 -6583			7b. ADDRESS (City, State and ZIP Code)			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State and ZIP Code)			10. SOURCE OF FUNDING NOS.			
11. TITLE (Include Security Classification) See Box 19			PROGRAM ELEMENT NO.		PROJECT NO.	TASK NO.
			WORK UNIT NO.			
12. PERSONAL AUTHOR(S) James P. Mitnik, B.S., 1Lt, USAF						
13a. TYPE OF REPORT		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Yr., Mo., Day) 1986 September		15. PAGE COUNT 186
16. SUPPLEMENTARY NOTATION						
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Architecture, Engineering, Computer-Aided Design, Design			
FIELD 09	GROUP 02	SUB. GR.				
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Title: COMPUTER-AIDED SYSTEM NEEDS FOR THE TECHNICAL DESIGN SECTION OF THE BASE LEVEL CIVIL ENGINEERING SECTION SQUADRON Thesis Advisor: Robert A. Hamel, Captain, USAF Instructor of Engineering Management Approved for public release: LAW AFR 100-17 <i>Lynn Wolaver</i> LYNN E. WOLAVER <i>24 Sept 86</i> Dean for Research and Professional Development Air Force Institute of Technology (AFIT) Wright-Patterson AFB OH 45433						
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS <input type="checkbox"/>				21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL Robert A. Hamel, Captain, USAF			22b. TELEPHONE NUMBER (Include Area Code) 513-255-4552		22c. OFFICE SYMBOL AFIT/DEM	

The quantity of design, drafting, charts, and maps required by todays Civil Engineering Squadron is increasing faster than the ability of civil engineering personnel to accomplish these tasks. One possible solution to this problem is the potential for computer-aided design and drafting (CADD) systems to increase productivity of our existing manpower and pay for Architectural-Engineering (AE) contracts. This thesis determines by literature review and survey techniques to what extent officers in a base level technical design position would be able to design projects which are currently being designed by AE contract. Furthermore, this research determines the average size (designers, draftsmen, projects, dollars) of a base level technical design section. Finally, this research determines those software capabilities necessary in a CADD system for a base level design section, and determines how many CADD workstations would be needed by an average size Technical Design Section.

END

1 - 87

D T I C