

AD-A181 602

A RESEARCH PROJECT ON THE EMULSIFYING AND HOMOGENIZING
PROPERTIES OF BLOC. (U) MASSACHUSETTS INST OF TECH
CAMBRIDGE DEPT OF CHEMICAL ENGINEE. . R E COHEN

1/1


UNCLASSIFIED

15 JUN 87 N00014-77-C-0311

F/G 7/6

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD-A181 602

DTIC FILE COPY (12)

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION		1b. RESTRICTIVE MARKINGS	
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release, Distribution Unlimited	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE			
4. PERFORMING ORGANIZATION REPORT NUMBER(S) FINAL REPORT		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF PERFORMING ORGANIZATION MIT Department of CHEMICAL ENGINEERING	6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION ONR	
6c. ADDRESS (City, State, and ZIP Code) Building 66 Room 554 Cambridge, MA 02139		7b. ADDRESS (City, State, and ZIP Code) 800 N. Quincy St. Arlington, VA 22217	
8a. NAME OF FUNDING / SPONSORING ORGANIZATION Office of Naval Research	8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-77-C-0311	
8c. ADDRESS (City, State, and ZIP Code) 800 N. Quincy St. Arlington, VA 22217		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO.	PROJECT NO.
		TASK NO.	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) A Research Project on the Emulsifying and Homogenizing Properties of Block Copolymers in Polymer Blends			
12. PERSONAL AUTHOR(S) Robert E. Cohen			
13a. TYPE OF REPORT Final	13b. TIME COVERED FROM 7-1-77 TO 4-30-87	14. DATE OF REPORT (Year, Month, Day) 6-15-87	15. PAGE COUNT
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	GROUP	
		Polymer Blends	
		Block Copolymers	
19. ABSTRACT (Continue on reverse if necessary and identify by block number)			
<p>Ten years of ONR sponsored research in this laboratory has led to a clear and unified view of the emulsifying or homogenizing role of diblock copolymers in blends of amorphous rubbery polymers. Recent work emphasized that a similar, but more complex set of phenomena may be useful in the manipulation of semicrystalline polymer blend morphologies and properties. The research focused on model polymers comprised of nonpolar hydrocarbon repeat units. The work built on strong capabilities for in-house synthesis of the required homopolymers and diblock copolymers and for molecular, morphological, and mechanical characterization of the selected polymers. <i>Block Copolymers, Emulsions</i></p>			
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION	
22a. NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE (Include Area Code)	22c. OFFICE SYMBOL

DTIC SELECTED JUN 25 1987

SUMMARY OF THE MAJOR RESEARCH FINDINGS

Our ONR-supported research program has addressed the questions: How does the morphology of multicomponent polymers influence physical properties and how can morphology be purposefully manipulated to alter properties. We have focused attention on model systems of well-characterized, in-house-synthesized homopolymers and diblock copolymers comprised of non-polar hydrocarbon repeat units. Early work on amorphous, rubbery blends laid the foundation of experimental evidence (Technical Reports 1, 2, 3, 6, 7, 9) for the presentation of a unified view (Technical Report 8) of the UCST-type phase diagrams for these blends and of the full range of possibilities for the role of diblock copolymers as morphology regulating agents in these blends (Technical Reports 8, 10, 11).

About three years ago emphasis shifted to the challenging problem of semicrystalline polymer blends. Again the simple hydrocarbon repeat unit ~~was retained~~ so as to build on the previous knowledge developed for the analogous amorphous systems. As before, in-house synthesis of the semicrystalline homopolymers and block copolymers supported the experimental program. As hoped, we were able to demonstrate the efficacy of a semicrystalline diblock copolymer as a morphology control agent in semicrystalline polymer blends (Technical Reports 12, 15, 16).

In addition to ONR technical reports, major publications, i. e. those which have appeared in refereed journals, describe the research results in full detail and are listed below. Two patents also resulted from the research and these are listed separately. Students and other research personnel supported on the research program and the titles of their theses, where applicable, are also listed below.

ONR TECHNICAL REPORTS

<u>Report number</u>	<u>Title</u>	<u>Authors</u>
1.	Viscoelastic Properties of Homopolymers and Diblock	A.R. Ramos R.E. Cohen

**Copolymers of Polybutadiene
Polyisoprene**

- | | | |
|----|--|---|
| 2. | Homogeneous and Heterogeneous Blends of Polybutadiene, Polyisoprene and Corresponding Diblock Copolymers | A.R. Ramos
R.E. Cohen |
| 3. | Modelling of the Viscoelastic Behavior of Homogeneous and Heterogeneous Blends of Polyisoprene and Polybutadiene | A.R. Ramos
R.E. Cohen |
| 4. | Synthesis Characterization Morphology of a Cis 1,4 Polyisoprene/Poly n-butylmethacrylate Diblock Copolymer | F.S. Bates
R.E. Cohen |
| 5. | Preparation of Homogeneous 'Living' Polyvinyl Gels with Application to Solvent Purification | F.S. Bates
R.E. Cohen |
| 6. | Properties of Some Diblock Copolymers Based on 1,3 Butadiene Monomer | J.M. Torradas
D.E. Wilfong
R.E. Cohen |
| 7. | Morphology and Mechanical Behavior of Blends and Diblock Copolymers of 1,2 and 1,4 Polybutadiene | D.E. WDilfong
R.E. Cohen |
| 8. | Homogeneous and Heterogeneous Rubbery/Rubbery Diblock Copolymers and Polymer Blends - A Unified View | R.E. Cohen |



X	
Justification	
By _____	
Distribution/	
Availability	
Dist	Avail as per Special
A-1	

9. Estimation of the Homogenization Temperature of A 1,2 Polybutadiene Diblock Copolymer Using Rheological Testing Methods M.-Y. Lin
R.E. Cohen
10. Homogenizing Properties of Diblock Polymers in Blends of Corresponding Homopolymers M.A. Hartney
R.E. Cohen
11. Homopolymer - Induced Micro-phase Separation of a Homogeneous Diblock Copolymer J.M. Torradas
R.E. Cohen
12. Compatibilizing Effect of a Diblock Copolymer of Isotactic Polystyrene and Isotactic Polypropylene in Blends of the Corresponding Homopolymers L. DelGiudice
G. Attalla
F. Bertinotti
R.E. Cohen
13. Diblock Copolymers of Polystyrene/1,2 Polybutadiene and Polystyrene/Polybutene-1: Molecular Structure, Morphology and Mechanical Properties J.M. Torradas
R.E. Cohen
14. Synthesis and Characterization of a 1,4 Polybutadiene/Isotactic Polypropylene Block Copolymer M.A. Drzewinski
R.E. Cohen
15. Crystallization and Nucleation in a Polybutadiene-Isotactic Polypropylene Block Copolymer and the Corresponding Blend M.A. Drzewinski
R.E. Cohen
16. Block Copolymers of Isotactic Polypropylene M.A. Drzewinski
R.E. Cohen

- | | | |
|-----|---|---|
| 17. | A Reexamination of Single Chain Scattering in Heterogeneous Block Copolymers | C.V. Berney
P. Kofinas
R.E. Cohen |
| 18. | SANS Studies of the Configurations of Single Chains in Heterogeneous Block Copolymers | C.V. Berney
P. Cheng
P. Kofinas
R.E. Cohen |

MAJOR PUBLICATIONS IN REFEREED JOURNALS

<u>Number</u>	<u>Title/Journal</u>	<u>Authors</u>
1.	SANS Studies of the Configuratin Single Chains in Heterogeneous Block Copolymers, <u>J. Materials Research</u> , in press (1987)	C.V. Berney P. Cheng P. Dofinas R.E. Cohen
2.	A Reexamination of the Configurations of Single-Chain Scattering in Heterogeneous Block Copolymers, <u>Polymer Communications</u> , <u>27</u> , 330 (1986)	C.V. Berney P. Kofinas R.E. Cohen
3.	Block Copolymers of Isotactic Polypropylene and 1,4 Polybutadiene, <u>J. Polymer Sci. Chem.</u> , <u>24</u> , 2457 (1986)	M.A. Drzewinski R.E. Cohen
4.	Compatibilizing Effect of a Diblock Copolymer of Isotactic Polypropylene and Isotactic Polystyrene in Blends of Corresponding Homopolymers, <u>J. Appl. Polymer Science</u> , <u>30</u> , 4305 (1985)	L. Delgiuoice G. Attalla F. Bertinotti R.E. Cohen
5.	Homopolymer-Induced Microphase Separation of Homogeneous Diblock	J.M. Torradas R.E. Cohen

Copolymer, Macromolecules, 17, 1101 (1984)

6. Effect of Morphology on Stress
Polypropylene, Polymer Engineering
and Science, 23, 883 (1983) G. Attalla
I.B. Guanella
R.E. Cohen
7. Some Comments on Thermoplastic
Elastomers, ACS Symposium Series,
193, 483 (1982) R.E. Cohen
8. Homogeneous and Heterogeneous
Rubbery/Rubbery Diblock Copoly-
mers and Polymer Blends - A
Unified View, ACS Symposium Series,
193, 489 (1982) R.E. Cohen
9. Properties of Block Copolymers
and Homopolymer Blends Comprised
of Polybutadiene and 1,4 Poly-
butadiene, Macromolecules, 15, 370
370 (1982) D.E. Wilfong
R.E. Cohen
10. Preparation of Homogeneous
'Living' Polyvinyl Gels
with Application to Solvent
Purification, Macromolecules, 14,
881 (1981) F.S. Bates
R.E. Cohen
11. Nonequilibrium Morphologies
of a Diblock Copolymer
of Polyisoprene and Poly-n-butyl-
methacrylate, Journal of Polymer
Science, Phys., 18, 2143 (1980) F.S. Bates
R.E. Cohen
12. Modelling of the Viscoelastic
Behavior of Homogeneous A.R. Ramos
R.E. Cohen

and Heterogeneous Blends
of Polyisoprene and Polybutadiene,
J. Macromolecular Sci., Phys., B17, (4)

- | | | |
|-----|---|--|
| 13. | Homogeneous and Heterogeneous Blends
of Polybutadiene, Polyisoprene,
and Corresponding Diblock Copolymers,
<u>Macromolecules, 12, 131 (1979)</u> | A.R. Ramos
R.E. Cohen |
| 14. | Viscoelastic Properties of Homopolymers
and Diblock Copolymers of Polybutadiene
and Polyisoprene, <u>Advances in Chemistry
Series, No. 176, "Multiphase Polymers",
Am. Chem. Soc., Washington, D.C. p. 237
(1979)</u> | A.R. Ramos
R.E. Cohen |
| 15. | Multiphase Rubbery Polymers: Synthesis,
Characterization and Physical Properties,
<u>Proc. US-Japan Joint Seminar on Multicom-
ponent Polymers, p. 22-1, Kyoto, December
1978</u> | F.S. Bates
A.R. Ramos
R.E. Cohen |
| 16. | Importance of the Massa Correction
for the Loss Tangent Measurements
on the Rheovibron, <u>J. Polymer Sci.,
Polym. Phys., 16, 753 (1978)</u> | A.R. Ramos
F.S. Bates |
| 17. | The Influence of Diblock Copolymers
on the Structure and Properties
of Polybutadiene-polyisoprene
Blends, <u>Polym. Eng. Sci., 17, 639
(1977)</u> | A.R. Ramos
R.E. Cohen |

PATENTS

<u>Number</u>	<u>Title/Reference</u>	<u>Authors</u>
---------------	------------------------	----------------

1. Polybutadiene-Polyisoprene-Diblock Co-polymer Blends, United States Letters Patent Application, Filed August 21, 1978. Assigned to Massachusetts Institute of Technology, No. S.N. 936, 142 issued as U.S. Patent 4, 167, 544 Sept. 11, 1979. A.R. Ramos
R.E. Cohen

2. Macroscopic Divinylbenzene Homogeneous Gels and Process, United States Letters Patent Application, Filed September 19, 1983. Assigned to Massachusetts Institute of Technology, No. SN 533, 169 issued as U.S. Patent 4, 485,207, November 27, 1984. F.S. Bates
R.E. Cohen

PERSONNEL

<u>Name</u>	<u>Result of ONR Support</u>
1. A.R. Ramos,	Ph.D., Chemical Engineering 1977
2. F.S. Bates,	M.S., Chemical Engineering 1979
3. D.E. Wilfong,	Chemical Engineering, M.S., 1981
4. J.M. Torradas,	Ph.D., Chemical Engineering, 1982, M.S. Chemical Engineering 1980
5. M.-Y. Lin,	B.S., Chemical Engineering, 1981
6. M.A. Hartney,	M.S. Chemical Engineering, 1983
7. M.A. Drzewinski,	Ph.D. Materials Science and Engineering 1986
8. P. Kofinas,	B.S. Chemical Engineering, expected 1989
9. P. Cheng,	Ph.D., Materials Science and Engineering, expected 1987
10. C.V. Berney,	Senior Research Associate
11. M. Sharaf,	Visiting Scientist
12. R.E. Cohen,	Professor of Chemical Engineering, Principal Investigator

END

7-87

Dtic