

2

DTIC FILE COPY

AD-A196 446

DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION (U)		1b. RESTRICTIVE MARKINGS NA	
2a. SECURITY CLASSIFICATION AUTHORITY NA		3. DISTRIBUTION/AVAILABILITY OF REPORT Distribution unlimited	
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE NA		4. PERFORMING ORGANIZATION REPORT NUMBER(S) Princeton University	
4. PERFORMING ORGANIZATION REPORT NUMBER(S) Princeton University		5. MONITORING ORGANIZATION REPORT NUMBER(S) NA	
6a. NAME OF PERFORMING ORGANIZATION Princeton University	6b. OFFICE SYMBOL (if applicable) NA	7a. NAME OF MONITORING ORGANIZATION Office of Naval Research	
6c. ADDRESS (City, State, and ZIP Code) Princeton, NJ 08544		7b. ADDRESS (City, State, and ZIP Code) 800 N. Quincy St. Arlington, VA 22217-5000	
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Office of Naval Research	8b. OFFICE SYMBOL (if applicable) ONR	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-86-K-0396-P00001	
8c. ADDRESS (City, State, and ZIP Code) 800 N. Quincy St. Arlington, VA 22217-5000		10. SOURCE OF FUNDING NUMBERS	
		PROGRAM ELEMENT NO. 61153N	PROJECT NO. RR04108
		TASK NO. 441k818	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) (U) Lipid Dependent Mechanisms of Protein Pump Activity			
12. PERSONAL AUTHOR(S) Gruner, Sol M.			
13a. TYPE OF REPORT Annual	13b. TIME COVERED FROM 8/87 TO 7/88	14. DATE OF REPORT (Year, Month, Day) 88/7/11	15. PAGE COUNT
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD 08	GROUP	Lipid effect; protein pumps; membrane protein	
19. ABSTRACT (Continue on reverse if necessary and identify by block number) <i>Calcium (Ca²⁺)</i> It has been proposed that membrane protein pump function is modulated by the lipid monolayer spontaneous curvature, an elastic parameter of the monolayers related to the tendency for the lipids to form non-bilayer phases. [Gruner, Proc. Natl. Acad. Sci., USA 82 (1985) 3665]. To test this hypothesis Ca ²⁺ ATPase from rabbit sarcoplasmic reticulum has been reconstituted into vesicles of different lipids with well characterized values of the spontaneous curvature. The activity is found to correlate with the spontaneous curvature and not with the specific lipids used to achieve a given value of spontaneous curvature. Progress is also reported on the development of alternative methods of measuring spontaneous membrane curvature. <i>radius of curvature</i>			
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION (U)	
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. Igor Vodyanoy		22b. TELEPHONE (Include Area Code) 202-696-4056	22c. OFFICE SYMBOL ONR

DD Form 1473, JUN 86

Previous editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

(U)

DISTRIBUTION STATEMENT A

Approved for public release; Distribution Unlimited

88 7 29 105

Progress Report on Contract N00014-86-K-0396-P00001

Principal Investigator: Dr. Sol M. Gruner

Contractor: Princeton University

Contract Title: Lipid Dependent Mechanisms of Protein Pump Activity

INTRODUCTION:

The physical parameter of lipid bilayers which modulate the activity of integral protein membrane are not well understood. It has been proposed that the value of an elastic parameter of the lipid monolayers, known as the monolayer spontaneous radius of curvature, R_0 , is important to the activity of certain membrane proteins [1]. The overall goal of this research is to test this hypothesis. This involves three objectives:

- 1) Develop methods of measuring the spontaneous radius of curvature of lipid membranes and better understand the physical effects of varying R_0 .
- 2) Correlate the activity of a well characterized pump protein with the R_0 value of the imbedding bilayer. If R_0 is important, then the pump activity should correlate with R_0 , not with the specific lipid mix used to achieve a given R_0 value.
- 3) Determine if bacterial membranes act to keep R_0 fixed when the bacteris are forced to alter their membrane lipid composition.

PROGRESS:

Objective 1). A method of measuring R_0 for pure lipids (e.g., in the absence of protein has been developed [2,3]. However, it is desirable to develop methods which operate in bilayers containing protein and over a wider range of R_0 values. There is evidence that the $^2\text{H-NMR}$ quadropole splitting, ΔQ of deuterated lipid chains may correlate with R_0 [4]. Toward this end, the use of perdueterated compounds as R_0 probes was investigated. Relatively inexpensive lipid analogs, such as perdeuterated alkanols were found to strongly perturb membranes at levels required for good NMR signals. In consequence, perdeuterated phospholipid was recently synthesized. We are just now beginning to correlate the R_0

values measured by the x-ray technique to ΔQ . This work is being done in collaboration with Drs. P. Cullis and C. Tilcock of the University of British Columbia.

Work has also been performed on understanding the physics of R_0 variation in membranes. An apparatus has been constructed which allows x-ray diffraction studies of lipid suspensions at pressures of up to 1000 bar. As expected, R_0 appears to be very pressure sensitive. A note describing the pressure effects will be submitted for publication in the near future.

Objective 2). In collaboration with Drs. A. Janoff and M. Jaworsky of the Liposome Co., Ca^{++} ATPase from rabbit sarcoplasmic reticulum has been reconstituted in vesicles of binary mixtures of the lipids DOPE, DOPE-Me and DOPC. For each mixture, the pump activity (moles Ca^{+2} pumped/moles ATP hydrolyzed) and the R_0 value of the binary lipid mixture were measured. It was found that the activity correlated simple with the measured R_0 values, that is to say, when pump activity was graphed against R_0 , all points fell on a simple smooth curve. Different binary mixtures which had the same R_0 value yielded similar pump activities. Control experiments are being done to see if the correlation is due to systematic variation in the vesicle sizes with composition. A publication describing these results will soon be prepared.

Objective 3). Lipid extracts of bacteria grown under conditions which cause the lipid composition to vary were examined to see if R_0 was being held constant. Unfortunately, we have been only marginally successful in measuring R_0 values on these lipids because the R_0 values appear to be outside the range of our present techniques (whence, objective #1). In consequence, we are switching to another strain of bacteria which, we expect, will yield small R_0 values. These cultures are being grown now. These experiments are done in collaboration with Dr. R. McElhaney of the University of Alberta and Dr. G. Lindblom of the University of Umea, Sweden.

REFERENCES CITED:

- [1] S.M. Gruner, Proc. Natl. Acad. Sci. *82* (1985) 3665.
- [2] S.M. Gruner, V.A. Parsegian and R.P. Rand, Faraday Discuss. Chem. Soc. *81* (1986) 29.
- [3] S.M. Gruner, M.W. Tate, G.L. Kirk, P.T.C. So, D.C. Turner, D.T. Keane, C.P.S. Tilcock and P.R. Cullis, Biochem. *27* (1988) 2853.



or	<input checked="" type="checkbox"/>
	<input type="checkbox"/>
	<input type="checkbox"/>

Availability Codes	
Dist	Avail and/or Special
A-1	

[4] P.R. Cullis, M.J. Hope and C.P.S. Tilcock, *Chem. Phys. Lipids* 40 (1986) 127.

WORK PLAN:

- 1) Sufficient quantities of perdeuterated lipid are in hand. We intend to proceed immediately to correlate the ^2H -NMR of these materials with R_0 values derived by x-ray diffraction.
- 2) The Ca^{++} ATPase will next be reconstituted in a broader range of lipids. Systematic control studies on the vesicle sizes will also be done to insure that the observed correlation is not simply a vesicle size effect. It is also known that R_0 is a sensitive function of pressure. We will map out how R_0 changes with pressure for representative lipid mixtures. It would be of interest to see if the correlation of pump activity varies with pressure as expected from the variation in R_0 due to composition.
- 3) We hope to have enough lipid extracts from new bacterial cultures by late summer to proceed with R_0 measurements. We will first use the x-ray diffraction measurement procedure. If difficulties are encountered with this, we will have to wait until the NMR method is refined.
- 4) Investigation of the effects of lipid spontaneous curvature will be extended to oligopeptide membrane channels, as discussed in the continuation application for this contract.

INVENTIONS: None

PUBLICATIONS AND REPORTS (YEARS 1-2)

- 1) E. Shyamsunder, S.M. Gruner, M.W. Tate, D.C. Turner, P.T.C. So and C.P.S. Tilcock (1988). Observation of inverted cubic phase in hydrated dioleoylphosphatidylethanolamine membranes, *Biochem.* 27: 2332-2336.
- 2) E. Shyamsunder and S.M. Gruner. An x-ray diffraction study of the effects of pressure on H_{II} phase lipid. (Manuscript in preparation.)

DISTRIBUTION LIST FOR REPORTS

ONR MEMBRANE ELECTROCHEMISTRY PROGRAM

Dr. Martin Blank
Department of Physiology
Columbia University College
of Physicians and Surgeons
630 W. 168th Street
New York, NY 10032

Dr. William E. Brownell
Department of Otolaryngology-HNS
Johns Hopkins University
School of Medicine
720 Rutland Avenue
Baltimore, MD 21205

Dr. Marco Colombini
Department of Zoology
University of Maryland
College Park, MD 20742

Dr. Michael A. Cusanovich
Department of Biochemistry
University of Arizona
Tuscon, AZ 85721

Dr. D. W. Deamer
Department of Zoology
University of California
Davis, CA 95616

Dr. Edward A. Dratz
Department of Chemistry
Montana State University
Bozeman, MT 59717

Dr. Harvey M. Fishman
Department of Physiology and
Biophysics
University of Texas Medical Branch
Galveston, TX 77550

Dr. Sol M. Gruner
Department of Physics
Jadwin Hall
Princeton University
P. O. Box 708
Princeton, NJ 08544

Dr. Felix T. Hong
Department of Physiology
Wayne State University
540 E. Canfield Avenue
Detroit, MI 48201

Dr. Huey W. Huang
Department of Physics
Rice University
Houston, TX 77251

Dr. Israel R. Miller
Department of Membrane Research
The Weizmann Institute of Science
Rehovot 76100
ISRAEL

Dr. V. Adrian Parsegian
Laboratory of Chemical Biology,
NIADDK
Room 9N-307
Building 10
Bethesda, MD 20892

Dr. Davis S. Perlin
Department of Biochemistry
Public Health Research Institute
455 First Avenue
New York, NY 10016

Dr. H. Gilbert Smith
EG & G Mason Research Institute
57 Union Street
Worcester, MA 01608

Dr. Michael E. Starzak
Department of Chemistry
State University of New York
Binghamton, NY 13901

Dr. H. Ti Tien
Department of Physiology
Membrane Biophysics Laboratory
Michigan State University
East Lansing, MI 48824

Dr. Tian Y. Tsong
Department of Biological Chemistry
Johns Hopkins University
School of Medicine
725 N. Wolfe Street
Baltimore, MD 21205

Dr. Peter Vanysek
Department of Chemistry
Northern Illinois University
De Kalb, IL 60115

ONR MEMBRANE ELECTROCHEMISTRY PROGRAM

Dr. Howard Wachtel
Dept. of Electrical & Computer Eng.
University of Colorado
Campus Box 425
Boulder, CO 80309

Dr. James C. Weaver
Div. Health Sciences & Technology
Room 20A-128
Massachusetts Institute of Tech.
Cambridge, MA 20742

Dr. George S. Wilson
Department of Chemistry
University of Kansas
Lawrence, KS 66045

Annual Final and Technical Reports

ADMINISTRATORS

Dr. Igor Vodyanoy, Code 1141SB (2 copies)
Scientific Officer, Biophysics
Office of Naval Research
800 N. Quincy Street
Arlington, VA 22217-5000

Dr. Robert J. Nowak, Code 1113ES
Scientific Officer, Electrochemical
Office of Naval Research
800 N. Quincy Street
Arlington, VA 22217-5000

Administrator (2 copies) (Enclose DTIC Form 50)
Defense Technical Information Center
Building 5, Cameron Station
Alexandria, VA 22314

Program Manager
Biological/Human Factors Division
Code 125
Office of Naval Research
800 N. Quincy Street
Arlington, VA 22217-5000

Administrative Contracting Officer
ONR Resident Representative
(address varies - obtain from contract or
your business office)

Program Manager Defense Technical
Support Technology Directorate
Office of Naval Technology, Code 223
800 N. Quincy Street
Arlington, VA 22217-5000

Annual and Final Reports Only (one copy each)

DoD ACTIVITIES

Commander
Chemical and Biological Sciences Division
Research Army Research Office, P. O. Box 1221
Research Triangle Park, NC 27709

Directorate of Life Sciences
Air Force Office of Scientific
Bolling Air Force Base Research
Washington, DC 20332

Head
Biomolecular Engineering Branch
Code 6190
Naval Research Laboratory
Washington, DC 20375

Final and Technical Reports Only

Director, Naval Research Laboratory (6 copies)
Attn: Technical Information Division, Code 2627
Washington, DC 20375