



US Army Corps  
of Engineers

Construction Engineering  
Research Laboratory

USACERL ADP Report N-89/22  
January 1989

2

# Testing Guidelines for GRASS Ports and Drivers

AD-A221 176

by  
William D. Goran

The Geographic Resources Analysis Support System (GRASS) is a geographic information and image processing system originally designed to serve land managers and environment planners at Army installations. GRASS is public domain software distributed by several public and private organizations. The GRASS Inter-Agency Steering Committee represents the organizations that want to ensure that GRASS software remain reliable, consistent, and efficient, and that new versions of the code, new hardware platforms, and new digitizer, monitor, and printer drivers be consistently tested before distribution. This report provides guidance for testing new hardware platforms and drivers for GRASS.

To be fully supported, hardware and software configurations must pass both alpha and beta testing. Some GRASS software distribution site must accept responsibility for support of new hardware configurations or drivers. Alpha testing is usually done internally, after an initial port of GRASS, by an organization that has created a new port or driver. During alpha testing, a serious effort is made to identify and correct problems resulting from new code by a coordinated effort between the programmers and testers. The test is initiated by the test coordinator, conducted by the beta test sites, and verified by the GRASS hardware coordinator. The end product is fully documented computer code.

DTIC  
ELECTE  
APR 25 1990  
S D  
Co D

The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official indorsement or approval of the use of such commercial products. The findings of this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

*DESTROY THIS REPORT WHEN IT IS NO LONGER NEEDED*

*DO NOT RETURN IT TO THE ORIGINATOR*

# REPORT DOCUMENTATION PAGE

*Form Approved*  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

<b>1. AGENCY USE ONLY (Leave blank)</b>	<b>2. REPORT DATE</b> January 1989	<b>3. REPORT TYPE AND DATES COVERED</b> Final	
<b>4. TITLE AND SUBTITLE</b> Testing Guidelines for GRASS Ports and Drivers		<b>5. FUNDING NUMBERS</b> ZP9:R-FED-SCS, GRASS-SCS	
<b>6. AUTHOR(S)</b> Goran, William D.			
<b>7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)</b> U.S. Army Construction Engineering Research Laboratory P.O. Box 4005 Champaign, IL 61824-4005		<b>8. PERFORMING ORGANIZATION REPORT NUMBER</b> USACERL ADP Report N-89/22	
<b>9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)</b> USDA Soil Conservation Service (SCS) 14th Street & Independence Ave. SW. Washington, DC 20250		<b>10. SPONSORING / MONITORING AGENCY REPORT NUMBER</b>	
<b>11. SUPPLEMENTARY NOTES</b> Copies are available from the National Technical Information Service, Springfield, VA 22161.			
<b>12a. DISTRIBUTION / AVAILABILITY STATEMENT</b> Approved for public release; distribution is unlimited.		<b>12b. DISTRIBUTION CODE</b>	
<b>13 ABSTRACT (Maximum 200 words)</b> The Geographic Resources Analysis Support System (GRASS) is a geographic information and image processing system originally designed to serve land managers and environment planners at Army installations. GRASS is public domain software distributed by several public and private organizations. The GRASS Inter-Agency Steering Committee represents the organizations that want to ensure that GRASS software remain reliable, consistent, and efficient, and that new versions of the code, new hardware platforms, and new digitizer, monitor, and printer drivers be consistently tested before distribution. This report provides guidance for testing new hardware platforms and drivers for GRASS.  To be fully supported, hardware and software configurations must pass both alpha and beta testing. Some GRASS software distribution site must accept responsibility for support of new hardware configuration or drivers. Alpha testing is usually done internally, after an initial port of GRASS, by an organization that has created a new port or driver. During alpha testing, an effort is made to identify and correct problems resulting from new code by a coordinated effort between the programmers and testers. The beta test requires a the test coordinator, the beta-testing sites, and a GRASS Hardware Coordinator. The test is initiated by the test coordinator, conducted by the beta test sites, and verified by the GRASS hardware coordinator. The end product is fully documented computer code.			
<b>14. SUBJECT TERMS</b> GRASS hardware		<b>15. NUMBER OF PAGES</b>	
		<b>16. PRICE CODE</b>	
<b>17. SECURITY CLASSIFICATION OF REPORT</b> UNCLASSIFIED	<b>18. SECURITY CLASSIFICATION OF THIS PAGE</b> UNCLASSIFIED	<b>19. SECURITY CLASSIFICATION OF ABSTRACT</b> UNCLASSIFIED	<b>20. LIMITATION OF ABSTRACT</b> SAME AS REPORT

## FOREWORD

This work was sponsored by the USDA Soil Conservation Service (SCS) under their program, "Cooperative Development and Support of GRASS Between USACERL and SCS"; Work Unit ZP9:R-FED-SCS, "GRASS-SCS." The Soil Conservation Service Technical Monitor was Dr. Richard Liston.

Dr. Ravinder K. Jain is the Chief of USACERL-EN. COL Carl O. Magnell is Commander and Director of USACERL, and Dr. L. R. Shaffer is Technical Director.

Accession For	
NIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution	
Availability Codes	
Dist	Avail and/or Special
A-1	

# Testing Guidelines for GRASS Ports and Drivers

by William D. Goran  
GRASS Information Center  
U.S. Army Construction Engineering Research Laboratory  
P.O. Box 4005, Champaign, IL 61824-4005  
Phone 217/373-7220 or 800/USA-CERL extension 220

## 1. Introduction

GRASS, the Geographic Resources Analysis Support System, is public domain software distributed by several public and private organizations. The organizations that develop and support GRASS (represented by the GRASS Inter-Agency Steering Committee) want to insure that the software is reliable, consistent, and efficient, and that new versions of the code; ports to new hardware platforms; and new digitizer, monitor and printer drivers are reasonably and consistently tested before general distribution. This document provides guidance for testing new hardware platforms and drivers.

## The GRASS Hardware Configurations Guide

The *GRASS Hardware Configurations Guide*<sup>1</sup> identifies all hardware configurations that support GRASS software, and all peripherals for which digitizer, monitor, or printer drivers have been written. There are two configuration sections to this guide - (1) configurations that are fully tested and supported for GRASS, and (2) configurations that are in beta testing. For hardware configurations (including new drivers) to move from the beta testing section to the tested and supported section, the beta test program must be completed, and some site(s) that distributes GRASS software must accept responsibility for support of this new configuration and/or driver.

The *GRASS Hardware Configurations Guide* is maintained and updated by the U.S. Army Construction Engineering Research Laboratory (USACERL) GRASS Hardware Coordinator (Doug Brooks). Beta test sponsors should notify the GRASS Hardware Coordinator at least twice during this testing process:

- When a new configuration or driver is ready for testing  
(*Beta Test Initiation Notice*).
- When a beta test has been successfully completed  
(*Test Completion Report*).

Configuration information and benchmarks should be provided to to the GRASS Hardware Coordinator both before and after (if there are any changes) the beta testing process. Benchmarks should follow the instructions in the document entitled *Guidelines for Running GRASS Benchmarks*<sup>2</sup> authored by Mark Johnson of USACERL. These documents are available upon request from the GRASS Information Center. The Center can also provide contacts for all sites

<sup>1</sup> Douglas A. Brooks, Michael E. Higgins, and Mark O. Johnson, *GRASS Hardware Configurations Guide*, ADP Report N-89/21 (U.S. Army Construction Engineering Research Laboratory [USACERL], March 1989).

<sup>2</sup> Mark Johnson, *Guidelines for Running GRASS Benchmarks*, Technical Manuscript N-89/23 (USACERL, February 1989).

that distribute or support GRASS software, or that are currently involved in beta tests.

## 2. Alpha Testing

After an initial port of GRASS has first been completed, or a new driver written, alpha testing should be conducted. A significant effort should be made, during alpha testing, to identify and correct problems and limitations resulting from the new code. Alpha testing should also include running the initial GRASS benchmarks.

There are several characteristics that distinguish **alpha** from **beta** testing.

- Alpha testing precedes beta testing.
- During alpha testing, programmers and testers work in close coordination, and programmers can change code to correct problems on a frequent and informal basis, at the request of the testers.
- No written documentation is required for the alpha testing process.
- Usually alpha testing is internal, within the organization that created the new port or driver.

In contrast, the beta test follows the alpha test, involves sites external to the originating organization, requires formal notification and documentation, and changes should only be made to the code after the completion of the testing process.

## 3. Beta Testing

During alpha testing, plans should be made for the beta testing process. The following are guidelines to provide developers, supporters, testers and users with a set of "common" procedures. There are three types of participants in this beta testing process, (1) the test coordinator, (2) the beta testing sites, and (3) the GRASS Hardware Coordinator. The beta testing is initiated by the test coordinator, conducted by the beta test sites, and verified, both before and after the testing, by the GRASS Hardware Coordinator.

Generally, there should be at least three beta test sites, although in some circumstances this number will be greater or smaller. Any decision to use less than three sites should be approved by the GRASS Hardware Coordinator. Sites selected for beta testing should already be familiar with GRASS software.

### The Beta Test Coordinator

Beta tests will be coordinated by a single site, usually the developer or sponsor of the new driver or port. This site will be called the Beta Test Coordinator. The Beta Test Coordinator will prepare three documents before the beta testing begins. These documents are (1) Configuration Specifications, (2) Installation Instructions, and (3) Test Report Forms.

#### *(1) Configuration Specifications:*

Exact hardware configuration information should be provided by the test coordinator to all potential beta test candidates, and to the GRASS Hardware Coordinator. This information should include details on all elements of a configuration, including memory, disk, storage devices, special boards and any other requirements. For new ports, information should also be provided on which peripherals were tested, and information on how these peripherals were connected. For driver ports, information should be provided as to which computers and operating systems (and releases of operating systems) and compilers were used during development of a driver, and any special switch settings and cable configurations relevant to the operation of the printer, digitizer or other device. When forwarded to the GRASS Hardware Coordinator, configuration information should include configuration options (e.g. comparable workstation in a series, such as the Sun 386i 150 and the Sun 386i 250) and list prices for each item in the configuration.

*(2) Installation Instructions:*

Full installation instructions should be developed by the test coordinator before tests can be conducted. Installing the software on a new machine is one of the key elements in the test. Also, test coordinators should identify any changes that might be required to standard GRASS user or programmer documentation, because of this new hardware. (Such changes should be minimal, to insure portability of GRASS software between different hardware platforms). Installation documentation is already included for some hardware platforms in the *GRASS User's Reference Manual*<sup>3</sup>. An addendum to these existing installation instructions may be sufficient. However, in some cases, installation instructions will need to discuss such matters as the insertion of new boards into a hardware bus. The installation instructions should also identify any software requirements for GRASS on the hardware platform, such as GKS, Sunview, X or other graphic libraries.

*(3) Test Report Forms:*

This form is simply a listing of all programs to be tested, with places for the testing sites to check each program and note any problems. For new ports, **all programs in the current release version of GRASS should be tested**. For new drivers, all GRASS programs and functions within programs that relate to the device (e.g. digitizer or printer or plotter) should be tested. This form is to be returned at the completion of the testing process.

Some public notice should be made, if possible, to inform potential beta test candidates that a product will be available for beta testing. This notice should identify the organization conducting this test, the intended timeframe for and duration of the test, and the anticipated requirements (e.g. hardware configurations and/or software or technical expertise) of potential sites. Forums for such announcements include [1] *GRASSClippings* newsletter,<sup>4</sup> [2] direct mailing to GRASS user sites, [3] technical journals and meetings and [4] GRASSNET and other electronic notes/bulletin boards.

Frequently, hardware vendors will help facilitate beta testing, and some vendors will provide equipment to selected beta testing sites. It is recommended that Beta Test Coordinators involve the vendors, to whatever extent appropriate, to confirm information on configurations, pricing and hardware availability and to develop plans for software support. Arrangements with vendors, however, are the primary responsibility of the Beta Test Coordinators, not the testing sites or the GRASS Hardware Coordinator.

Before the code is released to the testing sites, the Beta Test Coordinator should send a *Beta Test Initiation Notice* to the GRASS Hardware Coordinator identifying the intent to begin the test, the equipment to be tested, list prices for each item in the configuration, initial benchmarks (if appropriate), any vendor arrangements, and the names and points of contact for beta testing sites. The GRASS Hardware Coordinator will then list this configuration, and the test coordinator, in the next version of the *GRASS Hardware Configurations Guide*.

When the beta testing is completed, all software bugs and documentation errors, identified during the beta testing, should be addressed and corrected, before the code and documentation are released. However, no new functions should be added between beta testing and final release. If critical functions were omitted, they should be added and retested. If non-critical functions are desired, they should be included in future software releases or driver enhancements.

Then, the Beta Test Coordinator should file a *Test Completion Report* with the GRASS Hardware Coordinator. This report should include (1) copies of the *Test Report Forms* from each beta test

<sup>3</sup> James Westervelt, Michael Shapiro, William D. Goran, et al., *GRASS User's Reference Manual*, ADP Report N-87/22 (USACERL, September 1988).

<sup>4</sup> *GRASSClippings*, ISSN 0899-7853, published quarterly by the GRASS Inter-Agency Steering Committee.

site, (2) confirmation that each problem identified by the testing sites has been identified and corrected, (3) any new relevant configuration or benchmark information, and (4) plans for distribution and support of this new hardware. Distribution of code for this new hardware should not begin until the GRASS Hardware Coordinator confirms to the Beta Test Coordinator receipt and acceptance of this *Beta Test Completion Report*.

### Beta Testing Sites

Sites that wish to participate in beta tests should notify the Beta Test Coordinator. In this request notice, these sites will need to verify that they have the correct equipment, necessary skills (knowledge of UNIX, GRASS, and the hardware) and resources to perform this test.

Beta tests must be performed on the same or equivalent hardware as was used for developing the software. Testing software on different hardware constitutes "porting" the code, and bugs discovered during this process could result from the software port or the original code. As the beta test is designed to discover (and correct) bugs in the original code, testing should be kept as simple as possible. Once the original driver or port is fully tested, tests of hardware variations might also be conducted.

The beta testing procedures are as follows:

1. Upon receiving the new software, review the installation instructions, and begin the software installation process. Note any problems with the procedures or the documentation.
2. Perform a systematic testing of each program listed in the Test Report, and note any problems encountered. These notes should include details about any system error messages.
3. After testing the programs, run the GRASS benchmarks to confirm the Test Coordinators results and identify any performance problems.
4. Make every effort to complete the testing process, and return the test results, within the specified timeframe. Often, the Test Coordinator is under time pressure to have the test completed and to begin distribution of the code.

### GRASS Hardware Coordinator

Before the testing begins, the GRASS Hardware Coordinator (GHC) will need to verify that the information from the Beta Test Coordinator is correct. Then, the GHC will update the beta testing section of the *GRASS Hardware Configurations Guide*, and notify the editor of *GRASSClippings* about the planned test. Next, the Hardware Coordinator will contact each testing site, and confirm, with the point of contact, that the testing procedures are understood.

When the testing is completed, the GHC should receive and review the Completion Report from the Beta Test Coordinator, and confirm from the report contents that all known problems have been corrected. Then, the benchmarks and configurations should be updated, and the new configuration should be moved to the "tested and supported" section of the hardware configuration guide. The Beta Test Coordinator needs to arrange for ongoing support of the new port or driver, through an existing or new support organization.<sup>5</sup> Finally, a notice of the completed port should be made in *GRASSClippings*, and the GRASS Information Center records should be updated.

<sup>5</sup> If there is a new support organization, some memorandum of agreement might be required between USACERL (on behalf of the GRASS Inter-Agency Steering Committee) and the potential distribution site.



## REFERENCES

- Bradshaw, Stuart, and Pam Thompson, *Options for Acquiring Elevation Data*, Technical Manuscript N-89/20 (U.S. Army Construction Engineering Research Laboratory [USACERL], January 1989).
- Brooks, Douglas, Michael Higgins, and Mark Johnson, *GRASS Hardware Configurations Guide*, ADP Report N-89/21 (USACERL, March 1989).
- Diersing, Victor, Steven Warren, and David Tazik, *Land Condition-Trend Analysis*, Fact Sheet EN-41 (USACERL, January 1989).
- Goran, William D., and R. E. Riggins, "Geographical Information Systems for Training Land Evaluation," in *Army Research, Development and Acquisition*, Sept/Oct 1983, pp 26-8.
- Goran, William D., and R. E. Riggins, *Graphic Materials to Support Biophysical Quantitative Environmental Impact Analysis - Sources of Existing Materials*, Technical Report N-68 (USACERL, March/1979).
- Goran, William D., *GRASS Fact Sheet*, Fact Sheet EN-48 (USACERL, January 1989).
- Hottman, Steven D., John J. Fittipaldi, Richard G. Gauthier, and Mark E. Cole, *MicroBNOISE: A User's Manual*, Technical Report N-86/12/ADA173605 (USACERL, June 1986).
- Johnson, Mark, *Guidelines for Running GRASS Benchmarks*, Technical Manuscript N-89/23 (USACERL, February 1989).
- Lozar, Robert C., Editor, *Proceedings of the 1988 Geographical Resource Analysis Support System (GRASS) User Group Meeting*, Technical Manuscript N-89/18 (USACERL, September 1989).
- Johnson, Mark, and William D. Goran, *Sources of Digital Spatial Data*, Technical Report N-88/01/ADA189788 (USACERL, December 1987).
- Ressler, John Q., William Swain, Sandra Anderson, and Jerry Thompson, *The GRASS Problem-Solving Manual*, ADP Report N-89/15 (USACERL, August 1989).
- Riggins, R. E., Steven Apfelbaum, William D. Goran, Anthony J. Krzysik, and Timothy J. Ward, *Development of Environmental Guidelines for Multi-Purpose Range Complexes, Volumes 1 and 2*, Technical Report N-87/02/ADA176256 (USACERL, January 1987).
- Ruiz, Marilyn, *Cartographic Issues in Database Development*, Technical Manuscript N-89/24 (USACERL, September 1988).
- Severinghaus, William, and Robert Lacey, *Integrated Training Area Management*, Fact Sheet EN-13 (USACERL, November 1988).
- Shapiro, Michael, James Westervelt, et al., *GRASS 3.0 Programmer's Manual*, ADP Report N-89/14, (USACERL, September 1989).
- Sliwinski, Ben, *Methodology for Performing Return-On-Investment (ROI) Studies for Implementation of GRASS on Military Installations*, Technical Manuscript N-89/25 (USACERL, May 1989).
- Warren, S.D., V.E. Diersing, and P.J. Thompson, *An Erosion-Based Land Classification System for Military Installations* (paper presented at the 41st Annual Meeting of the Society for Range Management, 21-26 February 1988, Corpus Christi, TX).
- Westervelt, James, Michael Shapiro, William D. Goran, et al., *GRASS User's Reference Manual*, ADP Report N-87/22 (USACERL, September 1988).

## USACERL DISTRIBUTION

Chief of Engineers  
ATTN: CEIM-SL (2)  
ATTN: CECC-P  
ATTN: CECW  
ATTN: CECW-O  
ATTN: CECW-P  
ATTN: CECW-RE  
ATTN: CECW-RR  
ATTN: CEMP  
ATTN: CEMP-C  
ATTN: CEMP-E  
ATTN: CERD  
ATTN: CERD-L  
ATTN: CERD-C  
ATTN: CERD-M  
ATTN: CERM  
ATTN: DAEN-ZCE  
ATTN: DAEN-ZCI  
ATTN: DAEN-ZCM  
ATTN: DAEN-ZCZ

CEHSC ATTN: CEHSC-ZC 22060  
ATTN: DET III 79906

Allied Command Europe (ACE)  
ATTN: ACSGEB 09011  
ATTN: SHIB/Engineer 09055  
ATTN: AEUES 09081

US Military Academy 10966  
ATTN: Facilities Engineer  
ATTN: Dept of Geography &  
Computer Science  
ATTN: MAEN-A

FORSCOM  
FORSCOM Engineer, ATTN: Spt Det.  
ATTN: Facilities Engineer (27)

IISC  
Ft. Sam Houston AMC 78234  
ATTN: IISLO-F  
Fitzsimons AMC 80045  
ATTN: IISHG-DEH  
Walter Reed AMC 20307  
ATTN: Facilities Engineer

INSCOM - Ch, Instl. Div.  
Arlington Hall Station 22212 (4)  
ATTN: Facilities Engineer  
Vint Hill Farms Station 22186  
ATTN: LAV-DEH

TRADOC  
HQ, TRADOC, ATTN: ATEN-DEH 23651  
ATTN: DEH (18)

Fort Belvoir, VA 22060  
ATTN: Water Resource Center  
ATTN: Engr Studies Center  
ATTN: Engr Topographic Lab  
ATTN: ATZA-TE-SW  
ATTN: STRBE-BLURE  
ATTN: CEHSC-FN 22060-5580

CECRL, ATTN: Library 03755

WES, ATTN: Library 3918

HQ, XVIII Airborne Corps and  
Ft. Bragg 28307  
ATTN: AFZA-DEH-EE

Chanute AFB, IL 61868  
3345 CES/DE, Stop 27

NAVFAC  
ATTN: Facilities Engr Cmd (9)  
ATTN: Naval Civil Engr Lab (3)

Engineering Societies Library  
New York, NY 10017

U.S. Naval Oceanographic Office (2)  
ATTN: OAAD  
Stennis Space Center, MS 39522

ITD SRSC  
Stennis Space Center, MS 39529

Dept of Environmental Rsrce  
New Brunswick, NJ 08903

School of Civil Engineering  
West Lafayette, IN 47907

National Cartographic Center  
Cartography & Geographic Information Systems  
Div.  
Washington, D.C. 20013

U.S. Dept of Commerce  
Washington, DC 20233

NOAA  
Boulder, CO 80303

U.S. Geological Survey  
Reston, VA 22092

NASA  
NSTL, MS 39529

NORDA  
NSTL, MS 39529-5004

USGS, Branch of Geophysics  
Denver, CO 80225

DBA Systems, Inc.  
Fairfax, VA 22030

Technologies Services Group  
Marietta, GA 30062

National Guard Bureau 20310  
Installation Division

US Government Printing Office 22304  
Receiving/Depository Section (2)

US Army Support Command, HI 96858

US Army Env. Hygiene Agency  
ATTN: HSHB-ME 21010

Defense Technical Info. Center 22314  
ATTN: DDA (2)

124  
+10  
03/90

DEPARTMENT OF THE ARMY  
CONSTRUCTION ENGINEERING RESEARCH LABORATORY  
CORPS OF ENGINEERS  
PO BOX 4005  
CHAMPAIGN, ILLINOIS 61824-4005

OFFICIAL BUSINESS

BULK RATE  
US POSTAGE  
PAID  
CHAMPAIGN IL  
PERMIT NO. 871