



Visualization for Decision Superiority



Report Documentation Page

*Form Approved
OMB No. 0704-0188*

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE JUN 2005	2. REPORT TYPE	3. DATES COVERED 00-00-2005 to 00-00-2005			
4. TITLE AND SUBTITLE Visualization for Decision Superiority		5a. CONTRACT NUMBER			
		5b. GRANT NUMBER			
		5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)		5d. PROJECT NUMBER			
		5e. TASK NUMBER			
		5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) MAK Technologies,68 Moulton Street,Cambridge,MA,02138		8. PERFORMING ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)			
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES 39	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Purpose

Explain how different visualization techniques can aid decision makers in shortening the decision cycle, decreasing information uncertainty, and improving situational awareness.

Based on 2 Papers

- ▶ Increasing Situational Awareness by Combining Realistic and Non-Realistic Rendering Techniques
 - ▶ Valerie A. Summers¹, Aline Normoyle¹, Robert Flo²
- ▶ Increasing Situational Awareness by Visualizing Uncertainty
 - ▶ Valerie A. Summers¹, Richard L. Jones¹, Robert Flo²

MÄK Technologies¹


U.S. Air Force, Rome Labs²

Visualization of Information is not...

- ▶ Fusing information
- ▶ Improving information estimates
- ▶ Collating multiple information sources

Visualization is displaying information graphically on a display

Where Visualization Fits



Availability

- ▶ Products commercially available
- ▶ Available through the U.S. Air Force for other programs
- ▶ Works out of the box with HLA, DIS
- ▶ Use plug-in API to work with Link16
- ▶ C2PC injector stimulated via HLA
- ▶ Various platforms including MS Windows and Linux

Requirements Source

- ▶ Human computer interaction research
- ▶ Military subject matter experts
- ▶ Toolkit Customers (both foreign and domestic)
- ▶ Feedback from fielded simulation applications

Visualization Goals

- ▶ Reduce information process time for decision makers
- ▶ Enable information manipulation
 - ▶ Filter
 - ▶ Clarify
 - ▶ Value
- ▶ Improve situational awareness of the known, unknown, and the uncertain

Knowledge Organization

Knowledge voids	Collection plan emphasis	Altitude, timeliness
Coverage + no threats	Supply / evacuation routes	Visualization of uncertainty
Coverage + threats	Time Sensitive Targeting	Clutter (too much data) Confidence values

Software Development Goals

- ▶ Enable display customization
- ▶ Enable de-cluttering the display
- ▶ Integrate
- ▶ Cross-tool control
- ▶ Toolkit
- ▶ Visualization techniques work together

Approach: 3 non-realistic techniques

- ▶ **Visualization of non-visual data**
- ▶ Alternative visualization
- ▶ Data reduction



Criteria for Visualization of Non-visual Data

- ▶ Relevant to user
- ▶ Help user with his/her task
- ▶ Have a spatial representation


Dynamic Spatial Data – Changes rapidly over time

- ▶ Biological, chemical or nuclear plumes
- ▶ Communication lines
- ▶ Threat ranges
- ▶ Sensor coverage
- ▶ Drop down lines with altitude labels (precise XY location not obvious in perspective views)
- ▶ Trajectory histories (help predict future locations and AARs)
- ▶ Inter-visibility lines


Weapons of Mass Destruction Nuclear, Biological or Chemical



Weapons of Mass Destruction Nuclear, Biological or Chemical




Weapons of Mass Destruction Nuclear, Biological or Chemical






Communications



Weapon System Threat Envelopes



Sensor Coverage



Static Spatial Data

- ▶ Tactical graphics
 - ▶ Planned routes
 - ▶ Waypoints
 - ▶ Areas of impassible terrain
 - ▶ Phase lines
 - ▶ Engineering objects
 - ▶ ...



Tactical Graphics



Approach: 3 non-realistic techniques

- ▶ Visualization of non-visual data
- ▶ **Alternative visualization**
- ▶ Data reduction

Unit Representation



Deciding Which to Use


▶ Realistic

- ▶ + Unit details
- ▶ + Emotional factors
- ▶ - Screen clutter (no scaling or aggregation)
- ▶ - Worst performance




▶ Non-realistic (Impressionistic)

- ▶ + Partial unit detail (force id and orientation)
- ▶ Faster performance than realistic




▶ Symbolic Billboards


- ▶ - Unit details except orientation
- ▶ + Reduce screen clutter
- ▶ + Best performance



Alternative Terrain Scaling




Terrain drawn to scale




Exaggerated scaling

Alternative Terrain Coloring




Contour shading




Drape political raster map

Combining Techniques



Exaggerated scaling AND
contour shading



Exaggerated scaling AND
political raster map



Approach: 3 non-realistic techniques

- ▶ Visualization of non-visual data
- ▶ Alternative visualization
- ▶ **Data reduction**
 - ▶ **Eliminate**
 - ▶ **Compress**

Data Elimination

- ▶ Shared Overlays
 - ▶ Networked sharing of data
 - ▶ Whole screen
 - ▶ Examples: enemy force template, coordination info. (phase lines, fire control lines, maneuver)
- ▶ User Controlled Filters
 - ▶ Not shared
 - ▶ Whole screen or just a subset
 - ▶ Examples: line of sight, hide ineffective air defense units
- ▶ Automatic
 - ▶ Hide unit effects with non-realistic units

All Overlay Layers – Too Cluttered!



Intel Collection Assets

VR-Forces 1

File View Navigation Simulation Create Objects Task Set Entities Stealth Intervisibility Options Help

Select Objects Selected Simulation Engine: 1:3001 Time Multiplier 1.00 Simulation Time 00:00:00:00

Intel Collection layer

U2-ETA 15:51.15
U2-ETA 16:12.45
NAT'L ASSET 15:10.00
NAT'L ASSET 15:00.00
UAV-ETA 15:01.09
NAT'L ASSET 14:50.00
UAV-ETA 14:49.15
UAV-ETA 14:42.22
UAV-ETA 14:37.50
UAV-ETA 14:25.25
NAT'L ASSET 14:40.00
U2-ETA 15:35.20
NAT'L ASSET 14:30.00
Predator UAV 1:2:225:50:3:1:0
Racon U2 1:2:225:7:3:1:0

COMPASS CALL
JSTAR
RIVET JOINT

Coordinate System: Geocentric
X (m)
Y (m)
Z (m)

Soil Type:
Entity Identifier:
Entity Type:

Overlay Manager



Available Overlays

- AIR DEFENSE
- Intel Collection
 - U2
 - COMPASS CALL
 - JSTAR
 - RIVET JOINT
 - NAT'L ASSET
 - UAV Predator

Allow Overlay Edit




New Layer Delete

Air Defense Assets



Data Consolidation

- ▶ User controlled dynamic scaling
- ▶ Aggregation (combine units)
 - ▶ Exact same type
 - ▶ Identical platform / domain / force
 - ▶ User defined cluster rules



Technique Interaction

- ▶ Point of view
 - ▶ Saved defaults
 - ▶ Customized views
 - ▶ Cross tool control through other applications
 - ▶ Zoom level to see different levels of detail
- ▶ Other Data Representations
 - ▶ Organizational structures
 - ▶ Unit capabilities (sensors etc.)
- ▶ Reducing Confusion
 - ▶ User customization (Colors / styles for vast number of options)

Results

- ▶ Positive feedback from
 - ▶ Simulation Interoperability Workshop (SIW) 2004
 - ▶ International Training Education Conference (ITEC) 2004
 - ▶ C4I Summit 2004
 - ▶ Transformation and Operations (TOPS) in Cyberspace 2004
- ▶ Used by
 - ▶ OpNet as base toolkit for 3DENV
 - ▶ ITT visualization of hazardous plumes models

Future Work

- ▶ User Studies
- ▶ Better data filtering
- ▶ Knowledge voids
- ▶ Automated data displays
- ▶ Increased performance

Acknowledgements

- ▶ Supported through:
 - ▶ DoD Small Business Innovative Research Program (SBIR) ,
 - ▶ AF02-109 “Multi-sensory display toolkit”
(U.S. Air Force, Rome Labs)
 - ▶ A99-040 “Display Management for Command and Control Applications”
(U.S. Army, CECOM)
 - ▶ Internal product development.

Questions?

