

The 15TH Annual Intelligent Ground Vehicle Competition: Intelligent Ground Robots Created by Intelligent Students

Bernard L. Theisen¹

U.S. Army Tank Automotive Research, Development and Engineering Center
6501 E. Eleven Mile Road; Warren, MI 48397-5000

ABSTRACT

The Intelligent Ground Vehicle Competition (IGVC) is one of three, unmanned systems, student competitions that were founded by the Association for Unmanned Vehicle Systems International (AUVSI) in the 1990s. The IGVC is a multidisciplinary exercise in product realization that challenges college engineering student teams to integrate advanced control theory, machine vision, vehicular electronics, and mobile platform fundamentals to design and build an unmanned system. Teams from around the world focus on developing a suite of dual-use technologies to equip ground vehicles of the future with intelligent driving capabilities. Over the past 15 years, the competition has challenged undergraduate, graduate and Ph.D. students with real world applications in intelligent transportation systems, the military and manufacturing automation. To date, teams from over 50 universities and colleges have participated. This paper describes some of the applications of the technologies required by this competition and discusses the educational benefits. The primary goal of the IGVC is to advance engineering education in intelligent vehicles and related technologies. The employment and professional networking opportunities created for students and industrial sponsors through a series of technical events over the four-day competition are highlighted. Finally, an assessment of the competition based on participation is presented.

Key words: intelligent robots, autonomous systems, ground vehicles, engineering education, IGVC.



Figure 1: Virginia Tech – Johnny-5, 2007 IGVC Grand Award Winner.

1. email: theisenb@taacom.army.mil, phone: 586-574-8750

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 09 SEP 2007		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE The 15th Annual Intelligent Ground Vehicle Competition: Intelligent Ground Robots Created by Intelligent Students				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Theisen Bernard L				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) RDECOM - TARDEC 6501 E 11 Mile Road Warren, MI 48397-5000				8. PERFORMING ORGANIZATION REPORT NUMBER 17417	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S) TACOM TARDEC	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) 17417	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS intelligent robots, autonomous systems, ground vehicles, engineering education, IGVC					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT SAR	18. NUMBER OF PAGES 15	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

1. INTRODUCTION

The Intelligent Ground Vehicle Competition (IGVC) is one of three, unmanned systems, student competitions that were founded by the Association for Unmanned Vehicle Systems International (AUVSI) in the 1990s. The IGVC is a multidisciplinary exercise in product realization that challenges college engineering student teams to integrate advanced control theory, machine vision, vehicular electronics, and mobile platform fundamentals to design and build an unmanned system. Both U.S. and international teams focus on developing a suite of dual-use technologies to equip ground vehicles of the future with intelligent driving capabilities.

Over the past 15 years, the competition has challenged undergraduate, graduate and Ph.D. students with real world applications in intelligent transportation systems, the military and manufacturing automation. To date, teams from over 50 universities and colleges have participated. This paper describes some of the applications of the technologies required by this competition and discusses the educational benefits. The primary goal of the IGVC is to advance engineering education in intelligent vehicles and related technologies. The employment and professional networking opportunities created for students and industrial sponsors through a series of technical events over the four-day competition are highlighted. Finally, an assessment of the competition based on participant feedback is presented.



Figure 2: University of Delaware - Warthog, 2007 Rookie-of-the-Year.

The objective of the competition is to challenge students to think creatively as a team about the evolving technologies of vehicle electronics, controls, sensors, computer science, robotics, and systems integration throughout the design, fabrication, and field testing of autonomous intelligent mobile robots. The competition has been highly praised by faculty advisors as an excellent multidisciplinary design experience for student teams, and a number of engineering schools give credit in senior design courses for student participation.

Intelligent vehicles have many areas of relevance for both civilian and military applications. Vehicle intelligence can be applied to civilian applications in automating future highways or enhancing the safety of individual automobiles and trucks. For the Department of Defense (DoD), intelligent vehicles have the potential to greatly increase the effectiveness of the Army's Future Force by removing Soldiers from high risk tasks, as well as a desirable high payoff

potential in multiplying combat assets, thus increasing unit combat power. Technology objectives identified in both DoD and Department of Transportation (DoT) programs have been used to structure the IGVC.

Based on the IGVC technical objectives, a number of co-sponsors have joined to help, fund, and promote the IGVC. Present and past co-sponsors include the AUVSI, U.S. Army Tank Automotive Research, Development and Engineering Center (TARDEC), Oakland University (OU), Society of Automotive Engineers (SAE), Fanuc Robotics, the Automated Highway Systems (AHS) Consortium, General Dynamics Land Systems (GDLS), the United Defense Limited Partnership (UDLP), the DoT, Ford Motor Co., General Motors (GM), DaimlerChrysler (DCX), Applied Research Associates (ARA), Science Applications International Corp. (SAIC), National Defense Industrial Association (NDIA), Theta Tau, Motorola, CSI Wireless, the Defense Advanced Research Projects Agency (DARPA), the DoD Joint Ground Robotics Enterprise (JGRE), the joint Center for Unmanned Ground Vehicles (JC-UGV) and the U.S. Air Force Research Laboratory (AFRL). A common interest of all these organizations is intelligent vehicles and their supporting technologies. The IGVC challenges the students to design, develop, build, demonstrate, report, and present integrated systems with intelligent technologies which can lane-follow, avoid obstacles, operate without human intervention on slopes, natural environments, and simulated roads, autonomously navigate with global positioning systems (GPS) and to perform leader-follower applications. The civilian aspect of this dual use technology is underpinned by the automotive applications.

The IGVC has three mandatory components and one optional event: a Design Competition, the Autonomous Challenge, the Navigation Challenge and the Joint Architecture for Unmanned Systems (JUAS) Challenge. The total award money amount of all four competitions is currently over \$40,000. In the Design Competition, judges determine winners based on written and oral presentations and on examination of the vehicles. While in the Autonomous Challenge, the robotic vehicles negotiate an outdoor obstacle course approximately 200 meters long. The Navigation Challenge requires vehicles to travel from a starting point to a number of target destinations using global positioning system (GPS) waypoints. The JAUS Challenge has two aspects a written/oral presentation which will be added to the Design Competition and a practical demonstration to determine compliance with the architecture.



Figure 3: Lawrence Technological University - H2Bot II, 2007 Design Competition winner.

2. THE COMPETITION EVENTS

The Autonomous Challenge event requires a fully autonomous unmanned ground robotic vehicle to negotiate around an outdoor obstacle course under the prescribed time of five minutes while staying within the five mile-per-hour speed limit and avoid obstacles on the track. The course consists of a 910 foot long, ten foot wide lane with white lane markings on grass. Obstacles on the course will consist of various colors (white, orange, brown, green, black, etc.) 5-gallon pails, construction drums, cones, pedestals and barricades that are used on roadways and highways. Natural obstacles such as trees or shrubs and man made obstacles such as light post or street signs could also appear on the course. The obstacles will be part of complex arrangements with switchbacks and center islands. Their locations will be adjusted between runs and the direction of the obstacle course may also be changed between heats. Artificial inclines with 15 percent gradients and a sand pit are placed on the course and must be negotiated. The vehicles are judged based on their ability to perceive the course environment and avoid obstacles. A human operator cannot remotely control vehicles during competition. All computational power, sensors, and control equipment must be carried on board the vehicle to achieve autonomous driving with computer vision and obstacle detection technologies. Judges will rank the entries that complete the course based on shortest adjusted time taken. In the event that a vehicle does not finish the course, the judges will rank the entry based on longest adjusted distance traveled. Adjusted time and distance are the net scores given by judges after taking penalties, incurred from obstacle collisions, pothole hits, and boundary crossings, into consideration. The vehicle that travels the farthest on the course, or completes the course in the shortest time wins; award money for this event totals \$9,500.



Figure 4: University of Detroit Mercy – CAPACITOPS on the Autonomous Challenge course.

The Design Competition expects all teams will design and equip their vehicles to compete in the Autonomous and Navigation Challenges and design reports will be judged accordingly. Failure to Qualify for the performance events will result in only nominal prize awards in the design competition and the navigation challenge. Although the ability of the vehicles to negotiate the competition course is the ultimate measure of product quality, officials are also interested in the design process that engineering teams follow to produce their vehicles. Design judging is performed by a panel of experienced engineering judges and is conducted separate from and without regard to vehicle performance on the test

course. Judging is based on a 15 page written report, a 10 minute oral presentation and an examination of the vehicle. In the interest of engineering discipline, design reports that are received after the deadline date are penalized in the judging, as are oral presentations running longer than the specified time. The award money for this event totals \$6,500.

The Navigation Challenge event is a practice that is thousands of years old. Procedures have continuously improved from line-of-sight to moss on trees to dead reckoning to celestial observation to the use of global positioning systems (GPS). The challenge in this event is for a vehicle to autonomously travel from a starting point to a number of target destinations (waypoints or landmarks) and return to home base, provided only a map showing the coordinates of those targets. Coordinates of the targets are given in latitude and longitude as well as in meters on an x-y grid. The vehicle thus needs to incorporate GPS technology with computer vision, obstacle detection and avoidance to find and reach the targets. The vehicle visiting the most waypoints in a given (or the shortest) time wins; award money for this event totals \$8,250.

The JAUS Challenge verifies that teams are using a standardized message suitable for controlling all types of unmanned systems, and is becoming an SAE Aerospace Standard. Participation in the challenge is voluntary and teams could complete either the Level I or Level II Challenges. Teams that completed Level I last year, where not eligible to complete Level I this year, but all teams need to complete Level I to attempt Level II. Both challenges consisted of two separate aspects, first a description of the student teams' implementation in the Design Competition. Student teams that participated in JAUS were allotted one extra page in their report and two extra minutes during their oral presentation. The second aspect is a practical demonstration which will consist of JAUS messages begin sent to the vehicle from an IGVC developed operator control unit (OCU) via an RF data link. Within the practical demonstration, there are two levels of performance; Level I, will consist of messages to start the vehicle moving forward in the autonomous mode, stop the vehicle from moving in the autonomous mode, and activate a warning device (horn/light). Level 2, will be to demonstrate vehicles only accept messages intended for them and provide the Navigation Challenge waypoints upon request. All teams successfully completing the JAUS will receive an award of \$500, limit one award per school.



Figure 5: Hosei University – Omnix 2007, competing in the Design Competition.

3. THE COMPETITION RULES (IN BRIEF)

Vehicles must be entirely autonomous and cannot be controlled by a human operator during competition. All computational power, sensing, and control equipment must be carried on board the vehicle; except there must be both a manual and wireless remote emergency stop capability meeting strict specifications.

Chassis can be built from scratch or commercially bought (all-terrain vehicle, golf cart, lawn tractor, electric wheel chair, etc.). Overall dimensions cannot exceed 7 feet in length, 5 feet in width and 6 feet in height. Propulsion must be by direct mechanical contact with the ground, and power must be supplied either electrically or by combustible fuel. Vehicles must have a maximum speed of 5 mph for safety and must carry a 20 pound load during competition.

The Autonomous Challenge course is laid out on grass with sections of simulated asphalt, a simulated sand pit, and an artificial incline with a 15 percent grade. Lane markers (lines) are painted white and are 3 meters apart. The turning radius is not less than 5 feet. One section has alternating dashed lines, while another section has no lane markers at all for 15 feet. Obstacles on the course will consist of various colors construction drums, cones, pedestals and barricades that are used on roadways and highways. White-painted simulated and actual potholes need to be avoided. Traffic tickets or run terminations are made by the judges for various infringements on the course (crossing the lane markers, striking an obstacle, etc.). The course layout is changed every year and obstacles are moved between runs.



Figure 6: University of Minnesota - Twin Cities – AWESOM-O navigating the switchbacks.

The Navigation Challenge course is run on an unmarked one hectare field or paved parking lot. Waypoints vary in size from two to four meter diameter and are scattered around a single start/finish point, latitude and longitude of each of these targets is given to the participants. Construction barrels and other construction barriers are also located in the field so the vehicles cannot reach all waypoints by following straight lines without encountering an obstacle.

Teams placing in the competitions are awarded with individual point values for a grand award for the team that represents best overall performance. For each competition, points will be awarded to each team, placing first through sixth. The team with the most points at the end of the competition wins the Grand Awards which consist of three traveling trophies, the Lescoe Cup, the Lescoe Trophy and the Lescoe Award for first through third place respectively. Below is a breakdown of the points:

Place	Autonomous Challenge	Design Competition	Navigation Challenge
1	48	24	36
2	40	20	16
3	32	16	24
4	24	12	18
5	16	8	12
6	8	4	6

Table 1: Grand Award point distribution.

Safety is a prime concern; vehicles that are judged to be unsafe are not allowed to compete. Therefore, participating vehicles must conform to specific safety regulations. They must conform to safety requirements that include the following criteria, speed limits, E-Stop (manual and a wireless remote) and indemnification agreements.

4. TEAM TECHNOLOGIES

All of the vehicles entered into the IGVC are unique and different in design. Though most of the vehicles entered in the competition can be broken down into three main subsystems, mechanical, electrical and software. Fabrication of such a vehicle requires engineering knowledge from various disciplines. The most well rounded teams will employ engineers from several different fields to handle the needs of the projects scope of work. Some teams even employ business and marketing students to help them make contact with industry and the military for both financial backing and durable goods needed for the project.

Mechanical subsystem teams are typically responsible for the chassis, propulsion system and body. The chassis designs for the robots are only limited by the design team's imagination and manufacturing capability. Some teams build small inexpensive robots which are designed solely for the competition itself, entering multiple robots to increase the number of computer algorithms available to challenge the courses. Other teams build elaborate mechanical designs which are robust enough to be used for multiple robotic competitions. Regardless of which design philosophy a team uses, it is important to document the entire build process as the robot is built. Documentation can greatly improve reports required for the Design Competition.

Before building the robot chassis a team must decide what their strategy for completing courses will be. The object of the autonomous challenge is to navigate obstacles on a curved course, over ramps, and through sand. Therefore, the vehicle requires the mobility to steer around obstacles, and the power to carry a 20 pound payload over ramps. The Navigation Challenge only requires the robot to get from point A to point B as quickly as possible, without going over the 5 mph speed limit. For obstacle avoidance on the Autonomous Challenge course a team can choose from steering controls such as Ackermann, differential, articulation and omnidirectional steering. All steering strategies have been tried in past IGVC competitions with success limited only by the robustness of the chassis. A properly designed Ackermann or articulating robot can navigate obstacles as well as omnidirectional and differential steering robots. A team should choose whichever steering strategy they feel will best complement the robot's software control.



Figure 7: Georgia Institute of Technology - Candi on the Practice Course.

After choosing a basic steering design the team should consider how they will store and convert energy on their vehicle. Typically the robots are battery powered electric drive. However, there are examples of internal combustion engine and hydrogen powered fuel cell vehicles in the past. So long as the design of the robot is structurally sound and energy transmission complies with relevant industry standards, a team can derive their power from batteries, fuel or fuel cells. Teams should investigate the safe handling practices of each type of energy storage before choosing their power source. Also, a team should research the logistics of their energy source, to make sure it is the best source for their design. For example, gasoline has a high energy density, but converting the energy into rotational and electrical power typically requires more equipment which may mitigate weight savings. Another example, lead acid batteries have a very low energy density, but they are less expensive and easier to maintain than lithium ion batteries.

Current platforms must be able to maneuver through several different types of terrain. The majority of the Autonomous Challenge course and possibly the entire Navigation Challenge course is freshly cut grass. There are parts of the Autonomous Challenge course which consist of sand, wood or tarmac. The terrain may also be wet and muddy. Differential tracked vehicles should be designed to have enough traction to propel them forward, while having enough slippage to control the direction of the vehicle's under steer. All platforms must have enough power to carry itself and the 20 pound payload across the terrain gradients up to 15%. It is important to design the vehicle to carry extra power because a team cannot replace batteries or refuel once they start a performance event.




Figure 8: Rochester Institute of Technology – Overlord getting ready to qualify.

Braking is sometimes mechanical, but often results simply when power to the motors is cut off, and/or the very high gear ratios are used between motors and wheels. Suspension systems vary widely from sophisticated shock absorber/spring assemblies to solid mounting. Computers and electronic components are often soft-mounted. Majority of the vehicles are electrically powered, but some have also been powered by internal combustion engines and hydraulic drive. Most vehicles have wheels, either three or four, but some have had two wheels or tracks similar to an army tank. Bodies are sometimes made of composite materials in very stylish, artistic, and creative forms, while others have no body covering at all and look like rolling laboratories.

Electrical subsystem teams are generally responsible for most of the components on the vehicle, such as batteries, computers, sensors, cameras and actuators. A typical vision system consists of a one or several color video or

still cameras positioned on top of the vehicle that have to be interfaced with a computer. Frequently used sensors include SICK laser range finders, digital compasses, differential global position systems (DGPS), diffuse sensors, non-contact optical sensors and proximity sensors. Controllers are used for the motors, speed and actuators for steering and suspension. Most vehicles have several computers, though they are not always onboard, they are used for programming and vehicle diagnostics and are connected via hard wire or through a wireless local area network (LAN) connection.

Software teams are responsible for writing the software that controls all of the individual mechanical and electrical devices on the vehicle. Several different languages are used to write the code for the vehicles including C, C++, Visual Basic, LabVIEW and Java. Some teams are even making their vehicles compliant with JAUS; this is significant because JAUS is emerging as the DoD standard for all unmanned systems. The purpose of JAUS is interoperability between various unmanned systems and subsystems for both commercial and military applications, and is currently part of the Operational Requirement Document (ORD) for the Future Combat System (FCS).

Most teams use a closed-loop system for controlling their vehicles. A computer and controller feed information to motor controllers, which send electrical or mechanical energy to power the motors. This moves the vehicle, which is observed by encoders that can measure either the motors movement to determine where and how far the vehicle moved, or can measure the environment to determine how far it has traveled. These encoders then send that data back to the computer which uses it, among other data in determining what to do next. A typical example of a vehicle's software system can often be broken down into main sub systems; for example main navigation algorithm, lane following algorithm, obstacle avoidance algorithm and waypoint algorithm. The main sub systems will take data from the other algorithms and use it to plan its path using 3D mapping to determine go and no go areas to choose an ideal case where there are no uncertainties, using tools, such as differential equations and Extended Kalman Filter algorithms to determine the best path in light of the data and uncertainties in the situation.

Many robots used both video camera, single or stereo cameras and laser range data to create these 3D maps of the area. The laser range finders are often mounted less than a foot above the ground, looking parallel to the ground. The video cameras however, are often mounted several feet above the ground, looking downward at a 45 degree angle. This presented a problem to the teams, requiring them to determine how to integrate both sensors into the map and still utilize the sensors' capabilities. One way to do this was to convert the video data into laser range data format, and place it on the semicircle map created by the laser range finder.



Figure 9: University of Wisconsin Madison - ReWIRED, fine-tuning their vehicle in the team tent.

The laser range finder map is converted into a form of x-y coordinates, which are then used to plan the path of the vehicle, looking forward at future movements and plotting its course on this 3D map. To do this, decision-making algorithms try to find a path to the end of their sensor range. If they cannot do this, they find the best possible path at a closer range, where new sensor data may generate new paths. Otherwise, like human drivers, the vehicles will back up and try another path.

Teams often incorporated a lane-continuation algorithm into their controllers, so that if a lane on either edge of the path disappeared for a distance, it would “extend” that line and maintain its course within that line as if it were still observed. Several teams are now using a systems engineering team to link all the subsystems together and make sure that all the pieces fit together. If systems are conflicting their responsibility is to determine what is causing the problem. Then they can address the problem by either eliminating unnecessary equipment or software, or they can determine a new unique solution to solve the problem. The engineering challenge is to successfully build, integrate, test, tune and control the vehicle to meet the competition challenges within the time and resource constraints.



Figure 10: California State University - Northridge – LinBot.

5. THE 2007 COMPETITION

The 15th Intelligent Ground Vehicle Competition was held on June 8-11, 2007 at Oakland University in Rochester, Michigan. This year drew 37 teams to attempt the challenge, due to complications only 31 teams appeared at the competition. The teams were truly international, arriving from all over the U.S and Canada and from as far away as Japan. Throughout the practice and qualification weekend, additional hardware and computer realities eliminated nine more participants for a total of 22 teams qualifying for the performance events.

The Autonomous Challenge, an IGVC original event, requires the robots to drive a grass course, performing line-following and obstacle avoidance while driving over a ramp, through a sand pit, avoiding simulated potholes and keeping between dashed line markings. Virginia Tech’s Johnny-5 finished first completing 853 feet of the 910 foot long course before their five minute time limit expired. They were the only team to pass the money barrel and received \$3,000 in award money. University of Minnesota - Twin Cities’ AWESOM-O came in second place, with a distance of 496 feet, the University of Detroit Mercy’s CAPACITOPS came in third with 344 feet. Like Virginia Tech both teams ran out of time and only received the nominal award money of \$800 and \$600, respectively.

Place	University	Vehicle	Distance	Time
1	Virginia Tech	Johnny-5	853	5 minutes
2	University of Minnesota - Twin Cities	AWESOM-O	496	5 minutes
3	University of Detroit Mercy	CAPACITOPS	344	5 minutes
4	Virginia Tech	Polaris	342	2 minutes 40 seconds
5	École de technologie supérieure	RS3	243	5 minutes
6	University of Michigan - Dearborn	Wolf	221.5	3 minutes 28 seconds
7	Georgia Institute of Technology	Candi	133	1 minute 42 seconds
8	The College of New Jersey	AMBER	105	2 minutes
9	Hosei University	Omnix 2007	108	53 seconds
10	Bluefield State College	Anassa III	90	45 seconds
11	Lawrence Technological University	H2Bot II	100	1 minute 42 seconds
12	Trinity College	Q	98	2 minute 20 seconds
13	Bob Jones University	Balthasar	92	1 minute 49 seconds
14	California State University - Northridge	LinBot	91	1 minute 22 seconds
15	Cedarville University	Yellow Jacket III	82	45 seconds
16	University of Wisconsin - Madison	ReWIRED	81	49 seconds
17	University of Texas - Austin	BlastyRAS	80	1 minute 18 seconds
18	University of Cincinnati	Bearcat Cub	83	2 minutes
19	University of Delaware	Warthog	46	23 seconds
20	University of Missouri - Rolla	Aluminator	33	19 seconds
21	University of Massachusetts - Lowell	MCP	28	18 seconds

Table 2: Autonomous Challenge results

The Design Competition component of the IGVC has been sponsored by the Society of Automotive Engineers for 13 of the 15 years the competition has been held. Judges for this competition are chosen to reflect commercial and military applications of intelligent vehicles. Two weeks prior to the IGVC, teams sent their technical papers to the judges for review. The teams were then randomly split into either Design Group A or Design Group B. During the competition each Design Group presented their design to a different group of independent judging panels. Each panel selected their top three teams and those teams presented their design presentation to the other panel of judges. Then both judging panels merge to score the top six finalists to determine a winner. The presentations and technical papers (in SAE format) were evaluated and scored. Lawrence Technological University's H2Bot II design won first place and \$2,000 in award money; University of Hosei's Omnix 2007 took second place and \$1,500 in award money and there was a tie for third place between University of Central Florida's Gamblore and Virginia Tech's Polaris. California State University - Northridge's LinBot and Bluefield State College's Anassa III were the other two finalists placing fifth and sixth respectively.



Figure 11: Bluefield State College – Anassa III, on the start line.

Design Finalist			
Place	University	Vehicle	Score
1	Lawrence Technological University	H2Bot II	879.00
2	Hosei University	Omnix 2007	855.23
3	University of Central Florida	Gamblore	845.98
3	Virginia Tech	Polaris	845.25
5	California State University - Northridge	LinBot	842.00
6	Bluefield State College	Anassa III	829.21
Design Group A			
Place	University	Vehicle	Score
1	Lawrence Technological University	H2Bot II	855.00
2	California State University - Northridge	LinBot	834.50
3	Virginia Tech	Polaris	822.50
4	Virginia Tech	Chimera	822.00
5	University of Missouri - Rolla	Stereo Opticon	803.00
6	Virginia Tech	Johnny-5	801.50
7	University of Delaware	Warthog	774.50
8	University of Missouri - Rolla	Aluminator	745.50
9	Georgia Institute of Technology	Candi	743.00
10	University of Illinois - Chicago	Achilles	736.00
11	University of Texas - Austin	BlastyRAS	730.50
12	Oakland University	Zeus	725.50
13	University of Cincinnati	Bearcat Cub	687.50
14	Lawrence Technological University	Armadillo	685.50
15	École de technologie supérieure	RS3	594.00
16	Stony Brook University	TNA	441.00
Design Group B			
Place	University	Vehicle	Score
1	Hosei University	Omnix 2007	970.75
2	Bluefield State College	Anassa III	956.75
3	University of Central Florida	Gamblore	943.75
4	University of Detroit Mercy	CAPACITOPS	926.75
5	University of Wisconsin - Madison	ReWIRED	921.00
6	Trinity College	Q	903.50
7	Bob Jones University	Balthasar	868.00
8	The College of New Jersey	AMBER	859.00
9	Rochester Institute of Technology	Overlord	843.00
10	University of Minnesota - Twin Cities	AWESOM-O 2007	830.50
11	University of Massachusetts - Lowell	MCP	830.00
12	The City College of New York	BeaverBot	820.75
13	University of Michigan - Dearborn	Wolf	742.50
14	Cedarville University	Yellow Jacket III	689.00
15	DeVry Institute of Technology - Calgary	Mercury	25.00

Table 3: Design Competition results.



Figure 12: University of Massachusetts - Lowell – MCP preparing for the Navigation Challenge.

The Navigation Challenge in its seventh year demonstrated agile maneuvers based on navigating between a set of eight different GPS waypoints. The challenge was enhanced by deliberately setting obstacles between the waypoints. Virginia Tech's Johnny 5 came in first, completing all eight waypoints in 4 minutes and 6 seconds and receiving \$2,500 in award money. Hosei University's Omnix 2007 came in second place, by completing the course and receiving \$2,000 in award money. Third place went to University of Detroit Mercy's CAPACITOPS, completing the course and received \$1,500 in award money.

Place	University	Vehicle	Waypoints	Time
1	Virginia Tech	Johnny-5	8	4 minutes 6 seconds
2	Hosei University	Omnix 2007	8	4 minutes 58 seconds
3	University of Detroit Mercy	CAPACITOPS	8	6 minutes 1 second
4	University of Minnesota - Twin Cities	AWESOM-O	6	6 minutes 14 seconds
5	University of Michigan - Dearborn	Wolf	5	6 minutes 42 seconds
6	University of Massachusetts - Lowell	MCP	4	5 minutes 32 second
7	University of Cincinnati	Bearcat Cub	4	6 minutes 11 seconds
8	Trinity College	Q	3	2 minutes 55 seconds
9	École de technologie supérieure	RS3	3	3 minutes 59 seconds
10	Bob Jones University	Balthasar	3	4 minutes 8 seconds
11	University of Delaware	Warhog	2	1 minute 11 seconds
12	Lawrence Technological University	H2Bot II	2	1 minute 20 seconds
13	California State University - Northridge	LinBot	2	1 minute 53 seconds
14	University of Wisconsin - Madison	ReWIRED	1	20 seconds
15	Cedarville University	Yellow Jacket III	1	27 seconds
16	The College of New Jersey	AMBER	1	52 seconds
17	Bluefield State College	Anassa III	0	0 seconds
17	Georgia Institute of Technology	Candi	0	0 seconds
17	University of Texas - Austin	BlastyRAS	0	0 seconds
17	Virginia Tech	Polaris	0	0 seconds

Table 4: Navigation Challenge results.

The JAUS Challenge in its second year had ten teams attempt one of the two challenges. Five teams completed the Level I Challenge of starting the vehicle moving forward in the autonomous mode, stopping the vehicle from moving in the autonomous mode and activate a warning device (horn/light). Teams that completed the Level I Challenge and received the \$500 award were: Bob Jones University's Balthasar, Rochester Institute of Technology's Overlord, University of Minnesota – Twin Cities' AWESOM, University of Texas – Austin's BlastyRAS and University of Wisconsin – Madison's ReWIRED. Five teams completed the Level II Challenge demonstrating that their vehicle's only accept messages intended for them and provide the Navigation Challenge waypoints upon request. Teams that completed the Level II Challenge and received the \$500 award were: École de technologie supérieure's RS3, Hosei University's Omnix 2007, Lawrence Technological University's H2Bot II, University of Cincinnati's Bearcat Cub and Virginia Tech's Polaris.

The Rookie-of-the-Year Award was new this year and given out to a team from a new school competing for the first time ever or a school that has not participated in the last five competitions. To win the Rookie-of-the-Year Award the team must be the best of the eligible teams competing and perform to the minimum standards of the following events. In the Design Competition you must pass Qualification, in the Autonomous Challenge you must pass the Rookie Barrel and in the Navigation Challenge you must make three waypoints. This year the University of Delaware's Warthog was the best eligible team, falling just short, they still received \$500 in award money. The Grand Award this year went Virginia Tech's Johnny-5 with a total of 84 points taking home the Lescoe Cup. Second place and the Lescoe Trophy went to Hosei University's Omnix 2007 with 50 points. Third place and the Lescoe Award went to the University of Detroit Mercy with 40 points. Below is a breakdown of the points:

Place	University	Vehicle	Points
1	Virginia Tech	Johnny-5	84
2	Hosei University	Omnix 2007	50
3	University of Detroit Mercy	CAPACITOPS	40
4	University of Minnesota - Twin Cities	AWESOM-O	26
4	Virginia Tech	Polaris	26
6	Lawrence Technological University	H2Bot II	24
7	California State University - Northridge	LinBot	8
7	École de technologie supérieure	RS3	8
7	University of Michigan - Dearborn	Wolf	8
10	University of Central Florida	Gamblore	7
11	Bluefield State College	Anassa III	4
12	University of Massachusetts - Lowell	MCP	2

Table 5: Grand Award results.

6. CONCLUSION

The Intelligent Ground Vehicle Competition made remarkable strides in the past 15 years. Hundreds of students from dozens of universities in several different countries have excelled in the application of cutting-edge technologies in engineering and computer science that have direct application in transportation, military, manufacturing, agriculture, recreation, space exploration, and many other fields. They have utilized professional design procedures and performed hands-on fabrication and testing. At the same time they have learned to work in teams and to understand the full product realization process. They have been creative and have at times demonstrated system and technology brilliance. The students are ready for full careers in the Intelligent Transportation Systems (ITS) engineering community. The IGVC is currently preparing for its 16th competition on June 6-9, 2008. Visit the IGVC website at www.igvc.org for more information.

ACKNOWLEDGEMENTS

We gratefully acknowledge all sponsors and participants of the IGVC.

REFERENCES

1. Theisen, B.L., D. Nguyen, "The 14th Annual Intelligent Ground Vehicle Competition: Intelligent Teams Creating Intelligent Ground Robots" **SPIE International Symposium Optics East**, Boston, MA, October 1-4, 2006.
2. Theisen, B.L., G.R. Lane, "The Intelligent Ground Vehicle Competition: Intelligent Teams Creating Intelligent Ground Vehicles" NDIA Paper No. IVSS-2006-UGV-04, **NDIA Intelligent Vehicle Systems Symposium & Exhibition**, Traverse City, MI, June 13-15, 2006.
3. Theisen, B.L., "The 13th Annual Intelligent Ground Vehicle Competition: Intelligent Ground Vehicles Created by Intelligent Teams" **SPIE International Symposium Optics East**, Boston, MA, October 23-26, 2005.
4. Theisen, B.L., M.R. DeMinico, G.D. Gill "The Intelligent Ground Vehicle Competition: Team Approaches to Intelligent Driving and Navigation," NDIA Paper No. IVSS-2005-UGV-07, **NDIA Intelligent Vehicle Systems Symposium & Exhibition**, Traverse City, MI, June 13-16, 2005.
5. Theisen, B.L., D. Maslach, "The 12th Annual Intelligent Ground Vehicle Competition: Team Approaches to Intelligent Vehicles" **SPIE International Symposium Optics East**, Philadelphia, PA, October 25-28, 2004.
6. Theisen, B.L., G.R. Lane, "The 11th Annual Intelligent Ground Vehicle Competition: Team Approaches to Intelligent Driving and Machine Vision," **SPIE International Symposium Optics East**, Providence, RI, October 27-30, 2003.
7. Agnew, W.G., G.R. Lane, Ka C. Cheok, Hall, E.L., and D.J. Ahlgren, "The Intelligent Ground Vehicle Competition (IGVC): A Cutting-Edge Engineering Team Experience," **American Society for Engineering Education Annual Conference & Exposition**, 2003.
8. Agnew, W.G., G.R. Lane, and Ka C. Cheok, "Intelligent Vehicles Designed by Intelligent Students," SAE Paper No. 2002-01-0404, **SAE International Congress**, Detroit, MI, March 4-7, 2002.

ADDITIONAL SOURCES

Complete rules and other information about the IGVC can be obtained from the website www.igvc.org or by contacting us at (586) 574-8750.



Figure 13: University of Central Florida – Gamblore, last minute code changes.