




ASSESSMENT OF ENVIRONMENTAL AND OCCUPATIONAL HEALTH IMPACTS IN MUNITIONS AND WEAPON SYSTEMS DEVELOPMENT: A PHASED APPROACH



USAPHC

UNITED STATES ARMY PUBLIC HEALTH COMMAND (Provisional)

Mark S. Johnson, Ph.D., D.A.B.T.
Health Effects Research Program
Directorate of Toxicology
Army Institute of Public Health

UNCLASSIFIED



Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE NOV 2010		2. REPORT TYPE		3. DATES COVERED 00-00-2010 to 00-00-2010	
4. TITLE AND SUBTITLE Assessment of Environmental and Occupational Health Impacts in Munitions and Weapon Systems Development: A Phased Approach				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Center for Health Promotion and Preventative Medicine,ATTN: MCHB-IP-THE,5158 Blackhawk Road,Aberdeen Proving Ground,MD,21013-5402				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Presented at the 15th Annual Partners in Environmental Technology Technical Symposium & Workshop, 30 Nov ? 2 Dec 2010, Washington, DC. Sponsored by SERDP and ESTCP.					
14. ABSTRACT Environmental consequences of using specific compounds in military applications have lead to undesirable outcomes. Examples include expensive clean up operations, off-site groundwater migrations, and closing of operational ranges. Additionally, the use of specific weapon systems containing compounds with unknown or limited toxicity data may lead to adverse health consequences to soldiers and civilians. Often incomplete health information has led to inaccurate full life cycle cost estimates. The Army is currently exploring replacement substances for compounds identified as hazardous to health from an environmental and/or occupational (ESOH) perspective. To evaluate the environmental and occupational health consequences of new replacement compounds, a tiered approach has been developed and used within the program. Early in the research stage models are primarily relied upon (e.g. QSAR approaches) and as the technology progresses, a greater reliance is placed on experimental data beginning with in vitro techniques. As greater investment is devoted to system development, less uncertain in vivo data are collected. Together, these data and weighted lines of evidence are used to help guide life cycle decisions in the development of new systems. Examples will be provided.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

ASSESSMENT OF ENVIRONMENTAL AND OCCUPATIONAL HEALTH IMPACTS IN MUNITIONS AND WEAPON SYSTEMS DEVELOPMENT: A PHASED APPROACH

DR. MARK S. JOHNSON
U.S. Army Center for Health Promotion and Preventative Medicine
5158 Blackhawk Road
ATTN: MCHB-IP-THE
Aberdeen Proving Ground, MD 21013-5402
(410) 436-5081
mark.s.johnson@us.army.mil

CO-PERFORMERS: William S. Eck, Cheng J. Cao, Lawrence R. Williams, and
Valerie H. Adams (U.S. Army Public Health Command; Directorate of Toxicology,
Health Effects Research Program)

Environmental consequences of using specific compounds in military applications have lead to undesirable outcomes. Examples include expensive clean up operations, off-site groundwater migrations, and closing of operational ranges. Additionally, the use of specific weapon systems containing compounds with unknown or limited toxicity data may lead to adverse health consequences to soldiers and civilians. Often incomplete health information has led to inaccurate full life cycle cost estimates. The Army is currently exploring replacement substances for compounds identified as hazardous to health from an environmental and/or occupational (ESOH) perspective. To evaluate the environmental and occupational health consequences of new replacement compounds, a tiered approach has been developed and used within the program. Early in the research stage models are primarily relied upon (e.g. QSAR approaches) and as the technology progresses, a greater reliance is placed on experimental data, beginning with in vitro techniques. As greater investment is devoted to system development, less uncertain in vivo data are collected. Together, these data and weighted lines of evidence are used to help guide life cycle decisions in the development of new systems. Examples will be provided.

Introduction

- Military Operations require:
 - Unique substances (energetics, explosives, detonators, propellants, etc.).
- Encroachment and health concerns affect readiness and can cost billions.
 - Closing of ranges
 - Cleanup costs
 - NRDA
 - BRAC delays
- Halt/delay/cost new systems/programs
 - Health effects to soldiers
 - Adverse environmental effects
 - Effects to humans and the environment



Required Documentation (Soldier Health)

- Health Hazard Assessments
 - AR 40-10 – HHA Program
 - AR 40-5 Preventive medicine
 - AR 602-2 – Army Manprint
 - AR 70-1 Acquisition

- Toxicity Clearances

- AR 40-5

- AR 70-1

The Army toxicity clearance process supports the PM by providing approval and guidance for the safe use of new materials and chemicals. The PM is responsible for identifying technically feasible materials proposed for a specific Army use and requesting a toxicity clearance through the method delineated in DA Pam 70–3. The U.S Army Public Health Command (prov) is then responsible for developing the toxicity clearance to include approval/disapproval for specific use as well as any safety requirements.


Environmental Health

- Programmatic Environmental Safety and Health Evaluation (PESHE)
- NEPA
- No data requirement
- No guidance for RDT&E
- Some data are available
- Studies could be harmonized with those for Occupational health
- Utilizes high throughput assays/screens




Installation Boundary

Urban sprawl




...some management areas not designed to conserve biodiversity, such as military ranges, sometimes do so incidentally and represent some of the last remaining intact habitat in an ecoregion, even though they are not usually included in lists of protected areas. - Ricketts et al. 1999

T&E species /
million acres



Range Cleanup Estimates



Environmental contamination

- Has affected OPTEMPO
 - Sustainability
 - Off-site migration
 - Remediation
 - Schedule
- Closed ranges
 - Review panels
- Sites include
 - Manufacturing
 - Load/pack plants
 - Ranges
 - OB/OD areas



Objectives


- What ESOH criteria are relevant to understand environmental impacts?
 - Toxicology
 - Occupational exposures (e.g. inhalation, ocular, dermal)
 - Environmental exposures
 - Human health – (e.g., oral)
 - Wildlife
 - Exposure
 - Food web modeling
 - Fate and transport
 - Chemical/physical properties
 - Persistence


ESOH Issues

- Persistence
 - Fate
 - Transport
 - Bioaccumulation/Biomagnification
 - Toxicity
 - Humans
 - Wildlife
 - Invertebrates
 - Plants
 - What do you need to know and when do you need to know it?
 - Toxicology studies are expensive.
 - Various levels of certainty
 - HTS methods available
- Exposure**

Lessons Learned

- Perchlorate
 - Highly water soluble, weak affinity to organic carbon
 - Low acute toxicity
 - Endocrine disrupting compound
- RDX
 - Not highly water soluble or has a strong affinity to organic carbon
 - High acute toxicity, readily absorbable, convulsions
 - Weak evidence for carcinogenicity






Phased approach


- ASTM E-2552 Standard Guide for Assessing the Environmental and Human Health Impacts of New Energetic Compounds.
- Models – QSARs
- *In vitro* toxicology
- *In vivo* toxicology
- Aligned with RDT&E level of effort
- Used in the Ordnance Environmental Program



Levels of Research, Development, Testing and Evaluation

- **Conception** – computer simulation only
- **Synthesis** – labtop operation, small quantities
- **Demonstration/Validation** – refinement of synthesis, stabilization of mixtures, use of COTS.
- **Testing** – System evaluation






IN VITRO ASSAYS



Cell-Based *In Vitro*

- Primary cell cultures
cells & tissues (*ex vivo*)
- Permanent cell cultures
human and animal cell lines


Useful in RDT&E

- ▶ Toxicological screening
- ▶ Fast, low cost
- ▶ Uses small quantities (<1g)
- ▶ New tools available
 - Ecotox
 - Cancer
 - Mechanistic





CELLULAR CALCIUM OF HUMAN NEUROBLASTOMA (SH-SY5Y)



Criteria

Toxicology

Human	Eco
Acute – LD50/LC50	Aquatic – LC50 Invertebrate – LC50
Subchronic Rat LOAEL	Subchronic EC20 (growth, repro)
Cancer – in vitro screen; Rodent bioassay*	Amphibian, Avian data*

*Data not always present



Criteria

- Chemical/Physical Properties

Criterion	Relevance	Resource affected
Water solubility	Transport	Groundwater
Fat solubility (Log Kow)	Bioaccumulation	Conc. in biota
Vapor pressure	Pathway (inh) Persistence	Occupational vs. environmental exposures
Boiling point/melting point	Pathway (inh) Persistence	Occupational vs. environmental exposures
Henry's Law	Persistence in water	Aquatic organisms
Affinity to carbon (log Koc)	Transport	Groundwater
Friability	Transport	Groundwater


	LOW	MODERATE	HIGH
PERSISTANCE	Readily biodegrades (<28d)	Degradation ½ life: water <40 d soil <120 d	Degradation ½ life: water >40 d soil > 120 d
TRANSPORT	Water sol. < 10 mg/L Log Koc > 2.0	Water sol. 10-1000 mg/L Log Koc 2.0-1.0	Water sol. > 1000 mg/L Log Koc <1.0
BIOACCUMULATION	log Kow <3.0	log Kow 3.0-4.5	log Kow >4.5
TOXICITY	No evidence of carcinogenicity/ mutagenicity; Subchronic LOAEL > 200 mg/kg-d	Mixed evidence for carcinogenicity/ mutagenicity (B2, 2); Subchronic LOAEL 5-200 mg/kg-d	Positive corroborative evidence for carcinogenicity/ mutagenicity; LOAEL < 5 mg/kg-d
ECOTOXICITY	Acute LC(D)50 >1 mg/L or 1500 mg/kg; Subchronic EC50 >100 µg/L or LOAEL >100 mg/kg-d	Acute LC(D)50 1-0.1 mg/L or 1500-150 mg/kg; Subchronic EC50 100-10 µg/L or LOAEL – 10-100 mg/kg-d	Acute LC(D)50 <100 µg/L or <150 mg/kg; Subchronic LOAEL <10 mg/kg-d

Recommended documentation

- Environmental Health Assessments
 - Weapon system specific toxicity profile + fate and transport info.
 - Substance profiles
 - Tables
 - Regulatory values
 - Uncertainty assessment
 - Conclusions
 - Recommendations
 - Conducted consistent with weapon system developers – interactive and iterative process.
 - Technical foundation for PESHE and HHA - TCs

ESOH questions

- Conception –
 - Is it readily water soluble? Bioaccumulative? (QSPR)
 - QSARs
 - Reproductive toxicant? MOA?
 - Predicted probability to be carcinogenic
 - Predicted subchronic rat NOAEL
 - Predicted fish LC50, EC50
- Synthesis
 - Is it readily water soluble? Bioaccumulative? (exp. data req.).
 - In vitro/ligand
 - Is it neurotoxic?
 - Aquatic toxicity – *Vibrio fischeri*
 - Acute mammalian toxicity – NRU
 - Functional mammalian toxicity – Immunotoxicity, mutagenicity, genotoxicity, etc.



Lessons Learned

- Perchlorate
 - Highly water soluble, weak affinity to organic carbon
 - Low acute toxicity
 - Endocrine disrupting compound

- RDX
 - Not highly water soluble or has a strong affinity to organic carbon
 - High acute toxicity, readily absorbable, convulsions
 - Weak evidence for carcinogenicity

Current Projects

System	Proponent	Stage
Novel RDX replacements	ARL	Conception
Green detonators	ARDEC	Testing
Black smoke	ARDEC	Testing
Red/Violet smoke	ARDEC	Testing
High nitrogen polymers	ARL	Synthesis
M117/M118/M119 simulators	ARDEC	Manufacturing
Hybrid propellants	AMRDEC	Testing
M126A1 Transition	ARDEC	Testing
2.75-in Rocket Propellant transition	AMRDEC	Testing

Smokes


- M18 upgrade
 - Replace violet dyes
 - Solvent Violet 47
- Toxicity test
 - Rat inhalation (LC50)
 - 70% mortality at 2.6 mg/L
- Result
 - Replaced with red and blue dyes with reduced toxicity





U.S. Army Public Health Command (Provisional)

USAPHC



Nanomaterials

- Biological properties could differ significantly from those of chemical and biological substances in other physical forms.
- Toxicity influenced by:
 - a) particle size
 - b) particle shape
 - c) surface chemistry (charge)
 - d) presence of other materials
 - e) Aggregation status
 - f) Number of particles
 - Primary particle size

Summary

- Iterative engagement with ESOH professionals is beneficial.
 - RDT&E
 - Acquisition
 - Production
 - Demil
- Data requirements are needed.
 - Question based.
 - Integrate data needs across ESOH
 - Focus on targets
 - Need additional methods to address questions:
 - HTS (in vitro) methods
 - Energetic-specific QSARs
 - Require robust toxicity database

Acknowledgements

- APHC
 - Dr. Bill Eck
 - Dr. Cheng Cao
 - Dr. Larry Williams
 - Dr. Valerie Adams
- RDECOM
 - Erik Hangeland, Kim Watts
- ARL
 - Dr. John Beatty
- Hughes Assoc.
 - Bill Ruppert, Noah Lieb
- Army EQT
 - Ordnance Environmental Program
 - Erik Hangeland
 - Kim Watts
- ESTCP
 - Bruce Sartwell
 - Navy Surface Warfare Cntr.
 - Todd Allen
 - Travis Thom
 - Brad Sledd
 - Andrew Nelson

“The views expressed in this presentation are those of the authors and do not reflect the official policy or position of the Department of the Army, the Department of Defense, or the U.S. Government.”