

REPORT DOCUMENTATION PAGE			<i>Form Approved</i> <i>OMB No. 0704-0188</i>		
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) 7 Sep 2012		2. REPORT TYPE Handout		3. DATES COVERED (From – To) April 2011 – February 2012	
4. TITLE AND SUBTITLE Data Discrepancies Between the Defense Occupational and Environmental Health Readiness System-Hearing Conservation and Defense Occupational and Environmental Health Readiness System-Data Repository			5a. CONTRACT NUMBER		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S) Elizabeth McKenna, Laurel Lloyd			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) USAF School of Aerospace Medicine Public Health and Preventive Medicine Department/PHR 2510 Fifth St. Wright-Patterson AFB, OH 45433-7913			8. PERFORMING ORGANIZATION REPORT NUMBER AFRL-SA-WP-HO-2012-0002		
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION / AVAILABILITY STATEMENT Distribution A: Approved for public release; distribution is unlimited. Case Number: 88ABW-2012-4837, 7 Sep 2012					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Permanent threshold shifts (PTS) are one of the key indicators used in hearing conservation to monitor program effectiveness. Across the Department of Defense, individual hearing test records are collected and maintained using the Defense Occupational and Environmental Health Readiness System-Data Repository (DOEHRS-DR). DOEHRS-DR reports are not widely used in the Air Force for program evaluation purposes, due in part to the understanding that not all base level records exported to the DOEHRS-DR are received. When this happens, it causes a discrepancy in the PTS rate local level compared to the DOEHRS-DR database level. Investigation revealed that this can be caused by interruptions during data export, incomplete or blank fields, or use of an incorrect reference audiogram. To mitigate these issues, it is recommended that public health technicians ensure all testing forms are filled out completely and correctly and that demographic information downloaded from DOEHRS-DR is still correct for the individual prior to testing. Since the capture of exported records continues to influence the PTS rates in the DR, ongoing confirmation that files exported to DOEHRS-DR are uploaded successfully is warranted.					
15. SUBJECT TERMS Air Force, hearing conservation, DOEHRS Data Repository, program evaluation					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Capt Elizabeth McKenna
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			SAR

AFRL-SA-WP-HO-2012-0002



**Data Discrepancies Between the Defense
Occupational and Environmental Health
Readiness System-Hearing Conservation
and Defense Occupational and
Environmental Health Readiness System-
Data Repository**

September 2012

Elizabeth McKenna, Capt, USAF, BSC
Doctor of Audiology, CCC/A, F/AAA
Hearing Conservation Program Manager

Laurel Lloyd, MPH
Epidemiologist

Epidemiology Consult Service
U.S. Air Force School of Aerospace Medicine
2510 Fifth Street, Bldg 20840
Wright-Patterson AFB, OH 45433-7913
937-938-3202/DSN 798-3202

Across the Department of Defense (DoD), individual tests for military and civilian members are recorded using the Defense Occupational and Environmental Health Readiness System-Hearing Conservation (DOEHRS-HC) software then exported to the Defense Occupational and Environmental Health Readiness System-Data Repository (DOEHRS-DR). DOEHRS-DR provides users with a report generating feature, based on a selection of items, such as a permanent threshold shift (PTS) report for their unit (see attachment for full list). DOEHRS-DR reports are not widely used in the U.S. Air Force (USAF) for program evaluation purposes due to perceptions within the public health community that not all base level records exported to DOEHRS-DR are received. For these reasons, USAF PTS rates may not be reflective of actual PTS rates and are thus usually calculated at each unit based on local recordkeeping methods, typically a Microsoft Excel[®] spreadsheet.

Data discrepancies between tests in the local DOEHRS-HC database and the tests visible in DOEHRS-DR and Oracle Discoverer application were investigated for four USAF locations. The bases were chosen from a list of USAF sites that reported PTS rates for a 6-month period to the Chief of Public Health Operations at the Air Force Medical Services Agency. Three bases were chosen because their reported PTS rates were notably lower than the PTS rates in DOEHRS-DR; the remaining base was chosen because the PTS rates were very similar. Additionally, the bases were requested to send copies of their local hearing conservation databases, containing between 12 months and 5 years worth of hearing tests, by compact disc to the U.S. Air Force School of Aerospace Medicine (USAFSAM) as the dataset for the independent calculation.

Investigation of receiving records into DOEHRS-DR identified three issues: (1) interrupted data export, (2) incomplete or blank fields in the hearing evaluation forms, and (3) incorrect reference audiogram issue.

Interrupted Data Export

USAF standards require that hearing conservation program data be exported monthly. The number of records exported may range from 1 up to about 600, depending on the size of the base's hearing conservation program. When a user begins to export data, the DOEHRS-HC program will attempt to export any new or edited tests that have been completed since the time of the last export. If an interruption occurs (either by the user canceling the export or a timeout error), some files may not be received by DOEHRS-DR. However, all files involved in an interruption will be flagged in the local DOEHRS-HC program as exported; therefore, the local user is unaware that some files were not received by DOEHRS-DR. To re-export exams, the user must manually remove the flags from all the records, and export without interruption, or export the database to an external data storage device and upload the records manually on the DOEHRS-DR website. Specific instructions on unflagging records are not available in the DOEHRS-HC user manual, nor is it possible to ascertain which records did not upload to DOEHRS-DR without manually inquiring each Social Security number. When an export is unsuccessful, there is not an error message or user feedback in the DOEHRS-HC software to indicate that it was not successful. These processes are not user friendly and require database management knowledge that most public health technicians do not possess.

Incomplete or Blank Fields

Before an initial hearing test is performed, the individual's information must be entered into DOEHRS-HC. If the individual never had a hearing test within the DoD and is new to DOEHRS, all the information is manually entered by the public health technician. If the individual has had previous hearing tests at any DoD location, the tests are likely available for import into the local database. In both circumstances, the demographics must be verified for accuracy and all fields completed appropriately. In fact, any missing information or information entered in an inappropriate format may cause DOEHRS-DR to reject the export of data.

The most common cause of incomplete fields in the USAF is the exclusion or mislabeling of the patient's unit or workplace identification code (UIC and WIC, respectively). To comply with USAF official standards, the DOEHRS-HC software was designed to accept UIC/WIC designations. However, this standard was rescinded as of January 2006. Although use of the WIC for identifying workplaces is no longer required by regulation, many USAF bioenvironmental engineering offices continue to use them as a way to organize the shops under their surveillance. The DOEHRS-HC system was constructed to allow use of the WIC in the UIC/WIC field (other services use the UIC). The use of too few characters or special characters increases the possibility that a test will not be accepted into the database; moreover, if the field is left blank, the test is rejected during export. When a test with the blank WIC field is rejected by DOEHRS-DR during export, the other hearing tests in that export are also rejected. However, all the tests in that export would subsequently be flagged as exported in the local database. Again, the local user is unaware that the export was unsuccessful. Adjustments to the current functions in DOEHRS-HC may allow for import of demographic data directly, which could essentially eliminate the need for manual entry in the UIC/WIC field in most cases and prevent blank WIC fields.

Incorrect Reference Audiogram

In 2009, a business rule change, agreed on by each service collectively, regarding which baselines are used as references for annual tests created significant discrepancies in the PTS rates as reported in DOEHRS-DR reports. Historically, there are three types of baseline hearing tests (DD2215 Reference Audiogram) used in DOEHRS-HC:

- Reason 1: Prior to Initial Duty in Noise
- Reason 2: Following Exposure in Noise Duties
- Reason 3: Reestablished After Follow-Up Program

Before the business rule change, the system default employed the most recent baseline test, regardless of the Reason code. After the business rule change, the system began using only the most recent Reason 3 test, ignoring Reason 1 and Reason 2 baselines. If no Reason 3 baseline can be found for an individual, the system will select the first baseline on record. Typically, an examiner can import records for an individual from DOEHRS-DR into their local computer, where discrepancies in baseline selection can be noted and fixed. Legacy records from Hearing Evaluation Automated Response System cannot be inquired into the local computer but are mostly visible on the DOEHRS-DR website. Therefore, the baseline that is chosen in DOEHRS-HC is not necessarily the same baseline that is chosen by DOEHRS-DR.

Subsequently, the periodic test may reflect “no shift” in the local database using the available baselines tests. When the periodic test is exported, additional, older baselines that are not available at the local level may be employed for comparison and result in a “positive shift.” Therefore, the locally reported PTS rate can be different from that of the DOEHRS-DR report PTS rate for the same location, depending on which baseline is compared against the current hearing test.

Due to the discrepancy in positive shifts noted at the local level compared to the DOEHRS-DR database level, USAF PTS rates are hand calculated at base level. Unfortunately, hand calculation of PTS rates can result in entry errors; for example, what is considered a true PTS case can vary from base to base or ensuring all cases are documented can be almost impossible, especially for very large installations. For some installations, the DOEHRS-DR PTS rate reports do not reflect the actual significant threshold shift or PTS incidence, due to the inability of the annual test to be compared to the most recent baseline test, as described above.

Public health technicians should take great care in ensuring that testing forms are filled out completely and correctly and that demographic information downloaded from DOEHRS-DR is still correct for the individual prior to testing. To address the issue of incomplete or blank fields in hearing evaluation forms during export, it is highly recommended that bases confirm that files exported to DOEHRS-DR are uploaded successfully. One to 2 weeks after the export, a Hearing Conservation Program manager can log on to the DOEHRS-DR website and check the status of the upload in the “HC Upload History” report. It will label the export as a “success” or list a reason for a failed transfer. The DOEHRS-DR website can also provide the number of exported tests, which can be matched to the number of tests completed at the base during the same time period as reported in the DOEHRS-HC “Records Received” report.

USAF hearing conservation program subject matter experts are assigned to the USAFSAM Epidemiology Consult Services. The subject matter experts routinely monitor activity of the DOEHRS-DR Air Force-wide and serve as the main points of contact for a variety of hearing conservation issues. Because of the consultations and requests USAFSAM receives, as well as the recent report to Congress from the Government Accountability Office, Hearing Loss Prevention¹, the need to verify the functionality of the DOEHRS-DR PTS rates became apparent. The Government Accountability Office report to Congress recommended DoD address the issues that have been identified within hearing conservation programs in regard to the mechanisms that are used to monitor and act on performance data. This includes quality assurance for data entry and accuracy, reporting capacity, and service-wide integration.¹ To our knowledge, the magnitude of error caused by these data discrepancies in significant threshold shift and PTS rates has not been systematically investigated and would be valuable in monitoring program effectiveness.

If you need any additional information, please contact Capt McKenna at Elizabeth.Mckenna@wpafb.af.mil or Laurel Lloyd at Laurel.Lloyd.ctr@wpafb.af.mil.

Reference:

1. U.S. Government Accountability Office, Hearing Loss Prevention: Improvements to DOD Hearing Conservation Programs Could Lead to Better Outcomes, GAO-11-114, GAO, Washington, DC, Jan 2011, URL: <http://www.gao.gov/assets/320/315395.pdf>. Accessed 18 Apr 2012.

ATTACHMENT

DOEHRS-DR Report Names (Functional User Access Role)

REPORT NAME

AIR FORCE PROFILE

By Testing Installation

- Air Force - Hearing Profile By DoD
- Air Force - Hearing Profile By DoD, Major Command
- Air Force - Hearing Profile By DoD, Region
- Air Force - Hearing Profile By Major Command, Zip/PAS/UIC
- Air Force - Hearing Profile By Region, Zip/PAS/UIC
- Air Force - Hearing Profile By Zip/PAS/UIC
- Air Force - Hearing Profile By Zip/PAS/UIC, Branch/Career Field/Activity
- Air Force - Hearing Profile By Zip/PAS/UIC, Hearing Protection Device
- Air Force - Hearing Profile By Zip/PAS/UIC, Pay Grade
- Air Force - Hearing Profile By Zip/PAS/UIC, SDOC
- Air Force - Hearing Profile By Zip/PAS/UIC, UIC/WIC

By Person

- Air Force - Hearing Profile By DoD, Branch/Career Field/Activity
- Air Force - Hearing Profile By DoD, Hearing Protection Device
- Air Force - Hearing Profile By DoD, Major Command, Branch/Career Field/Activity
- Air Force - Hearing Profile By DoD, Major Command, Hearing Protection Device
- Air Force - Hearing Profile By DoD, Major Command, Pay Grade
- Air Force - Hearing Profile By DoD, Major Command, SDOC
- Air Force - Hearing Profile By DoD, Pay Grade
- Air Force - Hearing Profile By DoD, SDOC
- Air Force - Hearing Profile By Major Command, Zip/PAS/UIC, Branch/Career Field/Activity
- Air Force - Hearing Profile By Major Command, Zip/PAS/UIC, Hearing Protection Device
- Air Force - Hearing Profile By Major Command, Zip/PAS/UIC, Pay Grade
- Air Force - Hearing Profile By Major Command, Zip/PAS/UIC, SDOC
- Air Force - Hearing Profile By UIC/WIC, Hearing Protection Device
- Air Force - Hearing Profile By UIC/WIC, Pay Grade
- Air Force - Hearing Profile By UIC/WIC, SDOC

AIR FORCE SUMMARY TOTALS

By Testing Installation

- Air Force - Summary Totals by DoD
- Air Force - Summary Totals by Major Command
- Air Force - Summary Totals by Major Command, Zip/PAS/UIC
- Air Force - Summary Totals by Region
- Air Force - Summary Totals by Region, Zip/PAS/UIC
- Air Force - Summary Totals by Zip/PAS/UIC

By Person

Air Force - Summary Totals by DoD
Air Force - Summary Totals by Major Command
Air Force - Summary Totals by Major Command, Zip/PAS/UIC
Air Force - Summary Totals by UIC/WIC

DISTRIBUTION OF PERSONNEL BY SDOC

Military >=H-3 Profiles - By Testing Installation

Air Force Distribution of Personnel by SDOC >=H-3 Hearing Profile
Air Force Distribution of Personnel by SDOC >=H-3 Hearing Profile by Major Command
Air Force Distribution of Personnel by SDOC >=H-3 Hearing Profile by Major Command, Zip/PAS/UIC
Air Force Distribution of Personnel by SDOC >=H-3 Hearing Profile by Region
Air Force Distribution of Personnel by SDOC >=H-3 Hearing Profile by Region, Zip/PAS/UIC
Air Force Distribution of Personnel by SDOC >=H-3 Hearing Profile by Zip/PAS/UIC

Military >=H-3 Profiles - By Person

Air Force Distribution of Personnel by SDOC >=H-3 Hearing Profile
Air Force Distribution of Personnel by SDOC >=H-3 Hearing Profile by Major Command
Air Force Distribution of Personnel by SDOC >=H-3 Hearing Profile by Major Command, Zip/PAS/UIC
Air Force Distribution of Personnel by SDOC >=H-3 Hearing Profile by UIC/WIC

Civilian Compensable Hearing Loss - By Testing Installation

Distribution of Personnel by SDOC Potential Hearing Loss Compensation by DoD
Distribution of Personnel by SDOC Potential Hearing Loss Compensation by DoD, Major Command
Distribution of Personnel by SDOC Potential Hearing Loss Compensation by DoD, Major Command, Zip/PAS/UIC
Distribution of Personnel by SDOC Potential Hearing Loss Compensation by DoD, Region
Distribution of Personnel by SDOC Potential Hearing Loss Compensation by DoD, Region, Zip/PAS/UIC
Distribution of Personnel by SDOC Potential Hearing Loss Compensation by Zip/PAS/UIC

Civilian Compensable Hearing Loss - By Person

Distribution of Personnel by SDOC Potential Hearing Loss Compensation by DoD
Distribution of Personnel by SDOC Potential Hearing Loss Compensation by DoD, Major Command
Distribution of Personnel by SDOC Potential Hearing Loss Compensation by DoD, Major Command, Zip/PAS/UIC
Distribution of Personnel by SDOC Potential Hearing Loss Compensation by UIC/WIC

HC COMPLIANCE

By Testing Installation

Hearing Conservation Compliance Report by DoD
Hearing Conservation Compliance Report by DoD, Zip/PAS/UIC

Hearing Conservation Compliance Report by Major Command
Hearing Conservation Compliance Report by Major Command, Zip/PAS/UIC
Hearing Conservation Compliance Report by Region
Hearing Conservation Compliance Report by Region, Zip/PAS/UIC
Hearing Conservation Compliance Report by Zip/PAS/UIC

NEGATIVE STS

By Testing Installation

Negative Significant Threshold Shift by DoD
Negative Significant Threshold Shift by Zip/PAS/UIC

By Person

Negative Significant Threshold Shift by DoD
Negative Significant Threshold Shift by DoD, UIC/WIC

POSITIVE STS

By Testing Installation

Positive Significant Threshold Shift by DoD
Positive Significant Threshold Shift by Major Command
Positive Significant Threshold Shift by Major Command, Zip/PAS/UIC
Positive Significant Threshold Shift by Region
Positive Significant Threshold Shift by Region, Zip/PAS/UIC
Positive Significant Threshold Shift by Zip/PAS/UIC
Positive Significant Threshold Shift by Zip/PAS/UIC, Branch/Career Field/Activity
Positive Significant Threshold Shift by Zip/PAS/UIC, Hearing Protection Device
Positive Significant Threshold Shift by Zip/PAS/UIC, Pay Grade
Positive Significant Threshold Shift by Zip/PAS/UIC, Person UIC/WIC
Positive Significant Threshold Shift by Zip/PAS/UIC, SDOC

By Person

Positive Significant Threshold Shift by DoD
Positive Significant Threshold Shift by DoD, Branch/Career Field/Activity
Positive Significant Threshold Shift by DoD, Hearing Protection Device
Positive Significant Threshold Shift by DoD, Pay Grade
Positive Significant Threshold Shift by DoD, SDOC
Positive Significant Threshold Shift by Major Command
Positive Significant Threshold Shift by Major Command, Branch/Career Field/Activity
Positive Significant Threshold Shift by Major Command, Hearing Protection Device
Positive Significant Threshold Shift by Major Command, Pay Grade
Positive Significant Threshold Shift by Major Command, SDOC
Positive Significant Threshold Shift by Major Command, Zip/PAS/UIC, Branch/Career Field/Activity
Positive Significant Threshold Shift by Major Command, Zip/PAS/UIC, Hearing Protection Device
Positive Significant Threshold Shift by Major Command, Zip/PAS/UIC, Pay Grade
Positive Significant Threshold Shift by Major Command, Zip/PAS/UIC, SDOC
Positive Significant Threshold Shift by UIC/WIC

Positive Significant Threshold Shift by UIC/WIC, Hearing Protection Device

POST-DEPLOYMENT POSITIVE STS

By Testing Installation

Positive Significant Threshold Shift by DoD (Post Deployment)
Positive Significant Threshold Shift by Major Command, Zip/PAS/UIC (Post Deployment)
Positive Significant Threshold Shift by Region, Zip/PAS/UIC (Post Deployment)
Positive Significant Threshold Shift by Zip/PAS/UIC (Post Deployment)

By Person

Positive Significant Threshold Shift by DoD (Post Deployment)
Positive Significant Threshold Shift by Major Command, Zip/PAS/UIC (Post Deployment)
Positive Significant Threshold Shift by Region, Zip/PAS/UIC (Post Deployment)
Positive Significant Threshold Shift by Zip/PAS/UIC (Post Deployment)

POTENTIAL COMP

By Testing Installation

Potential Hearing Loss Compensation Report by DoD
Potential Hearing Loss Compensation Report by DoD, Major Command
Potential Hearing Loss Compensation Report by DoD, Region
Potential Hearing Loss Compensation Report by Major Command, Zip/PAS/UIC
Potential Hearing Loss Compensation Report by Region, Zip/PAS/UIC
Potential Hearing Loss Compensation Report by Zip/PAS/UIC
Potential Hearing Loss Compensation Report by Zip/PAS/UIC, Activity
Potential Hearing Loss Compensation Report by Zip/PAS/UIC, Hearing Protection Device
Potential Hearing Loss Compensation Report by Zip/PAS/UIC, IDN(SSN)
Potential Hearing Loss Compensation Report by Zip/PAS/UIC, Location
Potential Hearing Loss Compensation Report by Zip/PAS/UIC, Paygrade
Potential Hearing Loss Compensation Report by Zip/PAS/UIC, SDOC
Potential Hearing Loss Compensation Report by Zip/PAS/UIC, UIC/WIC

By Person

Potential Hearing Loss Compensation Report by DoD
Potential Hearing Loss Compensation Report by DoD, Activity
Potential Hearing Loss Compensation Report by DoD, Hearing Protection Device
Potential Hearing Loss Compensation Report by DoD, Paygrade
Potential Hearing Loss Compensation Report by DoD, SDOC
Potential Hearing Loss Compensation Report by Major Command
Potential Hearing Loss Compensation Report by Major Command, Activity
Potential Hearing Loss Compensation Report by Major Command, Hearing Protection Device
Potential Hearing Loss Compensation Report by Major Command, Paygrade
Potential Hearing Loss Compensation Report by Major Command, SDOC
Potential Hearing Loss Compensation Report by Major Command, Zip/PAS/UIC
Potential Hearing Loss Compensation Report by Major Command, Zip/PAS/UIC, Activity
Potential Hearing Loss Compensation Report by Major Command,

Zip/PAS/UIC, Hearing Protection Device
Potential Hearing Loss Compensation Report by Major Command,
Zip/PAS/UIC, Paygrade
Potential Hearing Loss Compensation Report by Major Command,
Zip/PAS/UIC, SDOC
Potential Hearing Loss Compensation Report by UIC/WIC
Potential Hearing Loss Compensation Report by UIC/WIC, Hearing Protection
Device
Potential Hearing Loss Compensation Report by UIC/WIC, IDN(SSN)
Potential Hearing Loss Compensation Report by UIC/WIC, Paygrade
Potential Hearing Loss Compensation Report by UIC/WIC, SDOC

RECORDS RECEIVED

By Testing Installation

Records Received Analysis
Records Received by Major Command, Zip/PAS/UIC
Records Received by Region, Zip/PAS/UIC
Records Received by Zip/PAS/UIC

By Person

Records Received by UIC/WIC
Records Received by UIC/WIC, DoD