

# NDCEE

National Defense Center for Energy and Environment

## Implementation of Technologies that Promote Army Adoption of WD-CARC

(and other low VOC/zero-HAP CARC)

Joint Services Environmental Management (JSEM) Training Conference  
and Exposition

Mr. Robert J. Fisher, P.E., NDCEE/CTC



**DoD Executive Agent**

Office of the  
Assistant Secretary  
of the Army  
(Installations and  
Environment)

The NDCEE is operated by:  *Concurrent Technologies Corporation*

# Report Documentation Page

Form Approved  
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE <b>MAY 2008</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-2008 to 00-00-2008</b>	
4. TITLE AND SUBTITLE <b>Implementation of Technologies that Promote Army Adoption of WD-CARC</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>National Defense Center for Energy and Environment (NDCEE), Concurrent Technologies Corporation, 100 CTC Drive, Johnstown, PA, 15904</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>27</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

# Presentation Agenda

- Objectives
- Background Information
- Technologies
- Demonstrations
- Estimated Implementation Costs
- Path Forward
- Summary

# Objectives

- Identify challenges to incorporate new CARC and evaluate technologies and/or training available to meet those challenges
- Conduct demonstrations at selected sites to aid in the transition to one of the new CARC formulations at that site
- Collect data to develop a business case analysis recommending Army-wide use of new CARC formulations

# Background

# Regulatory Drivers

- The proposed U.S. Environmental Protection Agency's (EPA) Defense Land Systems and Miscellaneous Equipment (DLSME) National Emission Standard for Hazardous Air Pollutants (NESHAP) will regulate hazardous air pollutants (HAPs) from surface coating operations
- In preparation for the DLSME NESHAP, Chemical Agent Resistant Coatings (CARC) are being implemented with low volatile organic compound (VOC) content and no HAPs

# Comparison of CARC Formulations

## Conventional CARC

### ■ MIL-DTL-53039B, Type I

- Single component
- Solvent-based

*Uses silica-based flattening agents and contains HAPs and about 3.5 pounds of VOCs per gallon*

*Expected to be phased out in 2009*

## New CARC

### ■ MIL-DTL-64159, Type II

- Plural component
- Water-dispersible

### ■ MIL-DTL-53039B, Type II

- Single component
- Solvent-based

*Both use polymeric bead flattening agents, have zero HAPs, and contain less than 1.8 pounds of VOCs per gallon*

# Benefits of New CARC Formulations

- Zero HAPs
- Lower VOC content
- Better durability, longer coating service life
- Can be a drop-in replacement for old CARC
- Water used for clean-up of MIL-DTL-64159, Type II
- New CARC wastes may be considered non-hazardous (depending on segregation methods)
- Potential for reduced material, clean-up, waste disposal, and life-cycle costs

# Challenges to Implementation


- Longer drying times for water-dispersible
- Additional mixing needed for water-dispersible
- Potential to reduce production rate
- Increased attention to surface preparation
- New spray equipment may be needed
- May experience limited availability/color selection

# Technologies

# Selection of Potential Solutions

- Choose technologies based upon site-specific conditions
  - Production rate
  - Final appearance
  - Regulatory issues
- Accommodate drying times through more efficient scheduling or expanded drying areas
  - MIL-DTL-64159, Type II may require additional drying time
  - Covered areas outside booth may meet needs
  - Drying technologies are being evaluated

# Metering and Mixing



# Application



# Ancillary Technologies

# Medium Pressure Water Blast



# Vacuum Sanding Tools



# Demonstrations

# Potential Host Sites



# Test Plans

- Establish goal and objectives for demonstration
- Identify technologies and training being demonstrated
- Describe planned activities
- Assign roles and responsibilities
  - NDCEE
  - USAEC
  - Host Site
- Coordinate with Stakeholders and address comments

# Completed and Planned Demonstrations

- Fort Benning, GA (January 16, 2008)
  - Transitioning to water-dispersible
  - Utilizing hand mixing and HVLP spraying
- Fort Stewart, GA (February 11-14, 2008)
  - Transitioning to water-dispersible
  - Utilizing hand mixing and air assisted airless spraying
- Letterkenny Army Depot, PA (June/July 2008)
- Others (To be determined)

# Data Collection

- Baseline information is collected from host sites prior to and during the demonstrations
- Information on technologies, ease of use, and potential improvements is collected during the demonstrations
- Post-demonstration usage data is collected from the host sites over a 6-month period after transition to a new CARC
- Data collected during this task is used to develop site-specific demonstration reports and a business case analysis for Army-wide implementation of the new CARC

**Exhibit 1:**  
**MIL-DTL-53039B, Type I, with airless sprayer**

LMTV (Light Medium Tactical Vehicle) required 7 gallons of MIL-DTL-53039B, Type I using an airless spray system. One painter needed 15 minutes to finish an entire vehicle. The applied coating had a rough finish, which is representative of the spray system. Dry time in the booth was 1 hour.



## Exhibit 2:

### MIL-DTL-64159, Type II, with air-assisted-airless sprayer

LMTV required 3 gallons of MIL-DTL-64159, Type II using an air-assisted-airless spray system. One painter needed about 40 minutes to finish an entire vehicle. The applied coating had a smoother finish than that applied using the airless system. Coating was dry to the touch in 2 hours.



# Potential Costs to Implement

- New spray equipment  
(stainless wetted parts for water dispersible)
  - \$500 - \$5,000 per system
- Increased coating material costs  
(may be offset by decreased material usage)
  - 30% or more per gallon
- Improve drying time  
(ranging from no action to a custom designed drying booth)
  - \$0 - >\$500,000

# Path Forward

- Complete remaining demonstrations
- Collect post-transition data from demonstration host sites
- Compile data and lessons learned into site-specific demonstration reports
- Develop business case analysis for the Army-wide implementation of the low-VOC/zero-HAP CARC for all applications

# Summary

- Low-VOC/zero-HAP CARC are being developed to meet future regulatory requirements
- Proper technology selection facilitates the efficient transition to a low-VOC/zero-HAP CARC
- This task is aiding multiple Army sites in the transition to the low-VOC/zero-HAP CARC
- A business case analysis is being developed to accelerate the Army-wide transition to the low-VOC/zero-HAP CARC

# Stakeholder Organizations

- Army Environmental Command (USAEC)
- Army Materiel Command (AMC)
- Army National Guard
- Army Office of the Director Environmental Programs (ODEP)
- Army Research Laboratory (ARL)
- Assistant Secretary of the Army for Acquisition, Logistics and Technology (ASA-ALT)
- Installation Management Command (IMCOM)

# Contact Information

## NDCEE Technical Monitor

**Task:** 0457

**Name:** Mr. Tom Guinivan

**Organization:** USAEC

**E-mail:** thomas.guinivan@us.army.mil

**Phone Number:** (410) 436-5910

## NDCEE Project Manager

**Name:** Mr. Rob Fisher

**Organization:** CTC/NDCEE

**E-Mail:** fisherr@ctc.com

**Phone Number:** (814) 269-2702

[www.ndcee.ctc.com](http://www.ndcee.ctc.com)

*This work was funded through the Army's Office of the Director of Environmental Programs and conducted under contract W74V8H-04-D-0005 Task 0457.*

*The views, opinions, and/or findings contained in this paper are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision unless so designated by other official documentation.*