

UNCLASSIFIED

AD NUMBER
ADB009639
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies only; Test and Evaluation; FEB 1976. Other requests shall be referred to Ballistic Research Laboratories, Attn: DRXBR-SS, Aberdeen Proving Ground, MD 21005.
AUTHORITY
BRL ltr, 13 Nov 1986

THIS PAGE IS UNCLASSIFIED

AD B00 9639

AUTHORITY:

USAIC Notice

13 NOV 86



THIS REPORT HAS BEEN DELIMITED
AND CLEARED FOR PUBLIC RELEASE
UNDER DOD DIRECTIVE 5200.20 AND
NO RESTRICTIONS ARE IMPOSED UPON
ITS USE AND DISCLOSURE.

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

✓

BRL MR 2587

BRL

2

AD

MEMORANDUM REPORT NO. 2587 ✓

QUASI-STATIC TENSILE STRESS-STRAIN CURVES--I,
2024-T3510 ALUMINUM ALLOY

Ralph F. Benck
Dominick A. DiBerardo

February 1976

DDC
RECEIVED
MAR 12 1976

A

Distribution limited to US Government agencies only; Test and Evaluation; Feb 1976. Other requests for this document must be referred to Director, USA Ballistic Research Laboratories, ATTN: DRXBR-SS, Aberdeen Proving Ground, Maryland 21005.

AD B 009639

AD No.

DDC FILE COPY

USA BALLISTIC RESEARCH LABORATORIES
ABERDEEN PROVING GROUND, MARYLAND

Destroy this report when it is no longer needed.
Do not return it to the originator.

Secondary distribution of this report by originating
or sponsoring activity is prohibited.

Additional copies of this report may be obtained
from the Defense Documentation Center, Cameron
Station, Alexandria, Virginia 22314.



The findings in this report are not to be construed as
an official Department of the Army position, unless
so designated by other authorized documents.

*The use of trade names or manufacturers' names in this report
does not constitute endorsement of any commercial product.*

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER BRL Memorandum Report No. 2587	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Quasi-Static Tensile Stress-Strain Curves - I. 2024-T3510 Aluminum Alloy.	5. TYPE OF REPORT & PERIOD COVERED Final Rept.	6. ORDERING ORG. REPORT NUMBER
7. AUTHOR(s) Ralph F. Benck Dominick A. DiBerardo	8. CONTRACT OR GRANT NUMBER(s) 14 BRL-MR-2587	9. PROGRAM ELEMENT PROJECT TASK AREA & WORK UNIT NUMBER RDT&E 1161102A33H
9. PERFORMING ORGANIZATION NAME AND ADDRESS USA Ballistic Research Laboratories Aberdeen Proving Ground, MD 21005	10. CONTROLLING OFFICE NAME AND ADDRESS US Army Materiel Development & Readiness Command 5001 Eisenhower Avenue Alexandria, VA 22333	11. REPORT DATE FEB 1976 12. NUMBER OF PAGES 18
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report) Unclassified	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution limited to US Government agencies only; Test and Evaluation; February 1976. Other requests for this document must be referred to Director, USA Ballistic Research Laboratories, ATTN: DRXBR-SS, Aberdeen Proving Ground, Maryland 21005.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) armor stress-strain curve aluminum alloy yield strength Poisson's ratio ultimate strength Young's modulus		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report presents results of quasi-static tensile tests of 2024-T3510 aluminum alloy rods performed at 22°C. The yield strengths, Poisson's ratio, and Young's modulus are reported.		

050 750 ✓

1/B

PRECEDING PAGE BLANK-NOT FILMED

TABLE OF CONTENTS

	<u>Page</u>
TABLE OF CONTENTS	3
I. INTRODUCTION.	5
II. TEST PROCEDURES	5
III. RESULTS	5
IV. CONCLUSIONS	8
REFERENCES.	11
DISTRIBUTION LIST	13

I. INTRODUCTION

The quasi-static tensile tests reported herein were conducted as part of the Core Materials Program of the Solid Mechanics Branch of the Terminal Ballistics Laboratory. The objective of this program is to characterize the mechanical behavior of armor and armor penetrators. This characterization should prove useful to designers of armored vehicles and projectiles and will provide valuable input data for computer codes that model penetration processes.

This report, the sixth^{1-5*} in a series describing the results of the Core Materials Program, covers quasi-static tensile tests of 2024-T3510 aluminum alloy. The results include Young's modulus, Poisson's ratio, yield and fracture strengths, and an average stress-strain curve.

II. TEST PROCEDURES

The testing apparatus, procedures and data reduction regimen were generally the same as those previously reported for compression testing.¹ The test specimens were machined from one-inch diameter rods of commercial purity. Chemical analysis of a specimen of the rod is presented in Reference 4. Six test specimens with circular cross sections were prepared in accordance with ASTM² standard E 8, Figure 8. The specimen length was 82.51mm, gage diameter was 6.35 ± 0.05 mm and gage length was approximately 55mm. The ends of the specimens were 12.7mm in diameter and were machined with an 18.5 degree taper down to the gage diameter. The six specimens were instrumented with pairs of high elongation transverse foil resistance-type strain gages. Four of the specimens were also instrumented with a 50 percent maximum strain extensometer (Instron Model G-51-12). These four specimens were pulled to fracture, and the remaining two were pulled until one of the foil strain gages failed. The strain rate for all the tests was $5 \times 10^{-2} \text{ min}^{-1}$.

The average temperature for the tests was $21.9 \pm 1^{\circ}\text{C}$ with a relative humidity of 53 ± 3 percent.

III. RESULTS

The stress and strain at fracture are shown in Table I.

The average engineering stress-strain curve taken to a strain of 1.2 percent, as determined from six specimens instrumented with foil strain gages, is presented in Figure 1. The vertical error bars in Figure 1 indicate plus and minus one standard deviation in the stress. The average engineering stress-strain curve taken to fracture, as calculated from the

*References are listed on Page 11.




Figure 1. Average Engineering Stress - Strain Curve for Tensile Test of 2024-T3510 Aluminum Alloy.




Figure 2. Average Engineering Stress - Strain Curve for Tensile Test up to Fracture for 2024 - T3510 Aluminum Alloy.

extensometer data on four specimens, is shown in Figure 2. The error bars are again plus and minus one standard deviation in the stress.

Poisson's ratio as a function of strain for specimen 2 is presented in Figure 3. This curve is representative of all six specimens. Figure 3 also includes an apparent Poisson's ratio as calculated from the following expression (for derivation of this expression see Reference 4).

$$v_{\text{apparent}} = \frac{\frac{\Delta \sigma}{\sigma}}{\epsilon_{xx}(\frac{\Delta \sigma}{\sigma})} \left(\frac{v_e - 1/2}{E} \right) + 1/2$$

where

v_{apparent} = Poisson's ratio in plastic region

$\Delta \sigma$ = Stress

$\epsilon_{xx}(\frac{\Delta \sigma}{\sigma})$ = Strain at $(\frac{\Delta \sigma}{\sigma})$ stress

v_e = Poisson ratio determined from static tests via extrapolation to zero strain.

E = Young's modulus determined from static test via "best fit" in linear elastic region.

The average yield strength, Young's modulus and Poisson's ratio are presented in Table II. Table II also includes results from quasi-static compression tests⁴ and results from sonic measurement tests⁵ of 2024-T3510. All the specimens for these three series of tests came from the same heat of 2024-T3510 aluminum alloy.

IV. CONCLUSIONS

A series of quasi-static tensile tests have been completed on 2024-T3510 aluminum alloy. The data acquired from these tests have been reduced and compare favorably with similar results obtained by two different techniques.

It is concluded from the reproducibility of the data that the results presented are an accurate partial description of the elastic and plastic properties of 2024-T3510 aluminum alloy.




Figure 3. Poisson's Ratio as a Function of Strain for Tensile Test of 2024 - 3510 Aluminum Alloy.

TABLE I
STRESS AND STRAIN AT FRACTURE

Specimen	Stress at Fracture	Strain at Fracture
	MPa	%
1	582.9	10.61
2	581.5	10.64
3	587.3	11.31
4	580.6	9.94

TABLE II
MATERIAL PROPERTIES OF 2024-T3510 ALUMINUM ALLOY^a

Property	Results of Tensile Testing ^b	Results of Compression Testing ⁴	Results of Sonic Testing ⁵
Young's Modulus, GPa	74.62 (0.36)	76.1	75.20
Yield Strength, MPa (0.2%)	457.2 (3.8)	444.	-----
Poisson's Ratio	0.313 (0.006)	0.321	0.313

^aHardness for this material was 148 BHN.

^bThe value within the parentheses is one standard deviation.

REFERENCES

1. E. A. Murray, Jr. and J. H. Suckling, BRL Memorandum Report No. 2399, "Quasi-Static Compression Stress-Strain Curves--I, Data Gathering and Reduction Procedures; Results for 1066 Steel", Ballistic Research Laboratories, Aberdeen Proving Ground, MD January 1974. AD# 922704L.
2. E. A. Murray, Jr., BRL Memorandum Report in preparation, (Quasi-Static Compression Stress-Strain Curves--II, 7039-T64 Aluminum", Ballistic Research Laboratories, Aberdeen Proving Ground, MD.
3. R. F. Benck and E. A. Murray, Jr., BRL Memorandum Report No. 2480, "Quasi-Static Compression Stress-Strain Curves--III, 5083-H131 Aluminum", Ballistic Research Laboratories, Aberdeen Proving Ground, MD, May 1975. AD# B004159L.
4. R. F. Benck, G. L. Filbey, Jr. and E. A. Murray, Jr., BRL Memorandum Report in preparation "Quasi-Static Compression Stress-Strain Curves--IV, 2024-T3510 and 6061-T6 Aluminum", Ballistic Research Laboratories, Aberdeen Proving Ground, MD.
5. R. F. Benck, G. L. Filbey, Jr., BRL Memorandum Report in preparation "Elastic Constants of Aluminum Alloys, 2024-T3510, 5083-H131 and 7039-T64 as Measured by a Sonic Technique", Ballistic Research Laboratories, Aberdeen Proving Ground, MD.
6. American Society for Testing and Materials, STANDARD E 8-69, 1916 Race Street, Philadelphia, PA, 1969.

DISTRIBUTION LIST

<u>No. of</u> <u>Copies</u>	<u>Organization</u>	<u>No. of</u> <u>Copies</u>	<u>Organization</u>
2	Commander Defense Documentation Center ATTN: DDC-TCA Cameron Station Alexandria, VA 22314	1	Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035
1	Director Defense Advanced Research Projects Agency ATTN: Tech Info 1400 Wilson Boulevard Arlington, VA 22209	2	Commander US Army Electronics Command ATTN: DRSEL-RD DRSEL-HL-CT/S. Crossman Fort Monmouth, NJ 07703
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCDMA-ST 5001 Eisenhower Avenue Alexandria, VA 22333	2	Commander US Army Missile Command ATTN: DRSMI-R DRSMI-RBL Redstone Arsenal, AL 35809
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCDE-A 5001 Eisenhower Avenue Alexandria, VA 22333	1	Commander US Army Tank Automotive Logistics Command ATTN: DRSTA-RHFL Warren, MI 48090
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCDE-R 5001 Eisenhower Avenue Alexandria, VA 22333	2	Commander US Army Mobility Equipment Research & Development Center ATTN: Tech Docu Cen, Bldg 315 DRSME-RZT Fort Belvoir, VA 22060
1	Commander US Army Materiel Development and Readiness Command ATTN: DRCDE-WN-RE/Mr. Corrigan 5001 Eisenhower Avenue Alexandria, VA 22333	1	Commander US Army Armament Command Rock Island- IL 61202
1	Commander US Army Aviation Systems Command ATTN: DRSAV-E 12th and Spruce Streets St. Louis, MO 63166	1	Commander US Army Watervliet Arsenal ATTN: Dr. F. Schneider Watervliet, NY 12189
		1	Commander US Army Electronic Proving Ground ATTN: Tech Lib Fort Huachuca, AZ 85613

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commander US Army Harry Diamond Laboratories ATTN: DRXDO-TI 2800 Powder Mill Road Adelphi, MD 20783	1	Commander US Army Ballistic Missile Defense Systems Command ATTN: SENSC/Mr. Davidson P.O. Box 1500 Huntsville, AL 35804
5	Commander US Army Materials and Mechanics Research Center ATTN: DRXMR-ATL DRXMR-T/J. Bluhm DRXMR-XH/J. Dignam DRXMR-XO/E. Hagge DRXMR-XP/Dr. J. Burke Watertown, MA 02172	1	Director US Army Ballistic Missile Defense Systems Office 1320 Wilson Boulevard Arlington, VA 22209
1	Commander US Army Natick Laboratories ATTN: DRXRE/Dr. D. Sieling Natick, MA 01762	1	Director US Army Advanced BMD Technology Center ATTN: CRDABH-5/Mr. W. Loomis P.O. Box 1500 Huntsville, AL 35809
1	Director US Army TRADOC Systems Analysis Activity ATTN: ATAA-SA White Sands Missile Range NM 88002	1	Commander US Army War College ATTN: Lib Carlisle Barracks, PA 17013
1	Deputy Assistant Secretary of the Army (R&D) Department of the Army Washington, DC 20310	1	Commander US Army Command and General Staff College ATTN: Archives Fort Leavenworth, KS 66027
1	HQDA (DAMA-ARP-P/Dr. Watson) Washington, DC 20310	1	Mathematics Research Center US Army University of Wisconsin Madison, WI 53706
1	HQDA (DAMA-MS) Washington, DC 20310	3	Commander US Naval Air Systems Command ATTN: AIR-604 Washington, DC 20360
1	Commander US Army Research Office P.O. Box 12211 Research Triangle Park NC 07709		

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
3	Commander US Naval Ordnance Systems Command ATTN: ORD-0632 ORD-035 ORD-5524 Washington, DC 20360	1	AFML (Mr. J. Halpin) Wright-Patterson AFB, OH 45433
		1	Director Environmental Science Service Administration US Department of Commerce Boulder, CO 80302
1	Office of Naval Research Department of the Navy ATTN: Code 402 Washington, DC 20360	1	Director Jet Propulsion Laboratory ATTN: Lib (TDS) 4800 Oak Grove Drive Pasadena, CA 91103
1	Commander US Naval Surface Weapons Center ATTN: Code GR-9/Dr. W. Soper Dahlgren, VA 22448	1	Director National Aeronautics and Space Administration Manned Spacecraft Center ATTN: Lib Houston, TX 77058
1	Commander and Director US Naval Electronics Lab ATTN: Lib San Diego, CA 92152		
3	Director US Naval Research Laboratory ATTN: Code 5270, Mr. F. MacDonald Code 2020/Tech Lib Code 7786/J. Baker Washington, DC 20360	1	Dupont Experimental Labs ATTN: Mr. J. Lupton Wilmington, DE 19801
		7	Sandia Laboratories ATTN: Mr. L. Davison Div 5163 Dr. C. Harness H. J. Sutherland Code 5133 Code 1721 Dr. P. Chen Albuquerque, NM 87115
1	AFATL (DLY) Eglin AFB, FL 32542		
1	AFATL (DLDG) Eglin AFB, FL 32542		
1	AFATL (DLDL, MAJ J. E. Morgan) Eglin AFB, FL 32542	5	Brown University Division of Engineering ATTN: Prof. R. Clifton Prof. H. Kolsky Prof. A. Pipkin Prof. P. Symonds Prof. J. Martin Providence, RI 02192
1	RADC (EMTLD/Lib) Griffiss AFB, NY 13440		
1	AUL (3T-AUL-60-118) Maxwell AFB, AL 36112		

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
5	California Institute of Technology Division of Engineering and Applied Science ATTN: Dr. J. Milowitz Dr. E. Sternberg Dr. J. Knowles Dr. T. Coguhey Dr. R. Shield Pasadena, CA 91102	5	The Johns Hopkins University ATTN: Dr. J. Ericksen Dr. J. Bell Dr. R. Green Dr. C. Truesdell Dr. R. Pond 34th and Charles Streets Baltimore, MD 21218
4	Carnegie Mellon University Department of Mathematics ATTN: Dr. D. Owen Dr. M. E. Gurtin Dr. B. Coleman Dr. W. Williams Pittsburg, PA 15213	3	Lehigh University Center for the Application of Mathematics ATTN: Dr. E. Varley Dr. R. Rivlin Prof. M. Mortell Bethlehem, PA 18015
2	Catholic University of America School of Engineering and Architecture ATTN: Prof. A. Durelli Prof. J. McCoy Washington, DC 20017	1	Massachusetts Institute of Technology ATTN: Dr. R. Probststein 77 Massachusetts Avenue Cambridge, MA 02139
4	Cornell University Department of Theoretical Applied Mechanics ATTN: Prof. E. Cranch Prof. G. Ludford Prof. D. Robinson Prof. Y-H Pao Ithaca, NY 14850	1	Michigan State University College of Engineering ATTN: Prof. W. Sharpe East Lansing, MI 48823
1	Harvard University Division of Engineering and Applied Physics ATTN: Dr. G. Carrier Cambridge, MA 02138	1	New York University Department of Mathematics ATTN: Dr. J. Keller University Heights New York, NY 10053
2	Iowa State University Engineering Research Lab ATTN: Dr. G. Nariboli Dr. A. Sedov Ames, IA 50010	1	North Carolina State University Department of Engineering Mechanics ATTN: Dr. W. Bingham P.O. Box 5071 Raleigh, NC 27607
		1	Pennsylvania State University Engineering Mechanical Dept ATTN: Prof. N. Davids University Park, PA 16802

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
2	Forrestal Research Center Aeronautical Engineering Lab Princeton University ATTN: Dr. S. Lam Dr. A. Eringen Princeton, NJ 08540	2	University of California ATTN: Dr. M. Carroll Dr. P. Naghdi Berkeley, CA 94704
1	Purdue University Institute for Mathematical Sciences ATTN: Dr. E. Cumberbatch Lafayette, IN 47907	1	University of California Dept of Aerospace and Mechanical Engineering Sciences ATTN: Dr. Y. C. Fung P.O. Box 109 La Jolla, CA 92037
2	Rice University ATTN: Dr. R. Bowen Dr. C. C. Wang P.O. Box 1892 Houston, TX 77001	1	University of California Department of Mechanics ATTN: Dr. R. Stern 504 Hilgard Avenue Los Angeles, CA 90024
1	Southern Methodist University Solid Mechanics Division ATTN: Prof. H. Watson Dallas, TX 75221	1	University of Delaware Department of Mechanical Engineering ATTN: Prof. J. Vinson Newark, DE 19711
2	Southwest Research Institute Department of Mechanical Sciences ATTN: Dr. U. Lindholm Dr. W. Baker 8500 Culebra Road San Antonio, TX 78228	3	University of Florida Dept of Engineering Science and Mechanics ATTN: Dr. C. A. Sciammarilla Dr. L. Malvern Dr. E. Walsh Gainesville, FL 32601
1	Stanford Research Institute Poulter Laboratory 333 Ravenswood Avenue Menlo Park, CA 94025	2	University of Houston Department of Mechanical Engineering ATTN: Dr. T. Wheeler Dr. R. Nachlinger Houston, TX 77004
1	Stanford University ATTN: Dr. E. H. Lee Stanford, CA 94305	1	University of Illinois Dept of Theoretical and Applied Mechanics ATTN: Dr. D. Carlson Urbana, IL 61801
1	Tulane University Dept of Mechanical Engineering ATTN: Dr. S. Cowin New Orleans, LA 70112		

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
2	University of Illinois at Chicago Circle College of Engineering Dept of Materials Engineering ATTN: Prof. A. Schulta D. T. C. T. Ting P.O. Box 4348 Chicago, IL 60680	1	University of Notre Dame Department of Metallurgical Engineering and Materials Sciences ATTN: Dr. N. Fiore Notre Dame, IN 46556
1	University of Iowa ATTN: Dr. K. Valanis Iowa City, IA 52240	1	University of Pennsylvania Towne School of Civil and Mechanical Engineering ATTN: Prof. Z. Hashin Philadelphia, PA 19105
4	University of Kentucky Dept of Engineering Mechanics ATTN: Dr. M. Beatty Prof. O. Dillon, Jr. Prof. P. Gillis Dr. D. Leigh Lexington, KY 40506	4	University of Texas Department of Engineering Mechanics ATTN: Prof. H. Calvit Dr. M. Stern Dr. M. Bedford Prof. Ripperger Austin, TX 78712
2	The University of Maryland Department of Mechanical Engineering ATTN: Prof. J. Tang Dr. J. Dally College Park, MD 20742	1	University of Washington Department of Mechanical Engineering ATTN: Prof. J. Chalupnik Seattle, WA 98105
1	University of Minnesota Dept of Engineering Mechanics ATTN: Dr. R. Fosdick Minneapolis, MN 55455	2	Yale University ATTN: Dr. B. Chu Dr. E. Onat 400 Temple Street New Haven, CT 96520

Aberdeen Proving Ground

Marine Corps Lab Ofc
Dir, USAMSAA