

UNCLASSIFIED

AD 295 940

*Reproduced
by the*

**ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA**



UNCLASSIFIED


NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

68-2-3

295 940

AD NO. ~~295 940~~

ASTIA FILE COPY




\$1.60

PA
FEB 12 1963
TISIA

WINZEN RESEARCH INC., MINNEAPOLIS 20, MINNESOTA

WRI

OTTO C. WINZEN
President



WINZEN RESEARCH INC.

8401 LYNDALE AVENUE SOUTH
MINNEAPOLIS 20, MINNESOTA
TELEPHONE TUXEDO 1-5871

7 February 1963

**Chief of Naval Research
Code 421
Department of the Navy
Washington 25, D. C.**

Subject: Contract Nour 1460(10)

Gentlemen:

**Enclosed herewith is Winzen Research Inc. Project Sky Hook
Report for the period 1 January 1962 through 31 December
1962 under subject contract.**

Very truly yours,

WINZEN RESEARCH INC.


**Robert M. Enderson
Project Engineer**

RME:dr

encl: WRI Report 1273-R (2 cys)

**cc: Code 461, Wash. D.C. (1 cy)
Code 422, Wash. D.C. (2 cys)
ONR Flt. Rep. Mpls. (3 cys)
ASTIA (1 cy)
ONR, Chicago Branch (1 cy)
Dr. James Earl - U of Minn (1 cy)
Dr. Henry J. Mastenbrook, NRL (1 cy)**

OTTO C. WINZEN
President



WINZEN RESEARCH INC.

8401 LYNDALE AVENUE SOUTH
MINNEAPOLIS 20, MINNESOTA
TELEPHONE TUXEDO 1-5871

PROJECT SKY HOOK REPORT
Contract Nonr 1460(10)
Period 1 January 1962 through
31 December 1962

Report No.: 1273-R

Submitted To: Chief of Naval Research
Attention: Code 421
Department of the Navy
Washington 25, D. C.

Submitted By: Winzen Research Inc
Minneapolis, Minnesota

Prepared By: Robert M. Enderson
Project Engineer

Approved By: Otto C. Winzen

Date: 5 February 1963

TABLE OF CONTENTS

	<u>Page No.</u>
I. SUMMARY	1
II. BALLOON FLIGHT REPORTS	2
A. Flight Number 908	2
B. Flight Number 909	4
C. Flight Number 910	6
D. Flight Number 911	8

I. SUMMARY

This report covers work accomplished for the United States Navy under Contract Nonr 1460(10). The period covered is 1 January 1962 through 31 December 1962.

During this period, four Skyhook Flights were conducted, two for Dr. James Earl of the Physics Department, University of Minnesota, and two for Dr. Henry J. Mastenbrook of the Naval Research Laboratory. Operational difficulties were encountered on the first flight for Dr. Earl resulting in damage to flight instrumentation and subsequent malfunctions. Balloon performance was good on all flights. Scientific data was obtained on both flights for Dr. Earl, however, scientific payload malfunctions prevented obtaining data on either flight for Dr. Mastenbrook.

II. BALLOON FLIGHT REPORTS

A. FLIGHT NUMBER 908

Flight Number 908 was launched at 1127 Z on 11 June 1962. The flight was conducted for Dr. James Earl of the University of Minnesota. The scientific payload, a magnetometer, was flown on a five million cubic foot, 3/4 mil polyethylene balloon.

The flight was launched from Southport Airport. The combination of an initial failure to secure the launch platform and the development of a cross-wind at launch resulted in a marginal launch operation. As a consequence, the flight instrumentation was damaged at launch resulting in loss of flight control. The flight ascended to and maintained a float altitude of approximately 125,000 feet. Since termination could not be effected due to instrument damage, the flight continued beyond the planned duration. The balloon and payload finally descended and impacted at 1400 Z on 13 June. The scientific success of the flight was very good. The Balloon Flight Report, Time Altitude Drawing No. 100029 and Flight Trajectory Drawing No. 100030 follow.

BALLOON FLIGHT REPORT

Flight No. 908 1127Z, 11 June 1962
Project No. NA 518 Flight for Dr. James Earl, University of Minnesota
Scientific Payload Magnetometer Weight - 170.00
Scientific Success Good

Balloon Data


Manufacturer Winzen Research Inc.
Size and Serial No. 5 x 10⁶ No. 22
Type Natural shape, 3/4 mil polyethylene
Weight 757 pounds

Launching Data

Launching Site Southport Airport
Launch Method Platform
Wind - 5-10 Knots Sky - Clear Temperature - 68°
Total Payload - 237 lbs. Free Lift - 8% Gross Inflation - 1,073 lbs.

Flight Data

Maximum Altitude - 127,000 feet Theoretical Altitude - 125,000 feet
Flight Duration - 50 hours - 33 minutes Altitude Maintenance - Good
Ballast - None Rate of Ascent - 420 fpm
Landing Site - 65 miles N.E. Missoula, Montana Time - 1400Z - 13 June
Balloon Performance - Good Balloon Landing Site - 65 miles N.E. Missoula, Montana




TIME GMT

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON			DR
FRACTIONS	DECIMALS	ANGLES	CH
+	+	+	APP
-	-	-	
MACH. FINISH			
MATERIAL			
MAT. SPECS.			
NO. REQUIRED			




REVISIONS			
SYM	DESCRIPTION	DATE	APPROVAL



2

SPECIFIED INCHES	DR	DATE	TITLE	WINZEN RESEARCH INC. OFFICE & PLANT 8401 Lyndale So. Minneapolis 20	
	CH				
ANGLES +	APP	ALTITUDE VS TIME WRI FLIGHT #908 11 JUNE 1962			DRG. NO.
-		SCALE			WT.
			CODE		

REVISIONS			
SYM	DESCRIPTION	DATE	APPROVAL



2

SPECIFIED INCHES	DR	DATE	TITLE	WINZEN RESEARCH INC. OFFICE & PLANT 8401 Lyndale So. Minneapolis 20
	CH	6/21/62		
ANGLES	APP	6/21/62	TRAJECTORY PLOT	DRG. NO.
+	JH		WRI FLIGHT NO 908	100030
-			11 JUNE 1962	
			SCALE	WT.

CODE

B. FLIGHT NUMBER 909

Flight Number 909 was launched at 1105 Z on 21 August 1962. The flight was conducted for Dr. James Earl of the University of Minnesota. The scientific payload was a cloud chamber. A five million, 3/4 mil polyethylene balloon was utilized for the flight.

The flight was launched from Fleming Field, South St. Paul, Minnesota. A standard platform launch was made. On launch, the anchor line cutters failed to operate. The anchor line was then severed at the anchor vehicle and remained attached to the flight train. The flight ascended at 740 fpm to an indicated float altitude of 133,000 feet. The flight was terminated by timer at 2333 Z.

It was determined from tests conducted on the recovered anchor line cutters that the power supplied was marginal for firing three squibs instead of the normal number of two. As a result, the power supply for firing the anchor line cutters was increased to 24 volts so that even if batteries were not at peak, the power would fire three squibs.

The Balloon Flight Report, Time Altitude Drawing No. 300184, and Flight Trajectory Drawing No. 300185 follow.

BALLOON FLIGHT REPORT

Flight No.	908	1105 Z, 21 August 1962
Project No.	NA 518	Flight for Dr. James Earl, University of Minnesota
Scientific Payload	Cloud Chamber	Weight - 307.00
Scientific Success	Good	

Balloon Data

Manufacturer	Winzen Research Inc.
Size and Serial No.	5 x 10 ⁶ No. 25
Type	Natural shape - 3/4 mil polyethylene
Weight	761 pounds

Launching Data

Launching Site	Fleming Field, South St. Paul, Minnesota	
Launch Method	Platform	
Wind - South 0-5 Knots	Sky - Clear	Temperature
Total Payload - 406 lbs.	Free Lift - 9%, 105 lbs.	Gross Inflation - 1,272

Flight Data

Maximum Altitude - 133,000 feet	Theoretical Altitude - 127,000 feet
Flight Duration - 13 hours	Altitude Maintenance - Good
Ballast - None	Rate of Ascent - 740 fpm
Landing Site - 10 miles N. N. E. Brookings	Recovery Time - 1908
Balloon Performance - Good	Balloon Landing Site - Burst

0.75" - THE'S OFF

140
130
120
110
100
90
80
70
60
50
40
30
20
10
0

133,000

LAUNCH
0605 CDT

0600 0700 0800 0900 1000 1100 1200 1300 1400

1

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON			DR CH APP
FRACTIONS + --	DECIMALS + --	ANGLES + --	
MACH. FINISH			
MATERIAL			
MAT. SPECS.			
NO. REQUIRED			

REVISIONS

SYM

DESCRIPTION

DATE

APPROVAL

TERMINATION
1833 CDT

2

IMPACT
1968 CDT

1000 1400 1800 1200 1600 2000

SPECIFIED SIZES SIZES	DR <i>J.H.C.</i>	DATE <i>8/21/62</i>	TITLE <i>TIME PHOTODUPLICATION</i> <i>FLIGHT No. 909</i> <i>DATE 21 AUGUST, 1962</i>	WINZEN RESEARCH INC. OFFICE & PLANT 8401 Lyndale So. Minneapolis 20
	CH <i>J.H.C.</i>	DATE <i>8/21/62</i>		
SCALE			WT.	CODE

N O R T H

D A K O T A

S O U T H

D A K O T A

TE
18



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON			DR
FRACTIONS	DECIMALS	ANGLES	DR
+	+	+	DR
-	-	-	APP
MACH. FINISH			
MATERIAL			
MAT. SPECS.			
NO. REQUIRED			

REVISIONS			
SYM	DESCRIPTION	DATE	APPROVAL

K O T A

A K O T A

MINNESOTA

DULUTH

MPLS - ST PAUL

LAMBETH
MUSKOGEE HASTINGS

TERMINATION
1835 CDT

IMMEDIATE
1835 CDT
BR. 11/10/62

WALNUT
GRIVE

COBDEN

FAIRBANKS

LAKE
CITY



CHECKED INCHES	DR	DATE
	CH	
	APP	

ANGLES +	
-	

TITLE
TRAJECTORY
FLIGHT No. 909
DATE - 21 AUGUST, 1962

SCALE WT.

WINZEN RESEARCH INC.
OFFICE & PLANT
8401 Lyndale So. Minneapolis 20

DRG. NO.
300185

CODE

C. FLIGHT NUMBER 910

Flight Number 910 was launched from Fleming Field, South St. Paul, Minnesota at 1115 Z on 17 August. The flight was conducted for Dr. Henry J. Mastenbrock of the Naval Research Laboratory. The scientific equipment, Moisture Vapor Measuring Equipment, was flown on a 1-1/4 million cubic foot balloon of 1 mil polyethylene.

A standard Winzen Research Inc. platform launch was conducted without incident. The flight profile required valving the balloon down from its float altitude of approximately 115,000 feet to 90,000 feet with subsequent ballasting back to 115,000 feet. The flight would then be valved down to 44,000 feet at which altitude the FAA Safety Timer would terminate the flight. Immediately after launch the scientific instrumentation stopped functioning. The flight was continued as planned to gain proficiency in controlling the profile despite lack of scientific data. The desired flight profile was obtained. The Balloon Flight Report for this flight follows.

BALLOON FLIGHT REPORT

Flight No.	910	1115 Z, 17 August 1962
Project No.	NA 518	Flight for Dr. Henry J. Mastenbrook Naval Research Laboratory
Scientific Payload	H ₂ O Vapor Measurement	Weight 109.00
Scientific Success	None - Payload malfunctioned	

Balloon Data

Manufacturer	Winzen Research Inc.	
Size and Serial No.	1-1/4 Million Cubic Foot	No. 38
Type	Natural shape, 1 mil polyethylene	
Weight	369 pounds	

Launching Data

Launching Site	Fleming Field, South St. Paul, Minnesota		
Launch Method	Platform		
Wind - Calm	Sky - Clear	Temperature - 68° F	
Total Payload - 238 pounds	Free Lift - 9%, 54 pounds	Gross Inflation - 66%	

Flight Data

Maximum Altitude - 117,000 feet	Theoretical Altitude - 115,000 feet
Flight Duration - 7 hours	Altitude Maintenance - Good
Ballast - 100 pounds	Rate of Ascent - 900 fpm
Landing Site - Albert Lea, Minnesota	Recovery Time - 1500 CDT
Balloon Performance - Good	Balloon Landing Site - Unknown

D. FLIGHT NUMBER 911

Flight Number 911 was launched from Fleming Field, South St. Paul, Minnesota at 1050 Z on 22 August 1962. The flight was again conducted for Dr. Mastenbrook of the Naval Research Laboratory. The scientific equipment, Moisture Vapor Measuring Equipment, was flown on a 1-1/4 million cubic foot balloon of 1 mil polyethylene.

A successful platform launch was again conducted. The flight ascended at approximately 900 fpm to a float altitude of 115,000 feet. Shortly after reaching float altitude the scientific instrumentation stopped functioning. The decision was then made to terminate the flight in view of approaching thunderstorm activity from the West. Termination required valving the balloon down to 44,000 feet to activate the FAA Safety Device. Descent started approximately 15 minutes after valving had commenced. A descent rate of 700 fpm was established with 22 minutes continuous valving. It was anticipated the flight would move in an Easterly direction on descent, corresponding to the trajectory on ascent and stay ahead of the approaching storm front. This anticipated descent trajectory did not develop. The flight not only failed to move in an Easterly direction but the storm front moved in more rapidly than forecast and obscured the flight from visual tracking. As soon as it was evident the Easterly trajectory was not developing, an attempt was made by ballasting to prevent the flight from descending to 44,000 feet and termination occurring. The descent could not be stopped in time, termination occurred and the load descended on the

parachute. The load impacted within the City Limits of Minneapolis. On descent from ceiling altitude the Easterly component of the trajectory was approximately five miles instead of an anticipated fifty. It can only be concluded the approaching storm activity caused a drastic change in upper winds over those encountered on ascent. The Flight Report for this flight follows.

BALLOON FLIGHT REPORT

Flight No. 911 1050 Z, 22 August 1962
Project No. NA 518 Flight for Dr. Henry J. Mastenbrook
Naval Research Laboratory
Scientific Payload Moisture Measuring Equipment Weight - 109 pounds
Scientific Success Equipment inoperative - None

Balloon Data

Manufacturer Winzen Research Inc.
Size and Serial No. 1-1/4 Million cubic foot No. 39
Type Natural shape - 1 mil polyethylene
Weight 384 pounds

Launching Data

Launch Site Fleming Field, South St. Paul, Minnesota
Launch Method Platform
Wind - Calm Sky - Clear Temperature
Total Payload - 241 pounds Free Lift - 10%, 62 lbs. Gross Inflation - 687 lbs.

Flight Data

Maximum Altitude - 117,000 feet Theoretical Altitude - 115,000 feet
Flight Duration - 6 hours Altitude Maintenance - Good
Ballast - 100 pounds Rate of Ascent - 900 fpm
Landing Site - Minneapolis Recovery Time - 1200 CDT
Balloon Performance - Good Balloon Landing Site - St. Paul
Suburb