AD-A155 666 PRISCILLA CALCULATIONS AND COMPARISON WITH DATA(U) 1/1
NAVAL RESEARCH LAB WASHINGTON DC M A FRY ET AL.
30 MAY 85 NRL-MR-5571

UNCLASSIFIED F/G 18/3 NL




MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD-A155 666

NRL Memorandum Report 5571

# Priscilla Calculations and Comparison with Data

M. A. FRY,* P. KAMATH,* AND D. L. BOOK

*Laboratory for Computational Physics*

**Science Applications International Corporation*
*McLean, VA 22102*

May 30, 1985

This research was sponsored by the Defense Nuclear Agency under Subtask N99QAXAI, work unit 00018 and work unit title "Missile Systems Erosion Hardness."

DTIC
ELECTE
JUL 1 1985
S D
B

DTIC FILE COPY

NAVAL RESEARCH LABORATORY
Washington, D.C.

Approved for public release; distribution unlimited.

85 06 13 128

REPRODUCED AT GOVERNMENT EXPENSE
REPRODUCED AT GOVERNMENT EXPENSE

# DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

SECURITY CLASSIFICATION OF THIS PAGE

## REPORT DOCUMENTATION PAGE

| | |
|---|---|
| 1a REPORT SECURITY CLASSIFICATION<br>UNCLASSIFIED | 1b RESTRICTIVE MARKINGS |
| 2a SECURITY CLASSIFICATION AUTHORITY | 3 DISTRIBUTION / AVAILABILITY OF REPORT<br>Approved for public release; distribution unlimited. |
| 2b DECLASSIFICATION / DOWNGRADING SCHEDULE | |
| 4 PERFORMING ORGANIZATION REPORT NUMBER(S)<br>NRL Memorandum Report 5571 | 5 MONITORING ORGANIZATION REPORT NUMBER(S) |
| 6a NAME OF PERFORMING ORGANIZATION<br>Naval Research Laboratory — 6b OFFICE SYMBOL (If applicable) Code 4040 | 7a NAME OF MONITORING ORGANIZATION |
| 6c ADDRESS (City, State, and ZIP Code)<br>Washington, DC 20375-5000 | 7b ADDRESS (City, State, and ZIP Code) |
| 8a NAME OF FUNDING / SPONSORING ORGANIZATION<br>Defense Nuclear Agency — 8b OFFICE SYMBOL (If applicable) | 9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER |
| 8c ADDRESS (City, State, and ZIP Code)<br>Washington, DC 20305 | 10 SOURCE OF FUNDING NUMBERS<br>PROGRAM ELEMENT NO 62715H; PROJECT NO; TASK NO; WORK UNIT ACCESSION NO DN380-237 |

11 TITLE (Include Security Classification)
Priscilla Calculations and Comparison with Data

12 PERSONAL AUTHOR(S)
Fry, M.A.,* Kamath, P.,* and Book, D.L.

| 13a TYPE OF REPORT | 13b TIME COVERED | 14 DATE OF REPORT (Year, Month, Day) | 15 PAGE COUNT |
|---|---|---|---|
| Interim | FROM _____ TO _____ | 1985 May 30 | 83 |

16 SUPPLEMENTARY NOTATION
*Science Applications International Corporation, McLean, VA 22102 (Continues)

| 17 COSATI CODES | | | 18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number) |
|---|---|---|---|
| FIELD | GROUP | SUB-GROUP | Precursor, Dust, Gas dynamic discontinuities, Thermal layer, Height of burst |

19 ABSTRACT (Continue on reverse if necessary and identify by block number)

The nuclear event PRISCILLA has been modeled with the FAST2D Flux Corrected Transport code. Three calculations were performed to study the effects of the thermal layer along the ground and the entrained dust. Comparison between the experimental data and the calculation that includes both dust and the thermal layer show good agreement. Accurate modeling of the thermal layer and inclusion of the dust are required to simulate the precursor near the ground surface. New complex shock structure above the ground surface has been discovered.

| | |
|---|---|
| 20 DISTRIBUTION / AVAILABILITY OF ABSTRACT<br>☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS | 21 ABSTRACT SECURITY CLASSIFICATION<br>UNCLASSIFIED |
| 22a NAME OF RESPONSIBLE INDIVIDUAL<br>David L. Book | 22b TELEPHONE (Include Area Code) (202) 767-2078 — 22c OFFICE SYMBOL Code 4040 |

DD FORM 1473, 84 MAR — 83 APR edition may be used until exhausted. All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE

16. SUPPLEMENTARY NOTATION (Continued)

This research was sponsored by the Defense Nuclear Agency under Subtask N99QAXAI, work unit 00018 and work unit title "Missile Systems Erosion Hardness."

CONTENTS

I. INTRODUCTION ..... 1

II. CALCULATIONAL PROCEDURE ..... 2

III. CALCULATIONAL RESULTS ..... 3

IV. PRISCILLA EXPERIMENTAL DATA AND COMPARISONS ..... 4

REFERENCES ..... 61

DTIC
ELECTE
JUL 1 1985
S D
B

DTIC
COPY
INSPECTED

Accession For
NTIS GRA&I ☑
DTIC TAB ☐
Unannounced ☐
Justification
By
Distribution/
Availability Codes
Dist | Avail and/or Special
A-1

# PRISCILLA CALCULATIONS AND COMPARISON WITH DATA

## I. Introduction

The nuclear test PRISCILLA was performed as part of the Plumbbob series of tests in the summer of 1957. Four objectives were at the center of the program: (1) obtain overpressure annd dynamic pressure as a function of time and distance; (2) document the formation and history of the precursor waveforms; (3) determine the applicability of scaling laws; and (4) determine the validity of the pressure-distance curve in the low-pressure region. These objectives were achieved, and as a result, it is possible to make a thorough comparison of numerical simulations with the experimental data. Agreement between measurements and simulations builds confidence in subsequent theoretical calculations.

The event Priscilla was simulated using the FAST2D code.[2] The important physical processes such as thermal layer development and dust entrainment were modeled. Three separate calculations with progressively more of the pertinent physics included were completed. Results of the detailed comparisons between these calculations and the experimental data show good agreement. Best agreement is found by including the thermal layer and the entrained dust. These two effects work in opposite directions. That is, the thermal layer is a heated region where the local sound speed is enhanced, but the dust adds mass which tends to cool the local volume. The former produces a strong precursor while the latter tends to weaken the effect. By choice of the appropriate models good agreement between calculation and experiment has been achieved.

Manuscript approved February 19, 1985.

## II. CALCULATIONAL PROCEDURE

Shot Priscilla was a 37-kton nuclear explosion detonated 700 feet above the ground surface. This configuration was modeled with cylindrical (r-z) geometry. Constant grid separation with $\Delta r = 1$ meter and $\Delta z = 1$ meter were chosen. Initialization of the blast flow field was taken from the 1 KT nuclear standard[3]. The initialization took place 61 ms after disassembly, which is appropriate for a blast wave at a radius of 690 feet.

Figure 1, which is a contour plot of density, indicates this configuration. The model for the thermal layer was taken from Kuhl.[4] Figure 2 shows the effective sound speed versus distance for the Priscilla event. The sound speeds are computed from the shock time of arrival using the Rankine-Hugoniot jump conditions. It is interesting to note that computationally this curve provides a straightforward way to include the hot layer near the ground. However, it represents a combination of all the effects in the thermal layer. As the shock proceeds along the ground surface, it encounters the previously heated ground, convectively mixed air, and elevated and entrained dust particles. For our calculations the thermal layer is assumed to be clean and in pressure equilibrium. This layer was implemented in the code by defining the bottom 3 zones to have a density inferred from the temperature model and consistent with pressure equilibrium.

The dust is treated as separate fluid and becomes entrained at a rate proportional to the horizontal velocity in the first zone adjoining the ground surface:

$$\frac{d\rho}{dt} = 0.08 \frac{\rho V}{\Delta Z} r^{\cdot}$$

It is assumed that the elevated particles are at the same temperature as the local fluid, so that the dust entrainment process adds energy as well as mass (but not momentum) to the flow. The process of entrainment continues

as long as the horizontal velocity at ground level remains nonzero. By the end of the calculation described here, approximately two kton of dust is in the flow field, and the amount has almost saturated. There is no mechanism for dust fallout.

## III. CALCULATIONAL RESULTS

The evolution of the shock structure and its interaction with the heated layer and dust are presented in a series of contour plots at different selected times. The first five figures (Figures 3-7) show density contours in the ideal case (Priscilla without thermal layer). Distances in the figures are given in centimeters. A window of 277 meters in the radial direction is shown. Figure 4 shows the Mach stem, reflected shock, slip surface, and the incident shock. At 0.686 sec., Fig. 7, the triple point has risen to a height of 114 meters.

Figures 8-17 show the case with a heated layer but no dust. The figures show density and pressure contours at each display time. In Fig. 8 one can see the beginning of the precursor as the shock runs out ahead of what would have been the Mach stem. Figure 10 at 0.298 seconds shows the considerable detail of the very complex flow. A pronounced contact discontinuity is present in the lower right hand edge of this figure (note its presence in density but not pressure). This represents the interface between the thermal layer and the ambient air after the passage of the precursor shock. Comparison of Fig. 10 and 11 show numerous triple points which are terminations of the shocks produced by the reflections and rarefactions that occur as the spherical incident shock encounters the hot thermal layer. Figures 12 and 13 reveal a large rollup behind what would normally be the Mach stem. Moving forward from this rollup is a higher-density cold jet of air. Further evolution of the structure is seen in Figs. 14 and 15, and finally in Figs.

16 and 17 the first triple point is at 136 meters.

The final calculation includes the effects of the dust. Figures 18-29 show total density, dust density and pressure at different times. Figures 18-20 correspond to the clean flow case, Fig. 8 and 9, and to the ideal case, Fig. 4. Morever, the times are comparable for each set of figures, enabling a direct comparison of the three cases. The primary difference between this last case and the previous two results from the presence of the dust. The dust density contours reveal a considerable lip of dust emerging as the large vortex develops behind the Mach stem position. In addition, the extra shocks that were present in the clean flow (cf., eg., Fig. 16 and Fig. 29) have disappeared. Both the outrunning precursed shock and the shock linking the reflected shock to the upper Mach stem are missing. There are four triple points present as one moves down along the incident shock. The first triple point is located at 108 meters height. In Fig. 29 only two triple points are observable, the first being at 94 meters.

## IV. PRISCILLA EXPERIMENTAL DATA AND COMPARISONS

The data from the Priscilla test is contained in several reports. Reference 1 describes the basic airblast phenomena while additional data from the Stanford Research Institute (SRI) measurements is found in Ref. 5. The data has been assembled and is presented here in three formats. First, the time of arrival (TOA) of the first wave (precursor) is given as a function of ground range. The agreement between data and calculation is an indication that the choice of thermal layer and dust model is reasonable. This should be regarded only as a crude test since TOA is one of the easiest curves to match in airblast simulations. Second, the peak overpressure versus distance data is presented. This has long been regarded as a good test of agreement between test data and calculations. Additionally, the dynamic

pressure ($0.5\rho v^2$) is plotted against range as an adjunct to the overpressure data. The values of dynamic pressure at larger ranges are uncorrected.

Figure 30a contains the TOA experimental data. The symbols denote separate experiments that were fielded on Priscilla. Large scatter exists in most of the data except for the SRI experiment. Figure 31a displays the peak-overpressure-versus-range data, and Fig. 32a shows the few values of dynamic pressure obtained. For each of the above figures the values from the calculations are plotted on a transparent overlay. Direct comparisons can thus be made by using Figs. 30a and 30b, Figs. 31a and 31b, and Fig. 32a and 32b.

A more stringent comparison can be made by actually comparing the experimental station data. At a fixed location values of overpressure and dynamic pressure were recorded as functions of time. The SRI data is deemed to be more reliable and better resolved[6] and will be used for the comparison.

In order to condense the information each plot displays four curves. Curve A is the ideal calculation, curve B is the clean flow, curve C is the dusty-flow calculation and curve D is, of course, the experimental data.

The comparison first begins with Fig. 33, which displays overpressure versus time for the 450-ft station. All three calculations A, B, and C have approximately the same shape and TOA, 0.106 sec. Figure 34 shows the overpressure at the 550-ft station. Definite structure begins to appear in B (clean) and C (dusty) while A (ideal) begins to lag in arrival time. The data (D) at this station indicates a faster-moving signal arriving at 0.117 sec. In Fig. 35 the first indication of precursed wave is seen in the calculations. The 650-ft station is approaching the point of transition to double Mach configuration in the ideal case A. Lack of resolution in the computational grid probably accounts for the disagreement in the arrival

times up to this point. The precursor must develop a physical dimension equivalent to several meters (several zone widths) before it is represented in the three-point algorithm. Also the reduced peaks (in relation to B) are attributable to the coarse resolution.

Figures 36 and 37 show better agreement between arrival times. Note curves B and C compared to D. Figures 38 and 39 are at ground ranges of 1050 and 1350 feet, respectively. Negative overpressures begin to appear in B after the arrival of the precursor and before the main compression wave. Figures 40-42 show the 1650-ft station at 0, 3, and 10 feet, respectively. Curves C are somewhat better in comparison to D.

Figures 41-49 detail the dynamic pressure versus time for the same station locations as the static overpressure. Examination of Fig. 49 shows much better agreement with C and D; curve B differs by an order of magnitude. The general trend shows better agreement when both dust and thermal layer are included. Since the effects compete against each other, one need only vary the important parameters in the models to achieve better agreement. The temperature would be adjusted downward to retard the time of arrival, while decreased dust should increase the dynamic pressure.

In conclusion, the event Priscilla has been simulated with a series of calculations. The results of the calculations when compared to the actual experimental data indicate the importance of the hot thermal layer in the flow field. Moreover, the addition of dust to the flow is mandatory in order to achieve reasonable agreement with the dynamic pressure. This comparison shows that non-ideal effects in airblast can be computed with reasonable agreement with experimental data.


PRISCILLA FAST2D SIMULATIØN
TIME = 0.061
DENSITY
0.427E+04
0.377E+04
Z(FT)
0.000E+00
X(FT)
MAX = 5.0E-03

Figure 1


3.0
2.0
1.0
0.0
$\frac{a_{th}}{a_0}$
$h_{NRL}$
30.0
25.0
20.0
15.0
10.0
5.0
h (ft)
0.0
2.0
4.0
6.0
8.0
10.0
Range (Kft)

Figure 2

PRISCILLA WITHØUT THERMAL LAYER

TIME= 0.16449E+00 SEC.. STEP 1001. DUMP PRII0011 DENSITY 1. GM/CC




CONTOUR FROM 0.00000 TO 0.10000E-01 CONTOUR INTERVAL OF 0.00000E-00 PT(3,3)= 0.10700E-02 LABELS SCALED BY 10000.

Figure 3

PRISCILLA WITHOUT THERMAL LAYER

TIME= 0.29694E+00 SEC.. STEP 2001. DUMP PRI10021 DENSITY 1. GM/CC




Figure 4

PRISCILLA WITHOUT THERMAL LAYER

TIME= 0.46281E+00 SEC., STEP 3001. DUMP PRI10031 DENSITY 1. GM/CC




CONTOUR FROM 0.00000 TO 0.20000E-02 CONTOUR INTERVAL OF 0.20000E-03 PT(3,3)= 0.70000E-03 LABELS SCALED BY 0.10000E+05

Figure 5

PRISCILLA WITHØUT THERMAL LAYER

TIME= 0.56543E+00 SEC.. STEP 3501. DUMP PRII0036 DENSITY 1. GM/CC




CONTOUR FROM 0.10000E-08 TO 0.22000E-02 CONTOUR INTERVAL OF 0.10000E-08 PT(3,3)= 0.88821E-08 LABELS SCALED BY 0.10000E+06

Figure 6

PRISCILLA WITHØUT THERMAL LAYER

TIME= 0.68677E+00 SEC.. STEP 4001. DUMP PRI10041 DENSITY 1. GM/CC




CONTOUR FROM 0.30000E-00 TO 0.28000E-02 CONTOUR INTERVAL OF 0.10000E-00 PT(3.31= 0.00000E-00 LABELS SCALED BY 0.10000E+00

Figure 7

PRISCILLA 36.6 KT AT 700 FEET

TIME= 0.16456E+00 SEC.. STEP 1001. DUMP PRIS0011 DENSITY 1. GM/CC




CONTOUR FROM 0.00000 TO 0.500000E-02 CONTOUR INTERVAL OF 0.400000E-03 PT(3,3)= 0.28411E-03 LABELS SCALED BY 0.100000E+03

Figure 8

PRISCILLA 36.6 KT AT 700 FEET

TIME= 0.16456E+00 SEC., STEP 1001, DUMP PRIS0011 PRESSURE, DYNES/CM**2




CONTOUR FROM 0.00000 TO 0.16000E+08 CONTOUR INTERVAL OF 0.10000E+07 PT(3,3)= 0.22512E+07 LABELS SCALED BY 0.10000E-06

Figure 9

PRISCILLA 36.6 KT AT 700 FEET

TIME= 0.29750E+00 SEC., STEP 2001, DUMP PRIS0021 DENSITY 1. GM/CC




CONTOUR FROM 0.00000 TO 0.44000E-02 CONTOUR INTERVAL OF 0.20000E-03 PT(13,31)= 0.76772E-03 LABELS SCALED BY 0.10000E+05

Figure 10

PRISCILLA 36.6 KT AT 700 FEET

TIME= 0.29750E+00 SEC.. STEP 2001. DUMP PRIS0021 PRESSURE. DYNES/CM**2




CONTOUR FROM 0.00000 TO 0.72000E+07 CONTOUR INTERVAL OF 0.40000E+06 PT(3.21= 0.11301E+07 LABELS SCALED BY 0.10000E+00

Figure 11

PRISCILLA 36.6 KT AT 700 FEET

TIME= 0.46379E+00 SEC.. STEP 3001. DUMP PRIS0031 DENSITY 1. GM/CC




CONTOUR FROM 0.20000E-09 TO 0.32000E-02 CONTOUR INTERVAL OF 0.10000E-09 PT(13,21)= 0.13887E-02 LABELS SCALED BY 0.10000E-05

Figure 12

PRISCILLA 36.6 KT AT 700 FEET

TIME= 0.4637SE+00 SEC.. STEP 3001. DUMP PRIS0031 PRESSURE. DYNES/CM**2




CONTOUR FROM 0.20000E+05 TO 0.44000E+07 CONTOUR INTERVAL OF 0.20000E+05 PT(13,31)= 0.13800E+07 LABELS SCALED BY 0.10000E-02

Figure 13

PRISCILLA 36.6 KT AT 700 FEET

TIME= 0.56733E+00 SEC.. STEP 3501. DUMP PRIS0036 DENSITY 1. GM/CC




CONTOUR FROM 0.40000E-03 TO 0.31000E-02 CONTOUR INTERVAL OF 0.10000E-03 PT(3,3)= 0.97000E-03 LABELS SCALED BY 0.10000E+06

Figure 14

PRISCILLA 36.6 KT AT 700 FEET

TIME= 0.56733E+00 SEC., STEP 3501. DUMP PRIS0036 PRESSURE. DYNES/CM**2




CONTOUR FROM 0.20000E+08 TO 0.30000E+07 CONTOUR INTERVAL OF 0.20000E+08 PT(19,31)= 0.10027E+07 LABELS SCALED BY 0.10000E-08

Figure 15

PRISCILLA 36.6 KT AT 700 FEET

TIME= 0.68769E+00 SEC., STEP 4001, DUMP PRIS0041 DENSITY 1. GM/CC




CONTOUR FROM 0.20000E-08 TO 0.20000E-12 CONTOUR INTERVAL OF 0.10000E-08 PT(5,5)= 0.91457E-08 LABELS SCALED BY 0.10000E+05

Figure 16

PRISCILLA 36.6 KT AT 700 FEET

TIME= 0.68769E+0C SEC.. STEP 4001. DUMP PRIS0041 PRESSURE. DYNES/CM**2




CONTOUR FROM 0.20000E+06 TO 0.20000E+07 CONTOUR INTERVAL OF 0.20000E+06 PT(13.3)= 0.81081E+08 LABELS SCALED BY 0.10000E-08

Figure 17

PRISCILLA WITH DUST

TIME= 0.16435E+00 SEC.. STEP 1001. DUMP PDST0011 DENSITY 1. GM/CC




CONTOUR FROM 0.00000 TO 0.84000E-02 CONTOUR INTERVAL OF 0.40000E-08 PT(3,3)= 0.11238E-02 LABELS SCALED BY 0.10000E+08

Figure 18

PRISCILLA WITH DUST

TIME= 0.16435E+00 SEC., STEP 1001, DUMP PDST0011 DENSITY 2, GM/CC




Figure 19

PRISCILLA WITH DUST

TIME= 0.15435E+00 SEC.. STEP 1001. DUMP PDST0011  PRESSURE. DYNES/CM**2




CONTOUR FROM 0.00000 TO 0.17000E+08 CONTOUR INTERVAL OF 0.10000E+07 PT(3,3)= 0.22947E+07 LABELS SCALED BY 0.10000E-04

Figure 20

PRISCILLA WITH DUST

TIME= 0.29651E+00 SEC.. STEP 2001. DUMP POST0021 DENSITY 1. GM/CC




CONTOUR FROM 0.00000 TO 0.[illegible]E-02 CONTOUR INTERVAL OF 0.20000E-03 PT(13.31= 0.[illegible]E-03 LABELS SCALED BY 0.10000E+06

Figure 21

PRISCILLA WITH DUST

TIME= 0.29651E+00 SEC.. STEP 2001. DUMP PDST0021 DENSITY 2. GM/CC




Figure 22

PRISCILLA WITH DUST

TIME= 0.29651E+00 SEC.. STEP 2001. DUMP PDST0021 PRESSURE, DYNES/CM**2




CONTOUR FROM 0.40000E+05 TO 0.70000E+07 CONTOUR INTERVAL OF 0.40000E+05 PT(2,3)= 0.70001E+05 LABELS SCALED BY 0.10000E-00

Figure 23

PRISCILLA WITH DUST

TIME= 0.46293E+00 SEC.. STEP 3001. DUMP PDST0031 DENSITY 1. GM/CC




CONTOUR FROM 0.00000 TO 0.360000E-02 CONTOUR INTERVAL OF 0.200000E-03 PT(13,31)= 0.920172E-03 LABELS SCALED BY 0.100000E+05

Figure 24

PRISCILLA WITH DUST

TIME= 0.46293E+00 SEC.. STEP 3001. DUMP POST0031 DENSITY 2. GM/CC




CONTOUR FROM 0.00000 TO 0.18000E-02 CONTOUR INTERVAL OF 0.10000E-08 PT(3,3)= 0.38018E-08 LABELS SCALED BY 0.10000E+08

Figure 25

PRISCILLA WITH DUST

TIME= 0.46293E+00 SEC.. STEP 3001. DUMP PDST0031 PRESSURE. DYNES/CM**2




CONTOUR FROM 0.30000E+06 TO 0.51000E+07 CONTOUR INTERVAL OF 0.30000E+06 PT(2,3)= 0.92400E+06 LABELS SCALED BY 0.10000E-06

Figure 26

PRISCILLA WITH DUST

TIME= 0.56632E+00 SEC., STEP 3501, DUMP PDST0036 DENSITY 2, GM/CC




CONTOUR FROM 0.00000 TO 0.17000E-02 CONTOUR INTERVAL OF 0.10000E-03 PT(3,3)= 0.35132E-03 LABELS SCALED BY 0.10000E+06

Figure 27

PRISCILLA WITH DUST

TIME= 0.56632E+00 SEC.. STEP 3501. DUMP POST0036 PRESSURE. DYNES/CM**2




CONTOUR FROM 0.20000E+06 TO 0.42000E+07 CONTOUR INTERVAL OF 0.20000E+06 PT(3,2)= 0.88404E+06 LABELS SCALED BY 0.10000E-06

Figure 28

PRISCILLA WITH DUST

TIME= 0.56632E+00 SEC.. STEP 3501. DUMP POST0036 DENSITY 1. GM/CC




CONTOUR FROM 0.20000E-08 TO 0.34000E-02 CONTOUR INTERVAL OF 0.10000E-08 PT(3.3)= 0.8888E-08 LABELS SCALED BY 0.10000E+08

Figure 29


PRISCILLA TIME OF ARRIVAL
EXPERIMENTAL DATA
TIME (sec)
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.09
0.08
0.07
0.06
0.05
0.04
0.03
0.02
0.01
100
200
300
400
500
600
700
RANGE (m)
MAIN BLAST LINE
1.7 GAGES
3.1
3.2 AND 3.3
6.1
SRI

Figure 30a


CALCULATIONAL TIME OF ARRIVAL
TOA (sec)
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.09
0.08
0.07
0.06
0.05
0.04
0.03
0.02
0.01
100
200
300
400
500
600
700
RANGE (m)
IDEAL
CLEAN PRECURSED
DUSTY PRECURSED

Figure 30b

PRISCILLA PEAK OVERPRESSURE
DATA VERSUS GROUND RANGE




Figure 31a


CALCULATIONAL PEAK OVERPRESSURE
VERSUS GROUND RANGE
PRESSURE (psi)
1000
900
800
700
600
500
400
300
200
100
90
80
70
60
50
40
30
20
10
100
200
300
400
500
600
700
RANGE (m)
● IDEAL
× CLEAN PRECURSED
o DUSTY PRECURSED

Figure 31b


PRISCILLA DYNAMIC PRESSURE DATA
VERSUS GROUND RANGE
MAIN BLAST LINE
SRI
PRESSURE (psi)
1000
900
800
700
600
500
400
300
200
100
90
80
70
60
50
40
30
20
10
100
200
300
400
500
600
700
RANGE (m)

Figure 32a


CALCULATIONAL DYNAMIC PRESSURE
VERSUS GROUND RANGE
PRESSURE (psi)
1000
900
800
700
600
500
400
300
200
100
90
80
70
60
50
40
30
20
10
200
300
400
500
600
700
RANGE (m)
IDEAL
CLEAN PRECURSED
DUSTY PRECURSED

Figure 32b




XS YS = 0.45000E+03 0.00000E+00 FT

Figure 33




XS,YS = 0.55000E+03 0.00000E+00 FT.

Figure 34




XS,YS = 0.65000E+03 0.00000E+00 FT.

Figure 35




XS.YS = 0.75000E+03 0.00000E+00 FT.

Figure 36




XS,YS = 0.85000E+03 0.00000E+00 FT.

Figure 37




XS.YS = 0.10500E+04 0.00000E+00 FT.

Figure 38


PRISCILLA CALCULATIØN AND SRI DATA
ØVERPRESSURE, DYNES/CM**2
45×10^5
40×10^5
35×10^5
30×10^5
25×10^5
20×10^5
15×10^5
10×10^5
5×10^5
0
-5×10^5
-10×10^5
.20
.25
.30
.35
.40
.45
.50
.55
.60
.65
TIME, SEC.

Figure 39


PRISCILLA CALCULATIØN AND SRI DATA
35×10^5
30×10^5
25×10^5
20×10^5
15×10^5
10×10^5
5×10^5
0
-5×10^5
-10×10^5
ØVERPRESSURE, DYNES/CM**2
.30
.35
.40
.45
.50
.55
.60
.65
.70
TIME, SEC.

Figure 40


PRISCILLA CALCULATIØN AND SRI DATA
35×10^5
30×10^5
25×10^5
20×10^5
15×10^5
10×10^5
5×10^5
0
-5×10^5
-10×10^5
ØVERPRESSURE, DYNES/CM**2
.30
.35
.40
.45
.50
.55
.60
.65
.70
TIME, SEC.

Figure 41




XS,YS = 0.16500E+04 0.10000E+02 FT

Figure 42




XS.YS = 0.45000E+03 0.30000E+01 FT.

Figure 43




XS.YS = 0.55000E+03 0.30000E+01 FT.

Figure 44


PRISCILLA CALCULATIØN AND SRI DATA
DYNAMIC PRESSURE. DYNES/CM**2
34×10⁶
32×10⁶
30×10⁶
28×10⁶
26×10⁶
24×10⁶
22×10⁶
20×10⁶
18×10⁶
16×10⁶
14×10⁶
12×10⁶
10×10⁶
8×10⁶
6×10⁶
4×10⁶
2×10⁶
0
-2×10⁶
.130 .135 .140 .145 .150 .155 .160 .165 .170 .175 .180 .185 .190
TIME. SEC.

Figure 45


PRISCILLA CALCULATIØN AND SRI DATA
DYNAMIC PRESSURE, DYNES/CM**2
32×10⁶
30×10⁶
28×10⁶
26×10⁶
24×10⁶
22×10⁶
20×10⁶
18×10⁶
16×10⁶
14×10⁶
12×10⁶
10×10⁶
8×10⁶
6×10⁶
4×10⁶
2×10⁶
0
.145 .150 .155 .160 .165 .170 .175 .180 .185 .190 .195 .200 .205 .210 .215
TIME, SEC.

Figure 46


PRISCILLA CALCULATIØN AND SRI DATA
DYNAMIC PRESSURE, DYNES/CM**2
28×10⁶
26×10⁶
24×10⁶
22×10⁶
20×10⁶
18×10⁶
16×10⁶
14×10⁶
12×10⁶
10×10⁶
8×10⁶
6×10⁶
4×10⁶
2×10⁶
0
-2×10⁶
.16
.17
.18
.19
.20
.21
.22
.23
.24
.25
.26
TIME, SEC.

Figure 47


PRISCILLA CALCULATIØN AND SRI DATA
DYNAMIC PRESSURE, DYNES/CM**2
25×10⁶
24×10⁶
22×10⁶
20×10⁶
18×10⁶
16×10⁶
14×10⁶
12×10⁶
10×10⁶
8×10⁶
6×10⁶
4×10⁶
2×10⁶
0
-2×10⁶
.19 .20 .21 .22 .23 .24 .25 .26 .27 .28 .29 .30 .31 .32 .33
TIME, SEC.,

Figure 48




XS,YS = 0.13500E+04 0.30000E+01 FT.

Figure 49




XS,YS = 0.16500E+04 0.30000E+01 FT.

Figure 50




XS.YS = 0.16500E+04 0.10000E+02 FT.

Figure 51

## References


1. E. J. Bryant, and J. H. Keefer, "Operation Plumbbob", Basic Airblast Phenomena, Ballistic Research Lab. Report, WT 1401, June 1962. (AD 344935)

2. M. A. Fry and D. L. Book, "Interaction of Explosively Produced Shock Waves with Internal Discountinuites and Exteral Objects", in Dynamics of Shock Waves, Explosions, and Detonations, J. R. Bowen, N. Manson, A. K. Oppenheim, and R. I. Soloukhin, editors (AIAA, New York, 1984), p. 449.

3. DNA Nuclear Airblast Standard (1KT), C. Needham and J. Crepeau, DNA Report 5648T, 1981.

4. A. L. Kuhl, Private communication, Research Development Associates.

5. L. M. Swift, D. C. Sachs, A. R. Kriebel, "Operation Plumbbob—Airblast Phenomena in the High-Pressure Region", SRI Report WT 1403, 1960. (AD 611 257)

6. Fred Sauer, Private Communication, California Research and Technology.

## DISTRIBUTION LIST

Assistant Secretary of the AF
Research, Development and Logistics
Department of the Air Force
Washington, DC 20330
01CY Attn SAFALR/Dep for Strat & Space Sys

Air Force Institute of Technology
Air University
Wright-Patterson AFB, OH 45433
(Does Not Desire Classified Documents)
01CY Attn Library

Air Force Weapons Laboratory, AFSC
Kirtland AFB, NM 87117
01CY Attn NTES-C R Henny
01CY Attn NTED-I
01CY Attn NTED R Matalucci
01CY Attn NTF M Plamondon
01CY Attn NT D Payton
01CY Attn NTED-A
01CY Attn NTES-G
01CY Attn SUL
01CY Attn DEX
01CY Attn NTES-S
01CY ATtn NTEO
01CY Attn DEY

Deputy Chief of Staff
Logistics & Engineering
Department of the Air Force
Washington, DC 20330
01CY Attn LEEF

Office of the Chief of Naval Operations
Washington, DC 20350
01CY Attn OP 981
01CY Attn OP 03EG

Commander
Naval Surface Weapons Center
Dahlgren, VA 22449
01CY Attn Tech Library & Info Svcs Br

Commander
Naval Weapons Center
China Lake, CA 93555
01CY Attn Code 3201 P Cordle
01CY Attn Code 266 C Austin
01CY Code 233 (Tech Lib)

Air Force Geophysics Laboratory
Hanscom AFB, MA 01731
01CY Attn LWW K Thompson

Headquarters
Air Force Systems Command
Andrews AFB, DC 20334
01CY Attn DLWM
01CY Attn DLW

Ballistic Missile Office/MN
Air Force Systems Command
Norton AFB, CA 92409
(Minuteman)
01CY Attn MNNXH G Kalansky
01CY Attn MNNXH M Delvecchio
01CY Attn MNN W Crabtree
01CY Attn MNNXH D Gage
01CY Attn MNNX

Deputy Chief Staff
Research, Development & ACQ
Department of the Air Force
Washington, DC 20330
01CY Attn AFRDQI N Alexandrow
01CY Attn AFRDPN
01CY Attn AFRDQI

Commander
Foreign Technology Division, AFSC
Wright-Patterson AFB, OH 45433
01CY Attn NIIS Library

Director
Strategic Systems Project Office
Department of the Navy
Washington, DC 20376
01CY Attn NSP-272
01CY Attn NSP-43 (Tech Lib)

President
Naval War College
Newport, RI 02840
01CY Attn Code E-11 (Tech Service)

Commanding Officer
Naval Weapons Evaluation Facility
Kirtland Air Force Base
Albuquerque, NM 87117
01CY Attn R Hughes
01CY Attn Code 10 (Tech Lib)



PREVIOUS PAGE IS BLANK

Lovelace Biomedical & Environment
Rsch Institute, Inc.
P.O. Box 5890
Albuquerque, NM 87115
01CY Attn R Jones (uncl only)

Sandia Laboratories
Livermore Laboratory
P.O. Box 969
Livermore, CA 94550

Department of Energy
Washingotn, Dc 20545
01CY Attn OMA/RD&T

Lawrence Livermore National Lab
P.O. Box 808
Livermore, CA 94550
01CY Attn L-90 R Dong
01CY Attn L-250 J Hearst (Class L-203)
01CY Attn L-90 D Norris (Class L-504)
01CY Attn L-7 J Kahn
01CY Attn D Glenn
01CY Attn L-437 R Schock
01CY Attn Technical Info Dept Library
01CY Attn L-200 T Bltkovich

Assistant Chief of Staff
Intelligence
Department of the Air Force
Washington, DC 20330
01CY Attn In Rm 4A932

Oak Ridge National Laboratory
Nuclear Division
X-10 Lab Records Division
P.O. Box X
Oak Ridge, TN 37830
01CY Attn Civil Def Res Proj
01CY Attn Att Central Rsch Library

Department of Energy
Albuquerque Operations Office
P.O. Box 5400
Albuquerque, NM 87115
01CY Attn CTID

Department of Energy
Nevada Operations Office
P.O. Box 14100
Las Vegas, NV 89114
01CY Attn Mail & Records for
Technical Library

Commander
Rome Air Development Center AFSC
Griffiss AFB, NY 13441
(Desires No CNWDI)
01CY Attn TSLD

Strategic Air Command
Department of the Air Force
Offutt AFB, NB 68113
01CY Attn NRI-Stinfo Library
01CY Attn XPFS
01CY Attn Int J McKinney

Director
Air University Library
Department of the Air Force
Maxwell AFB, AL 36112
(Desires NO CNWDI)
01CY Attn Aul-LSE

Assistant Chief of Staff
Studies & Analyses
Department of the Air Force
Washington, DC 20330
01CY Attn AF/SAMI (Tech Lib)

APTEC Associates Inc.
26046 Eden Landing Road
Hayward, CA 94545
01CY Attn S Gill

AVCO Research & Systems Group
201 Lowell Street
Wilmington, MA 01887
01CY Attn Library A830

ACUREX Corp.
485 Clyde Avenue
Mountain View, CA 94042
01CY Attn C Wolf

Agbabian Associates
250 N Nash Street
El Segundo, CA 90245
01CY Attn M Agbabian

Applied Research Associates, Inc.
2601 Wyoming Blvd NE Suite H-1
Albuquerque, NM 87112
01CY Attn J Bratton
01CY Attn N Higgins

Department of the Interior
Bureau of Mines
Bldg 20, Denver Federal Center
Denver, CO 80225
(Unclasified Only)
01CY Attn Tech Library

Sanida National Lab
P.O. Box 5800
Albuquerque, NM 87185
All Class Attn Sec Control OFC FOR
01CY Attn A Chaban
01CY Attn L Hill
01CY Attn Org 1250 W Brown
01CY Attn A Chabia
01CY Attn W Roherty
01CY Attn 3141
01CY Attn L Vortman
01CY Attn J Banister

Astron Research & Engineering
1901 Old Middlefield Way #15
Mountain View, CA 94043
01CY Attn J Huntington

BDM Corp.
7915 Jones Branch Drive
McLean, VA 22102
01CY Attn A Lavagnino
01CY Attn T Neighbors
01CY Attn Corporate Library

Aerospace Corp.
P.O. Box 92957
Los Angeles, CA 90009
01CY Attn H Mirels
01CY Attn Technical Info Services

Analytic Services, Inc.
400 Army-Navy Drive
Arlington, VA 22202
01CY Attn G Hesselbacher

Central Intelligence Agency
Washington, DC 20505
01CY Attn OSWR/NED

Director
Federal Emergency Management Agency
Natinal Sec Ofc Mitigation & Rsch
1725 I Street NW
Washington, DC 20472
(All class attn B105 DOC Control FOR
01CY Attn Mitigation & Rsch Div.

Los Alamos National Scientific Lab
Mail Station 5000
P.O. Box 1663
Los Alamos, NM 87545
Classified only to mail station 5000
01CY Attn R Whittaker
01CY Attn C Keller
01CY Attn M.T. Sanford
01CY Attn MS 364 Class Reports LIB
01CY Attn E Jones

Kaman Avidyne
83 Second Avenue
Northwest Industrial Park
Burlington, MA 01803
01CY Attn R Ruetenik
01CY Attn Library
01CY Attn N Hobbs
01CY Attn E Criscione

General Research Corp
Santa Barbara Division
P.O. Box 6770
San Barbara, CA 93111
01CY Attn TIO

IIT Research Institute
10 W 35th Street
Chicago, Il 60616
01CY Attn R Welch
01CY Attn M Johnson
01CY Attn Documents Library

EG&G Wash. Analytical Svcs Ctr, Inc.
P.O. Box 10218
Albuquerque, NM 87114
01CY Attn Library

Gard, Inc.
7449 N Natchez Avenue
Niles, Il 60648
01CY Attn G Neidhardt (uncl only)

Bom Corp
P.O. Box 9274
Albuquerque, NM 87119
01CY Attn R Hensley

California Research & Technology, Inc
6269 Variel Ave
Woodland Hills, CA 91367
01CY Attn Library
01CY Attn K Kreyenhagen
01CY Attn M Rosenblatt

Calspan Corp
P.O. Box 400
Buffalo, NY 14225
01CY Attn Library

General Electric Co
Space Division
Valley Forge Space Center
P.O. Box 8555
Philadelphia, PA 19101
01CY Attn M Bortner

Denver University of
Colorado Seminary
Denver Research Institute
P.O. Box 10127
Denver, CO 80210
(only 1 copy of class reports)
01CY Attn Sec Officer for J Wisotski

Eric H. Wang
Civil Engineering Rsch PAC
University of New Mexico
University Station
P.O. Box 25
Albuquerque, NM 87131
01CY Attn J Lamb
01CY Attn P Lodde
01CY Attn N Baum
01CY Attn J Kovarna

Boeing Co
P.O. Box 3707
Seattle, Washington 98124
01CY Attn S Strack
01CY Attn Aerospace Library
01CY Attn M/S 42/37 R Carlson

California Research & Tech Inc.
4049 First Street
Livermore, CA 94550
01CY Attn D Orphal

Applied Theory, Inc.
1010 West Wood Blvd
Los Angeles, CA 90024
(2 Cys if unclass or 1 Cy if Class)
01CY Attn J Trulio

Patel Enterprises, Inc
P.O. Box 3531
Huntsville, AL 35810
01CY Attn M Patel

Physics International Co
2700 Merced Street
San Leandro, CA 94577
01CY Attn L Behrmann
01CY Attn Technical Library
01CY Attn E Moore

McDonnell Douglas Corp
5301 Bolsa Avenue
Huntsville Beach, CA 92647
01CY Attn H Herdman
01CY Attn R Halprin
01CY Attn D Dean

McDonnell Douglas Corp
3855 Lakewood Boulevard
Long Beach, CA 90846
01CY Attn M Potter

Merritt Cases, Inc.
P.O. Box 1206
Redlands, Ca 92373
01CY Attn J Merritt
01CY Attn Library

Meteorology Research, Inc.
464 W Woodbury Rd
Altadena, CA 91001
01CY Attn W Green

Mission Research Corp.
P.O. Drawer 719
Santa Barbara, CA 93102
(All class: Attn: SEC Ofc For)
01CY Attn C Longmire
01CY Attn G McCartor

Kaman Sciences Corp.
P.O. Box 7463
Colorado Springs, CO 80933
01CY Attn D Sachs
01CY Attn F Shelton
01CY Attn Library

Kaman Tempo
816 State St (P.O. Drawer QQ)
Santa Barbara, CA 93120
01CY Attn Dasiac

Lockheed Missiles & Space Co. Inc.
P.O. Box 504
Sunnyvale, CA 94086
01CY Attn J Weisner
01CY Attn Technical Library

Martin Marietta Corp
P.O. Box 5837
Orlando, FL 32855
01CY Attn G Fotibo

Martin Marietta Corp
P.O. Box 179
Denver, CO 80201
01CY Attn G Freyer

Information Science Inc.
123 W. Padre Street
Santa Barbara, CA 93105
01CY Attn W Dudziak

Institute for Defense Analyses
400 Army-Navy Drive
Arlington, VA 22202
01CY Attn Classified Library

J D Haltiwanger Consult Eng Svcs
RM 106A Civil Engineering Bldg
208 N Romine Street
Urbana, IL 61801
01CY Attn W Hall

J.H. Wiggins Co., Inc.
1650 S Pacific Coast Highway
Redondo Beach, CA 90277
01CY Attn J Collins

Systems, Science & Software, Inc.
P.O. Box 1620
La Jolla, CA 92038
01CY Attn J Barthel
01CY Attn T Riney
01CY Attn D Grine
01CY Attn Library
01CY Attn C Hasting
01CY Attn K Pyatt
01CY Attn C Dismukes
01CY Attn T Cherry

Science Application, Inc
101 Continental Blvd
FL Segundo, CA 90245
01CY Attn D Hove

Science Applications, Inc.
P.O. Box 1303
McLean, VA 22102
01CY Attn J Cockayne
01CY Attn B Chambers III
01CY Attn M Knasel
01CY Attn W Layson
01CY Attn B Sievers

SRI International
333 Ravenswood Ave
Menlo Park, CA 94025
01CY Attn G Abrahamson
01CY Attn J Thompson
01CY Attn F Sauer

Rand Corp
1700 Main Street
Santa Monica, CA 90406
01CY Attn C Mow

Science Application, Inc.
P.O. Box 2351
La Jolla, CA 92038
01CY Attn H Wilson
01CY Attn Technical Library
01CY Attn R Schlaug

Pacific-Sierra Research Corp
Washington Operations
1401 Wilson Blvd
Suite 1100
Arlington, VA 22209
01CY Attn D Gormley

Systems, Science & Software, Inc.
11800 Sunrise Valley Drive
Reston, VA 22091
01CY Attn J Murphy

Teledyne Brown Engineering
Cummings Research Park
Huntsville, AL 35807
01CY Attn J Ravenscraft
01CY Attn J McSwain

Science Applications, Inc
2450 Washington Avenue
San Leandro, CA 94577
01CY Attn D Bernstein
01CY Attn D Maxwell

Southwest Research Institute
P.O. Drawer 28510
San Antonio, TX 78284
01CY Attn A Wenzel
01CY Attn W Baker

R&D Associates
P.O. Box 9695
Marina Del Rey, CA 90291
01CY Attn R Port
01CY Attn A Kuhl
01CY Attn J Lewis
01CY Attn W Wright
01CY Attn T. Mazzola
01CY Attn Technical Info Center

Sicence Applications, Inc.
Radiation Instrumentation Div
4615 Hawkins, NE
Albuquerque, NM 87109
01CY Attn J Dishon

Pacific-Sierra Research Corp
1456 Cloverfield Blvd
Santa Monica, CA 90404
01CY Attn H Brode

Pacifica Technology
P.O. Box 148
Del Mar, CA 92014
01CY Attn R B Jork
01CY Attn G Kent
01CY Attn Tech Library

Assistant to the Secretary of Defense
(Atomic Energy)
Washington, DC 20301
01CY Attn Executive Assistant

Director
Defense Intelligency Agency
Washington, DC 20301
01CY Attn RDS-3A (Tech LIB)
01CY Attn DB-4N
01CY Attn DT-1C
01CY Attn DT-2
01CY Attn DB-4C E Ofarrell

Defense Technical Information Center
Cameron Station
Alexandria, VA 22314
2CY Attn DD

Weidlinger Assoc. Consulting Engineers
110 E 59th Street
New York, NY 10022
01CY Attn I Sandler
01CY Attn M Baron

Naval Research Laboratory
Laboratory for Computational Physics
Code 4040
Washington, DC 20375
50 copies Attn J Boris

Tetra Tech, Inc.
630 N Rosemead Blvd
Pasadena, CA 91107
01CY Attn L Hwang

TRW Defense & Space Sys Group
P.O. Box 1310
San Bernardino, CA 92402
01CY Attn G Hulcher
01CY Attn P Dai
01CY Attn E Wong
01CY Attn Library
01CY Attn J Colton

Director
Defense Communications Agency
Washington, DC 20305
(ADR CNWDI: Attn Code 240 FOR)
01CY Attn Code 670 R LIPP

Director
Defense Nuclear Agency
Washington, DC 20305
02CY Attn SPSS
01CY Attn SPSS G Ullrich
01CY Attn SPSS T Deevy
04CY Attn Titl

Universal Analytics, Inc.
7740 W Manchester Blvd
Playa Del Rey, Ca 90291
01CY Attn E Field

Weidlinger Assoc. Consulting Eng.
3000 Sand Hill Road
Menlo Park, CA 94025
01CY Attn J Isenberg

Terra Tek, Inc.
420 Wakara Way
Salt Lake City, LT 84108
01CY Attn A Abou-Sayed
01CY Attn Library
01CY Attn A Jones
01CY Attn S Green

TRW Defense & Space Sys Group
One Space Park
Redondo Beach, CA 90278
01CY Attn N Lipner
01CY Attn Technical Info Center

Kendan Associates
801 E. Charleston Rd., #A
Palo Alto, CA 94303
01CY Attn Robert E. Dannenbert

Lockheed Missile and Space Co.
P.O. Box 504
Sunnyvale, CA 94088
01CY Attn M. C. Vivian

Los Alamos Technical Assoc, Inc.
P.O. Box 410
1650 Trinity Drive
Los Alamos, NM 87544
01CY Attn P. Hughes

Management Science Assoc.
P.O. Box 239
Los Altos, CA 94022
01CY Attn K. Kaplan

Marco Scientific
1031-H East Duane Ave
Sunnyvale, CA 94086
01CY Attn J.H. Owren

MITRE Corporation
P.O. Box 208
Bedford, Mass 01730
01CY Attn Mr. Edward M. Sullivan

McDonnel Douglas Astronautics Co.
5301 Bolsa Ave.
Huntington Beach, CA 92647
01CY Attn Dr. P. Lewis

Martin Marietta Corporation
P.O. Box 5837
Orlando, FL 32855
01CY Attn G. Fotieo

Director
New Mexico Engineering
Research Institute
University of New Mexico
Albuquerque, NM 87131
01CY Attn G. Leigh
01CY Attn H.W. Wampler

Physics Applications, Inc.
2340 Harris Way
San Jose, CA 95131
01CY Attn Coye Vincent

Physics International
2700 Merced Street
San Leandro, CA 94577
01CY Attn F.M. Sayer
01CY Attn J.M. Thomsen

Pacific-Sierra Research Corp.
1456 Cloverfield Blvd.
Santa Monica, CA 90404
01CY Attn H. Brode

Rand Corporation
1700 Main Street
Santa Monica, CA 90406
01CY Attn Dr. O. Nance

San Diego State University
Dept. of Civil Engineering, SDSU
San Diego, CA 92182
01CY Attn Dr. R.J. Fragasgy

Martin Marietta Aerospace
P.O. Box 179
Denver, COLO 80201
01CY Attn Robert G. DeRaad

Dr. George F. Widhopf
Director, Fluid Mechanics Dept.
Aerospace Corp.
P.O. Box 92957
Los Angeles, California 90009

Dr. Marion Balcerzak
GATX
7449 Matchez Ave
Niles, ILL 60648

Mr. Burton S. Chambers
SEA, Inc.
P.O. Box 308
McLean, VA 22101

Burt H. Collins
Tech. Reps. Inc.
5000 Marble, NE, Suite 222
Albuquerque, NM 87110

Dr. Steve Gill
ARTEC Associates
26046 Eden Landing Road
Hayward, CA 94545

Dr. J.P. McLain
New Mexico Inst. of Mining & Technology
Socorro, NM 87801

J. Kelso
7124 Wolftree Lane
Rockville, MD 20852

Higgins, Auld & Associates, Inc.
2601 Wyoming Blvd. NE Suite H-1
Albuquerque, NM 87112
01CY Attn Dr. C.J. Higgins
01CY Attn J. Bratton

Dr. Donald R. Richmond
Lovelace Biomedical & Environmental
Research Institute
P.O. Box 5890
Albuquerque, NM 87115

SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025
01CY Attn Mr. S.B. Martin
01CY Attn J.D. Colton

Southwest Research Institute
P.O. Box 28510
San Antonio, TX 78284
01CY Dr. W. Baker

Scientific Service, Inc.
517 E. Bayshore Road
Redwood City, CA 94063
01CY Attn Dr. B. Gabrielsen
01CY Attn C. Wilton

Systems, Science and Software
P.O. Box 8243
Albuquerque, NM 87198
01CY Attn C.E. Needham

Systems, Science and Software
P.O. Box 1620
La Jolla, CA 92038
01CY Attn T.H. Pierce
01CY Attn R.E. Duff

Temet USA, Inc.
P.O. Box 761
Vienna, VA 22180
01CY Attn Dale K. Henderson

TWR Electronics & Defense
1 Space Park
Redondo Beach, CA 90278
01CY Attn D.R. Ausherman
01CY Attn J.J. Schrader

IIT Research Institute
10 W 35th Street
Chicago, Il 60616
01CY Attn D. Anderson
01CY Attn Keith McKee

Jaycor
205 S. Whiting Street
Alexandria, VA 22304

Kaman Sciences Corp.
1911 Jefferson Davis Highway
Arlington, VA 22202
01CY Att Dr. D.C. Sachs

Kaman Sciences Corporation
1500 Garden of Gods Road
P.O. Box 7463
Colorado Springs, CO 80933
01CY Attn G.L. Roark

Kaman Tempo
7800 Marble Ave., NE
Albuquerque, NM 87110
01CY Attn Robert H. Miller

Kaman Tempo
715 Shamrock Rd.
BelAir, MD 21014
01CY Attn E.J. Bryant

Kaman Tempo
Huntington Bldg. Suit 506
2560 Huntington Ave
Alexandria, VA 22303
01CY Attn J. Petes

Boeing Aerospace Co.
P.O. Box 3999
Seattle, WA 98124
01CY Attn R.M. Schmidt (M/S 42-37)

Calspan Corp/ATC
P.O. Box 400
Buffalo, NY 14225
01CY Attn M.G. Dunn

Civil Systems Incorporated
P.O. Box 2083
Midland, TX 79702
01CY Attn Mr. Steve Melzer

Consolidated Developments, Inc.
515 Sherwood Drive
Marion, VA 24354
01CY Attn David E. Cary

Electro-Mechanical Systems of
Albuquerque
P.O. Box 11730
Albuquerque, NM 87192
01CY Attn Dr. Ray A. Shunk

H-TECH Laboratories, Inc.
P.O. Box 1686
Santa Monica, CA 90406
01CY Attn B.A. Hartenbaum

Information Science, Inc.
123 West Padre Street
Santa Barbara, CA 93105
01CY Attn Dr. Walter F. Dudziak

Sandia National Laboratory
P.O. Box 5800
Albuquerque, New Mexico 87115
01CY Attn M. Vigil (4522)
01CY Attn J. Reed (1111)
01CY Attn L. Vortman

Los Alamos Scientific Laboratory
P.O. Box 1663
Los Alamos, NM 87545
01CY Attn Dr. T. Dowler
01CY Attn Dr. J.R. Lilley

Lawrence Livermore Laboratory
P.O. Box 808
Livermore, Ca 94550
01CY Attn H. David Glenn (L-200)
01CY Attn P.S. Brown

Oak Ridge National Laboratories
P.O. Box X
Oak Ridge, TN 37830
01CY Attn Health Physics Division
C.K. Kearny

Aerospace Corporation
P.O. Box 92957
Los Angeles, Ca. 90009
01CY Attn H. Mirels

Agbabian Associates
250 N. Nash Street
El Segundo, Ca. 90245
01CY Attn F.B. Safford

BDM Corporation
1920 Aline Avenue
Vienna, Va. 22180
01CY Attn W. Sweeney

HQ AFESC/RDCS
Tyndall AFB, Florida 32403
01CY Attn Maj. Hawn

USAF
Armament Laboratory
Eglin AFB, Florida 32542
01CY Attn P.T. Nash

Commander
Air Force Cambridge Research
Laboratory
L.G. Hanscom Field
Bedford, MA 01730

Commander
US Air Force Ballistic Missile
Corporation
Norton AFB, Ca. 92509
01CY Attn MNNH Maj T. Edwards

Commander
USAF Aeronautical Lab
Wright-Patterson AFB, OH 45433
01CY Attn Materials Laboratory

US Geological Survey
Geologic Division
2255 North Gemini Drive
Flagstaff, AZ 86001
01CY Attn Dr. David Roddy

Director for Military Applications
US Atomic Energy Commission
Washington, D.C. 20545

Sandia National Laboratory
P.O. Box 5800
Albuquerque, NM 87115
01CY Attn A. Chabai (7112)
01CY Attn W.R. Davey (1533)
01CY Attn F. Mathews (1533)

Commander
Naval Surface Weapons Center
White Oak, Md. 20910
01CY Attn Code 241 M.M. Swisdak, Jr.
01CY Attn Code 241 W.G. Filler

Director
US Army Construction Engineering
Research Laboratory
P.O. Box 4005
Champaign, Il. 61820
01CY Attn Dr. W.E. Fisher
01CY Attn Alvin Smith

Command
Naval Ship Research & Development
Center
Portsmouth, Va. 23709
01CY Attn Underwater Explosion Research
Division Dr. E. Palmer
01CY Attn R. Higginbotham

Commander
Naval Civil Engineering Laboratory
Port Hueneme, Ca 93043

Commander
Naval Weapons Evaluation Facility
Kirtland AFB, NM 87117
01CY Attn WEM(R. Friedburg)

Commander
Naval Sea Systems
Command
Washington, D. C. 20350
01CY Attn Code SEA 322, G. Sullivan

Director
Naval Surface Weapons Center
Dahlgren Laboratory
Dahlgren, Va. 22448
01CY Attn J. Yagla

Commander
Naval Ship Research & Development
Center
Bethesda, Md. 20084
01CT Attn Structures Dept, S. Wang

Naval Research Laboratory
Lab for Computational Physics
Washington, D. C. 20375
01CY Attn David Book
01CY Attn Mark Fry
01CY Attn David Fyfe
01CY Attn Pradeep Kamath

Commander
Naval Coastal System Center
Panama City, Fl 32407
01CY Attn R.W. Buhl

HQ US Air Force
Washington, D. C. 20330
01CY Attn RDQI, Maj N. Alexandrow

Commander
Air Force Systems Command
Andrews AFB, MD 20331
01CY Attn DLW, Maj. R. Padfield

Commander
Air Force Weapons Laboratory
Kirtland AFB, NM 87115
01CY Dr. D. Payton (NT)
01CY M.A. Plamondon (DES)

Commander
Air Force Weapons Laboratory
Kirtland AFB, NM 87115
01CY Attn R. Guice (NTED)
01CY Attn DY
01CY Attn A. Sharp
01CY Attn D. Renick

Commander
USAF Electronics Systems Division
Hanscom AFB, Ma 01731
01CY Attn R. Karlson

Commander
Air Force Flight Dynamics Lab.
Wright-Patterson AFB, OH 45433
01CY Attn E. Pugh

Commander
USA TRADOC
Fort Monroe, Va. 21651
01CY Attn ATCD-Z

Commander
USA Corps of Engineers
Huntsville Division
P.O. Box 1600
Huntsville, Al 35807

Commander
US Army Nuclear and Chemical Agency
7500 Backlick Road, Bldg 2073
Springfield, Va 22150
01CY Attn Col L.E. Minnich
01CY Attn Maj J. Uecke

Commander
USA Foreign Science and Tech. Center
220 7th Street, N.E.
Charlottesville, Va 22901
01CY Attn DRXST-SD Charles Ward

Director
Ballistic Missile Defense Advanced
Technology Center
P.O. Box 1500
Huntsville, Al 35807
01CY Attn M. Whitfield
01CY Attn M. Capps (ATC-T)

Director
Defense Nuclear Agency
Washington, D. C. 20305
01CY Attn Dr. E. Sevin

Director
Defense Nuclear Agency
Washington, D.C. 20305
01CY Attn SPD Col M. Kovel
01CY Attn SPTD T. Kennedy
01CY Attn SPTD LTC Flory
01CY Attn SPAS J.I. Slaughter

Commander, Test Command
Defense Nuclear Agency
Kirtland AFB, NM 87115
01CY Attn FCT

Federal Emergency Mangement
Agency
Washington, D.C. 20472
01CY Attn Dr. D.A. Bettge

Defense Intelligence Agency
Washington, D. C. 20301
01CY Attn: DB4C2 (Carl Wiehle)

HQDA
Washington, D.C. 20310
01CY Attn DAMA/CSM/N LTC E. Driscoll

Dept. of the Navy
Theater Nuclear Warfare
Project Office (PM 23)
Washington, DC 20360
01CY Attn CAPT D. Alderson

Commander
USA Test & Evaluation Command
Aberdeen Proving Ground, MD 21005
01CY Attn DRSTE-SE Mr. R. Galassso

Commander
USA Armament R&D
Dover, N.J. 07801
01CY Attn DRDAR-LCW Dr. J. Frasier
01CY Attn DRDAR-LCN P. Angelotti
01CY Attn DRDAR-LCS-V M.A. Ravotto

Director
AMSAA
Aberdeen Proving Ground, MD 21005
01CY Attn DRXSY-S, J. Brand

Commander
US Army Electronics Research and
Development Command
Fort Monmouth, N.J. 07703
01CY Attn DRDEL-S Dr. W. McAfee

Commander
CECOM
Fort Monmouth, N.J. 07703
01CY Attn DRSEL-COM-RM-1, A Freer

Project Manager
Pershing Project Office
Redstone Arsenal, AL 35809
01CY Attn DRCPM-PE-EA W. Johnson

Commander
US Army Materiel Development and
Readiness Command
5001 Eisenhower Avenue
Alexandria, Va. 22333
01CY Attn DRCMD B. Dunetz
01CY Attn DRCLDC Dr. H. Gieske
01CY Attn DRCDE-SSN, D. Bassett

DOD Explosives Safety Board
Forrestal Bldg. 6A145
Washington, D. C. 20305
01CY Attn T.A. Zaker

Director
Defense Advanced Research Project
Agency
1400 Wilson Blvd.
Arlington, Va. 22209

Commander
USA Health Services Command
Fort Sam Houston, Texas 78234

Commander
US Army Research Office
P.O. Box 12211
Research Triangle Park, NC 27709
01CY Attn DRXRO-ZC

Director
US Army Materials & Mechanics
Research Center
Watertown, MA 02172
01CY Attn J. Dignam

Commander
US Army Air Mobility R&D
Laboratory
Fort Eustis, Va. 23604
01CY Attn S. Pociluyko

Commander
US Army Natick R&D Command
Natick, MA 01760
01CY Attn DRDNA-UST, J. Siegel

Director
Waterways Experiment Station
P.O. Box 631
Vicksburg, Mississippi 39180
01CY Attn W. Flathau (WESSE)

Commander
White Sands Missile Range
White Sands Missile Range, NM 88002
01CY Attn: STEWS-TEAN, J. O'Kuma

Commander
US Army Missile Command
Redstone Arsenal, AL 35809
01CY Attn DRSMI-RHB, Mr. H.W. Green

Commander
US Army Missile Command
Redstone Arsenal, AL 35808
01CY Attn DRSMI-RRR, S.P. Gibson

Dept of the Navy
Theater Nuclear Warfare Project
Office (PM 23)
Washington, D. C. 20360
01CY Attn Capt. D. Alderson

Commander
US Chemical Systems Laboratory
Aberdeen Proving Ground
Aberdeen, MD 21010
01CY Attn DRDAR-CLW-E, J. Zuraw

Director
USA Ballistic Research Laboratory
Aberdeen Proving Ground, MD 21010
01CY Attn DRDAR-BLT, D. Menne
01CY Attn W.J. Taylor
01CY Attn C.W. Ktchens
01CY Attn F. Oertel
01CY Attn F. Oertel
01CY Attn J. Santiago
01CY Attn J.H. Keefer
01CY Attn N. Ethridge
01CY Attn W. Schuman

Director
USA Ballistic Research Laboratory
Aberdeen Proving Ground, Md. 21010
01CY DRDAR-BLV, O.T. Johnson
01CY R. Vital
01CY D. Rigotti
01CY D. Haskell

Assistant Secretary of the Navy
(R & D)
Department of the Navy
Washington, D.C. 20350

Chief, Naval Operations
Department of the Navy
Washington, D.C. 20350
01CY Attn OP 985

Chief
Naval Material Office
Department of the Navy
Washington, D.C. 20350
01CY Attn I. Jaffee

Commander
Experimental Engineer Division
Hanover, NH 03755
01CY Attn A.F. Wuori USA, CRREL

Director
Nuclear Program Office
Naval Surface Weapons Center
White Oak, MD 20910
01CY Attn R. Jenkins

Director
BMD Advanced Technology Center
Department of the Army
P.O. Box 1500
Huntsville, AL 35807
01CY Attn ATC-T
01CY Attn ICRDABH-x
01CY Attn ATC-T

Commander
U.S. Army Core of Engineers
Pulaski Building
20 Massachusetts Ave, N.W.
Washington, D.C. 20314
01CY Attn DAEN-ECE-T
01CY Attn DAE-RDM

Under Secy of Def For Rsch & Engrg
Department of Defense
Washington, DC 20301
01CY Attn Strategic & Space Sys
Rm. 3E129

Commander
Field Command
Defense Nuclear Agency
Kirtland AFB, NM 87115
01CY Attn FCTMOF
01CY Attn FCT
01CY Attn FCPR
01CY Attn FCTT

Director Joint Strat TGT Planning Staff
OFFUTT AFB
Omaha, NB 68113
01CY Attn JLA
01CY Attn DOXT
01CY Attn XPES
01CY Attn NRI-STINFO Library
01CY ATtn JLTW-2

Commander
BMD Systems Command
Department of the Army
P.O. Box 1500
Huntsville, AL 35807
01CY Attn BMDSC-HW
01CY Attn BMDSCH-HW R Dekalb
01CY Attn BMDSCH H N Hurst
01CY Attn BMDSCH RC Webb

Commandant
NATO School (SHAPE)
APO New York 09172
01CY Attn US Documents Officer

Chairman
Department of Defense Explo Safety
Board
2461 Eisenhower Avenue
Alexandria, VA 22331
01CY Attn Chairman

Chief
Field Command
Defense Nuclear Agency
Livermore Branch
P.O. Box 808 L-317
Livermore, CA 94550
01CY Attn FCPRL

Horizons Technology, Inc.
7830 Clairement Mesa Blvd
San Diego, CA 92111
01CY Attn R Kruger

Gard, Inc.
7449 N Natchez Avenue
Niles, IL 60648
01CY Attn G Neidhardt (uncl only)

Commandant
US Army War College
Caplisle Barracks, PA 17013
01CY Attn Library

Commander
US Army Foreign Science & Tech Ctr
220 7th Street, NE
Charolttesville, VA 22901
01CY Attn DRXST-SD

Commander
US Army Material Dev & Readiness CMD
5001 Eisenhower Avenue
Alexandria, VA 22333
01CY Attn DRCDE-DL Flynn
01CY Attn DRXAM-TL (Tech Lib)uncl only

Director
US Army construction Energe Res Lab
P.O. Box 4005
Champaign, IL 61820
01CY Attn Library

Division Engineer
US Army Engineer Div Huntsville
P.O. Box 1600, West Station
Huntsville, AL 35807
01CY Attn Hnded-SR
01CY Attn Hnded-FD

Commander
Harry Diamond Laboratories
Department of the Army
2800 Powder Mill Road
Adelphi, MD 20783
(CNWDI-Inner Envelope-Attn: Delhd-Rbh FOR)
01CY Attn DELHD-I-TL (Tech Lib)
01CY Attn Chif Div 20000

Commander
US Army Armament Material Readiness Com
Rock Island, IL 61202
01CY Attn MA Library

Commander and Director
US Army Cold Region Res Engr Lab
P.O. Box 282
Hanover, NH 03755
01CY Attn Library

Director
US Army Eng Waterways Exper Station
P.O. Box 631
Vicksburg, MS 39180
01CY Attn J Zelasko
01CY Attn Wessd J Jackson
01CY Attn J Strange
01CY Attn Wesse L Ingram
01CY Attn Library
01CY Attn Wessa W Flathau

Commander
US Army Material & Mechanics Rsch Ct
Watertown, MA 02172
(Address CNWDI: Attn Document Control FOR:)
01CY Attn Technical Library
01CY Attn DRXMR-TE R Shea
01CY Attn DRXMR J Mescall

Commander
US Army Concepts Analysis Agency
8120 Woodmont Avenue
Bethesda, MD 20014
01CY Attn CSSA-ADL (Tech Lib)

Commander
US Army Engineering Center
Fort Belvoir, VA 22060
01CY Attn Technical Library
01CY Attn ATZA

Director
US Army Ballistic Research Labs
Aberdeen Proving Ground, MD 21005
01CY Attn DRDAR-BLV
01CY Attn DRDAR-BLT J Keefer
01CY Attn DRDAR-TSB-S (Tech Lib)

Dep Ch of Staff FOR OPS & Plans
Department of the Army
Washington DC 20310
01CY Attn DAMO-NC

Office of Naval Research
Arlington, VA 22217
01CY Attn Code 474 N Perrone

Superintendent
Naval Postgraduate School
Monterey, CA 93940
(Desires No CNWDI Documents)
01CY Attn Code 1424 Library
01CY Attn G Lindsay

Commander
Naval Sea Systems Command
Washington, DC 20362
01CY Attn SEA 09G53 (Lib)
01CY Attn SEA 0351

Commander
David Taylor Naval Ship R&D Ctr
Bethesda, MD 20084
(CNWDI only Attn Mrs. M Birkhead
Code 5815.6)
01CY Attn Code L42-3 (Library)

Commander
Naval Electronic Systems Command
Washington, DC 20360
01CY Attn PME 117-21

Headquarters
Naval Material Command
Washington, DC 20360
01CY Attn MAT 08T-22

Commander
U.S. Army Mobility Equip R&D CMD
Fort Belvoir, VA 22060
(CNWDI to Army MAT Dev & Readiness Com
01CY Attn Drome-WC (Tech Lib)

Director of Research
U.S. Naval Academy
Annapolis, MD 21402
02CY

Commander
Naval Ocean Systems Center
San Diego, CA 92152
01CY Attn Code 013 E Cooper
01CY Attn Code 4471 (Tech Lib)

Commanding Officer
Naval Research Laboratory
Washington, DC 20375
(RD & RD/N Attn Code 1221 for &
FRD Attn Code 2628 FOR)
01CY Attn Code 4040 J Boris
01CY Attn Code 2627 (Tech Lib)
01CY Attn 4040 D Book

Officer in Charge
Naval Surface Weapons Center
White Oak Laboratory
Silver Spring, MD 20910
01CY Attn P44 H Galz
01CY Attn Code F31
01CY Attn Code X211 (Tech Lib)

Office in Charge
Naval Civil Engineering Laboratory
Port Hueneme, CA 93041
01CY Attn Code L53 Forrest
01CY Attn Code L08A Library
01CY Attn Code L51 J Crawford
01CY Attn L51 R Murtha

Commander
Naval Facilities Engineering Command
Washington, DC 20390
01CY Attn Code 04B

Commander
U.S. Army Missile Command
Redstone Arsenal, AL 35898
01CY Attn RSIC
01CY Attn DRDMI-XS

Commander
U.S. Army Nuclear & Chemical Agency
7500 Backlick Road
Building 2073
Springfield, VA 22150
(Desires only 1 cy to library)
01CY Attn J Simms
01CY Attn Library

END

FILMED

8-85

DTIC