



REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-018	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE March 1997		3. REPORT TYPE AND DATES COVERED
4. TITLE AND SUBTITLE Advanced Fuel Hydrocarbon Remediation National Test Location - Groundwater Circulation Well Environmental Cleanup Systems			5. FUNDING NUMBERS	
6. AUTHOR(S) Jeff Heath and Ernie Lory				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(S) Naval Facilities Engineering Service Center Port Hueneme, CA 93043-4370			8. PERFORMING ORGANIZATION REPORT NUMBER TDS-2014-ENV (Revised)	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESSES			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) When a contaminant is treated in place on the original site it is termed <i>in situ</i> remediation. Bioremediation refers to cleanup effected by living organisms such as bacteria and fungi. Certain species of bacteria are able to consum pollutants as a food source, thus detoxifying these compounds. <i>In situ</i> bioremediation is being considered as a viable and practical solution for reducing petroleum contamination levels in groundwater.				
14. SUBJECT TERMS In situ, environmental cleanup, bioremediation, groundwater.			15. NUMBER OF PAGES 2	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	

19970411 010

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF COLOR PAGES WHICH DO NOT REPRODUCE LEGIBLY ON BLACK AND WHITE MICROFICHE.



TechData Sheet

Naval Facilities Engineering Service Center
Port Hueneme, California 93043-4370



TDS-2014-ENV (Revised)

March 1997

Advanced Fuel Hydrocarbon Remediation National Test Location

Groundwater Circulation Well Environmental Cleanup Systems

Conducted by:

Naval Research Laboratory, Washington, D.C.
and
SBP Technologies, Inc., Pensacola, FL

When a contaminant is treated in place on the original site it is termed *in situ* remediation. Bioremediation refers to cleanup effected by living organisms such as bacteria and fungi. Certain species of bacteria are able to consume pollutants as a food source, thus detoxifying these compounds. *In situ* bioremediation is being considered as a viable and practical solution for reducing petroleum contamination levels in groundwater.

The groundwater circulation well technology (see Figure 1) is designed to stimulate microorganisms in groundwater, thus optimizing environmental conditions for degrading petroleum contaminants. The main advantage of *in situ* bioremediation is the capability to correct a problem where it exists. *In situ* bioremediation is successful in treating groundwater contaminated with petroleum products such as waste oil, jet fuels, diesel, and gasoline.

Purpose of the Groundwater Circulation Well at Port Hueneme

At the Naval Construction Battalion Center (CBC) in Port Hueneme, a leaking underground gasoline storage tank contaminated a shallow water aquifer beneath the tank. (Note: This shallow water aquifer is not used as a drinking water

source.) The purpose of the groundwater circulation well system at CBC is to provide a viable, cost effective method to remove the gasoline contaminant from the shallow water aquifer.




Figure 1. Groundwater circulation well (UVB system).

Advantages of Groundwater Circulation Wells

- Cleans a petroleum contaminated aquifer easily.
- Leaves the site intact, yet removes the petroleum contaminant.
- Costs less and is more effective than an on-site pump and treat system.

Groundwater Circulation Wells

A groundwater circulation well cleans up petroleum contaminated groundwater and the saturated soil site. It is a non-invasive, in situ system working in place so that soil does not have to be removed and the groundwater does not have to be pumped out and treated.

Circulation of groundwater is generated by pulling outside air through the well system (see Figure 1). This air is directed in

a way that causes bubbling to occur in the groundwater within the well. An uplift effect is created pulling groundwater up from the deep section of the well and circulating it out at a shallow point in the well creating a circulation cell in the aquifer.

The groundwater circulation also moves air through the soil exposing indigenous soil bacteria to more contaminants; therefore more contaminant is degraded than would be in a static system. The bubbling effect aerates the water supplying necessary oxygen to the bacteria. Volatile contaminants from the groundwater could be released to the circulated air as a result of the system operation. The air used for circulation is pulled out of the well and passed through a carbon filter so that only clean air is released to the environment. A system can be modified to include nutrient addition to further stimulate bacterial activity. Additionally a bioreactor containing bacteria specialized in degrading the contaminant of interest can be installed inside the well.

If you are interested in more information about *groundwater circulation well systems*, contact:

Mr. Jeff Heath

Manager, Technology Application Branch
(805) 982-1657, DSN 551-1657, or
Internet: jheath@nfesc.navy.mil

or

Mr. Ernie Lory

Manager, Advanced Fuel Hydrocarbon Remediation
National Test Location
(805) 982-1299, DSN 551-1299, or
Internet: elory@nfesc.navy.mil

Our Web address is: <http://www.nfesc.navy.mil>

For technical assistance, call: 1-888-4-THE ESC (1-888-484-3372)
