AFIT/ENG-TR-96-04

Wavelets and Signal Processing

PROGRESS REPORT

Progress report for the period 1 October 1995 to 15 September 1996

Bruce W. Suter, Ph.D.

Department of Electrical and Computer Engineering (AFIT/ENG)

Air Force Institute of Technology

2950 P Street

Wright-Patterson AFB, OH 45433-7765

Grant Numbers: AFOSR-PO-96-0005, AFOSR-FC-96-T086

19970501 163

15 August 1996

Approved for public release; distribution unlimited

Table of Contents

1. Objectives 2
2. Status of Effort 2
3. Accomplishments/New Findings 3
4. Personnel Supported 5
5. Publications 6
6. Interactions / Transitions 9
7. New Discoveries, Inventions, or Patents 10
8. Honors / Awards 10

1 Objectives

(1) Malvar wavelets have been recognized in signal and image processing to be useful for eliminating the blocking effects in signal coding. Many researchers have contributed to this area for scalar-valued Malvar wavelets. The Shannon information theory suggests that vector quantization is, in general, better than scalar quantization for data compression. As such, the objectives of this effort were to investigate vector-valued Malvar wavelets. Specifically, we are studying vector-valued function spaces and their properties, vector-valued local bases, and implementations of vector-valued Malvar wavelets with vector filter banks.

(2) Orthonormal bases of wavelets $\psi_{j,k}(x) = 2^{-j/2}\psi(2^{-j}x - k)(j, k \in \mathbb{Z})$ for $L^2(\mathbb{R})$ have many useful properties. The construction of such wavelet bases is well understood; every such basis corresponds to a multiresolution analysis characterized by a *scaling function* $\phi(x)$. What makes a randomly chosen ϕ a scaling function? There exist many different possible choices for ϕ. We try to point out that scaling functions can all be viewed as the fixed points of a nonlinear operator.

(3) We introduce the *new* concept of the Fractional Wave Packet Transform(FRWPT), based on the idea of the Fractional Fourier Transform(FRFT) and Wave Packet Transform(WPT). We show a version of the resolution of the identity and some properties of FRWPT connected with those of FRFT and WPT.

2 Status of Effort

We introduced vector-valued multiresolution analysis and vector-valued wavelets for vector-valued signal spaces. We constructed vector-valued wavelets using paraunitary vector filter bank theory. We classified and constructed vector-valued wavelets with the sampling property. As an application of vector-valued wavelets, multiwavelets can be constructed from vector-valued wavelets. We showed that linear combinations of scalar-valued wavelets yield multiwavelets. In addition, by applying proper prefiltering, data compression gains can be achieved over scalar-valued wavelets. Because of the significance of this data compression result, WL/ELED is now planning to fabricate a multiwavelet chip during FY97.

We also studied a certain nonlinear operator T from $L^2(\mathbb{R})$ to itself under which every

scaling function(vector) is a fixed point. The iterations $T^n f$ of T on any L^2–function f with the Riesz basis property are investigated; they turn out to be the subdivision scheme iterates of f with weights depending on f only. We give conditions for convergence of $T^n f$ to a limit in different topologies and studies the regularity of the limit functions. The results are illustrated with examples.

We have introduced the concept of the Fractional Wave Packet Transform(FRWPT), combining the idea of the Fractional Fourier Transform(FRFT) and Wave Packet Transform(WPT). We have obtained a version of the resolution of the identity and some properties of FRWPT connected with those of FRFT and WPT. Further study can be on the relationships of the FRWPT with other time-frequency representations such as Wigner distribution, the ambiguity function and the spectrogram.

3 Accomplishments/New Findings

The accomplishments given in this report are in the following areas: (1) Design of prefilters for discrete multiwavelet transform, (2) Vector-valued wavelets and vector filter banks, (3) A nonlinear operator Related to wavelets and refinable function vector and (4) Fractional wave packet transform. These results provide fundamental tools for many Air Force and industrial applications, including the compression of images/video images.

A. Design of Prefilters for Discrete Multiwavelet Transform

The pyramid algorithm for computing wavelet transform coefficients is well known. This algorithm can be implemented using tree-structured multiwavelet filter banks. A general algorithm was presented to compute the multiwavelet transform coefficients by adding conventional multirate filter bank as a prefilter before the vector filter banks that generate multiwavelets. This algorithm can be thought of as a discrete vector-valued transform for certain discrete-time vector-valued signals. Also, numerical experiments have been performed that illustrate the performance of the algorithm, which indicates that energy compaction for discrete multiwavelets will be better than the energy compaction for conventional discrete wavelet transforms. As a test signal, the 100th line of the cameraman image was used. Let the energy compaction ratio be defined as the energy in the bandpass and highpass parts over the total energy of the signal. The Daubechies wavelet transform D_4 had an energy

compaction ratio of 11%, while the multiwavelet with prefiltering had an energy compaction ratio of 5%.

B. Vector-Valued Wavelets and Vector Filter Banks

We introduced vector-valued multiresolution analysis and vector-valued wavelets for vector-valued signal spaces. Vector-valued wavelets using paraunitary vector filter bank theory were constructed. We classified and constructed vector-valued wavelets with a sampling property. Discrete vector wavelet transforms for discrete-time vector-valued signals were also generated.

C. A Nonlinear Operator Related to Wavelets and Refinable Function Vectors

It is now well known that every wavelet basis $\psi_{j,k}(x) = 2^{-j/2}\psi(2^{-j}x - k)$ $(j, k \in \mathbb{Z})$ for $L^2(\mathbb{R})$ corresponds to a multiresolution analysi s characterized by a *scaling function* $\phi(x) \in L^2(\mathbb{R})$. Scaling functions are special cases of refinable functions, i.e. they satisfy a refinement equation,

$$\phi(x) = \sum_{k\in\mathbb{Z}} c_k \phi(2x - k),$$

where the set of coefficients $\{c_k\}$ is called a *mask* or filter. Recently, several authors have considered generalizations of the above equation with more than one function ϕ; in this case one has the following N equations:

$$\Phi(x) = \sum_{k\in\mathbb{Z}} C_k \Phi(2x - k),$$

where Φ is a vector, again plays important role in the *multiresolution analysis of mult iplicity N*. This generalization also leads to interesting new constructions, such as orthogonal wavelet bases using fractal interpolation functions. We study a certain nonlinear operator $\mathcal{T}$ under which every refinable function vector is a fixed point. This operator $\mathcal{T}$ projects any nonzero function vector onto the closed subspace spanned by its own scaled translates. More precisely, for any $\mathbf{f} = (f^1, ..., f^N)^*$:

$$\begin{aligned} \mathcal{T} f^r \quad := \quad & \text{Orthogonal Projection of } \; f^r \; \text{ onto} \\ & \overline{\text{Span}\{f^r_{-1,k}; k \in \mathbb{Z}, \text{r} = 0, 1, ..., \text{N} - 1\}}, \end{aligned}$$

where as usual, ${f^r}_{j,k} = 2^{-j/2}\, f^r(2^{-j}x - k)$. It is clear that $\mathcal{T}\Phi = \Phi$, and

$$\|\mathcal{T}\mathbf{f}\| \leq \|\mathbf{f}\|,$$

The operator $\mathcal{T}$ is nonlinear: though it is obvious that $\mathcal{T}(\lambda\mathbf{f}) = \lambda\, \mathcal{T}\mathbf{f}$, for all $\lambda \in \mathbb{C}$, we have explicit counterexamples for which $\mathcal{T}(\mathbf{f}+\mathbf{g}) \neq \mathcal{T}\mathbf{f} + \mathcal{T}\mathbf{g}$.

We want to study the iterations $\mathcal{T}^n\mathbf{f}$ of $\mathcal{T}$ on an arbitrary function vector $\mathbf{f}$. If these $\mathcal{T}^n\mathbf{f}$ h ave a nontrivial limit, then this limit is a fixed point of $\mathcal{T}$ and is therefore a refinable function vector. It leads to a multiresolution analysis of multiplicity N "naturally" associat ed with $\mathbf{f}$.

D. Fractional Wave Packet Transform

We have introduced the concept of the Fractional Wave Packet Transform(FRWPT), combining the idea of the Fractional Fourier Transform(FRFT) and Wave Packet Transform(WPT). We have obtained a version of the resolution of the identity and some properties of FRWPT connected with those of FRFR and WPT. Further study can be on the relationships of the FRWPT with other time-frequency representations such as Wigner distribution, the ambiguity function and the spectrogram.

4 Personnel Supported

Dr. Bruce Suter - principal investigator

Dr. Mark Oxley - co-principal investigator

Dr. Ying Huang - post-doctoral researcher

5 Publications

A. Publications(Appeared or Accepted)

[P1] X.-G. Xia and B. W. Suter, *On the Householder Transform in C^m*, DIGITAL SIGNAL PROCESSING, 5, 116–117 (1995).

[P2] X.-G. Xia, B. W. Suter, and M. E. Oxley, *On Necessary and Sufficient Conditions for Perfect Reconstruction Multidimensional Delay Chain Systems*, IEEE TRANSACTIONS ON SIGNAL PROCESSING, 43, 1515–1519 (1995).

[P3] X.-G. Xia and B. W. Suter, *A Family of Two Dimensional Nonseparable Malvar Wavelets*, APPLIED AND COMPUTATIONAL HARMONIC ANALYSIS, 2, 243–256 (1995).

[P4] X.-G. Xia and B. W. Suter, *On Vector Karhunen-Loeve Transforms and Optimal Vector Transforms*, IEEE TRANSACTIONS ON CIRCUITS AND SYSTEMS FOR VIDEO TECHNOLOGY, 5, 372–374 (1995).

[P5] J. R. O'Hair and B. W. Suter, *A New Methodology for Developing Fast Algorithms Using Multirate*, IEEE TRANSACTIONS ON SIGNAL PROCESSING, 43, 3042–3046 (1995).

[P6] X.-G. Xia, J. S. Geronimo, D. P. Hardin, and B. W. Suter, *Design of Prefilters for Discrete Multiwavelet Transforms*, IEEE TRANSACTIONS ON SIGNAL PROCESSING, 44, 1099–1110 (1996).

[P7] X.-G. Xia and B. W. Suter, *Vector-Valued Wavelets and Vector Filter Banks*, IEEE TRANSACTIONS ON SIGNAL PROCESSING, 44, 508–518 (1996).

[P8] X.-G. Xia and B. W. Suter, *FIR Paraunitary Filter Banks Given Several Analysis Filters: Factorizations and Constructions*, IEEE TRANSACTIONS ON SIGNAL PROCESSING, 44, 720–723 (1996).

[P9] X.-G. Xia, B. W. Suter, and M. E. Oxley, *Malvar Wavelets with Asymmetrically Overlapped Windows*, IEEE TRANSACTIONS ON SIGNAL PROCESSING, 44, 723–728 (1996).

[P10] J. R. O'Hair and B. W. Suter, *The Zak Transform and Decimated Time-Frequency Distributions*, IEEE TRANSACTIONS ON SIGNAL PROCESSING, 44, 1099–1110 (1996).

[P11] Y. Huang, *A nonlinear operator related to wavelets and scaling functions*, *SIAM J. Math.*, to appear in November 1996.

[P12] I. Daubechies and Y. Huang,*How does truncation of the mask affect a refinable function?* CONSTR. APPROX., 11, 365–380 (1995).

[P13] A. V. Lair and M. E. Oxley, *Anisotropic Nonlinear Diffusion with Absorption: Existence and Extinction*, INTERNATIONAL JOURNAL OF MATHEMATICS AND MATHEMATICAL SCIENCES, 19, 427–434 (1996).

[P14] T. J. Burns, S. K. Rogers, M. E. Oxley and D. W. Ruck, *A Non-Homogeneous Wavelet Multiresolution Analysis for Spatio-temporal Signals*, IEEE TRANSACTIONS ON AEROSPACE AND ELECTRONIC SYSTEMS, 32, 628–649, (1996).

[P15] C. A. Bleckmann, M. E. Oxley, E. J. Wilson, K. W. Hayes, and N. L. Hercyk, *Land Treatment of Produced Oily Sand: Field Results*, WASTE MANAGEMENT RESEARCH, accepted March 1996.

B. Publications Submitted

[S1] Y. Huang and B. W. Suter, *Fractional Wave Packet Transforms*, MULTIDIMENSIONAL SYSTEMS AND SIGNAL PROCESSING.

[S2] Y. Huang and B. W. Suter, *A Study of Refinable Function Vectors via a Nonlinear Operator*, CONSTRUCTIVE APPROXIMATION.

6 Interactions/Transitions

A. Participation/Presentations at Conferences, Meetings, Seminars

[C1] X.-G. Xia and B. W. Suter, *Malvar Wavelets on Hexagons*, at the INTERNATIONAL CONFERENCE ON APPROXIMATION THEORY, College Station, Texas (1995).

[C2] X.-G. Xia and B. W. Suter, *On Vector-Valued Orthogonal Wavelets*, in H. Szu (editor), PROCEEDINGS OF SPIE CONFERENCE ON WAVELET APPLICATIONS II, 2491, 903–914, Orlando, Florida (1995).

[C3] X.-G. Xia, J. S. Geronimo, D. P. Hardin, and B. W. Suter, *On Computations of Multiwavelet Transforms*, in A. Laine and M. Unser (editors), PROCEEDINGS OF SPIE CONFERENCE ON WAVELET APPLICATIONS IN SIGNAL AND IMAGE PROCESSING III, 2569, 27–38, San Diego, California (1995).

[C4] X.-G. Xia, B. W. Suter, and Y. Huang, *Vector Malvar Wavelets* in J. Picone (editor), PROCEEDINGS OF SPIE CONFERENCE ON DIGITAL SIGNAL PROCESSING TECHNOLOGY, 2750, 129–138, Orlando, Florida (1996).

[C5] D. A. McCandless, S. K. Rogers, J. W. Hoffmeister, D. W. Ruck, R. A. Raines, and B. W. Suter, *Wavelet Detection of Clustered Microcalcifications* in H. Szu (editor), PROCEEDINGS OF SPIE CONFERENCE ON WAVELET APPLICATIONS III, 2762, 388–399, Orlando, Florida (1996).

[C6] X.-G. Xia, J. S. Geronimo, D. P. Hardin, and B. W. Suter, *Why and How Prefiltering of Discrete Multiwavelet Transforms*, PROCEEDINGS OF THE IEEE INTERNATIONAL CONFERENCE ON ACOUSTICS, SPEECH, AND SIGNAL PROCESSING, Atlanta, Georgia (1996).

[C7] Y. Huang and B. W. Suter, *A Study of Refinable Function Vectors via a Nonlinear Operator*, PROCEEDINGS OF THE IEEE INTERNATIONAL SYMPOSIUM ON TIME-FREQUENCY AND TIME-SCALE ANALYSIS, 297–300, Paris, France (1996).

[C8] Y. Huang and B. W. Suter, *Nonlinear Operator Related to Refinable Function Vectors* at the SPIE CONFERENCE ON WAVELET APPLICATIONS IN SIGNAL AND IMAGE PROCESSING, Denver, Colorado in August 1996.

[C9] Y. Huang and B. W. Suter, *Fractional Wavelet Packet Transforms* at the IEEE SIGNAL PROCESSING WORKSHOP, Leon, Norway in September 1996.

[C10] M. A. Carter and M. E. Oxley, *Combinatorial Geometry and Vapnik-Chervonenkis Dimension*, PROCEEDINGS OF SPIE, paper no. 2824-32, accepted January 1996.

[C11] M. A. Carter and M. E. Oxley, *Combinatorial Geometry and Vapnik-Chervonenkis Dimension*, PROCEEDINGS OF THE WORLD CONGRESS ON NEURAL NETWORKS 1996, accepted January 1996.

B. Transitions Many Air Force and commercial applications will benefit from these results. From the commercial world of High Definition Television to the Air Force world of reconnaissance, the ability efficiently transmit video images is a critical technology.

As a result of continuing CAD tool problems, WL/ELE [contact: Dr. Robert Ewing (513) 255-7438] delayed the development of the Malvar wavelet chip. It is now scheduled to be completed in early 1997.

7 New Discoveries, Inventions, or Patents

None

8 Honors/Awards

Dr. Suter continues to serve as Associate Editor of the IEEE TRANSACTIONS ON SIGNAL PROCESSING.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY *(Leave blank)*

2. REPORT DATE
15 August 1996

3. REPORT TYPE AND DATES COVERED
Progress Report, Oct 1995-Sept 1996

4. TITLE AND SUBTITLE
Wavelets and Signal Processing

5. FUNDING NUMBERS
AFOSR-PO-96-0005
AFOSR-FC-96-T086

6. AUTHOR(S)
Dr. Bruce W. Suter

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)
Department of Electrical and Computer Engineering
Air Force Institute of Technology
2950 P Street
Wright-Patterson AFB, OH 45433-7765

8. PERFORMING ORGANIZATION REPORT NUMBER
AFIT/EN-TR-95-03

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)
Air Force Office of Scientific Research
110 Duncan Avenue, Suite B115
Bolling AFB, DC 20332

10. SPONSORING/MONITORING AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION/AVAILABILITY STATEMENT
Distribution Unlimited

12b. DISTRIBUTION CODE

13. ABSTRACT *(Maximum 200 words)*

Key scientific results in the following four areas: (1) design of prefilters for discrete multiwavelet transform, (2) vector-valued wavelets and vector filter banks, (3) a nonlinear operator related to wavelets and refinable function vector and (4) fractional wave packet transform. These results provide fundamental tools and theories for many Air Force and industrial applications, including compression of images/video images.

14. SUBJECT TERMS
Wavelets, Signal Processing

15. NUMBER OF PAGES
11

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	UL

GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to ***stay within the lines*** to meet ***optical scanning requirements***.

Block 1. Agency Use Only *(Leave blank)*.

Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

Block 3. Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

Block 4. Title and Subtitle. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

Block 5. Funding Numbers. To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C	- Contract	**PR**	- Project
G	- Grant	**TA**	- Task
PE	- Program Element	**WU**	- Work Unit Accession No.

Block 6. Author(s). Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

Block 7. Performing Organization Name(s) and Address(es). Self-explanatory.

Block 8. Performing Organization Report Number. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es). Self-explanatory.

Block 10. Sponsoring/Monitoring Agency Report Number. *(If known)*

Block 11. Supplementary Notes. Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. Distribution/Availability Statement. Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

- **DOD** - See DoDD 5230.24, "Distribution Statements on Technical Documents."
- **DOE** - See authorities.
- **NASA** - See Handbook NHB 2200.2.
- **NTIS** - Leave blank.

Block 12b. Distribution Code.

- **DOD** - Leave blank.
- **DOE** - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.
- **NASA** - Leave blank.
- **NTIS** - Leave blank.

Block 13. Abstract. Include a brief *(Maximum 200 words)* factual summary of the most significant information contained in the report.

Block 14. Subject Terms. Keywords or phrases identifying major subjects in the report.

Block 15. Number of Pages. Enter the total number of pages.

Block 16. Price Code. Enter appropriate price code *(NTIS only)*.

Blocks 17. - 19. Security Classifications. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

Block 20. Limitation of Abstract. This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

★U.S.GPO:1990-0-273-271