					·
00 th .	REPORT DO	CUMENTAT	ION PAGE		Form Approved OMB No. 0704-0188
Public seporting burden	for this collection of information is	estimated to average 1 hour pe	r response, including the time for	reviewing instructions, se	arching existing data sources, gathering and
maintaining the data nee	eded, and completing and review	ng this collection of information.	Send comments regarding this b	urden estimate of any oth	er aspect of this collection of information.
including suggestions for	r reducing this burden to Departm	ient of Detense, Washington He ndents should be aware that not	adquarters Services, Directorate 1	or information Operations of law on nervon chall be	s and Reports (0704-0188), 1215 Jefferson Davi subject to any penalty for failing to comply with
collection of information	if it does not display a currently v	alid OMB control number. PLE	ASE DO NOT RETURN YOUR FO	RM TO THE ABOVE AC	DRESS.
1. REPORT DATE		2. REPORT TYPE			DATES COVERED (From - To)
		Technical Papers			
4. TITLE AND SU	DTITI E	_ zooza,a.cu. z upozo			a. CONTRACT NUMBER
4. ITTLE AND SU	DITILE			. "	a. CONTRACT NOMBER
				<u> </u>	ADALIT MILLER
			- 00	اد	b. GRANT NUMBER
	1	•			•
	-100		- P	5	. PROGRAM ELEMENT NUMBER
. /	11100		·	/ / / -	Principal Element Nomber
		·			
6. AUTHOR(S)	1	•		, ,	I. PROJECT NUMBER
	. \	MA			2303
	. '	27/			. TASK NUMBER
				/ "	: IASK NOMBER
•		 -		 	n208
	: •			51	. WORK UNIT NUMBER
_					2115709
. APPRATUME	000411111111111111111111111111111111111	(A) AND ADDERAGE			70 10 1
r. PERFORMING	ORGANIZATION NAME	(5) AND ADDRESS(ES) '		PERFORMING ORGANIZATION
•				R	EPORT
Air Force Resear	rch Laboratory (AFM)	C)		. [•
AFRL/PRS		•	•	. 1	,
	•			ļ	
Pollux Drive				. 1	
Edwards AFB C	A 93524-7048		•	. 1	·
	•		•	Į	
COURCEDING !	MONITODING ACENO	V NIABIE(C) AND ADDO	ECC(EC)		CONCORMANITORIO
. spunsuming/	MONITORING AGENC	I NAME(S) AND ADDR	E33(E3)		. SPONSOR/MONITOR'S
			-	A	CRONYM(S)
	ا در مستورک			·]	
Air Force Resear	ch Laboratory (AFM)	C) ·		1.	•
AFRL/PRS			•	11	. SPONSOR/MONITOR'S
5 Pollux Drive					NUMBER(S)
	4 00504 5040	•			11
Edwards AFB Ca	A 93524-7048			. (2)	ease see attac
12 DISTRIBUTION	/ AVAILABILITY STAT	EMENT	······································		
	TO AT MILE ADDIEST CONTACT			•	
			·	•	
A	blic release; distribution				
erbbionea tot bri	one release; distribution	m uniimitea.			
	• •	•	* * .		
3. SUPPLEMENT	ARY NOTES			<u> </u>	
			_		•
		•	• .		•
4 APCTO		, 	·		
4. ABSTRACT		•			·
•				•	•
		•		•	
•	•			:	
	•	•	· ·		
	•	•	•		1
	•		- A A	A	
			70	N	በ ያለል !
	•		· [1]	U.)U I 🖊	Y /IIX
•		•			9 208
			A marie		
		•			
C 0110 1242					
5. SUBJECT TER	MS	•			
•	•	•			
		•			
6. SECURITY CLA	ASSIFICATION OF:		17. LIMITATION	18. NUMBER	19a. NAME OF RESPONSIBLE
		. •	OF ABSTRACT	OF PAGES	PERSON
				V. FAGES]
DEDAR-		T			Leilani Richardson
. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER
	}				(include area code)
Inclocation	Implemental	Linclossified			(661) 275-5015

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std. 239.18 2308 M2C8

MEMORANDUM FOR PRS (In-House Publication)

FROM: PROI (STINFO)

29 April 2002

SUBJECT: Authorization for Release of Technical Information, Control Number: AFRL-PR-ED-TP-2002-090

Jerry Boatz (PRSP) et al., "Simulations of Energetic Materials for Rocket Propulsion: Obtaining More 'Bang for the Buck'"

DoD HPC Success Story Publication (Deadline: 15 May 2002)

(Statement A)

	Disclosure Office for: a.) appropriateness of distribution statemen
b.) military/national critical technology, c.) expo	
	a, and e.) technical sensitivity and/or economic sensitivity.
Comments:	· · · · · · · · · · · · · · · · · · ·
Signature	Date
	Affairs Office for: a.) appropriateness for public release
and/or b) possible higher headquarters review. Comments:	
	•
•	

	<u>_</u>
Signature	Date
3. This request has been reviewed by the STINF() for: a) changes if approved as amended
b) appropriateness of references, if applicable: ar	of to: a.) changes in approved as amended, and c.) format and completion of meeting clearance form if required
Comments:	
Signature	D -4-
Signature	Date
4. This request has been reviewed by PR for: a.)	technical accuracy, b.) appropriateness for audience, c.)
appropriateness of distribution statement, d.) tech	nical sensitivity and economic sensitivity, e.) military/
national critical technology, and f.) data rights an	d patentability
Comments:	
•	

APPROVED/APPROVED AS AMENDED/DISAPPROVED

PHILIP A. KESSEL
Technical Advisor
Space and Missile Propulsion Division

Date -

Title: Simulations of Energetic Materials for Rocket Propulsion: Obtaining More "Bang for the Buck"

Authors:

Dan C. Sorescu, Donald L. Thompson, Jerry Boatz

POC:

Jerry A. Boatz

Air Force Research Laboratory

AFRL/PRSP 10 E. Saturn Blvd.

Edwards AFB, CA 93524-7680

Voice: 661-275-5364 661-275-5471

email: jerry.boatz@edwards.af.mil

Alternate POC:

Donald L. Thompson Department of Chemistry Oklahoma State University Stillwater, OK 74078

Affiliation: Air Force Research Laboratory, Edwards AFB

Program Supported: High Energy Density Materials

Program Manager:

Gregory Drake

Air Force Research Laboratory

AFRL/PRSP 10 E. Saturn Blvd.

Edwards AFB, CA 93524-7680

661-275-5355

HPC Resource Environments: SGI Origin 2000 at ARL, Cray T3E at NAVO, IBM SP/P3 at ASC.

Powderized aluminum has long been used as an energetic ingredient in rocket propellant formulations, comprising approximately 15-20% of some conventional ammonium perchlorate solid propellant formulations. However, the performance of aluminum is reduced by the rapid formation of an aluminum oxide overcoat on aluminum particles prior to combustion, which also inhibits efficient burning. Furthermore, formation of the oxide overcoat severely reduces the potential advantages of using high surface-to-volume-ratio ultrafine aluminum particles, which would otherwise have highly desirable properties such as enhanced burn rates.

In order to inhibit the rapid formation of an oxide overcoat on the ultrafine aluminum particles without simultaneously degrading performance, it has been proposed to coat the aluminum particles with an energetic material such as HMX. One of the objectives of this challenge project is to characterize the interactions between energetic compounds such as HMX and aluminum surfaces in order to understand, at an atomic level, the chemistry at the metal-molecule interface. Specifically, ab initio quantum chemical calculations are used to determine if HMX and/or other

classes of energetic materials will effectively inhibit the formation of an oxide overcoat on the surface of aluminum.

Conventional techniques for determining the feasibility of new ideas such as this have relied heavily on costly and time-consuming experimental synthesis and testing. However, the availability of HPC resources has significantly lessened the need for these empirical approaches by enabling the application of reliable high-level quantum chemical calculations to address complex issues such as the nature of the interactions between energetic materials and metallic surfaces. A key advantage of using HPC in this regard is the ability to efficiently "screen" a variety of energetic materials as potential metallic coatings and focus subsequent experimental efforts on the subset of only the promising candidates.

Spin-polarized GGA density functional theory, using ultrasoft Vanderbilt-type pseudopotentials and the PW91 exchange-correlation functional in a plane-wave basis, has been used to characterize the interactions between the energetic molecules nitromethane (NM), HMX, and FOX-7 and the aluminum (111) surface. Two different models have been used to approximate the (111) surface of aluminum: a $(\sqrt{7}x\sqrt{7})$ R19.1° slab model with four layers (28 aluminum atoms) used for NM and a four-layer (3x3) slab (36 atoms) for the larger molecules (HMX and FOX-7). All calculations were performed using the VASP code.

Preliminary predictions of the interactions between the energetic molecules nitromethane (NM), HMX and FOX7 have indicated a common propensity for oxidation of the aluminum surface by the oxygen-rich nitro groups (NO2) present in these molecules. Dissociation of the nitro groups and formation of strong Al-O bonds appears to be a common mechanism for these molecules. These results suggest that nitro-containing energetic compounds are not likely to be effective coating materials for preventing rapid oxidation of aluminum.

Future work will extend this set of investigations to first principles density functional theory calculations of the interactions of several ionic systems such as ammonium nitrate or ammonium dinitramide with an Al surface. In these investigations, key reaction pathways of these energetic salts on an aluminum surface will be computed. We will furthermore attempt to understand the type of chemical processes that can take place at the interface of aluminum hydrides with different classes of energetic materials. In this case we will focus on the case of ammonium nitrate and RDX crystals where the detonation properties are significantly affected by the interaction with aluminum hydrides.

Primary CTA: CCM

Scientific visualization: Construction of the initial atomic configurations for crystals, surfaces and gas-solid systems has been performed using the Crystal and Surface Builders modules available in Cerius2 package. Graphical visualization of the optimized atomic configurations has been done using the C2 Visualizer package also available on Cerius2 platform.

References: (1) J.A. Boatz, D.C. Sorescu, and D.L. Thompson, "Computational Studies of Advanced Materials", Arctic Region Supercomputing Center Technology Panel, University of Alaska-Fairbanks, 12-14 March 2002; (2) D. C. Sorescu, J. A. Boatz, and D. L. Thompson,

"Classical and Quantum Mechanical Studies of Crystalline FOX-7 (1,1-diamino-2,2-dinitroethylene)", J. Phys. Chem. A 105, 5010-5021 (2001). (3) Cerius2 is a simulation and modeling environment offering a broad range of application modules available from Accelrys company.




Figure Caption: Initial (left) and final (right) configurations of an HMX molecule on an aluminum (111) surface. In the final configuration, one of the oxygen atoms is bonded to two surface aluminum atoms and is completely dissociated from the initial NO₂ group. The other oxygen atom also forms a bond with aluminum but remains bonded to the nitrogen atom in the original NO₂ group.

Acronyms:

PW91

NM	Nitromethane (CNO ₂ H ₃)
HMX	C ₄ N ₈ O ₈ H ₈ , a cyclic nitramine
FOX-7	1,1-diamino-2,2-dinitroethylene (C ₂ N ₄ O ₄ H ₄)
VASP	Vienna Ab Initio Simulation Package
ĠĠA	Generalized gradient approximation

Perdew-Wang exchange-correlation functional.