



Final Report (2005)

**U.S. Army Research Laboratory
Material Center of Excellence**

**Collaborative Research Program on Advanced Metals and
Ceramics for Armor and Anti-Armor Applications**

**Dynamic Behavior of Non-Crystalline
and Crystalline Metallic Systems**

by K. T. Ramesh and James W. McCauley

ARL-CR-576

September 2006

prepared by

**K. T. Ramesh
Recipient Program Manager
Johns Hopkins University
Latrobe 122
Center for Advanced Metallic and Ceramic Systems (CAMCS)
Baltimore, MD 21218**

and

**James W. McCauley
Cooperative Agreement Manager
U.S. Army Research Laboratory
Weapons and Materials Research Directorate
Aberdeen Proving Ground, MD 21005-5069**

under contract

DAAD19-01-2-0003

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5069

ARL-CR-576

September 2006

Final Report (2005)

U.S. Army Research Laboratory Material Center of Excellence

Collaborative Research Program on Advanced Metals and Ceramics for Armor and Anti-Armor Applications

Dynamic Behavior of Non-Crystalline and Crystalline Metallic Systems

K. T. Ramesh

Johns Hopkins University

James W. McCauley

Weapons and Materials Research Directorate, ARL

prepared by

K. T. Ramesh

Recipient Program Manager

Johns Hopkins University

Latrobe 122

Center for Advanced Metallic and Ceramic Systems (CAMCS)

Baltimore, MD 21218

and

James W. McCauley

Cooperative Agreement Manager

U.S. Army Research Laboratory

Weapons and Materials Research Directorate

Aberdeen Proving Ground, MD 21005-5069

under contract

DAAD19-01-2-0003

REPORT DOCUMENTATION PAGE			<i>Form Approved</i> OMB No. 0704-0188	
<p>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>				
1. REPORT DATE (DD-MM-YYYY) September 2006		2. REPORT TYPE Final		3. DATES COVERED (From - To) 1 January 2001–31 December 2005
4. TITLE AND SUBTITLE Final Report (2005), U.S. Army Research Laboratory Material Center of Excellence, Collaborative Research Program on Advanced Metals and Ceramics for Armor and Anti-Armor Applications, Dynamic Behavior of Non-Crystalline and Crystalline Metallic Systems			5a. CONTRACT NUMBER DAAD19-01-2-0003	
			5b. GRANT NUMBER	
			5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) K. T. Ramesh and James W. McCauley			5d. PROJECT NUMBER BH64	
			5e. TASK NUMBER	
			5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Johns Hopkins University Center for Advanced Metallic and Ceramic Systems (CAMCS) Baltimore, MD 21218			8. PERFORMING ORGANIZATION REPORT NUMBER U.S. Army Research Laboratory ATTN: AMSRD-ARL-WM Aberdeen Proving Ground, MD 21005-5069	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRD-ARL-WM Aberdeen Proving Ground, MD 21005-5069			10. SPONSOR/MONITOR'S ACRONYM(S) ARL-CR-576	
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.				
13. SUPPLEMENTARY NOTES				
14. ABSTRACT <p>This collaborative research program emphasized collaborative research between Johns Hopkins University and the U.S. Army Research Laboratory (ARL) towards well-defined common goals: the understanding and development of advanced metallic systems for armor and anti-armor applications. The Johns Hopkins side of the collaboration was operated through a science-driven, problem-directed Center—the Center for Advanced Metal and Ceramic Systems. The Center provides a tight integration of the University with ARL, providing both an emphasis on fundamentals and a carefully planned coherent assistance with the ARL Weapons and Materials Research Directorate (WMRD) mission. The research thrusts and the collaborative structures of the Center provided a basis for the substantial enhancement and continuous improvement of the scientific and technical capabilities of ARL, particularly of WMRD. Each research thrust operated a Collaborative Research Group with joint responsibility for the development of the research.</p> <p>This report is the final report for research performed in the 2001–2005 period. The accomplishments of each research thrust are described in order. Rather than provide full detail in each case, the highlights are noted, and the corresponding publications are referenced for the details. Finally, a summary of the collaborative interactions and a summary of the publications and presentations are provided.</p>				
15. SUBJECT TERMS dynamic properties, metals, bulk metallic glass, nanostructured metals				
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UL	18. NUMBER OF PAGES 36
a. REPORT UNCLASSIFIED	b. ABSTRACT UNCLASSIFIED	c. THIS PAGE UNCLASSIFIED		
			19b. TELEPHONE NUMBER (Include area code) 410-306-0711	

Contents

List of Figures	v
Preface	vi
1. Introduction	1
2. Metal-Matrix Composites Research Thrust	1
2.1 Long-Range Objectives.....	1
2.2 Selected Accomplishments.....	2
2.3 Collaborative Interactions	4
2.4 Publications	4
2.5 Student Theses/Dissertations/Graduations.....	5
3. Nanostructured Metals Research Thrust	6
3.1 Long-Range Objectives.....	6
3.2 Selected Accomplishments.....	6
3.3 Publications	8
3.4 Student Theses/Dissertations/Graduations.....	9
4. Bulk Amorphous Metals Research Thrust	10
4.1 Long-Range Objectives.....	10
4.2 Selected Accomplishments.....	10
4.3 Collaborative Interactions	12
4.4 Publications	12
4.5 Student Theses/Dissertations/Graduations.....	13
5. Dynamic Failure and Damage Mechanisms Research Thrust	14
5.1 Long-Range Objectives.....	14
5.2 Selected Accomplishments.....	14
5.3 Collaborative Interactions	17

5.4	Publications and Presentations	17
5.5	Student Theses/Dissertations/Graduations	18
6.	Metal-Ceramic Joining Research Thrust	19
6.1	Long-Range Objectives	19
6.2	Accomplishments	19
6.3	Collaborative Interactions	19
6.4	Publications	20
6.5	Student Theses/Dissertations/Graduations	20
7.	Education, Training, and Collaborative Structures	21
7.1	Long-Range Objectives	21
7.2	Accomplishments	21
7.3	ARL Scientists in Close Collaborations (Incomplete List)	21
7.4	Educational Interactions	21
7.5	Publications, Presentations, and Patents.....	22
	Distribution List	23

List of Figures

Figure 1. High-strain-rate tension of A359-based composite showing work-hardening and (at right) micrograph showing no SiC particle fracture.	2
Figure 2. von Mises stress distribution (at 12 ns) for MMC elastic-viscoplastic models under a 4-ns span, 1 GPa amplitude dynamic load on the top surface. Models are with different particle sizes: 40, 20, and 10 μm and with a real material microstructure.	3
Figure 3. (a) Typical tensile stress-strain curve predicted by the model with imperfect interface ($\alpha = 2$ and $\Phi = 50 \text{ J/m}^2$), compared with the limit cases and unreinforced matrix material. (b) Comparison with experiment Al6092/B ₄ C _p	3
Figure 4. High-strain-rate compressive response of aluminum-based nano-micro composite showing remarkable strength for an aluminum-weight material.....	4
Figure 5. Optical micrographs of adiabatic shear bands in (a) ECAP+CR W and (b) HPT W after high-strain-rate uniaxial compression.	7
Figure 6. Rate-dependent response of ECAE tantalum (ultra-fine-grained) showing high strengths but relatively low rate-sensitivity.	7
Figure 7. Rate-dependent response of bcc Fe at various grain sizes showing that while the overall rate-sensitivity is a function of the grain size, the additional strengthening due to rate is not.	7
Figure 8. The effective rate-sensitivity of bcc metals appears to decrease with grain size as a result of the dislocation mechanisms relevant in these materials.	8
Figure 9. (a) Microstructure of (Zr ₇₀ Cu ₂₀ Ni ₁₀) ₈₂ Ta ₈ Al ₁₀) in situ metallic glass-matrix composite (MGMC). (b) Volume fraction and matrix composition of in situ MGMCs. (c) Quasistatic compression of in situ composite showing dramatically enhanced plastic strain to failure.....	10
Figure 10. Dependence of failure strength (normalized by that under quasistatic loading) on strain rate for two bulk amorphous alloys: Zr ₅₇ Ti ₅ Cu ₂₀ Ni ₈ Al ₁₀ (this work) and Zr _{41.2} Ti _{13.8} Cu _{12.5} Ni ₁₀ Be _{22.5} (Bruck et al., 1996).	11
Figure 11. Calculated nondimensional fragment size vs. nondimensional strain-rate for all of the material properties examined. The predictions of other theories are included for comparison.	15
Figure 12. Comparison of predicted estimates of spall strength with range of experimental measurements for various engineering materials.....	16
Figure 13. Band spacing vs. strain-rate ($m = 0.025$). Strain criterion is used for defining mature shear bands. The four hollow squares are band spacings estimated by the “most-efficient stress collapse” theory.	16

Preface

Research was sponsored by the U.S. Army Research Laboratory (ARL) (ARMAC-RTP) and was accomplished under the ARMAC-RTP contract number DAAD19-01-2-0003. The views and conclusions contained in this report are those of the authors and should not be interpreted as representing the official policies, either expressed or implied, of ARL or the U.S. Government. The U.S. Government is authorized to reproduce and distribute reprints for Government purposes notwithstanding any copyright notation hereon.

1. Introduction

This collaborative research program emphasized collaborative research between Johns Hopkins University (JHU) and the U.S. Army Research Laboratory (ARL) towards well-defined common goals: the understanding and development of advanced metallic systems for armor and anti-armor applications. The Johns Hopkins side of the collaboration was operated through a science-driven, problem-directed Center—the Center for Advanced Metal and Ceramic Systems (CAMCS). The Center provides a tight integration of the University with ARL, providing both an emphasis on fundamentals and a carefully planned coherent assistance with the ARL Weapons and Materials Research Directorate (WMRD) mission. The research thrusts and the collaborative structures of the Center provided a basis for the substantial enhancement and continuous improvement of the scientific and technical capabilities of ARL, and particularly of WMRD. Each research thrust operated a Collaborative Research Group (CRG) with joint responsibility for the development of the research.

This report is the final report for research performed in the 2001–2005 period. The accomplishments of each research thrust are described in order. Rather than provide full detail in each case, the highlights are noted and the corresponding publications are referenced for the details. Finally, a summary of the collaborative interactions and a summary of the publications and presentations are provided.

2. Metal-Matrix Composites Research Thrust

Core Faculty: K. T. Ramesh, Jean-Francois Molinari, Y. Li (Visiting Prof.)

ARL Collaborators: E. S. C. Chin, M. Scheidler, G. Gazonas, T. W. Wright, J. McCauley

Junior Personnel: H. Zhang (Ph.D. student), Dr. S. P. Joshi (Postdoc)

2.1 Long-Range Objectives

The primary long-range objective was to understand the influence of microstructure on the high-strain-rate behavior and dynamic failure of metal-ceramic composites, including size effects and multiaxial loading effects. This was coupled with computational simulations and experimental evaluation of the response and failure of graded composite structures under impact, including objective oriented optimization and the estimation of damage under dynamic loading.

2.2 Selected Accomplishments

Failure mechanisms in dynamic tension of several metal-matrix composites and the associated un-reinforced alloys were examined (figure 1). Microscopic examinations showed that the conventional view that dynamic tensile failure of these composites is always associated with particle fracture must be revised—the type of matrix and processing route can make critical differences to behavior.¹




Figure 1. High-strain-rate tension of A359-based composite showing work-hardening and (at right) micrograph showing no SiC particle fracture.

OOB-based simulation methods for wave propagation problems in metal-matrix composites with real particle distributions were developed. Figure 2 shows the von Mises stress distribution for metal-matrix composite elastic-viscoplastic models, with different particle sizes and with real material microstructure, under dynamic loading. Simulation results show that even though significant stress concentration exists for irregular shape particles in the real microstructure model, the overall dynamic response is similar to that of models including simplified spherical shape particles.²

Experimentally-validated models for the effect of interface properties on the dynamic response of metal-matrix composites to multiaxial loading were developed (figure 3). The interface response was shown to have a strong effect on the tension-compression asymmetry.³

¹Li, Y.; Ramesh, K. T.; Chin, E. S. C. Comparison of the Plastic Deformation and Failure of A359/SiC and 6061-T6/Al₂O₃ Metal Matrix Composites under Dynamic Tension. *Mat. Science and Eng. A*. **2004**, *371*, 359–370.

²Zhang, H. Ph.D. Dissertation, Johns Hopkins University, Baltimore, MD, 2005.

³Zhang, H.; Ramesh, K. T.; Chin, E. S. C. Effects of Interfacial Debonding on the Rate-Dependent Response of Metal Matrix Composites. *Acta Materialia*, in press, 2005.




Figure 2. von Mises stress distribution (at 12 ns) for MMC elastic-viscoplastic models under a 4-ns span, 1 GPa amplitude dynamic load on the top surface. Models are with different particle sizes: 40, 20, and 10 μm and with a real material microstructure.




Figure 3. (a) Typical tensile stress-strain curve predicted by the model with imperfect interface ($\alpha = 2$ and $\Phi = 50 \text{ J/m}^2$), compared with the limit cases and unreinforced matrix material. (b) Comparison with experiment Al6092/B₄C_p.

The first high-strain-rate experimental results on a ceramic-reinforced nano-micro aluminum-based composite (figure 4) were obtained, showing dynamic strengths only 20% lower than that of rolled homogenous armor (RHA) at approximately one-third the weight.⁴

Models for wave propagation through graded and layered structures were developed, with a view towards use of metal-matrix composite backings for ceramic armor.

⁴Zhang, H.; Ramesh, K. T.; Ye, J.; Schoenung, J.; Chin, E. S. C. Nanoengineering Aluminum for Strength Under Impact, in preparation.




Figure 4. High-strain-rate compressive response of aluminum-based nano-micro composite showing remarkable strength for an aluminum-weight material.

2.3 Collaborative Interactions

The Metal-Matrix Composite CRG met regularly to discuss and plan this research. Several ARL scientists attended these meetings, most multiple times. Dr. Chin was the lead ARL participant in this CRG. We also collaborated with Professor J. Schoenung of the University of California, Davis, on the nano-micro Al materials.

2.4 Publications

1. Li, Y.; Ramesh, K. T.; Chin, E. S. C. Dynamic Characterization of Layered and Graded Structures under Impulsive Loading. *International Journal of Solids and Structures* **2001**, *38* (34–35), 6045–6061.
2. Zhang, H.; Ramesh, K. T.; Chin, E. S. C. Effects of Processing on High Strain Rate Response of Boron Carbide Particulate Reinforced 6092 Aluminum. In *Affordable Metal Matrix Composites for High Performance Applications*; Pandey, A. B., Kendig, K. L., Lewandowski, J. J., Shah, S. R., Eds.; TMS: Warrendale, PA, 2003; 43–50.
3. Li, Y.; Ramesh, K. T.; Chin, E. S. C. Comparison of the Plastic Deformation and Failure of A359/SiC and 6061-T6/Al₂O₃ Metal Matrix Composites under Dynamic Tension. *Materials Science and Engineering A* **2004**, *371*, 359–370.
4. Zhou, F.; Molinari, J. F.; Li, Y. Three Dimensional Numerical Simulation of Dynamic Fracture in Silicon Carbide Reinforced Aluminum. *Engineering Fracture Mechanics* **2004**, *71*, 1357–1378.
5. Li, Y.; Ramesh, K. T.; Chin, E. S. C. The Mechanical Response of an A359/SiCp MMC and the A359 Aluminum Matrix to Dynamic Shearing Deformations. *Materials Science & Engineering A* **2004**, *382*, 162–170.

6. Li, Y.; Ramesh, K. T.; Chin, E. S. C. Plastic Deformation and Failure in A359 Aluminum and an A359/SiCp MMC under Quasistatic and High-Strain-Rate Tension. *Journal of Composite Materials*, in press, 2005.
7. Li, Y.; Ramesh, K. T. A Novel Technique for Accurate Measurement of Material Properties in the Tension Kolsky Bar. *International Journal of Impact Engineering*, in press, 2005.
8. Zhang, H.; Ramesh, K. T.; Chin, E.S.C. Effects of Interfacial Debonding on the Rate-Dependent Response of Metal-Matrix Composites. *Acta Mat.* **2005**, *53*, 4687–4700.

2.5 Student Theses/Dissertations/Graduations

Zhang, H. Fabrication, High-Strain-Rate Constitutive Behavior and Dynamic Failure of MMCs. Ph.D. Dissertation, January 2005. He is now a postdoc at the University of Texas, Austin, with Professor Ravi-Chandar.

3. Nanostructured Metals Research Thrust

Core Faculty: E. Ma, K. T. Ramesh

ARL Collaborators: R. J. Dowding, K. Cho, L. Kecskes, L. Magness, T. Wright, J. LaSalvia, J. Adams, S. Schoenfeld, E. S. C. Chin

Associate Research Scientist: Dr. Qiuming Wei

Graduate Students: Brian Schuster (ARL), D. Jia

3.1 Long-Range Objectives

- Develop an understanding of the high strain rate behavior of model nanostructured metals (bcc, fcc, hcp).
- Systematically characterize the dependence of mechanical behavior (quasistatic and dynamic) on grain size and distribution.
- Understand the active deformation modes and mechanisms and their dependence on grain size.
- Develop nanophase W-based alloys for anti-armor applications.

3.2 Selected Accomplishments

Shear localization (figure 5) in pure polycrystalline tungsten (W) under uniaxial dynamic loading was demonstrated for the first time, by introducing the appropriate nanocrystalline or ultrafine grain structure.⁵ A joint Hopkins/ARL patent has been filed through ARL for the protocol developed in the JHU labs to process such microstructures.

Bulk nanostructured and ultrafine-grained bcc metals, including W, Ta, Fe, and V, were developed, and the quasistatic and dynamic deformation/fracture behavior of these metals was documented (figure 6).⁶

A dislocation-mechanism based model that explains the strain rate sensitivity behavior of these nanostructured and ultrafine-grained bcc metals was developed (figure 7). A constitutive model has been established for Fe in particular.⁷

⁵Wei, Q.; Jiao, T.; Ramesh, K. T.; Ma, E.; Kecskes, L. J.; Magness, L.; Dowding, R.; Kazykhanov, V. U.; Valiev, R. Z. Adiabatic Shear Localization under Uniaxial Compression in Bulk Tungsten with Ultrafine Microstructure. *Acta Materialia*, accepted for publication, 2005.

⁶Wei, Q.; Jiao, T.; Mathaudhu, S. N.; Ma, E.; Hartwig, K. T.; Ramesh, K. T. Microstructure and Mechanical Properties of Tantalum After Equal Channel Angular Extrusion (ECAE). *Materials Science and Engineering A* **2003**, 358, 266–272.

⁷Jia, D.; Ramesh, K. T.; Ma, E. Effects of Nanocrystalline and Ultrafine Grain Sizes on Constitutive Behavior and Shear Bands in Iron. *Acta Materialia* **2003**, 51 (12), 3495–3509.




Figure 5. Optical micrographs of adiabatic shear bands in (a) ECAP+CR W and (b) HPT W after high-strain-rate uniaxial compression.




Figure 6. Rate-dependent response of ECAE tantalum (ultra-fine-grained) showing high strengths but relatively low rate-sensitivity.




Figure 7. Rate-dependent response of bcc Fe at various grain sizes showing that while the overall rate-sensitivity is a function of the grain size, the additional strengthening due to rate is not.

Adiabatic shear banding as a dominant deformation mode in these nanostructured and ultrafine-grained bcc metals at high strain rates was demonstrated.⁸

Reduced strain rate sensitivity (figure 8) of nanostructured and ultrafine-grained bcc metals in comparison with their conventional coarse-grained counterparts was demonstrated.⁹




Figure 8. The effective rate-sensitivity of bcc metals appears to decrease with grain size as a result of the dislocation mechanisms relevant in these materials.

The elevated strain rate sensitivity in nanostructured and ultrafine grained fcc metals was explored. A model explanation has been published on this behavior.⁹

3.3 Publications

1. Jia, D.; Wang, Y.; Ramesh, K. T.; Ma, E.; Zhu, Y. T.; Valiev, R. Deformation Behavior and Plastic Instability of Ultrafine Grained Ti. *Appl. Phys. Lett.* **2001**, *79*, 611–613.
2. Jia, D.; Ramesh, K. T.; Ma, E.; Lu, L.; Lu, K. Compressive Behavior of an Electrodeposited Nanostructured Copper at Quasistatic and High Strain Rates. *Scripta Materialia* **2001**, *45*, 613–620.
3. Jia, D.; Ramesh, K. T.; Ma, E. Effects of Nanocrystalline and Ultrafine Grain Sizes on Constitutive Behavior and Shear Bands in Iron. *Acta mater.* **2003**, *51*, 3495.
4. Wei, Q.; Jiao, T.; Hartwig, T.; Ma, E.; Ramesh, K. T. Microstructure and Mechanical Properties of Tantalum After Equal Channel Angular Extrusion (ECAE). *Mater. Sci. Eng. A* **2003** *358*, 266.

⁸Wei, Q.; Ramesh, K. T.; Ma, E.; Kesckes, L. J.; Dowding, R. J.; Kazykhanov, V. U.; Valiev, R. Z. Plastic Flow Localization in Bulk Tungsten With Ultrafine Microstructure. *Applied Physics Letter* **2005**, *86*, 101907.

⁹Wei, Q.; Wang, Y. M.; Ramesh, K. T.; Ma, E. Effects of Nanocrystalline and Ultrafine Grain Sizes on the Strain Rate Sensitivity: fcc vs. bcc Metals. *Materials Science & Engineering A* **2004**, *381* (1–2), 71–79.

5. Wei, Q.; Jiao, T.; Ramesh, K. T.; Ma, E. Nano-Structured Vanadium: Processing and Mechanical Properties Under Quasi-Static and Dynamic Compression. *Scripta Mater.* **2004**, *50*, 359.
6. Wei, Q.; Kecskes, L.; Jiao, T.; Hartwig, K. T.; Ramesh, K. T.; Ma, E. Adiabatic Shear Banding in Ultrafine-Grained Fe Processed by Severe Plastic Deformation. *Acta materialia* **2004**, *52*, 1859.
7. Wei, Q.; Cheng, S.; Ma, E.; Ramesh, K. T. Effect of Nanocrystalline and Ultrafine Grain Sizes on the Strain Rate Sensitivity and Activation Volume: FCC vs. BCC Metals. *Materials Science & Engineering A* **2004**, *381*, 71–79.
8. Wei, Q.; Ramesh, K. T.; Ma, E.; Kecskes, L. J.; Dowding, R. J.; Kazykhanov, V. U.; Valiev, R. Z. Plastic Flow Localization in Bulk Tungsten with Ultrafine Microstructure. *Applied Physics Letters* **2005**, *86*, 101907.

3.4 Student Theses/Dissertations/Graduations

Jia, D. The Mechanical Behavior of Nanostructured Materials. Ph.D. Dissertation, June 2001.

4. Bulk Amorphous Metals Research Thrust

Core Faculty: T. C. Hufnagel, K. T. Ramesh, E. Ma

ARL Collaborators: L. Kecskes, R. Woodman, L. Magness, T. W. Wright, J. Adams, R. Adler, R. J. Dowding, K. Cho, S. Schoenfeld, K. Doherty

Postdoctoral Associates: T. Jiao, Jiaping Wang, David Horspool

Graduate Students: R. T. Ott

4.1 Long-Range Objectives

- Develop a fundamental understanding of the dynamic behavior of bulk amorphous alloys and composites, including processing, quasistatic and dynamic characterization, and microstructural characterization.
- Understand the dynamic deformation and failure mechanisms within bulk amorphous alloys.
- Develop a high density bulk metallic-glass matrix composite material, fully characterized at high strain rates, for anti-armor applications.

4.2 Selected Accomplishments

A novel technique for producing in situ metallic glass-matrix composites (MGMCs) was developed, which was patented with both JHU and ARL investigators as co-inventors. Using this technique, we produced a series of MGMCs with dramatically enhanced plastic strain to failure in compression as well as limited ductility in tension (figure 9).¹⁰




Figure 9. (a) Microstructure of $(Zr_{70}Cu_{20}Ni_{10})_{82}Ta_8Al_{10}$ in situ metallic glass-matrix composite (MGMC). (b) Volume fraction and matrix composition of in situ MGMCs. (c) Quasistatic compression of in situ composite showing dramatically enhanced plastic strain to failure.

¹⁰Xing, L.-Q.; Li, Y.; Ramesh, K. T.; Li, J.; Hufnagel, T. C. Enhanced Plastic Strain in Zr-Based Bulk Amorphous Alloys. *Phys. Rev. B* **2001**, *64*, 180201(R).

The first in situ x-ray diffraction studies of strain evolution during deformation of in situ MGMCs were performed. Among other things, this work showed that shear band initiation in MGMCs (with ductile reinforcements) occurs due to the development of stress concentrations around the particles that arise due to a plastic misfit strain between the particles and matrix.¹¹

The mechanical behavior of several single-phase metallic glasses under both dynamic and quasistatic compression, including real-time cinematography of failure under dynamic compression, was evaluated. The results (figure 10) clearly show that the failure stress of single-phase glasses is essentially constant up to strain rates of about 10^1 s^{-1} , but decreases with increasing strain rate for rates above about 10^2 s^{-1} . We attributed the dynamic behavior to the increasing effects of thermal softening in the shear bands at high rates.¹²




Figure 10. Dependence of failure strength (normalized by that under quasistatic loading) on strain rate for two bulk amorphous alloys: $\text{Zr}_{57}\text{Ti}_5\text{Cu}_{20}\text{Ni}_8\text{Al}_{10}$ (this work) and $\text{Zr}_{41.2}\text{Ti}_{13.8}\text{Cu}_{12.5}\text{Ni}_{10}\text{Be}_{22.5}$ (Bruck et al., 1996)¹³.

The mechanical behavior of both in situ and ex situ MGMCs including substantial amounts of tungsten under dynamic and quasistatic compression was evaluated. Unlike single-phase metallic glasses, MGMCs with 60 vol. % tungsten particle reinforcement behave as strain-hardening materials. Furthermore, the MGMCs exhibit significant plastic strain before failure because the particle both initiate shear bands and impede their propagation, thereby distributing plastic strain more effectively. Final fracture occurs due to adiabatic shear localization. MGMCs with small volume fractions of particles (<10%) have dynamic behavior quite similar to that of single-phase glasses, despite the significant difference in quasistatic behavior.¹⁴

¹¹Ott, R. T.; Sansoz, F.; Molinari, J.-F.; Almer, J.; Ramesh, K. T.; Hufnagel, T. C. Micromechanics of Deformation of Metallic-Glass-Matrix Composites From In Situ Synchrotron Strain Measurements and Finite Element Modeling. *Acta Mater* **2005**, *53*, 1883–1893.

¹²Jiao, T.; Fan, C.; Kecskes, L. J.; Hufnagel, T. C.; Ramesh, K. T. Effect of Loading Rate in Bulk Metallic Glasses. *Materials Research Society Symposium Proceedings* **2003**, *754*, 6.2.1–6.2.6.

¹³Bruck, A.; Rosakis, A. J.; Johnson, J. *J. Materials Research* **1996**, *11*, 503.

¹⁴Jiao, T.; Kecskes, L. J.; Hufnagel, T. C.; Ramesh, K. T. Deformation and Failure of $\text{Zr}_{57}\text{Nb}_5\text{Al}_{10}\text{Cu}_{15.4}\text{Ni}_{12.6}$ Metallic Glass/W Particle Composites Under Quasi-Static and Dynamic Compression. *Met. Mat. Trans. A* **2004**, *35*, 3439–3444.

4.3 Collaborative Interactions

The Bulk Amorphous Metals CRG met regularly to discuss and plan this research. Laszlo Kecskes (ARL) worked extensively in the Hopkins laboratories, preparing bulk amorphous samples and collaborating with Dr. Cang Fan on the characterization of amorphous alloys.

4.4 Publications

1. Xing, L.-Q.; Hufnagel, T. C. Plastic Deformation of Bulk Amorphous Alloys. *MRS Symp. Proc.* **2001**, *644*, L11.7.1–11.7.6.
2. Gu, X.; Xing, L.-Q., Hufnagel, T. C. Preparation and Mechanical Properties of Hafnium-Based Bulk Metallic Glasses. *MRS Symp. Proc.* **2001**, *644*, L12.16.1–12.16.6.
3. Xing, L.-Q.; Li, Y.; Ramesh, K. T.; Li, J. Hufnagel, T. C. Enhanced Plastic Strain in Zr-Based Bulk Amorphous Alloys. *Phys. Rev. B* **2001**, *64*, 180201(R).
4. Hufnagel, T. C.; Xing, L.-Q.; Li, Y.; Jia, D.; Ramesh, K. T. Deformation and Failure of Bulk Amorphous $Zr_{57}Ti_5Cu_{20}Ni_8Al_{10}$ Under Quasi-Static and Dynamic Compression. *Journal of Materials Research* **2002**, *17*, 1441.
5. Gu, X.; Xing, L.-Q.; Hufnagel, T. C. Preparation and Glass Forming Ability of Bulk Metallic Glass $(Hf_xZr_{1-x})_{52.5}Cu_{17.9}Ni_{14.6}Al_{10}Ti_5$. *J. Non-Cryst. Solids* **2002**, *311*, 77.
6. Hufnagel, T. C.; Fan, C.; Ott, R. T.; Li, J.; Brennan, S. Controlling Shear Band Behavior in Metallic Glasses Through Microstructural Design. *Intermetallics* **2002**, *10* (11–12), 1163-1166.
7. Gu, X.; Jiao, T.; Kecskes, L. J.; Woodman, R. H.; Fan, C.; Ramesh, K. T.; Hufnagel, T. C. Crystallization and Mechanical Behavior of (Hf, Zr)-Ti-Cu-Ni-Al Metallic Glasses *J. Non-Cryst. Solids* **2003**, *317*, 112.
8. Jiao, T.; Fan, C.; Kecskes, L. J.; Hufnagel, T. C.; Ramesh, K. T. Effect of Loading Rate in Bulk Metallic Glasses. *Materials Research Society Symposium Proceedings* **2003**, *754*, CC6.2.1-6.2.6.
9. Jiao, T.; Kecskes, L. J.; Hufnagel, T. C.; Ramesh, K. T. Deformation and Failure of $Zr_{57}Nb_5Al_{10}Cu_{15.4}Ni_{12.6}$ Metallic Glass/W Particle Composites Under Quasi-Static and Dynamic Compression. *Met. Mat. Trans. A* **2004**, *35* (11), 3439–3444.
10. Ott, R. T.; Sansoz, F. J.; Molinari, F.; Almer, J.; Fan, C.; Hufnagel, T. C. Synchrotron Strain Measurements for In Situ Formed Metallic Glass Matrix Composites; Busch, R., Hufnagel, T. C., Eckert, J., Inoue, A., Johnson, W. L., Yavari, A. R., Eds. *Mat. Res. Soc. Symp. Proc.* **2004**, *806*, 361–366.

11. Jiao, T.; Kecskes, L. J.; Hufnagel T. C.; Ramesh, K.T. Deformation and Failure of $Zr_{57}Nb_5Al_{10}Cu_{15.4}Ni_{12.6}/W$ Particle Composites Under Quasistatic and Dynamic Compression. *Metallurgical and Materials Transactions* **2004**, 35 (11), 3439–3444.
12. Ott, R. T.; Sansoz, F.; Molinari, J.-F.; Almer, J.; Ramesh, K. T.; Hufnagel, T. C. Micromechanics of Deformation of Metallic-Glass-Matrix Composites From In Situ Synchrotron Strain Measurements and Finite Element Modeling. *Acta Materialia* **2005**, 53, 1883–1893.
13. Hufnagel, T. C.; Ott, R. T.; Almer, J. Structural Aspects of Elastic Deformation of a Metallic Glass. *Physical Review B* **2006**, 73, 064204.

4.5 Student Theses/Dissertations/Graduations

Ott, R. T. Graduated August 2004 (Ph.D.) Now a post-doctoral scholar at Ames Laboratory.
Dissertation title: Processing, Structure and Properties of In Situ Formed Metallic Glass Matrix Composites.

5. Dynamic Failure and Damage Mechanisms Research Thrust

Core Faculty: Jean-Francois Molinari, K.T. Ramesh

ARL Collaborators: T. W. Wright, S. Schoenfeld, E. S. C. Chin, G. Gazonas, J. McCauley, R. J. Dowding, T. Weerasooriya, L. Magness, M. Raftenberg, T. Bjerke

Associate Research Scientist: Dr. Fenghua Zhou

Graduate Student: R. Raghupathy

5.1 Long-Range Objectives

- Characterize micromechanisms of dynamic failure developed within the other CAMCS thrusts.
- Develop mechanism-based models for the evolution of damage within heterogeneous materials under dynamic loading.
- Develop a robust modeling and simulation capability for physically realistic simulations of impact and penetration of advanced metals and metal-matrix composite systems.
- Develop a physics-based model for the dynamic nucleation, growth, and coalescence of voids in ductile metals.

5.2 Selected Accomplishments

The modeling efforts within the dynamic failure and damage mechanisms research thrust have taken two separate, yet complementary, tracks: numerical developments and simulations of dynamic failure, and models targeting the physics of damage mechanisms in connection to materials.

- An important contribution of the research has been to improve the state-of-the-art of simulations of dynamic failure and damage mechanisms. An explicit dynamic parallel code has been developed to track damage mechanisms in the form of shear bands and microcracks in two-dimensional (2-D) and three-dimensional (3-D) metallic and bulk amorphous microstructures.¹⁵
- Techniques to address mesh dependency in simulations of fracture using cohesive elements were developed.¹⁶

¹⁵Zhou, F.; Molinari, J. F. 3-D Finite Element Analysis of Impact Damage in Metallic and Ceramic Targets. *Ceramic Armor Materials by Design, Ceramic Transactions* **2002**, *134*, 317–328.

¹⁶Zhou, F.; Molinari, J. F. Dynamic Crack Propagation with Cohesive Elements: A Methodology to Address Mesh Dependency. *International Journal Numerical Methods in Engineering* **2004**, *59* (1), 1–24.

- Stochastic aspects of fracture in ceramic materials were addressed by incorporating Weibull or other distributions of strength.¹
- A dynamic model (figure 11) for the fragmentation of brittle materials over a range of strain rates was developed, including at very high strain rates.²




Figure 11. Calculated nondimensional fragment size vs. nondimensional strain-rate for all of the material properties examined. The predictions of other theories are included for comparison.

- We have developed a model for the dynamic growth of voids under transient loading, including the effects of strain hardening, rate sensitivity, and thermal conduction.³ This model has been used to develop estimates (figure 12) for the spall strength of engineering materials that is a conservative estimate when compared with experiment.⁴ The approach has then been extended to account for void-void interactions and to estimating the pressure-porosity relationship as a function of assumed defect distributions.
- From a physics viewpoint, the modeling efforts have investigated multiple damage mechanisms, including void growth, shear banding, and microcracking. We have established phenomenological laws to capture these mechanisms at the macroscale, and more recently, we have investigated the links between these damage mechanisms and microstructural details, including inclusions, pores, and grain boundaries.

¹ Zhou, F.; Molinari, J. F. Stochastic Fracture of Ceramics Under Dynamic Tensile Loading. *International Journal of Solids and Structures* **2004**, *41*, 6573–6596.

²Zhou, F.; Molinari, J. F.; Ramesh, K. T. A Cohesive-Model Based Fragmentation Analysis: Effects of Strain Rate and Initial Defects Distribution. *International Journal of Solids and Structures* **2005**, *42*, 5181–5207.

³Wu, X. Y.; Ramesh, K. T.; Wright, T. W. The Dynamic Growth of a Single Void in a Viscoplastic Material Under Transient Hydrostatic Loading. *Journal of the Mechanics and Physics of Solids* **2003**, *51* (1), 1–26.

⁴Wu, X. Y.; Ramesh, K. T.; Wright, T. W. The Effects of Thermal Softening and Heat Conduction on the Dynamic Growth of Voids. *International Journal of Solids and Structures* **2003**, *40* (17), 4461–4478.




Figure 12. Comparison of predicted estimates of spall strength with range of experimental measurements for various engineering materials.

Analytical and numerical models for the multiple shear band problem (figure 13) were developed, including the statistics of multiple shear bands.¹ The modeling demonstrates that the average shear band spacing is a strong function of the strain rate and that the Grady-Kipp model provides reasonable estimates if large strains are used define mature shear bands.




Figure 13. Band spacing vs. strain-rate ($m = 0.025$). Strain criterion is used for defining mature shear bands. The four hollow squares are band spacings estimated by the “most-efficient stress collapse” theory.

¹Zhou, F.; Wright, T. W.; Ramesh, K. T. The Formation of Multiple Adiabatic Shear Bands. *Journal of Mechanics and Physics of Solids* **2006**, *54*, 1376–1400.

5.3 Collaborative Interactions

The Dynamic Failure and Damage Mechanisms CRG met regularly to discuss and plan this research. Tim Wright (ARL) and George Gazonas (ARL) worked extensively with students and research scientists at the Hopkins laboratories. This research group has been instrumental in bringing together modeling efforts in metal-matrix composites, nanomaterials, and bulk metallic glasses.

5.4 Publications and Presentations

1. Wu, X. Y.; Ramesh, K. T.; Wright, T. W. The Dynamic Growth of A Single Void in a Viscoplastic Material Under Transient Hydrostatic Loading. *Journal of Mechanics and Physics of Solids* **2003**, *51* (1), 1–26.
2. Wu, X. Y.; Ramesh, K. T.; Wright, T. W. The Effects of Thermal Softening and Heat Conduction on the Dynamic Growth of Voids. *International Journal of Solids and Structures* **2003**, *40* (17), 4461–4478.
3. Wu, X. Y.; Ramesh, K. T.; Wright, T. W. The Coupled Effects of Plastic Strain Gradient and Thermal Softening on the Dynamic Growth of Voids. *International Journal of Solids and Structures* **2003**, *40*, 6633–6651.
4. Fenghua, Z.; Molinari, J.-F. Numerical Investigation of Dynamic Compressive Loading. *Ceramic Engineering and Science Proceedings* **2003**, *24*, 417–423.
5. Sansoz, F.; Molinari, J. F. Incidence of Atom Shuffling on the Shear and Decohesion Behavior of a Symmetric Tilt Grain Boundary in Copper. *Scripta Materialia* **2004**, *50*, 1283–1288.
6. Hu, N.; Molinari, J. F. Shear Bands in Dense Metallic Granular Materials. *Journal of Mechanics and Physics of Solids* **2004**, *52*, 499–531.
7. Fenghua, Z.; Molinari, J.-F.; Ramesh, K. T. Dynamic Fragmentation Investigation: Strain Rate Effects on Fragment Size and Fragment Size Distributions. *Ceramics Engineering and Science Proceedings* **2004**, *25*, 605–611.
8. Zhou, F.; Molinari, J. F.; Shioya, T. A Rate-Dependent Cohesive Model for Simulating Dynamic Crack Propagation in Brittle Materials. *Engineering Fracture Mechanics* **2005**, *72* (9), 1383–1410.
9. Zhou, F.; Molinari, J. F.; Ramesh, K. T. A Cohesive-Model Based Fragmentation Analysis: Effects of Strain Rate and Initial Defects Distribution. *International Journal of Solids and Structures* **2005**, *42*, 5181–5207.
10. Zhou, F.; Molinari, J. F.; Ramesh, K. T. Effects of Material Properties and Strain Rate on the Fragmentation of Brittle Materials. *International Journal of Fracture*, in press, 2005.

11. Zhou, F.; Ramesh, K. T.; Molinari, J. F. Characteristic Fragment Size Distribution of Dynamically Expanding Rings. *Applied Physics Letters*, submitted for publication, 2005.
12. Fenghua, Z.; Molinari, J.-F.; Ramesh, K. T. A Finite Difference Analysis of the Brittle Fragmentation of an Expanding Ring. *Computational Material Sciences*, in press, 2005.
13. Fenghua, Z.; Wright, T. W.; Ramesh, K. T. A Numerical Methodology for Investigating the Formation of Adiabatic Shear Bands. *Journal of Mechanics and Physics of Solids* **2005**, *54*, 904–926.
14. Zhou, F.; Wright, T. W.; Ramesh, K. T. The Formation of Multiple Adiabatic Shear Bands. *Journal of Mechanics and Physics of Solids* **2006**, *54*, 1346–1400.

5.5 Student Theses/Dissertations/Graduations

None.

6. Metal-Ceramic Joining Research Thrust

Core Faculty: T. P. Weihs, O. M. Knio

ARL Collaborators: K. Doherty, E. S. C. Chin, S. Schoenfeld, J. Wells, R. J. Dowding, E. Horwath, M. Normandia, J. Adams

Graduate Student: M. Reiss

6.1 Long-Range Objectives

The development of a new method for joining titanium/ceramic armor materials using reactive foils.

6.2 Accomplishments

This research thrust was functional only during the 2001 calendar year. We made approximately 12 SiC/Ti-6-4 joints and tested most of these with a new shear lap test geometry that was designed and constructed as well. The apparatus loads shear lap samples in compression and monitors load and displacement. The shear strengths measured for the 12 joints were low (<5 MPa). The low values can be attributed to poor wetting of the reactive foils and insufficient heat in the reactive foils. We then characterized the heats, velocities, and phases for the current set of foils to understand how best to improve their design in the next fabrication run.

We also extended our previous model of self-propagating reactions so as to incorporate effects of reactants and products melting. The extended model was applied to analyze the effects of melting on reaction velocities and temperatures in nano-structured Ni/Al foils. Simulations were conducted for foils with different bilayer thicknesses and premix widths. In particular, the simulations indicate that melting substantially affects the properties of the unsteady reactions and generally results in an appreciable reduction of the average front speed.

6.3 Collaborative Interactions

This research thrust did not operate a formalized CRG. However, the ARL scientists and Hopkins faculty met several times during 2001 to discuss and plan this research. There were also some interactions between the Hopkins faculty and Rutgers faculty involved in the ceramics effort. Drs. Kevin Doherty and Scott Schoenfeld were the primary ARL contacts on this work. A small business was subsequently set up (Reactive Nanotechnologies, Inc.) that has been extremely successful in implementing the technology for U.S. Army use.

6.4 Publications

1. Jayaraman, S.; Mann, A. B.; Reiss, M. E.; Weihs, T. P.; Knio, O. M. Numerical Study of the Effect of Heat Losses on Self-Propagating Reactions in Multilayer Foils. *Comb. and Flame* **2001**, *124*, 178–194.
2. Mann, A. B.; Tapson, J.; Van Heerden, D. A.; Lewis, C.; Josell, D.; Weihs, T. P. Absolute Measurements of Wafer Curvature for Multilayer Systems in a Vacuum Furnace. *Rev. Sci. Instr.* **2002**, *73*, 1821.
3. Besnoin, E.; Cerutti, S.; Knio, O. M.; Weihs, T. P. Effect of Reactant and Product Melting on Self-Propagating Reactions in Multilayer Foils. *Journal of Applied Physics* **2002**, *92*, 5474.
4. Blobaum, K. J.; Van Heerden, D.; Wagner, A. J.; Fairbrother, D. H.; Weihs, T. P. Sputter-Deposition and Characterization of Paramelaconite [Cu₄O₃]. *Journal of Materials Research* **2003**, *18* (7), 1535–1542.
5. Blobaum, K. J.; Van Heerden, D.; Gavens, A. J.; Weihs, T. P. Al/Ni Formation Reactions: Characterization of the Metastable Al₉Ni₂ Phase and Analysis of Its Formation. *Acta Metallurgica* **2003**, *51*, 3871.

6.5 Student Theses/Dissertations/Graduations

Blobaum, K. J., Ph.D. Dissertation, partly funded by this program: Processing and Characterization of Reactions and Products In Reactive Multilayer Foils: Investigating the Ni/Al and CuO_x/Al Systems.

7. Education, Training, and Collaborative Structures

Hopkins Coordinator: K. T. Ramesh

ARL Coordinators: J. McCauley, E. S. C. Chin

7.1 Long-Range Objectives

The development of a collaborative research structure with significant educational benefits to both ARL and Johns Hopkins.

7.2 Accomplishments

- CRG meetings held on average once a month, typically on a Friday (non-Regular Day Off).
- Direct participation by ARL scientists in the research program.
- Continuous monitoring and modification of research directions.
- Technical presentations on topics related to the primary thrust of each group.
- Technical presentations by students or postdocs.

7.3 ARL Scientists in Close Collaborations (Incomplete List)

- Tim Wright
- Jim McCauley
- Ernie Chin
- Laszlo Kecskes
- George Gazonas
- Bob Dowding
- Lee Magness
- Kyu Cho
- R. H. Woodman

7.4 Educational Interactions

- CAMCS Seminars
- ARL staff → graduate students
 - Brian Schuster (current)
 - Reuben Kraft (current)
 - Cyril Williams (current)
 - Jessica Meulbrook (current)

- Undergraduate Interns → Staff
 - Dat Truong
 - Sam Martin
 - Gautam Jadhav
- Graduate students with direct interactions with ARL scientists
- ARL scientists provide technical advice and mentoring to students
- Research scientists with direct interactions with ARL scientists

7.5 Publications, Presentations, and Patents

- Over the 5-year period:
 - >60 archival publications appeared/accepted; of these, 24 have ARL co-authors
 - >65 presentations made
 - >25 invited seminars by CAMCS faculty
 - >3 patents in process
 - 5 doctoral dissertations in mechanical engineering and materials science and engineering; three of these students had strong participation from ARL mentors.

NO. OF
COPIES ORGANIZATION

1 DEFENSE TECHNICAL
(PDF INFORMATION CTR
ONLY) DTIC OCA
8725 JOHN J KINGMAN RD
STE 0944
FORT BELVOIR VA 22060-6218

1 US ARMY RSRCH DEV &
ENGRG CMD
SYSTEMS OF SYSTEMS
INTEGRATION
AMSRD SS T
6000 6TH ST STE 100
FORT BELVOIR VA 22060-5608

1 DIRECTOR
US ARMY RESEARCH LAB
IMNE ALC IMS
2800 POWDER MILL RD
ADELPHI MD 20783-1197

3 DIRECTOR
US ARMY RESEARCH LAB
AMSRD ARL CI OK TL
2800 POWDER MILL RD
ADELPHI MD 20783-1197

ABERDEEN PROVING GROUND

1 DIR USARL
AMSRD ARL CI OK TP (BLDG 4600)

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	DPTY ASST SECY FOR R&T SARD TT THE PENTAGON RM 3EA79 WASHINGTON DC 20301-7100	2	HQ SFSJM CDL US ARMY JOINT MUNITIONS CMD AMSIO SMT R CRAWFORD W HARRIS 1 ROCK ISLAND ARSENAL ROCK ISLAND IL 61299-6000
1	COMMANDER US ARMY MATERIEL CMD AMXMI INT 9301 CHAPEK RD FT BELVOIR VA 22060-5527	2	COMMANDER US ARMY AMCOM AVIATION APPLIED TECH DIR J SCHUCK FT EUSTIS VA 23604-5577
1	COMMANDER US ARMY TACOM PM HBCT SFAE GCS HBCT S (MS 506) 6501 ELEVEN MILE RD WARREN MI 48397-5000	1	NAVAL SURFACE WARFARE CTR DAHLGREN DIV CODE G06 DAHLGREN VA 22448
1	COMMANDER US ARMY TACOM AMSTA SF WARREN MI 48397-5000	1	USA SBCCOM PM SOLDIER SPT AMSSB PM RSS A J CONNORS KANSAS ST NATICK MA 01760-5057
1	OFC OF NAVAL RSRCH J CHRISTODOULOU ONR CODE 332 800 N QUINCY ST ARLINGTON VA 22217-5600	3	AIR FORCE ARMAMENT LAB AFATL DLJW W COOK D BELK J FOSTER EGLIN AFB FL 32542
1	COMMANDER US ARMY TACOM PM SURVIVABLE SYSTEMS SFAE GCSS W GSI H M RYZYI 6501 ELEVEN MILE RD WARREN MI 48397-5000	3	DPTY ASSIST SCY FOR R&T SARD TT ASA (ACT) C CHABALOWSKI T KILLION J PARMENTOLA THE PENTAGON RM 3E479 WASHINGTON DC 20310-0103
1	COMMANDER US ARMY TACOM CHIEF ABRAMS TESTING SFAE GCSS W AB QT J MORAN 6501 ELEVEN MILE RD WARREN MI 48397-5000	2	DARPA W COBLENZ L CHRISTODOULOU 3701 N FAIRFAX DR ARLINGTON VA 22203-1714
1	COMMANDER WATERVLIET ARSENAL SMCWV QAE Q B VANINA BLDG 44 WATERVLIET NY 12189-4050	3	DIRECTOR US ARMY ARDEC AMSTA AR FSA E W DUNN J PEARSON E BAKER PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

4 US ARMY TARDEC
AMSTRA TR R MS 263
K BISHNOI
L FRANKS (2 CPS)
D TEMPLETON
WARREN MI 48397-5000

1 COMMANDER
US ARMY RSRCH OFC
A RAJENDRAN
PO BOX 12211
RSRCH TRIANGLE PARK NC
27709-2211

2 CALTECH
G RAVICHANDRAN
T AHRENS MS 252 21
1201 E CALIFORNIA BLVD
PASADENA CA 91125

2 ARMY HIGH PERFORMANCE
COMPUTING RSRCH CTR
T HOLMQUIST
G JOHNSON
1200 WASHINGTON AVE S
MINNEAPOLIS MN 55415

3 SOUTHWEST RSRCH INST
C ANDERSON
J WALKER
K DANNEMANN
PO DRAWER 28510
SAN ANTONIO TX 78284

2 UNIV OF DELAWARE
DEPT OF MECH ENGR
J GILLESPIE
NEWARK DE 19716

3 SRI INTERNATIONAL
D CURRAN
D SHOCKEY
R KLOOP
333 RAVENSWOOD AVE
MENLO PARK CA 94025

NO. OF
COPIES ORGANIZATION

7 INST OF ADVANCED TECH
UNIV OF TX AUSTIN
S BLESS
H FAIR
D LITTLEFIELD
C PERSAD
P SULLIVAN
R SUBRAMANIAN
S SATAPATHY
3925 W BRAKER LN
AUSTIN TX 78759-5316

1 APPLIED RSRCH ASSOCIATES
D GRADY
4300 SAN MATEO BLVD NE
STE A220
ALBUQUERQUE NM 87110

1 INTERNATIONAL RSRCH
ASSOCIATES INC
D ORPHAL
4450 BLACK AVE
PLEASANTON CA 94566

1 BOB SKAGGS CONSULTANT
S SKAGGS
79 COUNTY RD 117 SOUTH
SANTA FE NM 87501

2 WASHINGTON ST UNIV
INST OF SHOCK PHYSICS
Y GUPTA
J ASAY
PULLMAN WA 99164-2814

1 COORS CERAMIC CO
T RILEY
600 NINTH ST
GOLDEN CO 80401

1 UNIV OF DAYTON
RSRCH INST
N BRAR
300 COLLEGE PARK
MS SPC 1911
DAYTON OH 45469

<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>
5	DIRECTOR USARL K WILSON FRENCH DEA 1396 ADELPHI MD 20783-1197	3	RUTGERS STATE UNIV OF NJ DEPT OF CRMCS & MATLS ENGRNG R HABER 607 TAYLOR RD PISCATAWAY NJ 08854
2	COMMANDER US ARMY TACOM AMSTA TR S T FURMANIAK L PROKURAT FRANKS WARREN MI 48397-5000	1	NAVAL RSRCH LABORATORY CODE 6684 4555 OVERLOOK AVE SW WASHINGTON DC 20375
1	PROJECT MANAGER ABRAMS TANK SYSTEM J ROWE WARREN MI 48397-5000	3	SOUTHWEST RSRCH INST C ANDERSON J RIEGEL J WALKER 6220 CULEBRA RD SAN ANTONIO TX 78238
4	COMMANDER US ARMY RSRCH OFC B LAMATINA D STEPP W MULLINS D SKATRUD PO BOX 12211 RSRCH TRIANGLE PARK NC 27709-2211	1	ARMORWORKS W PERCIBALLI 2495 S INDUSTRIAL PARK AVE TEMPE AZ 85281
1	NAVAL SURFACE WARFARE CTR CARDEROCK DIVISION R PETERSON CODE 28 9500 MACARTHUR BLVD WEST BETHESDA MD 20817-5700	1	CERCOM R PALICKA 991 PARK CENTER DR VISTA CA 92083
4	LAWRENCE LIVERMORE NATL LAB R GOGOLEWSKI L290 R LANDINGHAM L369 J REAUGH L32 S DETERESA PO BOX 808 LIVERMORE CA 94550	6	GDLS W BURKE MZ436 21 24 G CAMPBELL MZ436 30 44 D DEBUSSCHER MZ436 20 29 J ERIDON MZ436 21 24 W HERMAN MZ435 01 24 S PENTESCU MZ436 21 24 38500 MOUND RD STERLING HTS MI 48310-3200
6	SANDIA NATL LAB J ASAY MS 0548 R BRANNON MS 0820 L CHHABILDAS MS 0821 D CRAWFORD ORG 0821 M KIPP MS 0820 T VOLGER PO BOX 5800 ALBUQUERQUE NM 87185-0820	1	INTERNATL RSRCH ASSN D ORPHAL 4450 BLACK AVE PLEASANTON CA 94566
		1	JET PROPULSION LAB IMPACT PHYSICS GROUP M ADAMS 4800 OAK GROVE DR PASADENA CA 91109-8099
		1	KAMAN SCIENCES CORP 1500 GARDEN OF THE GODS RD COLORADO SPRINGS CO 80907

<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>
3	OGARA HESS & EISENHARDT G ALLEN D MALONE T RUSSELL 9113 LE SAINT DR FAIRFIELD OH 45014
3	JOHN HOPKINS UNIV DEPT OF MECH ENGR K RAMESH 3400 CHARLES ST BALTIMORE MD 21218
1	SAIC J FURLONG MS 264 1710 GOODRIDGE DR MCLEAN VA 22102
2	SIMULA INC V HORVATICH V KELSEY 10016 51ST ST PHOENIX AZ 85044
6	UNITED DEFENSE LP J DORSCH B KARIYA M MIDDIONE R MUSANTE R RAJAGOPAL D SCHADE PO BOX 367 SANTA CLARA CA 95103
3	UNITED DEFENSE LP E BRADY R JENKINS J JOHNSON PO BOX 15512 YORK PA 17405-1512

<u>NO. OF</u> <u>COPIES</u>	<u>ORGANIZATION</u>
	<u>ABERDEEN PROVING GROUND</u>
75	DIR USARL AMSRD ARL WM R DOWDING S KARNA S MCKNIGHT E SCHMIDT J SMITH T WRIGHT AMSRD ARL WM BC J NEWILL AMSRD ARL WM MC R SQUILLACIOTI AMSRD ARL WM MD E CHIN (6 CPS) G GAZONAS J LASALVIA J MONTGOMERY P PATEL J SANDS AMSRD ARL WM T B BURNS AMSRD ARL WM TA P BARTKOWSKI M BURKINS W GOOCH D HACKBARTH T HAVEL C HOPPEL E HORWATH T JONES M KEELE D KLEPONIS H MEYER J RUNYEON N RUPERT D RUSIN M ZOLTOSKI AMSRD ARL WM TB P BAKER A GUPTA AMSRD ARL WM TC R COATES T FARRAND K KIMSEY L MAGNESS D SCHEFFLER R SUMMERS W WALTERS

AMSRD ARL WM TD
T BJERKE
J CLAYTON
D DANDEKAR
M GREENFIELD
K IYER
J MCCAULEY (20 CPS)
H MEYER
E RAPACKI
M SCHEIDLER
S SCHOENFELD
S SEGLETES
T WEERASOORIYA