

THE JOINT CHIEFS OF STAFF
Washington, D.C. 20301 - 5000

30 May 1986

US NATIONAL LETTER OF PROMULGATION
FOR ACP 131 US SUPP-1(D)

1. ACP 131 US SUPP-1(D), COMMUNICATION INSTRUCTIONS - OPERATING SIGNALS (US Supplement No. 1), is an UNCLASSIFIED publication developed under the direction of the Joint Chiefs of Staff and is promulgated for guidance, information, or use of the Armed Forces of the United States and other users of US military communications facilities.

2. ACP 131 US SUPP-1(D) is EFFECTIVE UPON RECEIPT and supersedes ACP 131 US SUPP-1(C), which shall be destroyed in accordance with current Service regulations.

3. Permission is granted to copy or make extracts from this publication, as desired, without reference to the Joint Chiefs of Staff.

4. This publication may be carried in aircraft for use therein.

5. ACP 131 US SUPP-1(D) contains the listing of confirmed operating signals for US use. These approved signals are not printed in the basic ACP. Information in this Supplement has been printed on yellow paper for identification and in a format that will enable the material to be appropriately interleaved within ACP 131. Instructions for interleaving are as follows.

a. US National Letter of Promulgation - Insert following Page VI of the basic book.

b. Record of Changes and Corrections - Insert following Page VIII of the basic book.

c. Pages numbered 5-1 through 5-6 - Insert preceding Page 5-1 in the basic book.

d. List of Effective Pages - Insert following LEP-1 in the basic book.

6. This publication contains US military information, and release to other than US military agencies will be on a need-to-know basis.

7. Correspondence concerning this publication should be addressed as follows:

a. Service-originated correspondence will be forwarded through the normal military chain of command, marked for the attention of the appropriate Service communications chief or director, as listed below, and will not be addressed to the Joint Chiefs of Staff:

(1) Office of the Assistant Chief of Staff for Information Management, US Army

(2) Director, Naval Communications, US Navy

(3) Assistant Chief of Staff, Informations Systems, US Air Force

(4) Director of Command, Control, Communications and Computer Systems Division, Headquarters, US Marine Corps

b. Defense, national, and Federal agencies, as well as other recipients of this publication, should address their correspondence to the Chairman, US Military Communications-Electronics Board, Joint Chiefs of Staff, The Pentagon, Washington, D.C. 20301 - 5000.

For the Joint Chiefs of Staff:



RICHARD A. LACQUEMENT
Colonel, US Army
Military Secretary USMCEB

CHAPTER 5

SERIES ZYA - ZZZ

(RESERVED FOR US USE)

SIGNAL	QUESTION	ANSWER, ADVICE OR ORDER
ZYA		1. This message is for DCS major relay stations only. Do not transmit to connected minor relay or tributary stations; 2. DCS major relay stations transmit to connected minor relay and tributary stations. Minor relays transmit to connected tributary stations.
ZYB		Message originator has determined this is an administrative message. <u>(NAVY USE ONLY)</u>
ZYC		This message not to be transmitted on fleet broadcasts. Fleet broadcast stations originate a service message to units copying, signifying that the general message is of no concern.
ZYD		Transmit this message to (1. All minor relay and tributary stations; 2. Do not transmit this message to minor relay or tributary stations).
ZYE		Reserved for use by NSA.
ZYF		Reserved for use by NSA.
ZYG		Reserved for use by NSA.
ZYH		Reserved for use by NSA.

SIGNAL	QUESTION	ANSWER, ADVICE OR ORDER
ZYI		Reserved for use by NSA.
Zyj		
ZYK		Station-to-station receipts are not required for this message. Not applicable to stations where automatic switching equipments are programmed to acknowledge receipt of flash precedence messages.
ZYL		
ZYM	Can this SPECAT message be delivered via common channel broadcast?	This SPECAT message may be delivered via common channel broadcast when more private means are unavailable. <u>(NAVY USE ONLY)</u>
ZYN		For U.S. State Department use only. Automatic switching system will not retain this message in historical file. Direct service request to originating station.
ZYO		Reserved for use by NSA.
ZYP	What is downgrading and/or declassifying marking for message (.....)	Marking for messages ... is ...
ZYQ		This message must be delivered to the addressee(s) for whom you are responsible as a single address message only.
ZYR		You did not synchronize (1. Re-transmit sync signals; 2. Check your crypto equipment for the current day).

SIGNAL	QUESTION	ANSWER, ADVICE OR ORDER
ZYS		Reserved for use by NSA.
ZYT		Your SYNC signal is (1. Too short; 2. Unnecessarily long).
ZYU		This is a narrative message (for use in AUTODIN).
ZYV		This is a service message (for use in AUTODIN).
ZYW		This message must be visually inspected before submitting it to ma- chine processing.
ZYG		I am closing down (1. To set UF CRYPTO equipment on new day; 2. Be- cause of EMCON/HERO/RADHAZ now or at (TIME). (NAVY USE ONLY)
ZYY		This message unavoidably delayed at originating communications center due to following restrictions/require- ments: (1. RADHAZ; 2. HERO; 3. EMCON; 4. Pigeon Post; 5. Operational/com- mand authority). (NAVY USE ONLY)
ZYZ		Your message ... subjected to possi- ble compromise. Message classifica- tion exceeded security clearance of your circuit.
ZZA		For U.S. State Department use only. Computer reaction required.
ZZB		Deliver this message (1. Immediately; 2. During normal working hours) to

SIGNAL	QUESTION	ANSWER, ADVICE OR ORDER
ZZC		All recipients of this message may not be aware of the complete address composition of the AIG(s) listed in the original heading or readdressal heading(s). This information should not be required by all recipients. However, if absolutely essential, the address composition(s) may be obtained from the message originator, or from the readdressal authority as appropriate.
ZZD		This is a composite message, formed by combining several short messages, all for the same addressee, under this single AUTODIN header (for use in AUTODIN only).
ZZE		No major category of AUTODIN content indicator code has been assigned to cover this message (for use in AUTODIN only).
ZZF		This message screened, and will not be delivered by broadcast due to (1. Broadcast backlog; 2. Does not require broadcast delivery; 3. Does not meet broadcast requirements; 4. No longer effective). Effect delivery by other means, e.g., messenger, hand delivery upon returning to port, send via local area circuits, etc. (<u>NAVY USE ONLY</u>)
ZZG		This message is an alternatively routed collective call message. Deliver a copy to addressee(s) for whom you are responsible. Do not reintroduce into the system as a collective call message.
ZZH		This is a Department of State message (for use in Diplomatic Telecommunications System (DTS) of the NCS).
ZZI		
ZZJ	Which broadcast freqs are you copying best at this time?	The best broadcast freq(s) I am copying is/are...(kHz). (<u>NAVY USE ONLY</u>)

SIGNAL	QUESTION	ANSWER, ADVICE OR ORDER
ZZK		Delivery of this immediate precedence message to the following specific routing indicator(s) or specific address designator(s) is required regardless of time, day or night.
ZZL		(For ACP 127 format) this message is forwarded under the provision of EFTO Policy. Disregard the conflicting security warning operating Signals. (For Janap 128 format) this message is forwarded under the provision of EFTO policy.
ZZM		Reserved for use by the U.S. Department of State. To be used by the DTS automatic switches to indicate catastrophic failure of a switch within the DTS.
ZZN		Reserved for use by U.S. Department of State. To be used by the DTS satellite system for component failure within satellite network.
ZZO		Reserved for use by U.S. Department of State. To be used by the DTS satellite system for component failure within satellite network.
ZZP		Reserved for use by U.S. Department of State. To be used by the DTS satellite system for component failure within satellite network.
ZZQ		Reserved for use by the U.S. Department of State. To be used by the DTS satellite system for component failure within satellite network.
ZZR		Reserved for use by NSA.

SIGNAL	QUESTION	ANSWER, ADVICE OR ORDER
ZZS		Reserved for use by NSA.
ZZT		Reserved for use by the U.S. Department of State. To be used by the DTS satellite system for component failure within satellite network.
ZZU		Your message has been received with incorrect card count ... (1. Card count short; 2. Card count over). Request rerun.
ZZV		Reserved for use by U.S. Department of State. To be used by the DTS satellite system for component failure within satellite network.
ZZW		
ZZX		You are delaying traffic by not removing your transmitter from the air upon completion of transmission. <u>(NAVY USE ONLY)</u>
ZZY		For use on U.S. Department of State privacy telegrams that have been authorized on-line transmission.
ZZZ		Depending on the value of the numerical character, this msg cancelled after time indicated from msg date-time group. File W/O further transmission. (1. 2HRS; 2. 4HRS; 3. 6HRS; 4. 8HRS; 5. 10HRS; 6. 12HRS; 7. 18HRS; 8. 24HRS; 9. 48HRS.) NOTE: FOR USN-USE ONLY ON PERISHABLE TRAFFIC ORIGINATED VIA STREAMLINER AMPE AND DESTINED FOR THE FLEET BROADCAST. OPSIG ZZZ NOT TO BE USED WITH OPSIG ZPW.