

Enhanced Warfighter Capability with Direct and Indirect Small Arms Ammunition

NDIA Joint Armaments Conference 2010

Jarl Eirik Straume
Director Marketing and Sales
Nammo Raufoss

Overview


- 12,7mm (.50 cal)
- 40mm x 53

The Nammo 12,7mm (.50cal) Family




The Multipurpose

12,7mm MP NM140/Mk211




12,7mm MP-T NM160 and MP-DT




The Armour Piercing Super

AP-S NM173 (API) and NM185 (AP)




Nammo

The Special Grade



12,7mm SG




12,7mm SG-T and SG-DT






Nammo

The Reduced Range



Nammo

The Reduced Range




12,7mm RR

12,7mm RR-T and RR-DT



Airburst Principal



Programming:

- Radio Frequency
- Galvanic contacts (only MK47)

PPHE Ammunition (US MK 285)

- Electronic Programmable Time Fuze
- Air-Burst Function (electronic)
- Point Detonating (mechanical)
- Self-Destruct (electronic)
- Mechanical Safe & Arm (US MK91)
- Prefragmented Shell
- IM Properties



40mm RF Round

- Electronic Programmable Time Fuze
- Air-Burst Function (electronic)
- Point Detonating (mechanical)
- Self-Destruct (electronic)
- Mechanical Safe & Arm (US MK91)
- Prefragmented Shell
- IM Properties



40mm RF

- Wireless programming
- Easy integration to existing weapon platforms



IHV-HEDP

- M430A1 (HEDP) Product Improvement Program (IHV-HEDP)
- SD function (Mechanical)
- IM properties
- Reduce safety zone (Back-plug)
- Two versions:
 - Standard (MK315)
 - Air-Burst (MK314)





QUESTIONS?

Jarl Eirik Straume
Director Marketing and Sales
Nammo Raufoss AS
Phone no.: +47 61151686
E-mail: jarl.eirik.straume@nammo.com